

François Saucy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5885029/publications.pdf>

Version: 2024-02-01

17
papers

282
citations

1163117

8
h-index

1125743

13
g-index

17
all docs

17
docs citations

17
times ranked

415
citing authors

#	ARTICLE	IF	CITATIONS
1	Stapled Porcine Pericardium Displays Lower Infectivity In Vitro Than Native and Sutured Porcine Pericardium. <i>Journal of Surgical Research</i> , 2022, 272, 132-138.	1.6	1
2	Pharmacological prevention of intimal hyperplasia: A state-of-the-art review. , 2022, 235, 108157.		19
3	The role of Doppler ultrasonography in vascular access surveillance” controversies continue. <i>Journal of Vascular Access</i> , 2021, 22, 63-70.	0.9	9
4	A New Homemade Stapled Vascular Tube Graft. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020, 59, 320-321.	1.5	4
5	A Brachial False Aneurysm Repair with Xeno-pericardium Bioconduit. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 58, 342.	1.5	0
6	Ten Year Experience of Using Cryopreserved Arterial Allografts for Distal Bypass in Critical Limb Ischaemia. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 57, 823-831.	1.5	16
7	Perivascular Administration of Atorvastatin Loaded in Microparticles and Hyaluronic Acid Gel to Prevent Intimal Hyperplasia in Venous Graft. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 58, e99-e100.	1.5	0
8	Evaluating intimal hyperplasia under clinical conditions. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2018, 27, 427-436.	1.1	12
9	Perivascular medical devices and drug delivery systems: Making the right choices. <i>Biomaterials</i> , 2017, 128, 56-68.	11.4	26
10	Zenith Bifurcated Iliac Side Branch Device: Mid-term Results and Assessment of Risk Factors for Intraoperative Thrombosis. <i>Annals of Vascular Surgery</i> , 2017, 41, 141-150.	0.9	26
11	Early Cannulation of the Flixene, Arteriovenous Graft. <i>Journal of Vascular Access</i> , 2016, 17, S75-S78.	0.9	4
12	Perivascular sustained release of atorvastatin from a hydrogel-microparticle delivery system decreases intimal hyperplasia. <i>Journal of Controlled Release</i> , 2016, 232, 93-102.	9.9	29
13	Abdominal Aortic Aneurysm: What About Screening?. <i>Current Pharmaceutical Design</i> , 2015, 21, 4084-4087.	1.9	5
14	The use of external mesh reinforcement to reduce intimal hyperplasia and preserve the structure of human saphenous veins. <i>Biomaterials</i> , 2014, 35, 2588-2599.	11.4	41
15	Intraoperative Assessment of Vascular Access. <i>Journal of Vascular Access</i> , 2014, 15, 6-9.	0.9	1
16	Atorvastatin-Loaded Hydrogel Affects the Smooth Muscle Cells of Human Veins. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013, 347, 574-581.	2.5	26
17	Is intra-operative blood flow predictive for early failure of radiocephalic arteriovenous fistula?. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 862-867.	0.7	63