

# Jean-Paul Viricelle

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5886019/publications.pdf>

Version: 2024-02-01

85  
papers

1,518  
citations

279798

23  
h-index

345221

36  
g-index

85  
all docs

85  
docs citations

85  
times ranked

1934  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fully inkjet printed SnO <sub>2</sub> gas sensor on plastic substrate. Sensors and Actuators B: Chemical, 2016, 236, 1091-1097.	7.8	103
2	Oxidation behaviour of a multi-layered ceramic-matrix composite (SiC)/C/(SiBC)m. Composites Science and Technology, 2001, 61, 607-614.	7.8	78
3	Physico-chemical contribution of gold metallic particles to the action of oxygen on tin dioxide sensors. Sensors and Actuators B: Chemical, 2003, 95, 83-89.	7.8	77
4	Development of a planar SOFC device using screen-printing technology. Journal of the European Ceramic Society, 2005, 25, 2633-2636.	5.7	72
5	Selectivity improvement of semi-conducting gas sensors by selective filter for atmospheric pollutants detection. Materials Science and Engineering C, 2006, 26, 186-195.	7.3	59
6	Application of membranes and filtering films for gas sensors improvements. Thin Solid Films, 2005, 490, 7-16.	1.8	52
7	Ambient temperature selective ammonia gas sensor based on SnO <sub>2</sub> -APTES modifications. Sensors and Actuators B: Chemical, 2018, 256, 440-447.	7.8	48
8	Tunable architecture for flexible and highly conductive graphene-polymer composites. Composites Science and Technology, 2014, 95, 82-88.	7.8	46
9	A novel approach to a fully inkjet printed SnO <sub>2</sub> -based gas sensor on a flexible foil. Journal of Materials Chemistry C, 2019, 7, 12343-12353.	5.5	46
10	An all porous solid oxide fuel cell (SOFC): a bridging technology between dual and single chamber SOFCs. Energy and Environmental Science, 2013, 6, 2119.	30.8	43
11	Application of advanced morphology Au-X (X=YSZ, ZrO <sub>2</sub> ) composites as sensing electrode for solid state mixed-potential exhaust NO <sub>x</sub> sensor. Sensors and Actuators B: Chemical, 2015, 207, 391-397.	7.8	43
12	Electrical and mechanical percolation in graphene-latex nanocomposites. Polymer, 2014, 55, 5140-5145.	3.8	40
13	Application of carbon nano-powders for a gas micro-preconcentrator. Sensors and Actuators B: Chemical, 2007, 127, 179-185.	7.8	39
14	Development of a normalized multi-sensors system for low cost on-line atmospheric pollution detection. Sensors and Actuators B: Chemical, 2017, 241, 1235-1243.	7.8	36
15	The influence of a platinum membrane on the sensing properties of a tin dioxide thin film. Sensors and Actuators B: Chemical, 2002, 84, 148-159.	7.8	33
16	Electrochemical promotion of catalysis with highly dispersed Pt nanoparticles. Electrochemistry Communications, 2012, 19, 5-8.	4.7	33
17	Development of tin oxide material by screen-printing technology for micro-machined gas sensors. Sensors and Actuators B: Chemical, 2003, 93, 531-537.	7.8	30
18	Development of a gas sensor by thick film technology for automotive applications: choice of materials-realization of a prototype. Materials Science and Engineering C, 2002, 21, 97-103.	7.3	29

#	ARTICLE	IF	CITATIONS
19	Model of the thickness effect of SnO <sub>2</sub> thick film on the detection properties. Sensors and Actuators B: Chemical, 2004, 103, 84-90.	7.8	29
20	Tests for the Use of La <sub>2</sub> Mo <sub>2</sub> O <sub>9</sub> -based Oxides as Multipurpose SOFC Core Materials. Fuel Cells, 2010, 10, 433-439.	2.4	27
21	Optimization of SnO <sub>2</sub> screen-printing inks for gas sensor applications. Journal of the European Ceramic Society, 2005, 25, 2137-2140.	5.7	26
22	Improvement of the NO selectivity for a planar YSZ sensor. Sensors and Actuators B: Chemical, 2011, 154, 106-110.	7.8	26
23	Enhancing oxygen reduction reaction of YSZ/La <sub>2</sub> NiO <sub>4</sub> + $\delta$ using an ultrathin La <sub>2</sub> NiO <sub>4</sub> + $\delta$ interfacial layer. Journal of Alloys and Compounds, 2018, 746, 413-420.	5.5	25
24	Study on Sm <sub>1.8</sub> Ce <sub>0.2</sub> CuO <sub>4</sub> + $\delta$ -Ce <sub>0.9</sub> Gd <sub>0.1</sub> O <sub>1.95</sub> composite cathode materials for intermediate temperature solid oxide fuel cell. International Journal of Hydrogen Energy, 2011, 36, 12555-12560.	7.1	23
25	Development of a protected gas sensor for exhaust automotive applications. IEEE Sensors Journal, 2002, 2, 342-348.	4.7	22
26	Tubular gas preconcentrators based on inkjet printed micro-hotplates on foil. Sensors and Actuators B: Chemical, 2016, 236, 1111-1117.	7.8	21
27	Preconcentration Modeling for the Optimization of a Micro Gas Preconcentrator Applied to Environmental Monitoring. Analytical Chemistry, 2015, 87, 4455-4463.	6.5	20
28	Detection of CO in H <sub>2</sub> -rich gases with a samarium doped ceria (SDC) sensor for fuel cell applications. Sensors and Actuators B: Chemical, 2009, 141, 7-12.	7.8	19
29	Synthesis and performance of Sr <sub>1.5</sub> La <sub>x</sub> MnO <sub>4</sub> as cathode materials for intermediate temperature solid oxide fuel cell. Journal of Power Sources, 2011, 196, 5835-5839.	7.8	19
30	Fabrication and characterization of anode-supported single chamber solid oxide fuel cell based on La <sub>0.6</sub> Sr <sub>0.4</sub> Co <sub>0.2</sub> Fe <sub>0.8</sub> O <sub>3</sub> + $\delta$ -Ce <sub>0.9</sub> Gd <sub>0.1</sub> O <sub>1.95</sub> composite cathode. International Journal of Hydrogen Energy, 2014, 39, 1014-1022.	7.1	19
31	Influence of key parameters on the response of a resistive soot sensor. Sensors and Actuators B: Chemical, 2016, 236, 1036-1043.	7.8	19
32	Transformation of cerium(III) hydroxycarbonate into ceria. Part 1. Nucleation and growth rates of ceria. Journal of the Chemical Society, Faraday Transactions, 1995, 91, 4431-4435.	1.7	17
33	Synthesis and characterization of tin dioxide thick film modified by APTES in vapor and liquid phases. Journal of Materials Science, 2018, 53, 727-738.	3.7	17
34	Rational Development of IT-SOFC Electrodes Based on the Nanofunctionalization of La <sub>0.6</sub> Sr <sub>0.4</sub> Ga <sub>0.3</sub> Fe <sub>0.7</sub> O <sub>3</sub> with Oxides. PART 1: Cathodes by Means of Iron Oxide. ACS Applied Energy Materials, 2018, 1, 6840-6850.	5.1	17
35	Study of oxygen reduction mechanism on Ag modified Sm <sub>1.8</sub> Ce <sub>0.2</sub> CuO <sub>4</sub> cathode for solid oxide fuel cell. International Journal of Hydrogen Energy, 2013, 38, 14060-14066.	7.1	16
36	Inkjet Printed SnO <sub>2</sub> Gas Sensor on Plastic Substrate. Procedia Engineering, 2015, 120, 75-78.	1.2	16

#	ARTICLE	IF	CITATIONS
37	Compatibility of screen-printing technology with micro-hotplate for gas sensor and solid oxide micro fuel cell development. <i>Sensors and Actuators B: Chemical</i> , 2006, 118, 263-268.	7.8	15
38	Development of Single Chamber Solid Oxide Fuel Cells (SCFC). <i>Fuel Cells</i> , 2010, 10, 683-692.	2.4	15
39	Nucleation and growth of ceria from cerium III hydroxycarbonate. <i>Studies in Surface Science and Catalysis</i> , 1995, 91, 885-892.	1.5	11
40	Development and characterisation of a screen-printed mixed potential gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2007, 130, 561-561.	7.8	9
41	Development of a Particulate Matter Sensor for Diesel Engine. <i>Procedia Engineering</i> , 2015, 120, 1237-1240.	1.2	9
42	Modeling of the signal of a resistive soot sensor, influence of the soot nature and of the polarization voltage. <i>Sensors and Actuators B: Chemical</i> , 2019, 298, 126820.	7.8	9
43	Effect of a platinum membrane on the sensing properties of materials based on thin and thick tin dioxide films. <i>Materials Science and Engineering C</i> , 2002, 21, 113-123.	7.3	8
44	In situ reduction and evaluation of anode supported single chamber solid oxide fuel cells. <i>Journal of Power Sources</i> , 2013, 242, 811-816.	7.8	8
45	NO <sub>2</sub> -Selective Electrochemical Sensors for Diesel Exhausts. <i>Procedia Engineering</i> , 2016, 168, 7-10.	1.2	8
46	Sensitive and Selective Ammonia Gas Sensor Based on Molecularly Modified SnO <sub>2</sub> . <i>Proceedings (mdpi)</i> , 2017, 1, .	0.2	8
47	Responses of a Resistive Soot Sensor to Different Mono-Disperse Soot Aerosols. <i>Sensors</i> , 2019, 19, 705.	3.8	8
48	Development of a selective ammonia YSZ-based sensor and modeling of its response. <i>Sensors and Actuators B: Chemical</i> , 2021, 338, 129833.	7.8	8
49	The influence of the electrode size on the electrical response of a potentiometric gas sensor to the action of oxygen. <i>IEEE Sensors Journal</i> , 2002, 2, 349-353.	4.7	7
50	Detection of oxygen traces in nitrogen- and hydrogen-rich atmosphere. <i>Sensors and Actuators B: Chemical</i> , 2009, 139, 298-303.	7.8	7
51	Influence of Electrodes Polarization on the Response of Resistive Soot Sensor. <i>Procedia Engineering</i> , 2016, 168, 31-34.	1.2	7
52	Electrochemical Removal of NO <sub>x</sub> on Ceria-Based Catalyst-Electrodes. <i>Catalysts</i> , 2017, 7, 61.	3.5	7
53	Modified SnO <sub>2</sub> -APTES gas sensor for selective ammonia detection at room temperature. <i>Materials Today: Proceedings</i> , 2019, 6, 319-322.	1.8	7
54	Transformation of cerium(III) hydroxycarbonate into ceria. Part 2.â€”Experimental study of the growth rate. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1995, 91, 4437-4440.	1.7	6

#	ARTICLE	IF	CITATIONS
55	CO detection in H <sub>2</sub> reducing atmosphere with mini fuel cell. Sensors and Actuators B: Chemical, 2011, 156, 283-289.	7.8	6
56	Electrochemical promotion of propylene combustion on Ag catalytic coatings. Catalysis Communications, 2018, 104, 28-31.	3.3	6
57	Oxidation Behaviour of a SiC Based Fiber. Key Engineering Materials, 1997, 127-131, 203-210.	0.4	5
58	Nickel-Based Anodes for Single-Chamber Solid Oxide Fuel Cells: A Catalytic Study. Journal of the Electrochemical Society, 2010, 157, B1180.	2.9	5
59	Ethylene epoxidation on Ag/YSZ electrochemical catalysts: Understanding of oxygen electrode reactions. Electrochemistry Communications, 2019, 105, 106495.	4.7	5
60	Development of a YSZ based Oxygen and Hydrocarbon sensors for combustion control unit. Procedia Engineering, 2011, 25, 1089-1092.	1.2	4
61	Gas Sensors Based on Tin Dioxide for Exhaust Gas Application, Modeling of Response for Pure Gases and for Mixtures. Procedia Engineering, 2012, 47, 655-658.	1.2	4
62	Catalytic study of SOFC electrode materials in engine exhaust gas atmosphere. Journal of Materials Science, 2013, 48, 7184-7195.	3.7	4
63	SOFC Long Term Operation in Pure Methane by Gradual Internal Reforming. ECS Transactions, 2013, 57, 3023-3030.	0.5	4
64	Anode supported single chamber solid oxide fuel cells operating in exhaust gases of thermal engine. Journal of Power Sources, 2014, 268, 356-364.	7.8	4
65	Selective Ammonia Gas Sensor based on SnO <sub>2</sub> -APTES Modification. Procedia Engineering, 2016, 168, 280-283.	1.2	4
66	Quantification of soot deposit on a resistive sensor: Proposal of an experimental calibration protocol. Journal of Aerosol Science, 2021, 156, 105783.	3.8	4
67	Ag-based electrocatalysts for ethylene epoxidation. Electrochimica Acta, 2021, 394, 139018.	5.2	4
68	Improvement of the NO <sub>x</sub> selectivity for a planar YSZ sensor. Procedia Chemistry, 2009, 1, 589-592.	0.7	3
69	Voltage Oscillations in Single-Chamber Fuel Cells Operating under a C <sub>3</sub> H <sub>8</sub> /O <sub>2</sub> Mixture. Fuel Cells, 2013, 13, 1032-1039.	2.4	2
70	Laser induced densification of cerium gadolinium oxide: Application to single-chamber solid oxide fuel cells. Applied Surface Science, 2016, 374, 370-374.	6.1	2
71	Synthesis and Inkjet Printing of SnO <sub>2</sub> Ink on a Flexible Substrate for Gas Sensor Application. Proceedings (mdpi), 2017, 1, 622.	0.2	2
72	Soot Particle Classifications in the Context of a Resistive Sensor Study. Proceedings (mdpi), 2018, 2, .	0.2	2

#	ARTICLE	IF	CITATIONS
73	Catalytic and Electrochemical Properties of Ag Infiltrated Perovskite Coatings for Propene Deep Oxidation. <i>Catalysts</i> , 2020, 10, 729.	3.5	2
74	Comparison of the performances of $\gamma$ -Alumina and YSZ potentiometric gas sensors for exhaust automotive application. , 2007, , .		1
75	Study of Two Vanadium Based Materials as Working Electrode for Developing A Selective Mixed-Potential Ammonia Sensor. <i>Proceedings (mdpi)</i> , 2018, 2, 770.	0.2	1
76	In Situ Measurement of Electrical Behavior of Metal/Oxide System During Zirconium Oxidation at 850°C. <i>Oxidation of Metals</i> , 2021, 95, 65-83.	2.1	1
77	How does the dielectrophoresis affect the soot dendrite growth on resistive sensors?. <i>Sensors and Actuators A: Physical</i> , 2021, 327, 112729.	4.1	1
78	Metal/SnO <sub>2</sub> interface effects on CO sensing; operando studies. , 2007, , .		0
79	Exhaust Gas Sensor Based On Tin Dioxide For Automotive Application. , 2009, , .		0
80	Optimization of operating conditions of a mini fuel cell for the detection of low or high levels of CO in the reformat gas. <i>Procedia Engineering</i> , 2010, 5, 135-138.	1.2	0
81	Electrochemical Promotion of Propane Combustion on Highly Dispersed Pt Nanoparticles. <i>ECS Transactions</i> , 2012, 45, 535-541.	0.5	0
82	Study of YSZ Electrolyte Inks for Preparation of Screen-Printed Mixed-Potential Sensors for Selective Detection of NO <sub>x</sub> and NH <sub>3</sub> . <i>Proceedings (mdpi)</i> , 2017, 1, .	0.2	0
83	Introduction to Eurosensors 2017, Paris, 3 <sup>e</sup> 6 September 2017. <i>Proceedings (mdpi)</i> , 2017, 1, .	0.2	0
84	Simulation of nanosecond IR laser annealing of cerium gadolinium oxide. <i>Journal of the European Ceramic Society</i> , 2018, 38, 3875-3880.	5.7	0
85	An innovative method for soot deposit quantification using a CO <sub>2</sub> sensor: Application to fire studies in research facilities. <i>Journal of Aerosol Science</i> , 2022, , 106005.	3.8	0