

Riccardo Lanari

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5887271/publications.pdf>

Version: 2024-02-01

148
papers

11,341
citations

36303

51
h-index

29157

104
g-index

173
all docs

173
docs citations

173
times ranked

5221
citing authors

#	ARTICLE	IF	CITATIONS
1	A new algorithm for surface deformation monitoring based on small baseline differential SAR interferograms. IEEE Transactions on Geoscience and Remote Sensing, 2002, 40, 2375-2383.	6.3	3,412
2	A small-baseline approach for investigating deformations on full-resolution differential SAR interferograms. IEEE Transactions on Geoscience and Remote Sensing, 2004, 42, 1377-1386.	6.3	746
3	A quantitative assessment of the SBAS algorithm performance for surface deformation retrieval from DInSAR data. Remote Sensing of Environment, 2006, 102, 195-210.	11.0	415
4	On the Extension of the Minimum Cost Flow Algorithm for Phase Unwrapping of Multitemporal Differential SAR Interferograms. IEEE Transactions on Geoscience and Remote Sensing, 2006, 44, 2374-2383.	6.3	309
5	An Overview of the Small BAseLine Subset Algorithm: a DInSAR Technique for Surface Deformation Analysis. Pure and Applied Geophysics, 2007, 164, 637-661.	1.9	295
6	Long-term ERS/ENVISAT deformation time-series generation at full spatial resolution via the extended SBAS technique. International Journal of Remote Sensing, 2012, 33, 4756-4783.	2.9	179
7	Satellite radar interferometry time series analysis of surface deformation for Los Angeles, California. Geophysical Research Letters, 2004, 31, .	4.0	178
8	SBAS-DInSAR Parallel Processing for Deformation Time-Series Computation. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2014, 7, 3285-3296.	4.9	169
9	Gravity and magma induced spreading of Mount Etna volcano revealed by satellite radar interferometry. Geophysical Research Letters, 2004, 31, .	4.0	165
10	Surface deformation analysis in the Ischia Island (Italy) based on spaceborne radar interferometry. Journal of Volcanology and Geothermal Research, 2006, 151, 399-416.	2.1	163
11	Geodetic model of the 2016 Central Italy earthquake sequence inferred from InSAR and GPS data. Geophysical Research Letters, 2017, 44, 6778-6787.	4.0	162
12	Surface deformation of Long Valley caldera and Mono Basin, California, investigated with the SBAS-InSAR approach. Remote Sensing of Environment, 2007, 108, 277-289.	11.0	155
13	Deformation Time-Series Generation in Areas Characterized by Large Displacement Dynamics: The SAR Amplitude Pixel-Offset SBAS Technique. IEEE Transactions on Geoscience and Remote Sensing, 2011, 49, 2752-2763.	6.3	148
14	Modeling surface deformation observed with synthetic aperture radar interferometry at Campi Flegrei caldera. Journal of Geophysical Research, 2001, 106, 19355-19366.	3.3	139
15	Application of the SBAS-DInSAR technique to fault creep: A case study of the Hayward fault, California. Remote Sensing of Environment, 2007, 109, 20-28.	11.0	130
16	Enhanced landslide investigations through advanced DInSAR techniques: The Ivancich case study, Assisi, Italy. Remote Sensing of Environment, 2014, 142, 69-82.	11.0	125
17	Ground deformation and source geometry of the 24 August 2016 Amatrice earthquake (Central Italy) investigated through analytical and numerical modeling of DInSAR measurements and structural-geological data. Geophysical Research Letters, 2016, 43, 12,389.	4.0	124
18	The Parallel SBAS Approach for Sentinel-1 Interferometric Wide Swath Deformation Time-Series Generation: Algorithm Description and Products Quality Assessment. IEEE Transactions on Geoscience and Remote Sensing, 2019, 57, 6259-6281.	6.3	119

#	ARTICLE	IF	CITATIONS
19	Magma injection beneath the urban area of Naples: a new mechanism for the 2012–2013 volcanic unrest at Campi Flegrei caldera. <i>Scientific Reports</i> , 2015, 5, 13100.	3.3	115
20	On the Generation of ERS/ENVISAT DInSAR Time-Series Via the SBAS Technique. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2005, 2, 265-269.	3.1	99
21	A Quantitative Assessment of DInSAR Measurements of Interseismic Deformation: The Southern San Andreas Fault Case Study. <i>Pure and Applied Geophysics</i> , 2012, 169, 1463-1482.	1.9	97
22	Subsidence monitoring in Sarno urban area via multi-temporal DInSAR technique. <i>International Journal of Remote Sensing</i> , 2006, 27, 1709-1716.	2.9	96
23	Deformation and eruptions at Mt. Etna (Italy): A lesson from 15 years of observations. <i>Geophysical Research Letters</i> , 2009, 36, .	4.0	96
24	Improved EMCF-SBAS Processing Chain Based on Advanced Techniques for the Noise-Filtering and Selection of Small Baseline Multi-Look DInSAR Interferograms. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2015, 53, 4394-4417.	6.3	92
25	A new method for the compensation of the SAR range cell migration based on the chirp z-transform. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 1995, 33, 1296-1299.	6.3	91
26	Coupled magma chamber inflation and sector collapse slip observed with synthetic aperture radar interferometry on Mt. Etna volcano. <i>Journal of Geophysical Research</i> , 2003, 108, .	3.3	86
27	Volcanic spreading of Vesuvius, a new paradigm for interpreting its volcanic activity. <i>Geophysical Research Letters</i> , 2005, 32, .	4.0	86
28	Surface displacements associated with the L'Aquila 2009 Mw 6.3 earthquake (central Italy): New evidence from SBAS-DInSAR time series analysis. <i>Geophysical Research Letters</i> , 2010, 37, .	4.0	84
29	Analysis of Ground Deformation Detected Using the SBAS-DInSAR Technique in Umbria, Central Italy. <i>Pure and Applied Geophysics</i> , 2009, 166, 1425-1459.	1.9	83
30	Spaceborne radar interferometry techniques for the generation of deformation time series: An advanced tool for Earth's surface displacement analysis. <i>Geophysical Research Letters</i> , 2010, 37, .	4.0	83
31	From Previous C-Band to New X-Band SAR Systems: Assessment of the DInSAR Mapping Improvement for Deformation Time-Series Retrieval in Urban Areas. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2013, 51, 1973-1984.	6.3	79
32	Evidence for a peculiar style of ground deformation inferred at Vesuvius volcano. <i>Geophysical Research Letters</i> , 2002, 29, 6-1-6-4.	4.0	78
33	Actively growing anticlines beneath catania from the distal motion of Mount Etna's Decollement measured by SAR interferometry and GPS. <i>Geophysical Research Letters</i> , 2000, 27, 3409-3412.	4.0	77
34	Two-scale surface deformation analysis using the SBAS-DInSAR technique: a case study of the city of Rome, Italy. <i>International Journal of Remote Sensing</i> , 2008, 29, 1665-1684.	2.9	73
35	Uplift and magma intrusion at Long Valley caldera from InSAR and gravity measurements. <i>Geology</i> , 2009, 37, 63-66.	4.4	73
36	DInSAR Analysis and Analytical Modeling of Mount Etna Displacements: The December 2018 Volcano-Tectonic Crisis. <i>Geophysical Research Letters</i> , 2019, 46, 5817-5827.	4.0	73

#	ARTICLE	IF	CITATIONS
37	An On-Demand Web Tool for the Unsupervised Retrieval of Earth's Surface Deformation from SAR Data: The P-SBAS Service within the ESA G-POD Environment. <i>Remote Sensing</i> , 2015, 7, 15630-15650.	4.0	72
38	Integration of Optical and SAR Data for Burned Area Mapping in Mediterranean Regions. <i>Remote Sensing</i> , 2015, 7, 1320-1345.	4.0	69
39	Urban subsidence inside the city of Napoli (Italy) Observed by satellite radar interferometry. <i>Geophysical Research Letters</i> , 2000, 27, 1961-1964.	4.0	68
40	Mining-related ground deformation in Crescent Valley, Nevada: Implications for sparse GPS networks. <i>Geophysical Research Letters</i> , 2007, 34, .	4.0	68
41	Chirp z-transform based SPECAN approach for phase-preserving ScanSAR image generation. <i>IET Radar, Sonar & Navigation</i> , 1998, 145, 254.	2.1	67
42	The 2004-2006 uplift episode at Campi Flegrei caldera (Italy): Constraints from SBAS-InSAR ENVISAT data and Bayesian source inference. <i>Geophysical Research Letters</i> , 2008, 35, .	4.0	66
43	The use of IFSAR and classical geodetic techniques for caldera unrest episodes: application to the Campi Flegrei uplift event of 2000. <i>Journal of Volcanology and Geothermal Research</i> , 2004, 133, 247-260.	2.1	63
44	Brief Communication: Rapid mapping of landslide events: the 3 December 2013 Montescaglioso landslide, Italy. <i>Natural Hazards and Earth System Sciences</i> , 2014, 14, 1835-1841.	3.6	60
45	Large areas surface deformation analysis through a cloud computing P-SBAS approach for massive processing of DInSAR time series. <i>Remote Sensing of Environment</i> , 2017, 202, 3-17.	11.0	59
46	The 21 August 2017 Ischia (Italy) Earthquake Source Model Inferred From Seismological, GPS, and DInSAR Measurements. <i>Geophysical Research Letters</i> , 2018, 45, 2193-2202.	4.0	59
47	Interferometric synthetic aperture radar-GPS integration: Interseismic strain accumulation across the Hunter Mountain fault in the eastern California shear zone. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	58
48	Role of processing geometry in SAR raw data focusing. <i>IEEE Transactions on Aerospace and Electronic Systems</i> , 2002, 38, 441-454.	4.7	57
49	How second generation SAR systems are impacting the analysis of ground deformation. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2014, 28, 1-11.	2.8	55
50	SBAS-Based Satellite Orbit Correction for the Generation of DInSAR Time-Series: Application to RADARSAT-1 Data. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2011, 49, 5150-5165.	6.3	53
51	New insights into the 2012 Emilia (Italy) seismic sequence through advanced numerical modeling of ground deformation InSAR measurements. <i>Geophysical Research Letters</i> , 2013, 40, 1971-1977.	4.0	53
52	Effect of the Vegetation Fire on Backscattering: An Investigation Based on Sentinel-1 Observations. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2017, 10, 4478-4492.	4.9	51
53	Gravity-driven deformation of Tenerife measured by InSAR time series analysis. <i>Geophysical Research Letters</i> , 2009, 36, .	4.0	47
54	On the effects of mechanical heterogeneities at Campi Flegrei caldera, southern Italy. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	47

#	ARTICLE	IF	CITATIONS
55	SIR-C/X-SAR multifrequency multipass interferometry: A new tool for geological interpretation. <i>Journal of Geophysical Research</i> , 1996, 101, 23127-23148.	3.3	46
56	Global and local phase-unwrapping techniques: a comparison. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 1997, 14, 2702.	1.5	44
57	Long-term deformation analysis of historical buildings through the advanced SBAS-DInSAR technique: the case study of the city of Rome, Italy. <i>Journal of Geophysics and Engineering</i> , 2011, 8, S1-S12.	1.4	44
58	Automatic Generation of Sentinel-1 Continental Scale DInSAR Deformation Time Series through an Extended P-SBAS Processing Pipeline in a Cloud Computing Environment. <i>Remote Sensing</i> , 2020, 12, 2961.	4.0	44
59	Magma and fluid migration at Yellowstone Caldera in the last three decades inferred from InSAR, leveling, and gravity measurements. <i>Journal of Geophysical Research: Solid Earth</i> , 2015, 120, 2627-2647.	3.4	42
60	Interferometric SAR phase unwrapping using the finite element method. <i>IET Radar, Sonar & Navigation</i> , 1997, 144, 266.	2.1	41
61	New Advances of the Extended Minimum Cost Flow Phase Unwrapping Algorithm for SBAS-DInSAR Analysis at Full Spatial Resolution. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2011, 49, 4062-4079.	6.3	40
62	The 4D imaging of the source of ground deformation at Campi Flegrei caldera (southern Italy). <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	40
63	Satellite radar interferometry: Potential and limitations for structural assessment and monitoring. <i>Journal of Building Engineering</i> , 2022, 46, 103756.	3.4	39
64	On the joint exploitation of long-term DInSAR time series and geological information for the investigation of ground settlements in the town of Roma (Italy). <i>Remote Sensing of Environment</i> , 2016, 182, 113-127.	11.0	38
65	Cloud Computing for Earth Surface Deformation Analysis via Spaceborne Radar Imaging: A Case Study. <i>IEEE Transactions on Cloud Computing</i> , 2016, 4, 104-118.	4.4	38
66	A short discussion on the exact compensation of the SAR range-dependent range cell migration effect. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 1997, 35, 1446-1452.	6.3	36
67	Stress transfer in the Lazufre volcanic area, central Andes. <i>Geophysical Research Letters</i> , 2009, 36, .	4.0	36
68	An Overview of the Small BAseline Subset Algorithm: A DInSAR Technique for Surface Deformation Analysis. , 2007, , 637-661.		34
69	A First Assessment of the P-SBAS DInSAR Algorithm Performances Within a Cloud Computing Environment. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2015, 8, 4675-4686.	4.9	33
70	Joint exploitation of space-borne and ground-based multitemporal InSAR measurements for volcano monitoring: The Stromboli volcano case study. <i>Remote Sensing of Environment</i> , 2021, 260, 112441.	11.0	33
71	SBAS-DInSAR Analysis of Very Extended Areas: First Results on a 60â€‰000- km^2 Test Site. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2008, 5, 438-442.	3.1	32
72	Joint analysis of SAR interferometry and electrical resistivity tomography surveys for investigating ground deformation: the case-study of Satriano di Lucania (Potenza, Italy). <i>Engineering Geology</i> , 2006, 88, 260-273.	6.3	31

#	ARTICLE	IF	CITATIONS
73	National Scale Surface Deformation Time Series Generation through Advanced DInSAR Processing of Sentinel-1 Data within a Cloud Computing Environment. IEEE Transactions on Big Data, 2020, 6, 558-571.	6.1	31
74	A new two-dimensional squint mode SAR processor. IEEE Transactions on Aerospace and Electronic Systems, 1996, 32, 854-863.	4.7	30
75	The Stripmapâ€“ScanSAR SBAS Approach to Fill Gaps in Stripmap Deformation Time Series With ScanSAR Data. IEEE Transactions on Geoscience and Remote Sensing, 2011, 49, 4788-4804.	6.3	29
76	Phase Offset Calculation for Airborne InSAR DEM Generation Without Corner Reflectors. IEEE Transactions on Geoscience and Remote Sensing, 2015, 53, 2713-2726.	6.3	29
77	Coseismic Fault Model of Mw 8.3 2015 Illapel Earthquake (Chile) Retrieved from Multi-Orbit Sentinel1-A DInSAR Measurements. Remote Sensing, 2016, 8, 323.	4.0	29
78	Volume unbalance on the 2016 Amatrice - Norcia (Central Italy) seismic sequence and insights on normal fault earthquake mechanism. Scientific Reports, 2019, 9, 4250.	3.3	29
79	Wasar: a wide-angle SAR processor. IEE Proceedings, Part F: Radar and Signal Processing, 1992, 139, 107.	0.2	27
80	A Cloud Computing Solution for the Efficient Implementation of the P-SBAS DInSAR Approach. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2017, 10, 802-817.	4.9	27
81	Preâ€“and Coâ€“eruptive Analysis of the September 2021 Eruption at Cumbre Vieja Volcano (La Palma, Canary) Tj ETQq1 1 0.784314 rgBT /OvF 49, .	4.0	27
82	A simple solution to mitigate noise effects in time-redundant sequences of small baseline multi-look DInSAR interferograms. Remote Sensing Letters, 2013, 4, 609-618.	1.4	26
83	The InSAeS4 Airborne X-Band Interferometric SAR System: A First Assessment on Its Imaging and Topographic Mapping Capabilities. Remote Sensing, 2016, 8, 40.	4.0	26
84	Nation-wide mapping and classification of ground deformation phenomena through the spatial clustering of P-SBAS InSAR measurements: Italy case study. ISPRS Journal of Photogrammetry and Remote Sensing, 2022, 189, 1-22.	11.1	26
85	Ground Deformation and Source Geometry of the 30 October 2016 Mw 6.5 Norcia Earthquake (Central) Tj ETQq1 1 0.784314 rgBT /OvF Remote Sensing, 2018, 10, 1901.	4.0	25
86	Synthetic Aperture Radar Processing with GPGPU. IEEE Signal Processing Magazine, 2010, 27, 69-78.	5.6	24
87	On the integration of multi-temporal synthetic aperture radar interferometry products and historical surveys data for buildings structural monitoring. Journal of Civil Structural Health Monitoring, 2021, 11, 1429-1447.	3.9	24
88	Volcanic structures investigation through SAR and seismic interferometric methods: The 2011â€“2013 Campi Flegrei unrest episode. Remote Sensing of Environment, 2019, 234, 111440.	11.0	22
89	An integrated SAR/GIS approach for investigating urban deformation phenomena: a case study of the city of Naples, Italy. International Journal of Remote Sensing, 2004, 25, 2855-2867.	2.9	21
90	Fault locking near Istanbul: indication of earthquake potential from InSAR and GPS observations. Geophysical Journal International, 2016, 205, 490-498.	2.4	21

#	ARTICLE	IF	CITATIONS
91	Surface deformation in the Abruzzi region, Central Italy, from multitemporal DInSAR analysis. <i>Geophysical Journal International</i> , 2009, 178, 1193-1197.	2.4	20
92	Coseismic Stress and Strain Field Changes Investigation Through 3D Finite Element Modeling of DInSAR and GPS Measurements and Geological/Seismological Data: The L'Aquila (Italy) 2009 Earthquake Case Study. <i>Journal of Geophysical Research: Solid Earth</i> , 2018, 123, 4193-4222.	3.4	20
93	Source modelling of the 2015 Wolf volcano (Galpagos) eruption inferred from Sentinel 1-A DInSAR deformation maps and pre-eruptive ENVISAT time series. <i>Journal of Volcanology and Geothermal Research</i> , 2017, 344, 246-256.	2.1	19
94	Comment on "Pre-Collapse Space Geodetic Observations of Critical Infrastructure: The Morandi Bridge, Genoa, Italy" by Milillo et al. (2019). <i>Remote Sensing</i> , 2020, 12, 4011.	4.0	18
95	On the Joint Exploitation of Satellite DInSAR Measurements and DBSCAN-Based Techniques for Preliminary Identification and Ranking of Critical Constructions in a Built Environment. <i>Remote Sensing</i> , 2022, 14, 1872.	4.0	18
96	Spaceborne Synthetic Aperture Radar Data Focusing on Multicore-Based Architectures. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2016, 54, 4712-4731.	6.3	17
97	Landslide Kinematical Analysis through Inverse Numerical Modelling and Differential SAR Interferometry. <i>Pure and Applied Geophysics</i> , 2015, 172, 3067-3080.	1.9	16
98	The Parallel SBAS-DInSAR Processing Chain for the Generation of National Scale Sentinel-1 Deformation Time-Series. <i>Procedia Computer Science</i> , 2018, 138, 326-331.	2.0	16
99	Efficient and high precision space-variant processing of SAR data. <i>IEEE Transactions on Aerospace and Electronic Systems</i> , 1995, 31, 227-237.	4.7	15
100	A region-growing technique to improve multi-temporal DInSAR interferogram phase unwrapping performance. <i>Remote Sensing Letters</i> , 2013, 4, 988-997.	1.4	15
101	Transport Infrastructure SHM Using Integrated SAR Data and On-Site Vibrational Acquisitions: "Ponte Della Musica" Armando Trovajoli Case Study. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 6504.	2.5	15
102	Multichannel Phase Unwrapping: Problem Topology and Dual-Level Parallel Computational Model. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2015, 53, 5774-5793.	6.3	14
103	The ASI Integrated Sounder-SAR System Operating in the UHF-VHF Bands: First Results of the 2018 Helicopter-Borne Morocco Desert Campaign. <i>Remote Sensing</i> , 2019, 11, 1845.	4.0	14
104	The Constrained-Network Propagation (C-NetP) Technique to Improve SBAS-DInSAR Deformation Time Series Retrieval. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2015, 8, 4910-4921.	4.9	12
105	Finite element modelling of the 2015 Gorkha earthquake through the joint exploitation of DInSAR measurements and geologic-structural information. <i>Tectonophysics</i> , 2017, 714-715, 125-132.	2.2	12
106	On the Capabilities of the Italian Airborne FMCW AXIS InSAR System. <i>Remote Sensing</i> , 2020, 12, 539.	4.0	12
107	GIS Integration of DInSAR Measurements, Geological Investigation and Historical Surveys for the Structural Monitoring of Buildings and Infrastructures: An Application to the Valco San Paolo Urban Area of Rome. <i>Infrastructures</i> , 2022, 7, 89.	2.8	11
108	A Global Archive of Coseismic DInSAR Products Obtained Through Unsupervised Sentinel-1 Data Processing. <i>Remote Sensing</i> , 2020, 12, 3189.	4.0	10

#	ARTICLE	IF	CITATIONS
109	Anomalous far-field geodetic signature related to the 2009 L'Aquila (central Italy) earthquake. Terra Nova, 2013, 25, 343-351.	2.1	9
110	Comments on "Study of Systematic Bias in Measuring Surface Deformation With SAR Interferometry". IEEE Transactions on Geoscience and Remote Sensing, 2022, 60, 1-5.	6.3	9
111	An innovative region growing algorithm based on Minimum Cost Flow approach for Phase Unwrapping of full-resolution differential interferograms. , 2012, , .		8
112	Sentinel-1 results: SBAS-DInSAR processing chain developments and land subsidence analysis. , 2015, , .		8
113	Analysis of ground deformation using SBAS-DInSAR technique applied to COSMO-SkyMed images, the test case of Roma urban area. Proceedings of SPIE, 2012, , .	0.8	7
114	An integrated SAR/GIS approach for investigating urban deformation phenomena: a case study of the city of Napoli, Italy. International Journal of Remote Sensing, 2004, 25, 2665-2666.	2.9	6
115	Seismogenic Source Model of the 2019, Mw 5.9, East-Azerbaijan Earthquake (NW Iran) through the Inversion of Sentinel-1 DInSAR Measurements. Remote Sensing, 2020, 12, 1346.	4.0	6
116	Preliminary analysis of a correlation between ground deformations and rainfall: the Ivancich landslide, central Italy. , 2011, , .		5
117	A Simple Solution for the Phase Offset Estimation of Airborne SAR Interferograms Without Using Corner Reflectors. IEEE Geoscience and Remote Sensing Letters, 2017, 14, 379-383.	3.1	5
118	Airborne SAR Focusing in the Presence of Severe Squint Variations. , 2019, , .		5
119	Sea State Observation through a Three-Antenna Hybrid XT/AT InSAR Configuration: A Preliminary Study Based on the InSAeS4 Airborne System. Remote Sensing, 2017, 9, 792.	4.0	4
120	Automatic generation of co-seismic displacement maps by using Sentinel-1 interferometric SAR data. Procedia Computer Science, 2018, 138, 332-337.	2.0	4
121	AXIS: An Airborne X-Band Interferometric FMCW SAR System. , 2018, , .		4
122	A Phase-Preserving Focusing Technique for TOPS Mode SAR Raw Data Based on Conventional Processing Methods. Sensors, 2019, 19, 3321.	3.8	4
123	DInSAR for the Monitoring of Cultural Heritage Sites. Geotechnologies and the Environment, 2017, , 117-134.	0.3	4
124	Radar remote sensing from space for surface deformation analysis: present and future opportunities from the new SAR sensor generation. Rendiconti Lincei, 2015, 26, 75-84.	2.2	3
125	Hybrid Stripmap "ScanSAR Interferometry: Extension to the X-Band COSMO-SkyMed Data. IEEE Geoscience and Remote Sensing Letters, 2018, 15, 330-334.	3.1	3
126	Gical: Geo-Morphometric Inverse Cylindrical Method for Radiometric Calibration of Sar Images. , 2018, , .		3

#	ARTICLE	IF	CITATIONS
127	A GeoNode-Based Platform for an Effective Exploitation of Advanced DInSAR Measurements. Remote Sensing, 2019, 11, 2133.	4.0	3
128	Analysis of Ground Deformation Detected Using the SBAS-DInSAR Technique in Umbria, Central Italy. , 2009, , 1425-1459.		3
129	The "Urban Geomatics for Bulk Information Generation, Data Assessment and Technology Awareness" Project: Detection, Representation and Analysis of the Urban Scenario Changes. , 2018, , .		2
130	The ASI P-Band Helicopter-Borne Integrated Sounder-Sar System: Preliminary Results of The 2018 Morocco Desert Campaign. , 2019, , .		2
131	Ground Deformation Analysis of the Italian Peninsula Through the Sentinel-1 P-SBAS Processing Chain. , 2020, , .		2
132	The August 2019 Piton de la Fournaise (La Réunion Island) Eruption: Analysis of the Multi-Source Deformation Pattern Detected through Sentinel-1 DInSAR Measurements. Remote Sensing, 2022, 14, 1762.	4.0	2
133	Cloud Platform for Scientific Advances in Earth Surface Interferometric SAR Image Analysis. , 2014, , .		1
134	Big DInSAR data processing through the P-SBAS algorithm. , 2015, , .		1
135	Performance Analysis of the DInSAR P-SBAS Algorithm within AWS Cloud. , 2015, , .		1
136	Extraction of sea surface velocity and elevation through a hybrid AT/XT-INSAR airborne system. , 2016, , .		1
137	Monitoring Volcano Deformation from Space with Sentinel-1 Data for Civil Protection. , 2019, , .		1
138	An Application of the DInSAR Technique for the Structural Monitoring of the "Vittorino da Feltre" School Building in Rome. Lecture Notes in Civil Engineering, 2023, , 582-592.	0.4	1
139	Surface deformation analysis of the Campi Flegrei caldera, Italy, by exploiting the ENVISAT ASAR data with the SBAS-DInSAR technique. , 2007, , .		0
140	Ground deformation of Long Valley caldera and Mono Basin, eastern California, mapped by satellite radar interferometry. International Journal of Remote Sensing, 2008, 29, 439-441.	2.9	0
141	Advanced interferometric techniques for monitoring urban areas. , 2009, , .		0
142	Comparison and integration of GPS and DInSAR deformation time-series. , 2009, , .		0
143	DInSAR deformation time series for monitoring urban areas: The impact of the second generation SAR systems. , 2012, , .		0
144	A quantitative assessment of DInSAR Time series accuracy in volcanic areas: From the first to second generation SAR sensors. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
145	The Parallel SBAS-Dinsar Processing Chain for Massive Generation of Sentinel-1 Deformation Time-Series. , 2018, , .		0
146	The Deforming Etna Volcano Imaged Through SBAS-DInSAR Analysis: its Long Term Behaviour and the Recent Seismo-Volcanic Crisis of December 2018. , 2019, , .		0
147	Imaging capabilities of an airborne X-band SAR based on the FMCW technology. , 2019, , .		0
148	A Global Archive of Dinsar Co-Seismic Deformation MAPS from Sentinel-1 Data. , 2020, , .		0