

Markus Puschenreiter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5888302/publications.pdf>

Version: 2024-02-01

98
papers

5,353
citations

81900
39
h-index

85541
71
g-index

99
all docs

99
docs citations

99
times ranked

5812
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Comparison of four nickel hyperaccumulator species in the temperate climate zone of Central Europe. <i>Journal of Geochemical Exploration</i> , 2022, 234, 106933. | 3.2 | 6 |
| 2 | Selective Diffusive Gradients in Thin Films (DGT) for the Simultaneous Assessment of Labile Sr and Pb Concentrations and Isotope Ratios in Soils. <i>Analytical Chemistry</i> , 2022, 94, 6338-6346. | 6.5 | 3 |
| 3 | In situ spatiotemporal solute imaging of metal corrosion on the example of magnesium. <i>Analytica Chimica Acta</i> , 2022, 1212, 339910. | 5.4 | 3 |
| 4 | Wheat yield prediction by zero sink and equilibrium-type soil phosphorus tests. <i>Pedosphere</i> , 2022, 32, 543-554. | 4.0 | 1 |
| 5 | Fertilization regimes affecting nickel phytomining efficiency on a serpentine soil in the temperate climate zone. <i>International Journal of Phytoremediation</i> , 2021, 23, 407-414. | 3.1 | 6 |
| 6 | Root exudation of coumarins from soil-grown <i>Arabidopsis thaliana</i> in response to iron deficiency. <i>Rhizosphere</i> , 2021, 17, 100296. | 3.0 | 15 |
| 7 | Phytomanagement with grassy species, compost and dolomitic limestone rehabilitates a meadow at a wood preservation site. <i>Ecological Engineering</i> , 2021, 160, 106132. | 3.6 | 4 |
| 8 | Partitioning of heavy metals in different particle-size fractions of soils from former mining and smelting locations in Austria. <i>Eurasian Journal of Soil Science</i> , 2021, 10, 123-131. | 0.6 | 3 |
| 9 | Millimetre-resolution mapping of citrate exuded from soil-grown roots using a novel, low-invasive sampling technique. <i>Journal of Experimental Botany</i> , 2021, 72, 3513-3525. | 4.8 | 8 |
| 10 | Heavy metal contents, mobility and origin in agricultural topsoils of the Galápagos Islands. <i>Chemosphere</i> , 2021, 272, 129821. | 8.2 | 22 |
| 11 | Effect of Chelant-Based Soil Washing and Post-Treatment on Pb, Cd, and Zn Bioavailability and Plant Uptake. <i>Water, Air, and Soil Pollution</i> , 2021, 232, 405. | 2.4 | 2 |
| 12 | Does the exudation of coumarins from Fe-deficient, soil-grown Brassicaceae species play a significant role in plant Fe nutrition?. <i>Rhizosphere</i> , 2021, 19, 100410. | 3.0 | 7 |
| 13 | Element Case Studies in the Temperate/Mediterranean Regions of Europe: Nickel. <i>Mineral Resource Reviews</i> , 2021, , 341-363. | 1.5 | 13 |
| 14 | Diffusive gradients in thin films predicts crop response better than calcium-acetate-lactate extraction. <i>Nutrient Cycling in Agroecosystems</i> , 2021, 121, 227-240. | 2.2 | 2 |
| 15 | Editorial: Exploring Plant Rhizosphere, Phyllosphere and Endosphere Microbial Communities to Improve the Management of Polluted Sites. <i>Frontiers in Microbiology</i> , 2021, 12, 763566. | 3.5 | 3 |
| 16 | Agromining from Secondary Resources: Recovery of Nickel and Other Valuable Elements from Waste Materials. <i>Mineral Resource Reviews</i> , 2021, , 299-321. | 1.5 | 1 |
| 17 | Nickel phytomining from industrial wastes: Growing nickel hyperaccumulator plants on galvanic sludges. <i>Journal of Environmental Management</i> , 2020, 254, 109798. | 7.8 | 42 |
| 18 | Changes in topsoil characteristics with climate and island age in the agricultural zones of the Galápagos. <i>Geoderma</i> , 2020, 376, 114534. | 5.1 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Comparative Genomics of Microbacterium Species to Reveal Diversity, Potential for Secondary Metabolites and Heavy Metal Resistance. <i>Frontiers in Microbiology</i> , 2020, 11, 1869. | 3.5 | 29 |
| 20 | Transcriptome Response of Metallicolous and a Non-Metallicolous Ecotypes of <i>Noccaea goesingensis</i> to Nickel Excess. <i>Plants</i> , 2020, 9, 951. | 3.5 | 2 |
| 21 | Metal accumulation and rhizosphere characteristics of <i>Noccaea rotundifolia</i> ssp. <i>cepaefolia</i> . <i>Environmental Pollution</i> , 2020, 266, 115088. | 7.5 | 10 |
| 22 | Root foraging and avoidance in hyperaccumulator and excluder plants: a rhizotron experiment. <i>Plant and Soil</i> , 2020, 450, 287-302. | 3.7 | 22 |
| 23 | Arsenic redox transformations and cycling in the rhizosphere of <i>Pteris vittata</i> and <i>Pteris quadriaurita</i> . <i>Environmental and Experimental Botany</i> , 2020, 177, 104122. | 4.2 | 25 |
| 24 | Differentiation between physical and chemical effects of oil presence in freshly spiked soil during rhizoremediation trial. <i>Environmental Science and Pollution Research</i> , 2019, 26, 18451-18464. | 5.3 | 43 |
| 25 | A nickel phytomining field trial using <i>Odontarrhena chalcidica</i> and <i>Noccaea goesingensis</i> on an Austrian serpentine soil. <i>Journal of Environmental Management</i> , 2019, 242, 522-528. | 7.8 | 31 |
| 26 | Effect of nano zero-valent iron application on As, Cd, Pb, and Zn availability in the rhizosphere of metal(loid) contaminated soils. <i>Chemosphere</i> , 2018, 200, 217-226. | 8.2 | 99 |
| 27 | Degradation of polycyclic aromatic hydrocarbons in a mixed contaminated soil supported by phytostabilisation, organic and inorganic soil additives. <i>Science of the Total Environment</i> , 2018, 628-629, 1287-1295. | 8.0 | 39 |
| 28 | Microbe and plant assisted-remediation of organic xenobiotics and its enhancement by genetically modified organisms and recombinant technology: A review. <i>Science of the Total Environment</i> , 2018, 628-629, 1582-1599. | 8.0 | 144 |
| 29 | Effect of bacterial inoculants on phytomining of metals from waste incineration bottom ash. <i>Waste Management</i> , 2018, 73, 351-359. | 7.4 | 12 |
| 30 | Rhizoremediation of petroleum hydrocarbon-contaminated soils: Improvement opportunities and field applications. <i>Environmental and Experimental Botany</i> , 2018, 147, 202-219. | 4.2 | 88 |
| 31 | Long-term soil accumulation of potentially toxic elements and selected organic pollutants through application of recycled phosphorus fertilizers for organic farming conditions. <i>Nutrient Cycling in Agroecosystems</i> , 2018, 110, 427-449. | 2.2 | 51 |
| 32 | Trace elements bioavailability to <i>Triticum aestivum</i> and <i>Dendrobaena veneta</i> in a multielement-contaminated agricultural soil amended with drinking water treatment residues. <i>Journal of Soils and Sediments</i> , 2018, 18, 2259-2270. | 3.0 | 7 |
| 33 | Investigations of microbial degradation of polycyclic aromatic hydrocarbons based on ¹³ C-labeled phenanthrene in a soil co-contaminated with trace elements using a plant assisted approach. <i>Environmental Science and Pollution Research</i> , 2018, 25, 6364-6377. | 5.3 | 11 |
| 34 | Phytoextraction of Cadmium: Feasibility in Field Applications and Potential Use of Harvested Biomass. <i>Mineral Resource Reviews</i> , 2018, , 205-219. | 1.5 | 3 |
| 35 | Immobilisation of metals in a contaminated soil with biochar-compost mixtures and inorganic additives: 2-year greenhouse and field experiments. <i>Environmental Science and Pollution Research</i> , 2018, 25, 2506-2516. | 5.3 | 28 |
| 36 | Developing Sustainable Agromining Systems in Agricultural Ultramafic Soils for Nickel Recovery. <i>Frontiers in Environmental Science</i> , 2018, 6, . | 3.3 | 63 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Assessment of trace element phytoavailability in compost amended soils using different methodologies. <i>Journal of Soils and Sediments</i> , 2017, 17, 1251-1261. | 3.0 | 25 |
| 38 | Elucidating rhizosphere processes by mass spectrometry – A review. <i>Analytica Chimica Acta</i> , 2017, 956, 1-13. | 5.4 | 26 |
| 39 | Complete genome sequence of the heavy metal resistant bacterium <i>Agromyces aureus</i> AR33T and comparison with related Actinobacteria. <i>Standards in Genomic Sciences</i> , 2017, 12, 2. | 1.5 | 15 |
| 40 | Effect of <i>Lupinus albus</i> L. root activities on As and Cu mobility after addition of iron-based soil amendments. <i>Chemosphere</i> , 2017, 182, 373-381. | 8.2 | 20 |
| 41 | Assessing phytotoxicity of trace element-contaminated soils phytomanaged with gentle remediation options at ten European field trials. <i>Science of the Total Environment</i> , 2017, 599-600, 1388-1398. | 8.0 | 45 |
| 42 | Assessment of Methods for Determining Bioavailability of Trace Elements in Soils: A Review. <i>Pedosphere</i> , 2017, 27, 389-406. | 4.0 | 90 |
| 43 | Phytosiderophore-induced mobilization and uptake of Cd, Cu, Fe, Ni, Pb and Zn by wheat plants grown on metal-enriched soils. <i>Environmental and Experimental Botany</i> , 2017, 138, 67-76. | 4.2 | 37 |
| 44 | Integrating chemical imaging of cationic trace metal solutes and pH into a single hydrogel layer. <i>Analytica Chimica Acta</i> , 2017, 950, 88-97. | 5.4 | 35 |
| 45 | Waste or substrate for metal hyperaccumulating plants – The potential of phytomining on waste incineration bottom ash. <i>Science of the Total Environment</i> , 2017, 575, 910-918. | 8.0 | 33 |
| 46 | Heavy metal contents in organic baby-food-carrots. , 2017, , . | | 0 |
| 47 | Microbial decomposition of ¹³ C- labeled phytosiderophores in the rhizosphere of wheat: Mineralization dynamics and key microbial groups involved. <i>Soil Biology and Biochemistry</i> , 2016, 98, 196-207. | 8.8 | 20 |
| 48 | Iron plaque formed under aerobic conditions efficiently immobilizes arsenic in <i>Lupinus albus</i> L roots. <i>Environmental Pollution</i> , 2016, 216, 215-222. | 7.5 | 37 |
| 49 | Availability and transfer to grain of As, Cd, Cu, Ni, Pb and Zn in a barley agri-system: Impact of biochar, organic and mineral fertilizers. <i>Agriculture, Ecosystems and Environment</i> , 2016, 219, 171-178. | 5.3 | 84 |
| 50 | Developing Effective Decision Support for the Application of “Gentle” Remediation Options: The GREENLAND Project. <i>Remediation</i> , 2015, 25, 101-114. | 2.4 | 36 |
| 51 | Effects of Biochars and Compost Mixtures and Inorganic Additives on Immobilisation of Heavy Metals in Contaminated Soils. <i>Water, Air, and Soil Pollution</i> , 2015, 226, 1. | 2.4 | 60 |
| 52 | Enzyme activity and microbial community structure in the rhizosphere of two maize lines differing in N use efficiency. <i>Plant and Soil</i> , 2015, 387, 413-424. | 3.7 | 36 |
| 53 | Agronomic Practices for Improving Gentle Remediation of Trace Element-Contaminated Soils. <i>International Journal of Phytoremediation</i> , 2015, 17, 1005-1037. | 3.1 | 197 |
| 54 | Localized Metal Solubilization in the Rhizosphere of <i>Salix smithiana</i> upon Sulfur Application. <i>Environmental Science & Technology</i> , 2015, 49, 4522-4529. | 10.0 | 50 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Free metal ion availability is a major factor for tolerance and growth in <i>Physcomitrella patens</i> . <i>Environmental and Experimental Botany</i> , 2015, 110, 1-10. | 4.2 | 13 |
| 56 | Selecting chemical and ecotoxicological test batteries for risk assessment of trace element-contaminated soils (phyto)managed by gentle remediation options (GRO). <i>Science of the Total Environment</i> , 2014, 496, 510-522. | 8.0 | 49 |
| 57 | Accurate LC-ESI-MS/MS quantification of 2-deoxymugineic acid in soil and root related samples employing porous graphitic carbon as stationary phase and a ¹³ C ₄ -labeled internal standard. <i>Electrophoresis</i> , 2014, 35, 1375-1385. | 2.4 | 16 |
| 58 | Speciation analysis of orthophosphate and myo-inositol hexakisphosphate in soil- and plant-related samples by high-performance ion chromatography combined with inductively coupled plasma mass spectrometry. <i>Journal of Separation Science</i> , 2014, 37, 1711-1719. | 2.5 | 21 |
| 59 | Root exudation of phytosiderophores from soil-grown wheat. <i>New Phytologist</i> , 2014, 203, 1161-1174. | 7.3 | 124 |
| 60 | Aided phytostabilization using <i>Miscanthus sinensis</i> — <i>giganteus</i> on heavy metal-contaminated soils. <i>Science of the Total Environment</i> , 2014, 479-480, 125-131. | 8.0 | 75 |
| 61 | Effects of biochar amendment on root traits and contaminant availability of maize plants in a copper and arsenic impacted soil. <i>Plant and Soil</i> , 2014, 379, 351-360. | 3.7 | 93 |
| 62 | Determination of Pt, Pd and Rh in <i>Brassica Napus</i> using solid sampling electrothermal vaporization inductively coupled plasma optical emission spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2013, 89, 60-65. | 2.9 | 25 |
| 63 | Evaluation of a novel tool for sampling root exudates from soil-grown plants compared to conventional techniques. <i>Environmental and Experimental Botany</i> , 2013, 87, 235-247. | 4.2 | 94 |
| 64 | The role of plant-associated bacteria in the mobilization and phytoextraction of trace elements in contaminated soils. <i>Soil Biology and Biochemistry</i> , 2013, 60, 182-194. | 8.8 | 566 |
| 65 | A novel flow-injection method for simultaneous measurement of platinum (Pt), palladium (Pd) and rhodium (Rh) in aqueous soil extracts of contaminated soil by ICP-OES. <i>Journal of Analytical Atomic Spectrometry</i> , 2013, 28, 354. | 3.0 | 31 |
| 66 | Expression of zinc and cadmium responsive genes in leaves of willow (<i>Salix caprea</i> L.) genotypes with different accumulation characteristics. <i>Environmental Pollution</i> , 2013, 178, 121-127. | 7.5 | 47 |
| 67 | Bacterially Induced Weathering of Ultramafic Rock and Its Implications for Phytoextraction. <i>Applied and Environmental Microbiology</i> , 2013, 79, 5094-5103. | 3.1 | 44 |
| 68 | Aluminium-phosphate interactions in the rhizosphere of two bean species: <i>Phaseolus lunatus</i> L. and <i>Phaseolus vulgaris</i> L. <i>Journal of the Science of Food and Agriculture</i> , 2013, 93, 3891-3896. | 3.5 | 12 |
| 69 | Accumulation of Cadmium, Zinc, and Copper by <i>Helianthus Annuus</i> L.: Impact on Plant Growth and Uptake of Nutritional Elements. <i>International Journal of Phytoremediation</i> , 2012, 14, 320-334. | 3.1 | 43 |
| 70 | Sulfur-aided phytoextraction of Cd and Zn by <i>Salix smithiana</i> combined with in situ metal immobilization by gravel sludge and red mud. <i>Environmental Pollution</i> , 2012, 170, 222-231. | 7.5 | 54 |
| 71 | Analysis of iron-phytosiderophore complexes in soil related samples: LC-ESI-MS/MS versus CE-MS. <i>Electrophoresis</i> , 2012, 33, 726-733. | 2.4 | 27 |
| 72 | High-resolution chemical imaging of labile phosphorus in the rhizosphere of <i>Brassica napus</i> L. cultivars. <i>Environmental and Experimental Botany</i> , 2012, 77, 219-226. | 4.2 | 73 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Root anatomy and element distribution vary between two <i>Salix caprea</i> isolates with different Cd accumulation capacities. <i>Environmental Pollution</i> , 2012, 163, 117-126. | 7.5 | 121 |
| 74 | Cadmium and Zn availability as affected by pH manipulation and its assessment by soil extraction, DGT and indicator plants. <i>Science of the Total Environment</i> , 2012, 416, 490-500. | 8.0 | 78 |
| 75 | Time and substrate dependent exudation of carboxylates by <i>Lupinus albus</i> L. and <i>Brassica napus</i> L.. <i>Plant Physiology and Biochemistry</i> , 2011, 49, 1272-1278. | 5.8 | 68 |
| 76 | Interactions between accumulation of trace elements and macronutrients in <i>Salix caprea</i> after inoculation with rhizosphere microorganisms. <i>Chemosphere</i> , 2011, 84, 1256-1261. | 8.2 | 66 |
| 77 | LC-MS analysis of low molecular weight organic acids derived from root exudation. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 400, 2587-2596. | 3.7 | 63 |
| 78 | Plant growth and root morphology of <i>Phaseolus vulgaris</i> L. grown in a split-root system is affected by heterogeneity of crude oil pollution and mycorrhizal colonization. <i>Plant and Soil</i> , 2010, 332, 339-355. | 3.7 | 39 |
| 79 | Complexation of metals by phytosiderophores revealed by CE-ESI-MS and CE-ICP-MS. <i>Electrophoresis</i> , 2010, 31, 1201-1207. | 2.4 | 36 |
| 80 | Hydrophilic interaction LC combined with electrospray MS for highly sensitive analysis of underivatized amino acids in rhizosphere research. <i>Journal of Separation Science</i> , 2010, 33, 911-922. | 2.5 | 38 |
| 81 | Differentiation of metallicolous and non-metallicolous <i>Salix caprea</i> populations based on phenotypic characteristics and nuclear microsatellite (SSR) markers. <i>Plant, Cell and Environment</i> , 2010, 33, 1641-1655. | 5.7 | 32 |
| 82 | Developing decision support tools for the selection of "gentle" remediation approaches. <i>Science of the Total Environment</i> , 2009, 407, 6132-6142. | 8.0 | 77 |
| 83 | Interactive effects of organic acids in the rhizosphere. <i>Soil Biology and Biochemistry</i> , 2009, 41, 449-457. | 8.8 | 149 |
| 84 | Rhizosphere bacteria affect growth and metal uptake of heavy metal accumulating willows. <i>Plant and Soil</i> , 2008, 304, 35-44. | 3.7 | 247 |
| 85 | Diversity and structure of ectomycorrhizal and co-associated fungal communities in a serpentine soil. <i>Mycorrhiza</i> , 2008, 18, 339-354. | 2.8 | 59 |
| 86 | Endophytes and Rhizosphere Bacteria of Plants Growing in Heavy Metal-Containing Soils. <i>Soil Biology</i> , 2008, , 317-332. | 0.8 | 21 |
| 87 | Environmental risks of farmed and barren alkaline coal ash landfills in Tuzla, Bosnia and Herzegovina. <i>Environmental Pollution</i> , 2008, 153, 677-686. | 7.5 | 48 |
| 88 | Phytoextraction of Cd and Zn from agricultural soils by <i>Salix</i> ssp. and intercropping of <i>Salix caprea</i> and <i>Arabidopsis halleri</i> . <i>Plant and Soil</i> , 2007, 298, 255-264. | 3.7 | 125 |
| 89 | Plant and fertiliser effects on rhizodegradation of crude oil in two soils with different nutrient status. <i>Plant and Soil</i> , 2007, 300, 117-126. | 3.7 | 25 |
| 90 | Characterization of Ni-tolerant methylobacteria associated with the hyperaccumulating plant <i>Thlaspi goesingense</i> and description of <i>Methylobacterium goesingense</i> sp. nov.. <i>Systematic and Applied Microbiology</i> , 2006, 29, 634-644. | 2.8 | 81 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | Root morphology of <i>Thlaspi goesingense</i> grown on a serpentine soil. <i>Journal of Plant Nutrition and Soil Science</i> , 2005, 168, 138-144. | 1.9 | 18 |
| 92 | Changes of Ni biogeochemistry in the rhizosphere of the hyperaccumulator <i>Thlaspi goesingense</i> . <i>Plant and Soil</i> , 2005, 271, 205-218. | 3.7 | 96 |
| 93 | Novel micro-suction-cup design for sampling soil solution at defined distances from roots. <i>Journal of Plant Nutrition and Soil Science</i> , 2005, 168, 386-391. | 1.9 | 24 |
| 94 | Bacterial Communities Associated with Flowering Plants of the Ni Hyperaccumulator <i>Thlaspi goesingense</i> . <i>Applied and Environmental Microbiology</i> , 2004, 70, 2667-2677. | 3.1 | 477 |
| 95 | Slow-Release Zeolite-Bound Zinc and Copper Fertilizers Affect Cadmium Concentration in Wheat and Spinach. <i>Communications in Soil Science and Plant Analysis</i> , 2003, 34, 31-40. | 1.4 | 9 |
| 96 | Chemical changes in the rhizosphere of metal hyperaccumulator and excluder <i>Thlaspi</i> species. <i>Journal of Plant Nutrition and Soil Science</i> , 2003, 166, 579-584. | 1.9 | 58 |
| 97 | Phytoextraction of heavy metal contaminated soils with <i>Thlaspi goesingense</i> and <i>Amaranthus hybridus</i> : Rhizosphere manipulation using EDTA and ammonium sulfate. <i>Journal of Plant Nutrition and Soil Science</i> , 2001, 164, 615-621. | 1.9 | 88 |
| 98 | Novel rhizobox design to assess rhizosphere characteristics at high spatial resolution. <i>Plant and Soil</i> , 2001, 237, 37-45. | 3.7 | 101 |