

Markus Puschenreiter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5888302/publications.pdf>

Version: 2024-02-01

98
papers

5,353
citations

93792

39
h-index

97045

71
g-index

99
all docs

99
docs citations

99
times ranked

6462
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of four nickel hyperaccumulator species in the temperate climate zone of Central Europe. <i>Journal of Geochemical Exploration</i> , 2022, 234, 106933.	1.5	6
2	Selective Diffusive Gradients in Thin Films (DGT) for the Simultaneous Assessment of Labile Sr and Pb Concentrations and Isotope Ratios in Soils. <i>Analytical Chemistry</i> , 2022, 94, 6338-6346.	3.2	3
3	In situ spatiotemporal solute imaging of metal corrosion on the example of magnesium. <i>Analytica Chimica Acta</i> , 2022, 1212, 339910.	2.6	3
4	Wheat yield prediction by zero sink and equilibrium-type soil phosphorus tests. <i>Pedosphere</i> , 2022, 32, 543-554.	2.1	1
5	Fertilization regimes affecting nickel phytomining efficiency on a serpentine soil in the temperate climate zone. <i>International Journal of Phytoremediation</i> , 2021, 23, 407-414.	1.7	6
6	Root exudation of coumarins from soil-grown <i>Arabidopsis thaliana</i> in response to iron deficiency. <i>Rhizosphere</i> , 2021, 17, 100296.	1.4	15
7	Phytomanagement with grassy species, compost and dolomitic limestone rehabilitates a meadow at a wood preservation site. <i>Ecological Engineering</i> , 2021, 160, 106132.	1.6	4
8	Partitioning of heavy metals in different particle-size fractions of soils from former mining and smelting locations in Austria. <i>Eurasian Journal of Soil Science</i> , 2021, 10, 123-131.	0.2	3
9	Millimetre-resolution mapping of citrate exuded from soil-grown roots using a novel, low-invasive sampling technique. <i>Journal of Experimental Botany</i> , 2021, 72, 3513-3525.	2.4	8
10	Heavy metal contents, mobility and origin in agricultural topsoils of the Galápagos Islands. <i>Chemosphere</i> , 2021, 272, 129821.	4.2	22
11	Effect of Chelant-Based Soil Washing and Post-Treatment on Pb, Cd, and Zn Bioavailability and Plant Uptake. <i>Water, Air, and Soil Pollution</i> , 2021, 232, 405.	1.1	2
12	Does the exudation of coumarins from Fe-deficient, soil-grown Brassicaceae species play a significant role in plant Fe nutrition?. <i>Rhizosphere</i> , 2021, 19, 100410.	1.4	7
13	Element Case Studies in the Temperate/Mediterranean Regions of Europe: Nickel. <i>Mineral Resource Reviews</i> , 2021, , 341-363.	1.5	13
14	Diffusive gradients in thin films predicts crop response better than calcium-acetate-lactate extraction. <i>Nutrient Cycling in Agroecosystems</i> , 2021, 121, 227-240.	1.1	2
15	Editorial: Exploring Plant Rhizosphere, Phyllosphere and Endosphere Microbial Communities to Improve the Management of Polluted Sites. <i>Frontiers in Microbiology</i> , 2021, 12, 763566.	1.5	3
16	Agromining from Secondary Resources: Recovery of Nickel and Other Valuable Elements from Waste Materials. <i>Mineral Resource Reviews</i> , 2021, , 299-321.	1.5	1
17	Nickel phytomining from industrial wastes: Growing nickel hyperaccumulator plants on galvanic sludges. <i>Journal of Environmental Management</i> , 2020, 254, 109798.	3.8	42
18	Changes in topsoil characteristics with climate and island age in the agricultural zones of the Galápagos. <i>Geoderma</i> , 2020, 376, 114534.	2.3	8

#	ARTICLE	IF	CITATIONS
19	Comparative Genomics of Microbacterium Species to Reveal Diversity, Potential for Secondary Metabolites and Heavy Metal Resistance. <i>Frontiers in Microbiology</i> , 2020, 11, 1869.	1.5	29
20	Transcriptome Response of Metallicolous and a Non-Metallicolous Ecotypes of <i>Noccaea goesingensis</i> to Nickel Excess. <i>Plants</i> , 2020, 9, 951.	1.6	2
21	Metal accumulation and rhizosphere characteristics of <i>Noccaea rotundifolia</i> ssp. <i>cepaefolia</i> . <i>Environmental Pollution</i> , 2020, 266, 115088.	3.7	10
22	Root foraging and avoidance in hyperaccumulator and excluder plants: a rhizotron experiment. <i>Plant and Soil</i> , 2020, 450, 287-302.	1.8	22
23	Arsenic redox transformations and cycling in the rhizosphere of <i>Pteris vittata</i> and <i>Pteris quadriaurita</i> . <i>Environmental and Experimental Botany</i> , 2020, 177, 104122.	2.0	25
24	Differentiation between physical and chemical effects of oil presence in freshly spiked soil during rhizoremediation trial. <i>Environmental Science and Pollution Research</i> , 2019, 26, 18451-18464.	2.7	43
25	A nickel phytomining field trial using <i>Odontarrhena chalcidica</i> and <i>Noccaea goesingensis</i> on an Austrian serpentine soil. <i>Journal of Environmental Management</i> , 2019, 242, 522-528.	3.8	31
26	Effect of nano zero-valent iron application on As, Cd, Pb, and Zn availability in the rhizosphere of metal(loid) contaminated soils. <i>Chemosphere</i> , 2018, 200, 217-226.	4.2	99
27	Degradation of polycyclic aromatic hydrocarbons in a mixed contaminated soil supported by phytostabilisation, organic and inorganic soil additives. <i>Science of the Total Environment</i> , 2018, 628-629, 1287-1295.	3.9	39
28	Microbe and plant assisted-remediation of organic xenobiotics and its enhancement by genetically modified organisms and recombinant technology: A review. <i>Science of the Total Environment</i> , 2018, 628-629, 1582-1599.	3.9	144
29	Effect of bacterial inoculants on phytomining of metals from waste incineration bottom ash. <i>Waste Management</i> , 2018, 73, 351-359.	3.7	12
30	Rhizoremediation of petroleum hydrocarbon-contaminated soils: Improvement opportunities and field applications. <i>Environmental and Experimental Botany</i> , 2018, 147, 202-219.	2.0	88
31	Long-term soil accumulation of potentially toxic elements and selected organic pollutants through application of recycled phosphorus fertilizers for organic farming conditions. <i>Nutrient Cycling in Agroecosystems</i> , 2018, 110, 427-449.	1.1	51
32	Trace elements bioavailability to <i>Triticum aestivum</i> and <i>Dendrobaena veneta</i> in a multielement-contaminated agricultural soil amended with drinking water treatment residues. <i>Journal of Soils and Sediments</i> , 2018, 18, 2259-2270.	1.5	7
33	Investigations of microbial degradation of polycyclic aromatic hydrocarbons based on ¹³ C-labeled phenanthrene in a soil co-contaminated with trace elements using a plant assisted approach. <i>Environmental Science and Pollution Research</i> , 2018, 25, 6364-6377.	2.7	11
34	Phytoextraction of Cadmium: Feasibility in Field Applications and Potential Use of Harvested Biomass. <i>Mineral Resource Reviews</i> , 2018, , 205-219.	1.5	3
35	Immobilisation of metals in a contaminated soil with biochar-compost mixtures and inorganic additives: 2-year greenhouse and field experiments. <i>Environmental Science and Pollution Research</i> , 2018, 25, 2506-2516.	2.7	28
36	Developing Sustainable Agromining Systems in Agricultural Ultramafic Soils for Nickel Recovery. <i>Frontiers in Environmental Science</i> , 2018, 6, .	1.5	63

#	ARTICLE	IF	CITATIONS
37	Assessment of trace element phytoavailability in compost amended soils using different methodologies. <i>Journal of Soils and Sediments</i> , 2017, 17, 1251-1261.	1.5	25
38	Elucidating rhizosphere processes by mass spectrometry – A review. <i>Analytica Chimica Acta</i> , 2017, 956, 1-13.	2.6	26
39	Complete genome sequence of the heavy metal resistant bacterium <i>Agromyces aureus</i> AR33T and comparison with related Actinobacteria. <i>Standards in Genomic Sciences</i> , 2017, 12, 2.	1.5	15
40	Effect of <i>Lupinus albus</i> L. root activities on As and Cu mobility after addition of iron-based soil amendments. <i>Chemosphere</i> , 2017, 182, 373-381.	4.2	20
41	Assessing phytotoxicity of trace element-contaminated soils phytomanaged with gentle remediation options at ten European field trials. <i>Science of the Total Environment</i> , 2017, 599-600, 1388-1398.	3.9	45
42	Assessment of Methods for Determining Bioavailability of Trace Elements in Soils: A Review. <i>Pedosphere</i> , 2017, 27, 389-406.	2.1	90
43	Phytosiderophore-induced mobilization and uptake of Cd, Cu, Fe, Ni, Pb and Zn by wheat plants grown on metal-enriched soils. <i>Environmental and Experimental Botany</i> , 2017, 138, 67-76.	2.0	37
44	Integrating chemical imaging of cationic trace metal solutes and pH into a single hydrogel layer. <i>Analytica Chimica Acta</i> , 2017, 950, 88-97.	2.6	35
45	Waste or substrate for metal hyperaccumulating plants – The potential of phytomining on waste incineration bottom ash. <i>Science of the Total Environment</i> , 2017, 575, 910-918.	3.9	33
46	Heavy metal contents in organic baby-food-carrots. , 2017, , .		0
47	Microbial decomposition of ¹³ C- labeled phytosiderophores in the rhizosphere of wheat: Mineralization dynamics and key microbial groups involved. <i>Soil Biology and Biochemistry</i> , 2016, 98, 196-207.	4.2	20
48	Iron plaque formed under aerobic conditions efficiently immobilizes arsenic in <i>Lupinus albus</i> L roots. <i>Environmental Pollution</i> , 2016, 216, 215-222.	3.7	37
49	Availability and transfer to grain of As, Cd, Cu, Ni, Pb and Zn in a barley agri-system: Impact of biochar, organic and mineral fertilizers. <i>Agriculture, Ecosystems and Environment</i> , 2016, 219, 171-178.	2.5	84
50	Developing Effective Decision Support for the Application of “Gentle” Remediation Options: The GREENLAND Project. <i>Remediation</i> , 2015, 25, 101-114.	1.1	36
51	Effects of Biochars and Compost Mixtures and Inorganic Additives on Immobilisation of Heavy Metals in Contaminated Soils. <i>Water, Air, and Soil Pollution</i> , 2015, 226, 1.	1.1	60
52	Enzyme activity and microbial community structure in the rhizosphere of two maize lines differing in N use efficiency. <i>Plant and Soil</i> , 2015, 387, 413-424.	1.8	36
53	Agronomic Practices for Improving Gentle Remediation of Trace Element-Contaminated Soils. <i>International Journal of Phytoremediation</i> , 2015, 17, 1005-1037.	1.7	197
54	Localized Metal Solubilization in the Rhizosphere of <i>Salix smithiana</i> upon Sulfur Application. <i>Environmental Science & Technology</i> , 2015, 49, 4522-4529.	4.6	50

#	ARTICLE	IF	CITATIONS
55	Free metal ion availability is a major factor for tolerance and growth in <i>Physcomitrella patens</i> . <i>Environmental and Experimental Botany</i> , 2015, 110, 1-10.	2.0	13
56	Selecting chemical and ecotoxicological test batteries for risk assessment of trace element-contaminated soils (phyto)managed by gentle remediation options (GRO). <i>Science of the Total Environment</i> , 2014, 496, 510-522.	3.9	49
57	Accurate LC-ESI-MS/MS quantification of 2-deoxymugineic acid in soil and root related samples employing porous graphitic carbon as stationary phase and a $^{13}\text{C}_4$ -labeled internal standard. <i>Electrophoresis</i> , 2014, 35, 1375-1385.	1.3	16
58	Speciation analysis of orthophosphate and inositol hexakisphosphate in soil- and plant-related samples by high-performance ion chromatography combined with inductively coupled plasma mass spectrometry. <i>Journal of Separation Science</i> , 2014, 37, 1711-1719.	1.3	21
59	Root exudation of phytosiderophores from soil-grown wheat. <i>New Phytologist</i> , 2014, 203, 1161-1174.	3.5	124
60	Aided phytostabilization using <i>Miscanthus sinensis</i> - <i>giganteus</i> on heavy metal-contaminated soils. <i>Science of the Total Environment</i> , 2014, 479-480, 125-131.	3.9	75
61	Effects of biochar amendment on root traits and contaminant availability of maize plants in a copper and arsenic impacted soil. <i>Plant and Soil</i> , 2014, 379, 351-360.	1.8	93
62	Determination of Pt, Pd and Rh in <i>Brassica Napus</i> using solid sampling electrothermal vaporization inductively coupled plasma optical emission spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2013, 89, 60-65.	1.5	25
63	Evaluation of a novel tool for sampling root exudates from soil-grown plants compared to conventional techniques. <i>Environmental and Experimental Botany</i> , 2013, 87, 235-247.	2.0	94
64	The role of plant-associated bacteria in the mobilization and phytoextraction of trace elements in contaminated soils. <i>Soil Biology and Biochemistry</i> , 2013, 60, 182-194.	4.2	566
65	A novel flow-injection method for simultaneous measurement of platinum (Pt), palladium (Pd) and rhodium (Rh) in aqueous soil extracts of contaminated soil by ICP-OES. <i>Journal of Analytical Atomic Spectrometry</i> , 2013, 28, 354.	1.6	31
66	Expression of zinc and cadmium responsive genes in leaves of willow (<i>Salix caprea</i> L.) genotypes with different accumulation characteristics. <i>Environmental Pollution</i> , 2013, 178, 121-127.	3.7	47
67	Bacterially Induced Weathering of Ultramafic Rock and Its Implications for Phytoextraction. <i>Applied and Environmental Microbiology</i> , 2013, 79, 5094-5103.	1.4	44
68	Aluminium-phosphate interactions in the rhizosphere of two bean species: <i>Phaseolus lunatus</i> L. and <i>Phaseolus vulgaris</i> L. <i>Journal of the Science of Food and Agriculture</i> , 2013, 93, 3891-3896.	1.7	12
69	Accumulation of Cadmium, Zinc, and Copper by <i>Helianthus Annuus</i> L.: Impact on Plant Growth and Uptake of Nutritional Elements. <i>International Journal of Phytoremediation</i> , 2012, 14, 320-334.	1.7	43
70	Sulfur-aided phytoextraction of Cd and Zn by <i>Salix smithiana</i> combined with in situ metal immobilization by gravel sludge and red mud. <i>Environmental Pollution</i> , 2012, 170, 222-231.	3.7	54
71	Analysis of iron-phytosiderophore complexes in soil related samples: LC-ESI-MS/MS versus CE-MS. <i>Electrophoresis</i> , 2012, 33, 726-733.	1.3	27
72	High-resolution chemical imaging of labile phosphorus in the rhizosphere of <i>Brassica napus</i> L. cultivars. <i>Environmental and Experimental Botany</i> , 2012, 77, 219-226.	2.0	73

#	ARTICLE	IF	CITATIONS
73	Root anatomy and element distribution vary between two <i>Salix caprea</i> isolates with different Cd accumulation capacities. <i>Environmental Pollution</i> , 2012, 163, 117-126.	3.7	121
74	Cadmium and Zn availability as affected by pH manipulation and its assessment by soil extraction, DGT and indicator plants. <i>Science of the Total Environment</i> , 2012, 416, 490-500.	3.9	78
75	Time and substrate dependent exudation of carboxylates by <i>Lupinus albus</i> L. and <i>Brassica napus</i> L.. <i>Plant Physiology and Biochemistry</i> , 2011, 49, 1272-1278.	2.8	68
76	Interactions between accumulation of trace elements and macronutrients in <i>Salix caprea</i> after inoculation with rhizosphere microorganisms. <i>Chemosphere</i> , 2011, 84, 1256-1261.	4.2	66
77	LC-MS analysis of low molecular weight organic acids derived from root exudation. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 400, 2587-2596.	1.9	63
78	Plant growth and root morphology of <i>Phaseolus vulgaris</i> L. grown in a split-root system is affected by heterogeneity of crude oil pollution and mycorrhizal colonization. <i>Plant and Soil</i> , 2010, 332, 339-355.	1.8	39
79	Complexation of metals by phytosiderophores revealed by CE-ESI-MS and CE-ICP-MS. <i>Electrophoresis</i> , 2010, 31, 1201-1207.	1.3	36
80	Hydrophilic interaction LC combined with electrospray MS for highly sensitive analysis of underivatized amino acids in rhizosphere research. <i>Journal of Separation Science</i> , 2010, 33, 911-922.	1.3	38
81	Differentiation of metallicolous and non-metallicolous <i>Salix caprea</i> populations based on phenotypic characteristics and nuclear microsatellite (SSR) markers. <i>Plant, Cell and Environment</i> , 2010, 33, 1641-1655.	2.8	32
82	Developing decision support tools for the selection of "gentle" remediation approaches. <i>Science of the Total Environment</i> , 2009, 407, 6132-6142.	3.9	77
83	Interactive effects of organic acids in the rhizosphere. <i>Soil Biology and Biochemistry</i> , 2009, 41, 449-457.	4.2	149
84	Rhizosphere bacteria affect growth and metal uptake of heavy metal accumulating willows. <i>Plant and Soil</i> , 2008, 304, 35-44.	1.8	247
85	Diversity and structure of ectomycorrhizal and co-associated fungal communities in a serpentine soil. <i>Mycorrhiza</i> , 2008, 18, 339-354.	1.3	59
86	Endophytes and Rhizosphere Bacteria of Plants Growing in Heavy Metal-Containing Soils. <i>Soil Biology</i> , 2008, , 317-332.	0.6	21
87	Environmental risks of farmed and barren alkaline coal ash landfills in Tuzla, Bosnia and Herzegovina. <i>Environmental Pollution</i> , 2008, 153, 677-686.	3.7	48
88	Phytoextraction of Cd and Zn from agricultural soils by <i>Salix</i> ssp. and intercropping of <i>Salix caprea</i> and <i>Arabidopsis halleri</i> . <i>Plant and Soil</i> , 2007, 298, 255-264.	1.8	125
89	Plant and fertiliser effects on rhizodegradation of crude oil in two soils with different nutrient status. <i>Plant and Soil</i> , 2007, 300, 117-126.	1.8	25
90	Characterization of Ni-tolerant methylcobacteria associated with the hyperaccumulating plant <i>Thlaspi goesingense</i> and description of <i>Methylobacterium goesingense</i> sp. nov.. <i>Systematic and Applied Microbiology</i> , 2006, 29, 634-644.	1.2	81

#	ARTICLE	IF	CITATIONS
91	Root morphology of <i>Thlaspi goesingense</i> grown on a serpentine soil. <i>Journal of Plant Nutrition and Soil Science</i> , 2005, 168, 138-144.	1.1	18
92	Changes of Ni biogeochemistry in the rhizosphere of the hyperaccumulator <i>Thlaspi goesingense</i> . <i>Plant and Soil</i> , 2005, 271, 205-218.	1.8	96
93	Novel micro-suction-cup design for sampling soil solution at defined distances from roots. <i>Journal of Plant Nutrition and Soil Science</i> , 2005, 168, 386-391.	1.1	24
94	Bacterial Communities Associated with Flowering Plants of the Ni Hyperaccumulator <i>Thlaspi goesingense</i> . <i>Applied and Environmental Microbiology</i> , 2004, 70, 2667-2677.	1.4	477
95	Slow-Release Zeolite-Bound Zinc and Copper Fertilizers Affect Cadmium Concentration in Wheat and Spinach. <i>Communications in Soil Science and Plant Analysis</i> , 2003, 34, 31-40.	0.6	9
96	Chemical changes in the rhizosphere of metal hyperaccumulator and excluder <i>Thlaspi</i> species. <i>Journal of Plant Nutrition and Soil Science</i> , 2003, 166, 579-584.	1.1	58
97	Phytoextraction of heavy metal contaminated soils with <i>Thlaspi goesingense</i> and <i>Amaranthus hybridus</i> : Rhizosphere manipulation using EDTA and ammonium sulfate. <i>Journal of Plant Nutrition and Soil Science</i> , 2001, 164, 615-621.	1.1	88
98	Novel rhizobox design to assess rhizosphere characteristics at high spatial resolution. <i>Plant and Soil</i> , 2001, 237, 37-45.	1.8	101