

# Na Lae Eun

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5888733/publications.pdf>

Version: 2024-02-01

21  
papers

270  
citations

1162889

8  
h-index

940416

16  
g-index

21  
all docs

21  
docs citations

21  
times ranked

433  
citing authors

#	ARTICLE	IF	CITATIONS
1	Texture Analysis with 3.0-T MRI for Association of Response to Neoadjuvant Chemotherapy in Breast Cancer. <i>Radiology</i> , 2020, 294, 31-41.	3.6	75
2	Association between cervical lordotic curvature and cervical muscle cross-sectional area in patients with loss of cervical lordosis. <i>Clinical Anatomy</i> , 2018, 31, 710-715.	1.5	37
3	Comparison of the diagnostic performances of ultrasonography, CT and fine needle aspiration cytology for the prediction of lymph node metastasis in patients with lymph node dissection of papillary thyroid carcinoma: A retrospective cohort study. <i>International Journal of Surgery</i> , 2018, 51, 145-150.	1.1	30
4	Identification of Preoperative Magnetic Resonance Imaging Features Associated with Positive Resection Margins in Breast Cancer: A Retrospective Study. <i>Korean Journal of Radiology</i> , 2018, 19, 897.	1.5	21
5	Prediction of axillary response by monitoring with ultrasound and MRI during and after neoadjuvant chemotherapy in breast cancer patients. <i>European Radiology</i> , 2020, 30, 1460-1469.	2.3	20
6	Thyroid nodules with nondiagnostic results on repeat fine-needle aspiration biopsy: which nodules should be considered for repeat biopsy or surgery rather than follow-up?. <i>Ultrasonography</i> , 2016, 35, 234-243.	1.0	17
7	A convolutional deep learning model for improving mammographic breast-microcalcification diagnosis. <i>Scientific Reports</i> , 2021, 11, 23925.	1.6	12
8	Texture analysis using machine learning-based 3-T magnetic resonance imaging for predicting recurrence in breast cancer patients treated with neoadjuvant chemotherapy. <i>European Radiology</i> , 2021, 31, 6916-6928.	2.3	11
9	Optimized Performance of FlightPlan during Chemoembolization for Hepatocellular Carcinoma: Importance of the Proportion of Segmented Tumor Area. <i>Korean Journal of Radiology</i> , 2016, 17, 771.	1.5	8
10	Diagnostic Accuracy of Nonmass Enhancement at Breast MRI in Predicting Tumor Involvement of the Nipple: A Prospective Study in a Single Institution. <i>Radiology</i> , 2021, 301, 47-56.	3.6	8
11	Interobserver and Test-Retest Reproducibility of T1 $\rho$ and T2 Measurements of Lumbar Intervertebral Discs by 3T Magnetic Resonance Imaging. <i>Korean Journal of Radiology</i> , 2016, 17, 903.	1.5	7
12	Scoring System to Stratify Malignancy Risks for Mammographic Microcalcifications Based on Breast Imaging Reporting and Data System 5th Edition Descriptors. <i>Korean Journal of Radiology</i> , 2019, 20, 1646.	1.5	6
13	Clinical Imaging of Glycogen-rich Clear Cell Carcinoma of the Breast: A Case Series with Literature Review. <i>Magnetic Resonance in Medical Sciences</i> , 2019, 18, 238-242.	1.1	5
14	Fully automated measurements of volumetric breast density adapted for BIRADS 5th edition: a comparison with visual assessment. <i>Acta Radiologica</i> , 2020, 62, 028418512095630.	0.5	3
15	Added value of abbreviated breast magnetic resonance imaging for assessing suspicious microcalcification on screening mammography—a prospective study. <i>European Radiology</i> , 2022, 32, 815-821.	2.3	3
16	Preoperative Nodal US Features for Predicting Recurrence in N1b Papillary Thyroid Carcinoma. <i>Cancers</i> , 2022, 14, 174.	1.7	3
17	Balloon-Supported Passage of a Stent-Graft into the Aortic Arch. <i>Korean Journal of Radiology</i> , 2015, 16, 744.	1.5	2
18	Comparison of resection margin status after single or double radiopaque marker insertion for tumor localization in breast cancer patients receiving neoadjuvant chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2020, 184, 797-803.	1.1	2

#	ARTICLE	IF	CITATIONS
19	Angiographic Features of Unilateral Nonbifurcating Cervical Carotid Artery: A Case Report. Journal of the Korean Society of Radiology, 2015, 73, 105.	0.1	0
20	Abstract PS13-13: The value of shear-wave elastography for prediction of treatment response to neoadjuvant chemotherapy in patients with breast cancer. , 2021, , .		0
21	Intramedullary Spinal Lesions Involving the Conus Medullaris: MR Imaging Features for Differential Diagnosis. Journal of the Korean Society of Magnetic Resonance in Medicine, 2014, 18, 144.	0.1	0