

Xiaohua Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5889442/publications.pdf>

Version: 2024-02-01

29
papers

2,470
citations

304743

22
h-index

434195

31
g-index

32
all docs

32
docs citations

32
times ranked

3674
citing authors

#	ARTICLE	IF	CITATIONS
1	High performance n-type bismuth telluride based alloys for mid-temperature power generation. <i>Journal of Materials Chemistry C</i> , 2015, 3, 10597-10603.	5.5	64
2	High Performance Mg ₂ (Si,Sn) Solid Solutions: a Point Defect Chemistry Approach to Enhancing Thermoelectric Properties. <i>Advanced Functional Materials</i> , 2014, 24, 3776-3781.	14.9	141
3	Point Defect Engineering of High-Performance Bismuth-Telluride-Based Thermoelectric Materials. <i>Advanced Functional Materials</i> , 2014, 24, 5211-5218.	14.9	619
4	In Situ Atomic-Scale Imaging of Phase Boundary Migration in FePO ₄ Microparticles During Electrochemical Lithiation. <i>Advanced Materials</i> , 2013, 25, 5461-5466.	21.0	119
5	Low Electron Scattering Potentials in High Performance Mg ₂ Si _{0.45} Sn _{0.55} Based Thermoelectric Solid Solutions with Band Convergence. <i>Advanced Energy Materials</i> , 2013, 3, 1238-1244.	19.5	220
6	Gold Catalyzed Nickel Disilicide Formation: A New Solid-Liquid-Solid Phase Growth Mechanism. <i>Nano Letters</i> , 2013, 13, 6009-6015.	9.1	6
7	Contribution of radial dopant concentration to the thermoelectric properties of core-shell nanowires. <i>Applied Physics Letters</i> , 2013, 102, 103101.	3.3	7
8	Microstructure and thermoelectric properties of InSb compound with nonsoluble NiSb in situ precipitates. <i>Journal of Materials Research</i> , 2013, 28, 3394-3400.	2.6	16
9	Enhancement in thermoelectric performance of bismuth telluride based alloys by multi-scale microstructural effects. <i>Journal of Materials Chemistry</i> , 2012, 22, 16484.	6.7	110
10	Understanding Ionic Vacancy Diffusion Growth of Cuprous Sulfide Nanowires. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 3165-3168.	13.8	39
11	Complex Nanostructures: Synthesis and Energetic Applications. <i>Energies</i> , 2010, 3, 285-300.	3.1	31
12	Negative differential resistance and resistive switching behaviors in Cu ₂ S nanowire devices. <i>Applied Physics Letters</i> , 2010, 96, .	3.3	41
13	Si/TiSi ₂ Heteronanostructures as High-Capacity Anode Material for Li Ion Batteries. <i>Nano Letters</i> , 2010, 10, 860-863.	9.1	195
14	Synthesis and Photoelectrochemical Study of Vertically Aligned Silicon Nanowire Arrays. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 9680-9684.	13.8	62
15	Kinetically-induced hexagonality in chemically grown silicon nanowires. <i>Nano Research</i> , 2009, 2, 575-582.	10.4	46
16	Influence of precursor feeding rate on vapor-liquid-solid nanowire growth. <i>Applied Physics A: Materials Science and Processing</i> , 2009, 96, 399-402.	2.3	2
17	Rational Synthesis and Structural Characterizations of Complex TiSi ₂ Nanostructures. <i>Chemistry of Materials</i> , 2009, 21, 1023-1027.	6.7	38
18	TiO ₂ /TiSi ₂ Heterostructures for High-Efficiency Photoelectrochemical H ₂ O Splitting. <i>Journal of the American Chemical Society</i> , 2009, 131, 2772-2773.	13.7	193

#	ARTICLE	IF	CITATIONS
19	Spontaneous Growth of Highly Conductive Two-Dimensional Single-Crystalline TiSi_2 Nanonets. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 7681-7684.	13.8	58
20	Five-fold Twinned Nanorods of FCC Fe: Synthesis and Characterization. <i>Crystal Growth and Design</i> , 2008, 8, 4340-4342.	3.0	18
21	Capping Modes in PVP-Directed Silver Nanocrystal Growth: Multi-Twinned Nanorods versus Single-Crystalline Nano-Hexapods. <i>Crystal Growth and Design</i> , 2008, 8, 1916-1923.	3.0	53
22	Functional Faceted Silver Nano-Hexapods: Synthesis, Structure Characterizations, and Optical Properties. <i>Chemistry of Materials</i> , 2008, 20, 192-197.	6.7	54
23	<i>In situ</i> electrical measurements of polytypic silver nanowires. <i>Nanotechnology</i> , 2008, 19, 085711.	2.6	36
24	Nano-porous anodic aluminium oxide membranes with 6–19 nm pore diameters formed by a low-potential anodizing process. <i>Nanotechnology</i> , 2007, 18, 345302.	2.6	44
25	Size Effect on the Crystal Structure of Silver Nanowires. <i>Nano Letters</i> , 2006, 6, 408-412.	9.1	127
26	Size dependence in one-dimensional nano-materials and one-dimensional heterojunctions. <i>Materials Research Society Symposia Proceedings</i> , 2006, 931, 1.	0.1	0
27	Synthesis of Nano/Micro Zinc Oxide Rods and Arrays by Thermal Evaporation Approach on Cylindrical Shape Substrate. <i>Journal of Physical Chemistry B</i> , 2005, 109, 13091-13093.	2.6	79
28	Preparation of temperature-sensitive polymer films by surface photografting techniques. <i>Polymers for Advanced Technologies</i> , 2002, 13, 239-241.	3.2	7
29	A novel polyurethane-modified poly(N-isopropylacrylamide) hydrogels. <i>Polymers for Advanced Technologies</i> , 2002, 13, 242-246.	3.2	6