Bruce Robert Smoller

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5889990/bruce-robert-smoller-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

269 papers

6,089 citations

44 h-index 67 g-index

346 ext. papers

6,763 ext. citations

3.1 avg, IF

5.67 L-index

#	Paper	IF	Citations
269	Absence of TFE3 Immunoexpression in a Spectrum of Cutaneous Mixed Tumors: A Retrospective Pilot Study <i>Dermatopathology (Basel, Switzerland)</i> , 2022 , 9, 48-53	1.9	
268	Cutaneous Lymphomas and Lymphocytic Infiltrates 2022 , 477-507		
267	Disorders of Hair 2022 , 669-742		
266	Weak immunohistochemical expression of galectin-3 near blisters in Hailey-Hailey disease. <i>Journal of Cutaneous Pathology</i> , 2022 , 49, 29-33	1.7	
265	Immunohistochemical Expression of Galectin-3 in Pemphigus Vulgaris. <i>American Journal of Dermatopathology</i> , 2021 , 43, e165-e168	0.9	
264	A Previously Unrecognized Granulomatous Variant of Gamma-Delta T-Cell Lymphoma. <i>Dermatopathology (Basel, Switzerland)</i> , 2021 , 8, 221-228	1.9	
263	Evaluation of Melanocyte Loss in Mycosis Fungoides Using SOX10 Immunohistochemistry. Dermatopathology (Basel, Switzerland), 2021, 8, 277-284	1.9	
262	A previously undescribed variant of cutaneous clear-cell squamous cell carcinoma with psammomatous calcification and intratumoral giant cell granulomas. <i>Journal of Cutaneous Pathology</i> , 2021 , 48, 106-109	1.7	1
261	Immunoglobulin-G4-related skin disease. <i>Clinics in Dermatology</i> , 2021 , 39, 283-290	3	1
260	Disorders of Hair 2021 , 1-74		
259	Skin Tumors 2021 , 189-206		
258	Degos Disease (Malignant Atrophic Papulosis) With Granular IgM on Direct Immunofluorescence. <i>Cureus</i> , 2021 , 13, e12677	1.2	0
257	GLUT1 Expression in Cutaneous Sebaceous Lesions Determined by Immunohistochemical Staining Patterns. <i>Dermatopathology (Basel, Switzerland)</i> , 2021 , 8, 258-264	1.9	
256	Oral white lesion in patients post-hematopoietic stem cell transplantation: a case series demonstrating the diagnostic dilemma. <i>Supportive Care in Cancer</i> , 2021 , 29, 7999-8007	3.9	1
255	Progressive Nodular Histiocytosis: Report of a Case and Review of the Literature. <i>Case Reports in Pathology</i> , 2021 , 2021, 5531820	0.9	O
254	The New York State SARS-CoV-2 Testing Consortium: Regional Communication in Response to the COVID-19 Pandemic. <i>Academic Pathology</i> , 2021 , 8, 23742895211006818	1.3	2
253	Necrolytic Acral Erythema 2021 , 413-421		

(2018-2021)

252	Lack of PRAME Expression in Cutaneous T-Cell Lymphomas <i>Dermatopathology (Basel, Switzerland)</i> , 2021 , 9, 11-16	1.9	
251	Acquired anhidrosis in a patient with Sjogren syndrome and silicone breast implants. <i>JAAD Case Reports</i> , 2020 , 6, 414-416	1.4	2
250	A Longstanding, Persistent and Recurrent Case of Cryptogenic Panniculitis. <i>Case Reports in Dermatology</i> , 2020 , 12, 199-208	1.1	
249	Diminished Expression of Galectin-3 Around Blisters in Bullous Pemphigoid: An Immunohistochemistry Study. <i>Dermatology Practical and Conceptual</i> , 2020 , 10, e2020106	1.5	2
248	An Uncommon Case of Lichen Spinulosus in an Adult Patient Clinically Mmimicking Folliculotropic Mycosis Fungoides. <i>Cureus</i> , 2020 , 12, e8572	1.2	1
247	Cutaneous Lymphomas and Lymphocytic Infiltrates 2020 , 1-31		
246	TLE1 expression fails to distinguish between synovial sarcoma, atypical fibroxanthoma, and dermatofibrosarcoma protuberans. <i>Journal of Cutaneous Pathology</i> , 2020 , 47, 135-138	1.7	1
245	Membrane attack complex (C5b-9 complex or Mac), is strongly present in lesional skin from patients with endemic pemphigus foliaceus in El Bagre, Colombia. <i>Journal of Cutaneous Pathology</i> , 2019 , 46, 925-929	1.7	1
244	Involvement of the Areae Compositae of the Heart in Endemic Pemphigus Foliaceus. <i>Dermatology Practical and Conceptual</i> , 2019 , 9, 181-186	1.5	1
243	The efficacy of botulinum neurotoxin A in the treatment of plaque psoriasis. <i>Dermatologic Therapy</i> , 2018 , 31, e12587	2.2	2
242	Potential efficacy of a RNAi-based topical treatment for psoriasis. <i>Dermatologic Therapy</i> , 2018 , 31, e12	25852	
241	Histologic mimics of malignant melanoma. Singapore Medical Journal, 2018, 59, 602-607	1.9	9
240	Epidermis 2018 , 1-83		1
239	Mast Cells 2018 , 363-368		
238	Histiocytes 2018 , 369-388		
237	Hematopoietic Disorders 2018 , 389-470		
236	Cutaneous Cysts 2018 , 471-490		
235	Adnexal 2018 , 85-144		

Melanocytes 2018, 149-206 234 Connective Tissue 2018, 207-237 233 Vessels 2018, 239-326 232 1 Fat 2018, 327-336 231 Muscle 2018, 337-343 230 Nerves 2018, 345-362 229 228 Paget Q Disease 2018, 145-148 Effectiveness of azathioprine pulse therapy in prolonging remission of psoriasis. Dermatologic 227 2.2 Therapy, 2017, 30, e12353 Efficacy of topical tofacitinib, a Janus kinase inhibitor, in the treatment of plaque psoriasis. 8 226 2.2 Dermatologic Therapy, 2017, 30, e12467 Laboratory Formulary: A Model for High-Value Evidence-Based Medicine. Clinical Chemistry, 2017, 225 5.5 63, 1299-1300 Vitamin D supplementation for vitiligo. Dermatologic Therapy, 2017, 30, e12548 224 2.2 1 Efficacy of bimatoprost in the treatment of non-facial vitiligo. Dermatologic Therapy, 2017, 30, e12409 2.2 223 Tumors of the Cutaneous Appendages and the Epidermis 2017, 505-527 222 Vascular Anomalies 2017, 427-459 221 Hematopoietic Proliferations 2017, 461-479 220 Interface Dermatoses 2017, 87-120 219 Fungal Diseases **2017**, 279-297 218

217

Keratinous Cysts and Hamartomas 2017, 481-503

Panniculitis 2017, 197-208 216 Fibrous Proliferations 2017, 529-553 215 Viral and Rickettsial Diseases 2017, 257-277 214 Deposition Disorders 2017, 317-345 213 Vesiculobullous Diseases 2017, 61-86 212 Melanocytic Proliferations and Other Pigmented Lesions 2017, 393-426 211 Nuclear factor XIIIa staining (clone AC-1A1 mouse monoclonal) is a highly sensitive marker of sebaceous differentiation in normal and neoplastic sebocytes. Journal of Cutaneous Pathology, 210 1.7 14 2016, 43, 657-62 3.6 An overview of cutaneous T cell lymphomas. F1000Research, 2016, 5, 209 44 Nuclear factor XIIIa staining (clone AC-1A1 mouse monoclonal) is a sensitive and specific marker to discriminate sebaceous proliferations from other cutaneous clear cell neoplasms. Journal of 208 1.7 10 Cutaneous Pathology, 2016, 43, 649-56 Characterization of dermatopathology fellowship applicants: a 5-year single institution experience. 207 1.7 Journal of Cutaneous Pathology, 2016, 43, 411-7 Efficacy of topical tranexmic acid in the treatment of melasma. Dermatologic Therapy, 2016, 29, 389-3902.2 206 The efficacy of botulinum toxin type A in the treatment of Hailey-Hailey disease. Dermatologic 205 2.2 9 Therapy, **2016**, 29, 394-395 Overview of the Histopathology and Other Laboratory Investigations in Leprosy. Current Tropical 204 5 4 Medicine Reports, 2016, 3, 131-137 Oral mucosal manifestations of autoimmune skin diseases. Autoimmunity Reviews, 2015, 14, 930-51 203 13.6 60 Epithelioid melanocytic nevus with tubule and pseudoacini formation. Journal of Cutaneous 202 1.7 5 Pathology, 2015, 42, 213-216 Rare Malignant Skin Tumors 2015, 201 3 55-Year-Old Woman With Estrogen Receptor-Positive Scalp Lesion. Seminars in Oncology, 2015, 42, e77-825 200 Role of tea tree oil in treatment of acne. Dermatologic Therapy, 2015, 28, 404 199 2.2

198	Diagnostic performance on briefly presented digital pathology images. <i>Journal of Pathology Informatics</i> , 2015 , 6, 56	4.4	5
197	Rhabdoid Melanoma 2015 , 219-221		
196	Idiopathic follicular mucinosis or mycosis fungoides? classification and diagnostic challenges. <i>Cutis</i> , 2015 , 95, E9-E14	0.4	4
195	Variable appropriate hair removal lasers for patients with unwanted hair. <i>Dermatologic Therapy</i> , 2014 , 27, 316-316	2.2	
194	Epigenetic and immunohistochemical characterization of the Clusterin gene in ovarian tumors. <i>Archives of Gynecology and Obstetrics</i> , 2013 , 287, 989-95	2.5	8
193	Expression of PTEN in mycosis fungoides and correlation with loss of heterozygosity. <i>American Journal of Dermatopathology</i> , 2013 , 35, 555-60	0.9	6
192	Misregulation of Rad50 expression in melanoma cells. <i>Journal of Cutaneous Pathology</i> , 2012 , 39, 680-68	41.7	3
191	Varicella-zoster virus (VZV) and alpha 1 antitrypsin: a fatal outcome in a patient affected by endemic pemphigus foliaceus. <i>International Journal of Dermatology</i> , 2012 , 51, 809-16	1.7	3
190	Dermatopathology updates on melanocytic lesions. <i>Dermatologic Clinics</i> , 2012 , 30, 617-22, vi	4.2	8
189	A case of cutaneous Scedosporium infection in an immunocompromised patient. <i>Journal of Cutaneous Pathology</i> , 2012 , 39, 458-60	1.7	4
188	Collapsing angiokeloidal dermatofibroma. American Journal of Dermatopathology, 2012, 34, e103-5	0.9	3
187	Evaluation of a novel high-intensity focused ultrasound device for ablating subcutaneous adipose tissue for noninvasive body contouring: safety studies in human volunteers. <i>Aesthetic Surgery Journal</i> , 2011 , 31, 401-10	2.4	44
186	Association between natural killer cells and regression in melanocytic lesions. <i>Human Pathology</i> , 2011 , 42, 1960-4	3.7	34
185	Comparison between Langerhans cell concentration in lichen planopilaris and traction alopecia with possible immunologic implications. <i>American Journal of Dermatopathology</i> , 2011 , 33, 277-80	0.9	12
184	Antibodies to pilosebaceous units along their neurovascular supply routes in a new variant of endemic pemphigus foliaceus in Colombia, South America. <i>European Journal of Dermatology</i> , 2011 , 21, 371-5	0.8	7
183	Evaluation of a novel high-intensity focused ultrasound device: preclinical studies in a porcine model. <i>Aesthetic Surgery Journal</i> , 2011 , 31, 429-34	2.4	31
182	Bullous allergic drug eruption with presence of myeloperoxidase and reorganization of the dermal vessels observed by using CD34 and collagen IV antibodies. <i>North American Journal of Medical Sciences</i> , 2011 , 3, 82-4	О	1
181	Epithelioid hemangioma (angiolymphoid hyperplasia with eosinophilia) arising on the extremities. <i>Journal of Cutaneous Pathology</i> , 2010 , 37, 1045-52	1.7	20

(2008-2010)

180	New clinical outcomes utilizing a 1064-nm Nd:YAG laser for lipolysis of the torso oblique region. Journal of Cosmetic and Laser Therapy, 2010 , 12, 170-5	1.8	3
179	Influence of evaluation of clinical pictures on the histopathologic diagnosis of inflammatory skin disorders. <i>Journal of the American Academy of Dermatology</i> , 2010 , 63, 647-52	4.5	22
178	Formalin deposition as artifact in biopsies from patients affected by a new variant of endemic pemphigus foliaceus in El Bagre, Colombia, South America. <i>Journal of Cutaneous Pathology</i> , 2010 , 37, 835-42	1.7	5
177	New insights into merkel cell carcinoma. Advances in Anatomic Pathology, 2010, 17, 155-61	5.1	58
176	Protocol for the examination of specimens from patients with merkel cell carcinoma of the skin. <i>Archives of Pathology and Laboratory Medicine</i> , 2010 , 134, 341-4	5	26
175	Adrenal Disease 2010 , 3-10		
174	Dyslipidemia (Hyperlipidemia) 2010 , 55-61		1
173	A study examining the safety and efficacy of a fractional laser in the treatment of photodamage on the hands. <i>Journal of Cosmetic and Laser Therapy</i> , 2009 , 11, 29-33	1.8	12
172	Utility of p63 in the differential diagnosis of atypical fibroxanthoma and spindle cell squamous cell carcinoma. <i>Journal of Cutaneous Pathology</i> , 2009 , 36, 543-7	1.7	52
171	Merkel cell carcinoma: what is it, what will it do and where will it go? What role should the pathologist play in reporting this information?. <i>Journal of Cutaneous Pathology</i> , 2009 , 36, 924-7	1.7	11
170	Increased microsatellite instability and epigenetic inactivation of the hMLH1 gene in head and neck squamous cell carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2009 , 141, 484-90	5.5	16
169	Dermatopathology examination in europe: a summary of 6 years of the European Board Certification. <i>American Journal of Dermatopathology</i> , 2009 , 31, 803-5	0.9	2
168	Concordant loss of heterozygosity of DNA repair gene, hOGG1, in melanoma in situ and atypical melanocytic hyperplasia. <i>Journal of Cutaneous Pathology</i> , 2008 , 35, 525-31	1.7	13
167	Loss of heterozygosity of DNA repair gene, hOGG1, in renal cell carcinoma but not in renal papillary adenoma. <i>Pathology International</i> , 2008 , 58, 339-43	1.8	2
166	Sampling of melanocytic nevi for research purposes: a prospective, pilot study to determine effect on diagnosis. <i>Journal of the American Academy of Dermatology</i> , 2008 , 59, 814-21	4.5	7
165	Bcl-2, CD34 and CD10 expression in basaloid follicular hamartoma, vellus hair hamartoma and neurofollicular hamartoma demonstrate full follicular differentiation. <i>Journal of Cutaneous Pathology</i> , 2008 , 35, 477-83	1.7	26
164	A true impact factor: N. Scott McNutt, MD. Journal of Cutaneous Pathology, 2008, 35 Suppl 2, 45-7	1.7	О
163	Mycosis fungoides: what do/do not we know?. <i>Journal of Cutaneous Pathology</i> , 2008 , 35 Suppl 2, 35-9	1.7	11

162	Pathology of Selected Skin Lesions of the Head and Neck 2008 , 1475-1550		1
161	Targeting human 8-oxoguanine DNA glycosylase (hOGG1) to mitochondria enhances cisplatin cytotoxicity in hepatoma cells. <i>Carcinogenesis</i> , 2007 , 28, 1629-37	4.6	45
160	Perceptions of stress among pathology residents: survey results and some strategies to reduce them. <i>American Journal of Clinical Pathology</i> , 2007 , 128, 911-9	1.9	8
159	Loss of heterozygosity analysis identifies genetic abnormalities in mycosis fungoides and specific loci associated with disease progression. <i>American Journal of Surgical Pathology</i> , 2007 , 31, 1552-6	6.7	19
158	Deadly Dermatologic Diseases 2007 ,		4
157	Colchicine intoxication diagnosed in a skin biopsy: a case report. <i>Journal of Cutaneous Pathology</i> , 2006 , 33, 309-11	1.7	11
156	Fli-1 expression in mycosis fungoides. <i>Journal of Cutaneous Pathology</i> , 2006 , 33, 642-5	1.7	11
155	Introduction to the 2005 long course. <i>Modern Pathology</i> , 2006 , 19 Suppl 2, S1-3	9.8	
154	Histologic criteria for diagnosing primary cutaneous malignant melanoma. <i>Modern Pathology</i> , 2006 , 19 Suppl 2, S34-40	9.8	77
153	Squamous cell carcinoma: from precursor lesions to high-risk variants. <i>Modern Pathology</i> , 2006 , 19 Suppl 2, S88-92	9.8	44
152	Necrolytic acral erythema: a cutaneous sign of hepatitis C virus infection. <i>Journal of the American Academy of Dermatology</i> , 2005 , 53, 247-51	4.5	57
151	Exogenous trauma simulating perifollicular fibromas. <i>American Journal of Dermatopathology</i> , 2005 , 27, 42-4	0.9	5
150	A novel somatic mutation of the 3beta-hydroxysteroid dehydrogenase gene in sporadic cutaneous verruciform xanthoma. <i>Archives of Dermatology</i> , 2005 , 141, 1263-7		20
149	Mycobacteria other than Mycobacterium tuberculosis are not present in erythema induratum/nodular vasculitis: a case series and literature review of the clinical and histologic findings. <i>Journal of Cutaneous Pathology</i> , 2005 , 32, 220-6	1.7	17
148	Unusual histological variants of cutaneous malignant melanoma with some clinical and possible prognostic correlations. <i>Journal of Cutaneous Pathology</i> , 2005 , 32, 589-603	1.7	33
147	Merkel cell carcinoma: a clinicopathologic study with prognostic implications. <i>Journal of Cutaneous Pathology</i> , 2004 , 31, 217-23	1.7	101
146	Evaluation of anti-thrombomodulin antibody as a tumor marker for vascular neoplasms. <i>Journal of Cutaneous Pathology</i> , 2004 , 31, 652-6	1.7	12
145	International Board Certification in Dermatopathology: paving the way for the future. <i>Journal of Cutaneous Pathology</i> , 2004 , 31, 683-685	1.7	2

144	Her-2 expression in cutaneous eccrine and apocrine neoplasms. <i>Modern Pathology</i> , 2004 , 17, 28-32	9.8	18
143	Metalloproteinase-2 expression correlates with aggressiveness of cutaneous squamous cell carcinomas. <i>Modern Pathology</i> , 2004 , 17, 496-502	9.8	32
142	Hormone receptor expression in interdigital glands of the Asian elephant (Elephas maximus). <i>Zoo Biology</i> , 2004 , 23, 463-469	1.6	4
141	Ets-1 immunohistochemical expression in non-melanoma skin carcinoma. <i>Journal of Cutaneous Pathology</i> , 2004 , 31, 8-13	1.7	20
140	The pustular disorders. Seminars in Cutaneous Medicine and Surgery, 2004, 23, 29-38	1.4	5
139	Cutaneous angiosarcoma: a case series with prognostic correlation. <i>Journal of the American Academy of Dermatology</i> , 2004 , 50, 867-74	4.5	161
138	Histiocytic subpopulations in the gastrointestinal tract: distribution and possible relationship to function. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2004 , 12, 356-9	1.9	4
137	International board certification in dermatopathology: paving the way for the future. <i>American Journal of Dermatopathology</i> , 2004 , 26, 439-40	0.9	7
136	VCAM (CD-106) and ICAM (CD-54) adhesion molecules distinguish keratoacanthomas from cutaneous squamous cell carcinomas. <i>Modern Pathology</i> , 2003 , 16, 8-13	9.8	30
135	Dermatofibroma: upregulation of syndecan-1 expression in mesenchymal tissue. <i>American Journal of Dermatopathology</i> , 2003 , 25, 392-8	0.9	8
134	Granuloma annulare and malignant neoplasms. American Journal of Dermatopathology, 2003, 25, 113-6	0.9	68
133	Telepathology in the diagnosis of routine dermatopathologic entities. <i>Archives of Dermatology</i> , 2003 , 139, 637-40		22
132	Sezary syndrome: cutaneous immunoperoxidase double-labeling technique demonstrates CD4/CD8 ratio non-specificity. <i>Journal of Cutaneous Pathology</i> , 2003 , 30, 437-42	1.7	4
131	Expression of syndecan-1 is a sensitive marker for cutaneous plasmacytoma. <i>Journal of Cutaneous Pathology</i> , 2003 , 30, 18-22	1.7	9
130	Syringocystadenoma papilliferum contiguous to a verrucous cyst. <i>Journal of Cutaneous Pathology</i> , 2003 , 30, 32-6	1.7	14
129	Localized epidermolytic hyperkeratosis of the female external genitalia. <i>Journal of Cutaneous Pathology</i> , 2003 , 30, 379-81	1.7	11
128	Seasonal effect upon excision of acquired melanocytic proliferations. <i>International Journal of Dermatology</i> , 2003 , 42, 686-90	1.7	7
127	Analysis of promoter hypermethylation of death-associated protein kinase and p16 tumor suppressor genes in actinic keratoses and squamous cell carcinomas of the skin. <i>Modern Pathology</i> , 2003 , 16, 660-4	9.8	26

126	Expression of the ets-1 proto-oncogene in melanocytic lesions. <i>Modern Pathology</i> , 2003 , 16, 772-7	9.8	22
125	Protein gene product 9.5 (PGP 9.5) is not a specific marker of neural and nerve sheath tumors: an immunohistochemical study of 95 mesenchymal neoplasms. <i>Modern Pathology</i> , 2003 , 16, 963-9	9.8	91
124	E-cadherin promoter hypermethylation in preneoplastic and neoplastic skin lesions. <i>Modern Pathology</i> , 2003 , 16, 1014-8	9.8	43
123	Histopathology and genetics of cutaneous T-cell lymphoma. <i>Hematology/Oncology Clinics of North America</i> , 2003 , 17, 1277-311	3.1	42
122	Expression of stratum corneum chymotryptic enzyme in ichthyoses and squamoproliferative processes. <i>Journal of Cutaneous Pathology</i> , 2003 , 30, 358-62	1.7	12
121	Lack of specificity in skin biopsy specimens to assess for acute graft-versus-host disease in initial 3 weeks after bone-marrow transplantation. <i>Journal of the American Academy of Dermatology</i> , 2003 , 49, 1081-5	4.5	44
120	The spectrum of cutaneous disease in multiple myeloma. <i>Journal of the American Academy of Dermatology</i> , 2003 , 48, 497-507	4.5	73
119	Histopathologic evaluation of cutaneous squamous cell carcinoma: results of a survey among dermatopathologists. <i>Journal of the American Academy of Dermatology</i> , 2003 , 48, 721-6	4.5	34
118	Necrolytic migratory erythema as the only presenting sign of a glucagonoma. <i>Journal of the American Academy of Dermatology</i> , 2003 , 49, 325-8	4.5	25
117	New techniques in the diagnosis of primary cutaneous melanoma. <i>Current Problems in Dermatology</i> , 2003 , 15, 209-213		
116	Association of expression of CD44v6 with systemic anaplastic large cell lymphoma: comparison with primary cutaneous anaplastic large cell lymphoma. <i>American Journal of Clinical Pathology</i> , 2002 , 117, 276-82	1.9	10
115	Reporting tumor thickness for cutaneous squamous cell carcinoma. <i>Journal of Cutaneous Pathology</i> , 2002 , 29, 321-3	1.7	20
114	h-Caldesmon as a specific marker of smooth muscle cell differentiation in some soft tissue tumors of the skin. <i>Journal of Cutaneous Pathology</i> , 2002 , 29, 426-9	1.7	23
113	Expression of CD44 and CD44v6 in primary cutaneous CD30 positive T-cell lymphoproliferative disorders. <i>Journal of Cutaneous Pathology</i> , 2002 , 29, 459-64	1.7	8
112	Immunohistochemical comparison of p16 expression in actinic keratoses and squamous cell carcinomas of the skin. <i>Modern Pathology</i> , 2002 , 15, 1121-5	9.8	86
111	Caveolin expression is common among benign and malignant smooth muscle and adipocyte neoplasms. <i>Modern Pathology</i> , 2002 , 15, 1-5	9.8	14
110	The level of syndecan-1 expression is a distinguishing feature in behavior between keratoacanthoma and invasive cutaneous squamous cell carcinoma. <i>Modern Pathology</i> , 2002 , 15, 45-9	9.8	32
109	A spindled cell CD34+ dermal proliferation. American Journal of Dermatopathology, 2002, 24, 85-8	0.9	12

(1999-2002)

108	Syndecan-1 is strongly expressed in the anagen hair follicle outer root sheath and in the dermal papilla but expression diminishes with involution of the hair follicle. <i>American Journal of Dermatopathology</i> , 2002 , 24, 484-9	0.9	21
107	Eccrine nevus presenting as a perianal skin tag: a case report and review of the literature. <i>American Journal of Dermatopathology</i> , 2002 , 24, 361-3	0.9	21
106	Acantholysis and spongiosis are associated with loss of syndecan-1 expression. <i>Journal of Cutaneous Pathology</i> , 2001 , 28, 135-9	1.7	15
105	Expression of the human erythrocyte glucose transporter Glut-1 in areas of sclerotic collagen in necrobiosis lipoidica. <i>Journal of Cutaneous Pathology</i> , 2001 , 28, 287-90	1.7	18
104	The expression of syndecan-1 is preferentially reduced compared with that of E-cadherin in acantholytic squamous cell carcinoma. <i>Journal of Cutaneous Pathology</i> , 2001 , 28, 83-9	1.7	40
103	Absence of Borrelia burgdorferi DNA in cutaneous B-cell lymphomas from the United States. <i>Journal of Cutaneous Pathology</i> , 2001 , 28, 502-7	1.7	107
102	Sentinel node biopsy for melanoma: what is the evidence?. Archives of Dermatology, 2001, 137, 1228-31		8
101	The role of androgen receptors in the clinical course of nevus sebaceus of Jadassohn. <i>Modern Pathology</i> , 2001 , 14, 539-42	9.8	34
100	Reassessment of lymphocytic atypia in the diagnosis of mycosis fungoides. <i>Modern Pathology</i> , 2001 , 14, 285-8	9.8	13
99	Granuloma annulare: another manifestation of Bartonella infection?. <i>American Journal of Dermatopathology</i> , 2001 , 23, 510-3	0.9	12
98	The microanatomy of the distal arrector pili: possible role for alpha1beta1 and alpha5beta1 integrins in mediating cell-cell adhesion and anchorage to the extracellular matrix. <i>Journal of Cutaneous Pathology</i> , 2000 , 27, 61-6	1.7	12
97	Solitary fibrous tumors are immunophenotypically distinct from mesothelioma(s). <i>Journal of Cutaneous Pathology</i> , 2000 , 27, 451-4	1.7	26
96	Pagetoid reticulosis (Woringer-Kolopp disease): an immunophenotypic, molecular, and clinicopathologic study. <i>Modern Pathology</i> , 2000 , 13, 502-10	9.8	147
95	Androgen receptors: a marker to increase sensitivity for identifying breast cancer in skin metastasis of unknown primary site. <i>Modern Pathology</i> , 2000 , 13, 119-22	9.8	33
94	Immunohistochemical stains in dermatopathology. <i>Journal of the American Academy of Dermatology</i> , 2000 , 43, 1094-100	4.5	13
93	Mycosis Fungoides: Classic Disease and Variant Presentations. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2000 , 19, 91-99	1.4	27
92	Syndecan-1 expression is decreased with increasing aggressiveness of basal cell carcinoma. <i>American Journal of Dermatopathology</i> , 2000 , 22, 119-22	0.9	35
91	Safety and efficacy of high fluence CO2 laser skin resurfacing with a single pass. <i>Journal of Cutaneous Laser Therapy</i> , 1999 , 1, 37-40		10

90	Spiders and Borrelia burgdorferi: no evidence of reservoir occurrence in central Arkansas. <i>International Journal of Dermatology</i> , 1999 , 38, 296-7	1.7	1
89	Syndecan-1 expression is diminished in acantholytic cutaneous squamous cell carcinoma. <i>Journal of Cutaneous Pathology</i> , 1999 , 26, 386-90	1.7	22
88	Immunohistochemical evaluation of androgen receptors in genital and extragenital lichen sclerosus: evidence for loss of androgen receptors in lesional epidermis. <i>Journal of the American Academy of Dermatology</i> , 1999 , 41, 43-6	4.5	31
87	Basal cell carcinoma: a comparison of shave biopsy versus punch biopsy techniques in subtype diagnosis. <i>Journal of the American Academy of Dermatology</i> , 1999 , 41, 69-71	4.5	81
86	A clinical and histologic prospective controlled comparative study of the picosecond titanium:sapphire (795 nm) laser versus the Q-switched alexandrite (752 nm) laser for removing tattoo pigment. <i>Journal of the American Academy of Dermatology</i> , 1999 , 40, 603-6	4.5	83
85	Immunohistochemistry in diagnostic dermatopathology. <i>Dermatologic Clinics</i> , 1999 , 17, 667-89, x	4.2	18
84	Skin contraction with pulsed CO2 and erbium:YAG laser. <i>Plastic and Reconstructive Surgery</i> , 1999 , 104, 2255-60	2.7	8
83	Immunohistochemical staining for androgen receptors: a sensitive marker of sebaceous differentiation. <i>American Journal of Dermatopathology</i> , 1999 , 21, 426-31	0.9	118
82	Increased p53 staining in normal skin of posttransplant, immunocompromised patients and implications for carcinogenesis. <i>American Journal of Dermatopathology</i> , 1999 , 21, 442-5	0.9	5
81	Aggressive cutaneous NK and NK-like T-cell lymphomas: clinicopathologic, immunohistochemical, and molecular analyses of 12 cases. <i>American Journal of Surgical Pathology</i> , 1999 , 23, 571-81	6.7	90
8o	Cutaneous infiltrate of chronic lymphocytic leukemia and relationship to primary cutaneous epithelial neoplasms. <i>Journal of Cutaneous Pathology</i> , 1998 , 25, 160-4	1.7	71
79	Role of histology in providing prognostic information in mycosis fungoides. <i>Journal of Cutaneous Pathology</i> , 1998 , 25, 311-5	1.7	19
78	Cutaneous Langerhans cell histiocytosis of the genitalia in the elderly: a report of three cases. <i>Journal of Cutaneous Pathology</i> , 1998 , 25, 370-4	1.7	26
77	Cutaneous Paecilomyces lilacunis infection in a hospitalized patient taking corticosteroids. <i>International Journal of Dermatology</i> , 1998 , 37, 438-41	1.7	4
76	Role of cellular proliferation and apoptosis in the growth of xanthogranulomas. <i>American Journal of Dermatopathology</i> , 1998 , 20, 17-21	0.9	4
75	Estrogen and progesterone receptors in androgenic alopecia versus alopecia areata. <i>American Journal of Dermatopathology</i> , 1998 , 20, 160-3	0.9	24
74	Cutaneous epithelioid angioleiomyoma. American Journal of Dermatopathology, 1998, 20, 213-7	0.9	27
73	Atypical cells in radiation dermatitis express factor XIIIa. <i>American Journal of Dermatopathology</i> , 1998 , 20, 370-2	0.9	8

72	Leukemic vasculitis: a newly described pattern of cutaneous involvement. <i>American Journal of Clinical Pathology</i> , 1997 , 107, 627-9	1.9	21	
71	Trichoepithelioma with an adjacent basal cell carinoma, transformation or collision?. <i>Journal of the American Academy of Dermatology</i> , 1997 , 37, 343-345	4.5	33	
70	Differential proliferation of endothelial cells and keratinocytes in psoriasis and spongiotic dermatitis. <i>Journal of Cutaneous Pathology</i> , 1997 , 24, 356-63	1.7	7	
69	Absence of human herpesvirus 8 and Epstein-Barr virus genome sequences in cutaneous epithelial neoplasms arising in immunosuppressed organ-transplant patients. <i>Journal of Cutaneous Pathology</i> , 1997 , 24, 559-63	1.7	13	
68	Histologic criteria for the diagnosis of erythrodermic mycosis fungoides and Sary syndrome: a critical reappraisal. <i>Journal of Cutaneous Pathology</i> , 1997 , 24, 292-7	1.7	41	
67	Evaluation of classic architectural criteria in non-mycosis fungoides cutaneous lymphomas. <i>American Journal of Dermatopathology</i> , 1997 , 19, 557-61	0.9	12	
66	Value of skin biopsies in assessing prognosis and progression of acute graft-versus-host disease. <i>American Journal of Surgical Pathology</i> , 1997 , 21, 988-96	6.7	81	
65	Estrogen and Progesterone Receptors in Breast Cancer. <i>American Journal of Dermatopathology</i> , 1997 , 19, 554-555	0.9		
64	Immunoperoxidase techniques in the evaluation of cutaneous lymphocytic infiltrates. <i>Seminars in Cutaneous Medicine and Surgery</i> , 1996 , 15, 300-7	1.4	4	
63	Immunohistochemistry in diagnostic dermatopathology. <i>Journal of the American Academy of Dermatology</i> , 1996 , 34, 163-83; quiz 184-6	4.5	25	
62	Increased proportion of aggressive-growth basal cell carcinoma in the Veterans Affairs population of Palo Alto, California. <i>Journal of the American Academy of Dermatology</i> , 1996 , 35, 907-10	4.5	24	
61	Differentiating Early Lesions of Mycosis Fungoides From Spongiotic Dermatoses 1996 , 1, 158-162		4	
60	Differentiating Early Lesions of Mycosis Fungoides From Spongiotic Dermatoses 1996 , 1, 158-162		2	
59	Perivascular mast cells in urticaria pigmentosa. <i>Journal of Cutaneous Pathology</i> , 1996 , 23, 247-53	1.7	12	
58	Cutaneous myiasis following travel to Belize. International Journal of Dermatology, 1996, 35, 118-20	1.7	14	
57	Evidence against a role for human T-cell lymphotrophic virus type I (HTLV-I) in the pathogenesis of American cutaneous T-cell lymphoma. <i>Journal of Investigative Dermatology</i> , 1996 , 107, 301-7	4.3	38	
56	Mycosis Fungoides Palmaris et Plantaris. Archives of Dermatology, 1996 , 132, 468		2	
55	Gross cystic disease fluid protein-15 reactivity in extramammary Paget@ disease with and without associated internal malignancy. <i>American Journal of Dermatopathology</i> , 1996 , 18, 118-23	0.9	44	

54	Differential sensitivity of estrogen/progesterone receptors and BRST-2 markers in metastatic ductal and lobular breast carcinoma to the skin. <i>American Journal of Dermatopathology</i> , 1996 , 18, 241-7	0.9	7
53	Proliferation and apoptosis within juvenile capillary hemangiomas. <i>American Journal of Dermatopathology</i> , 1996 , 18, 505-14	0.9	41
52	Expression of bcl-2 protein and Ki-67 nuclear proliferation antigen in benign and malignant cutaneous T-cell infiltrates. <i>Journal of Cutaneous Pathology</i> , 1995 , 22, 11-7	1.7	72
51	Use of CD34 in assessing the relationship between stroma and tumor in desmoplastic keratinocytic neoplasms. <i>Journal of Cutaneous Pathology</i> , 1995 , 22, 422-6	1.7	58
50	Cutaneous S100-positive histiocytic proliferations mimicking malignant melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 1995 , 5, 73-75	4.6	
49	Heterologous mesenchymal proliferation of the skin. <i>Dermatologic Surgery</i> , 1995 , 21, 164-6	1.7	
48	Reassessment of histologic parameters in the diagnosis of mycosis fungoides. <i>American Journal of Surgical Pathology</i> , 1995 , 19, 1423-30	6.7	133
47	Semipermeable dressings improve epidermal barrier function in premature infants. <i>Pediatric Research</i> , 1994 , 36, 306-14	3.2	62
46	Immunofluorescent analysis of the basement membrane zone in lichen planus suggests destruction of the lamina lucida in bullous lesions. <i>Journal of Cutaneous Pathology</i> , 1994 , 21, 123-8	1.7	8
45	T lymphocytes bearing the gamma/delta T-cell receptor in cutaneous lesions of dermatitis herpetiformis. <i>Journal of Cutaneous Pathology</i> , 1994 , 21, 413-8	1.7	5
44	Intravascular crystals provide diagnostic clue in diagnosis of monoclonal cryoglobulinemia. <i>Journal of the European Academy of Dermatology and Venereology</i> , 1994 , 3, 185-188	4.6	
43	Diagnosis of histiocytoses. <i>Journal of the European Academy of Dermatology and Venereology</i> , 1994 , 3, 439-440	4.6	
42	Cutaneous angiosarcoma as a second malignancy in a lymphedematous leg in a Hodgkin@disease survivor. <i>Journal of the American Academy of Dermatology</i> , 1994 , 31, 861-6	4.5	13
41	Benign lymphangioendothelioma. <i>Journal of the American Academy of Dermatology</i> , 1994 , 31, 362-8	4.5	22
40	Risk of secondary cutaneous malignancies in patients with long-standing mycosis fungoides. Journal of the American Academy of Dermatology, 1994 , 30, 201-4	4.5	41
39	Cutaneous vasculitis in the newborn. <i>Journal of the American Academy of Dermatology</i> , 1993 , 29, 665-6	4.5	
38	Cutaneous nodules of Mycobacterium chelonae in an immunosuppressed patient with preexisting pulmonary colonization. <i>Journal of the American Academy of Dermatology</i> , 1993 , 28, 352-5	4.5	34
37	Atypical fibroxanthoma. Multiple immunohistologic profiles. <i>American Journal of Surgical Pathology</i> , 1993 , 17, 1199-209	6.7	116

(1991-1993)

36	Leukemia cutis. Analysis of 50 biopsy-proven cases with an emphasis on occurrence in myelodysplastic syndromes. <i>American Journal of Clinical Pathology</i> , 1993 , 100, 276-84	1.9	121
35	Preliminary analysis of histological results of Hexascan device with continuous tunable dye laser at 514 (argon) and 577 NM (yellow). <i>Lasers in Surgery and Medicine</i> , 1993 , 13, 106-12	3.6	18
34	Alopecia universalis in an HIV-positive patient: possible insight into pathogenesis. <i>Journal of Cutaneous Pathology</i> , 1993 , 20, 180-3	1.7	28
33	The spectrum of cutaneous disease in leukemias. <i>Journal of Cutaneous Pathology</i> , 1993 , 20, 407-10	1.7	86
32	Immunophenotypic analysis suggests that granuloma faciale is a gamma-interferon-mediated process. <i>Journal of Cutaneous Pathology</i> , 1993 , 20, 442-6	1.7	50
31	Dermal dendrocytes are decreased in collagenomas. <i>Journal of Cutaneous Pathology</i> , 1993 , 20, 504-7	1.7	7
30	Infantile (juvenile) capillary hemangioma: a tumor of heterogeneous cellular elements. <i>Journal of Cutaneous Pathology</i> , 1993 , 20, 330-6	1.7	53
29	A Case of Woringer-Kolopp Disease With Ki-1 (CD30)+ Cytotoxic/Suppressor Cells. <i>Archives of Dermatology</i> , 1992 , 128, 526		23
28	Immunohistochemical examination of lichen nitidus suggests that it is not a localized papular variant of lichen planus. <i>Journal of the American Academy of Dermatology</i> , 1992 , 27, 232-6	4.5	47
27	Dysplastic nevi can be diagnosed and graded reproducibly: a longitudinal study. <i>Journal of the American Academy of Dermatology</i> , 1992 , 27, 399-402	4.5	20
26	Differences in direct immunofluorescence staining patterns in epidermolysis bullosa acquisita and bullous pemphigoid. <i>Journal of the American Academy of Dermatology</i> , 1992 , 27, 674-8	4.5	27
25	Mucoepidermoid carcinoma metastatic to the skin. An histologic mimic of a primary sweat gland carcinoma. <i>The Journal of Dermatologic Surgery and Oncology</i> , 1992 , 18, 365-8		20
24	Acute cutaneous graft versus host disease: a clinicopathologic and immunophenotypic study. <i>International Journal of Dermatology</i> , 1992 , 31, 270-2	1.7	14
23	Porokeratosis and cardiac transplantation. <i>International Journal of Dermatology</i> , 1992 , 31, 673	1.7	
22	Porokeratosis in immunosuppressed and nonimmunosuppressed patients. <i>International Journal of Dermatology</i> , 1992 , 31, 781-2	1.7	46
21	Skin malignancies in the elderly. Diagnosable, treatable, and potentially curable. <i>Journal of Gerontological Nursing</i> , 1992 , 18, 19-24	1.2	5
20	Fixed drug eruptions: evidence for a cytokine-mediated process. <i>Journal of Cutaneous Pathology</i> , 1991 , 18, 13-9	1.7	23
19	Pigmented purpuric eruptions: immunopathologic studies supportive of a common immunophenotype. <i>Journal of Cutaneous Pathology</i> , 1991 , 18, 423-7	1.7	50

18	Balloon cell transformation in multiple dysplastic nevi. <i>Journal of the American Academy of Dermatology</i> , 1991 , 24, 290-2	4.5	25
17	Detection of cytokine-induced protein gamma-immune protein-10 (gamma-IP10) in atypical melanocytic proliferations. <i>Journal of the American Academy of Dermatology</i> , 1991 , 25, 627-31	4.5	9
16	Diabetes impairs the late inflammatory response to wound healing. <i>Journal of Surgical Research</i> , 1991 , 50, 308-13	2.5	211
15	Immunohistochemistry in the diagnosis of malignant melanoma. <i>Clinics in Dermatology</i> , 1991 , 9, 235-41	3	7
14	Neurofibromas and neurotized melanocytic nevi are immunohistochemically distinct neoplasms. <i>American Journal of Dermatopathology</i> , 1990 , 12, 234-41	0.9	49
13	The Natural History of Vasculitis. <i>Archives of Dermatology</i> , 1990 , 126, 84		30
12	Detection of the Interferon-gamma-Induced Protein 10 in Psoriasiform Dermatitis of Acquired Immunodeficiency Syndrome. <i>Archives of Dermatology</i> , 1990 , 126, 1457		14
11	HMB-45 staining of dysplastic nevi. Support for a spectrum of progression toward melanoma. <i>American Journal of Surgical Pathology</i> , 1989 , 13, 680-4	6.7	51
10	Reducing adult phlebotomy blood loss with the use of pediatric-sized blood collection tubes. <i>American Journal of Clinical Pathology</i> , 1989 , 91, 701-3	1.9	99
9	Keratinocyte protein expression in rapidly regenerating epidermis following laser-induced thermal injury. <i>Lasers in Surgery and Medicine</i> , 1989 , 9, 264-70	3.6	1
8	Unexpected vascular response to epinephrine in port wine stains. <i>Plastic and Reconstructive Surgery</i> , 1987 , 80, 784-6	2.7	1
7	Port-wine stains: a new hypothesis. <i>Journal of the American Academy of Dermatology</i> , 1987 , 17, 164-6	4.5	74
6	Phlebotomy for diagnostic laboratory tests in adults. Pattern of use and effect on transfusion requirements. <i>New England Journal of Medicine</i> , 1986 , 314, 1233-5	59.2	242
5	Port-wine Stains. Archives of Dermatology, 1986, 122, 177		151
4	Keratoacanthoma and squamous cell carcinoma of the skin: immunohistochemical localization of involucrin and keratin proteins. <i>Journal of the American Academy of Dermatology</i> , 1986 , 14, 226-34	4.5	40
3	Alpha 1-antitrypsin and lysozyme in fibrous papules and angiofibromas. <i>Journal of the American Academy of Dermatology</i> , 1985 , 12, 99-101	4.5	9
2	A comparison of egotism, negativity, and learned helplessness as explanations for poor performance after unsolvable problems <i>Journal of Personality and Social Psychology</i> , 1981 , 40, 24-30	6.5	40
1	Her-2 expression in cutaneous eccrine and apocrine neoplasms		3