

# Panpan Zhou

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/589007/panpan-zhou-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67

papers

1,208

citations

16

h-index

33

g-index

67

ext. papers

1,474

ext. citations

3.4

avg, IF

4.7

L-index

#	Paper	IF	Citations
67	Lightweight and efficient microwave absorbing materials based on walnut shell-derived nano-porous carbon. <i>Nanoscale</i> , <b>2017</b> , 9, 7408-7418	7.7	305
66	Efficient ferrite/Co/porous carbon microwave absorbing material based on ferrite@metal-organic framework. <i>Chemical Engineering Journal</i> , <b>2017</b> , 326, 945-955	14.7	165
65	Synthesis and photoluminescence of Eu <sup>3+</sup> -activated double perovskite NaGdMg(W, Mo)O <sub>6</sub> as potential red phosphor for solid state lighting. <i>Journal of Materials Chemistry C</i> , <b>2013</b> , 1, 54-57	7.1	103
64	Fast synthesis ZnO quantum dots via ultrasonic method. <i>Ultrasonics Sonochemistry</i> , <b>2016</b> , 30, 103-112	8.9	35
63	High quantum yield ZnO quantum dots synthesizing via an ultrasonication microreactor method. <i>Ultrasonics Sonochemistry</i> , <b>2016</b> , 33, 106-117	8.9	30
62	Enhanced luminescence and structure evolution of double perovskite (K, Na)LaMgWO <sub>6</sub> :Eu <sup>3+</sup> phosphor for white LEDs. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2015</b> , 26, 8083-8088	2.1	29
61	Activated porous carbon derived from walnut shells with promising material properties for supercapacitors. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 18637-18645	2.1	26
60	The effect of ZnCl activation on microwave absorbing performance in walnut shell-derived nano-porous carbon. <i>RSC Advances</i> , <b>2019</b> , 9, 9718-9728	3.7	25
59	Silica-Modified Ordered Mesoporous Carbon for Optimized Impedance-Matching Characteristic Enabling Lightweight and Effective Microwave Absorbers. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 23252-23260	9.5	25
58	Adjusting the band structure and defects of ZnO quantum dots via tin doping. <i>RSC Advances</i> , <b>2017</b> , 7, 11345-11354	3.7	24
57	High sinterability nano-Y <sub>2</sub> O <sub>3</sub> powders prepared via decomposition of hydroxyl-carbonate precursors for transparent ceramics. <i>Journal of Materials Science</i> , <b>2017</b> , 52, 8556-8567	4.3	23
56	Electromagnetic and microwave absorbing properties of W-type barium ferrite doped with Gd <sup>3+</sup> . <i>Rare Metals</i> , <b>2011</b> , 30, 44-48	5.5	23
55	Multi-dimensional ordered mesoporous carbon/silica@Ni composite with hierarchical nanostructure for strong and broadband microwave absorption. <i>Carbon</i> , <b>2021</b> , 176, 209-218	10.4	19
54	Enhancing luminescence of ZnO quantum dots by PEG and oleic acid via a sol-gel method. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2015</b> , 26, 1113-1118	2.1	17
53	Biomass-derived porous carbon materials with NiS nanoparticles for high performance supercapacitors. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 14874-14883	2.1	17
52	The Evolution and Role of NH <sub>4</sub> Cl Flux Used to Synthesize Sr <sub>2</sub> SiO <sub>4</sub> :Dy <sup>3+</sup> Phosphor by Solid-State Reaction Method. <i>Journal of the American Ceramic Society</i> , <b>2012</b> , 95, 3871-3877	3.8	17
51	Microstructure and microwave dielectric properties of Ba <sub>4</sub> .2Nd <sub>9</sub> .2Ti <sub>18</sub> Sn <sub>x</sub> O <sub>54</sub> (x = 0, 0.25, 0.5, 1, 1.5, 2) ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2015</b> , 26, 3375-3379	2.1	15

50	Hydrothermal carbonization synthesis of BaZn <sub>2</sub> F <sub>16</sub> O <sub>27</sub> /carbon composite microwave absorbing materials and its electromagnetic performance. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2015</b> , 26, 2538-2543	2.1	15
49	Dy <sup>3+</sup> doped thermally stable garnet-based phosphors: luminescence improvement by changing the host-lattice composition and co-doping Bi <sup>3+</sup> . <i>RSC Advances</i> , <b>2016</b> , 6, 32381-32388	3.7	15
48	Effect of sintering aid ZnO/Er <sub>2</sub> O <sub>3</sub> on dielectric properties of (Zr <sub>0.8</sub> Sn <sub>0.2</sub> )TiO <sub>4</sub> ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2015</b> , 26, 9026-9030	2.1	15
47	Dielectric properties of modified SrTiO <sub>3</sub> /PTFE composites for microwave RF antenna applications. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2015</b> , 26, 7431-7437	2.1	14
46	The effect of MWCNTs on the microwave electromagnetic properties of ferrite/MWCNTs composites. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2015</b> , 26, 1895-1899	2.1	13
45	Low loss (Ba <sub>1-x</sub> Sr <sub>x</sub> )(Co <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> solid solution: phase evolution, microstructure and microwave dielectric properties. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2015</b> , 26, 4273-4279	2.1	12
44	Effect of Al <sub>2</sub> O <sub>3</sub> additives on the microstructure of Y <sub>2</sub> O <sub>3</sub> ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2016</b> , 27, 3384-3389	2.1	12
43	Dielectric properties of modified BNT/PTFE composites for microwave RF antenna applications. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2016</b> , 27, 8378-8383	2.1	11
42	Facile synthesis of cobalt nanoparticles embedded in a rod-like porous carbon matrix with excellent electromagnetic wave absorption performance. <i>Ceramics International</i> , <b>2021</b> , 47, 643-653	5.1	11
41	Influence of alkali metal compound fluxes on Gd <sub>2</sub> O <sub>3</sub> :Tb particle and luminescence. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2015</b> , 26, 1982-1986	2.1	10
40	Microwave dielectric properties of high-Q Mg(Sn <sub>x</sub> Ti <sub>1-x</sub> )O <sub>3</sub> ceramics. <i>Electronic Materials Letters</i> , <b>2013</b> , 9, 331-335	2.9	10
39	Effects of MnO <sub>2</sub> doping on microstructure and microwave dielectric properties of Ba <sub>4</sub> .2Nd <sub>9</sub> .2Ti <sub>18</sub> O <sub>54</sub> /Al <sub>2</sub> O <sub>3</sub> ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2014</b> , 25, 5264-5268	2.1	10
38	Enhanced luminescent intensity of Sr <sub>2</sub> SiO <sub>4</sub> :Tb <sup>3+</sup> phosphors by charge compensation (Li <sup>+</sup> ) addition. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2016</b> , 27, 9448-9453	2.1	9
37	A novel spray co-precipitation method to prepare nanocrystalline Y <sub>2</sub> O <sub>3</sub> powders for transparent ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 4684-4689	2.1	9
36	Synthesis and enhanced supercapacitor performance of carbon self-doping graphitic carbon nitride/NiS electrode material. <i>Journal of the American Ceramic Society</i> , <b>2021</b> , 104, 1554-1567	3.8	9
35	Effect of ZnO/Er <sub>2</sub> O <sub>3</sub> addition on microwave properties of (Zr <sub>0.8</sub> Sn <sub>0.2</sub> )TiO <sub>4</sub> ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2016</b> , 27, 3929-3933	2.1	8
34	Optical property of SmAlO <sub>3</sub> applied as 1.06 μm laser absorbing material. <i>Journal of Rare Earths</i> , <b>2013</b> , 31, 1102-1105	3.7	8
33	Synthesis and co-luminescence properties of Tb <sup>3+</sup> -methacrylic acid-1,10-phenanthroline complexes doped with Eu <sup>3+</sup> . <i>Rare Metals</i> , <b>2012</b> , 31, 479-483	5.5	8

32	A highly active and stable cathode for oxygen reduction in intermediate-temperature solid oxide fuel cells. <i>Sustainable Energy and Fuels</i> , <b>2020</b> , 4, 1168-1179	5.8	8
31	Synthesis and luminescence properties of double perovskite Gd <sub>2</sub> MgTiO <sub>6</sub> :Eu <sup>3+</sup> red phosphors for white light-emitting diodes. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2018</b> , 29, 4122-4127	2.1	7
30	Different valence Sn doping - A simple way to detect oxygen concentration variation of ZnO quantum dots synthesized under ultrasonic irradiation. <i>Ultrasonics Sonochemistry</i> , <b>2017</b> , 38, 29-37	8.9	6
29	Influence of charge compensators Li <sup>+</sup> /Na <sup>+</sup> /K <sup>+</sup> on luminescence properties of Sr <sub>2</sub> CeO <sub>4</sub> :Eu <sup>3+</sup> . <i>Journal of Materials Science: Materials in Electronics</i> , <b>2016</b> , 27, 10207-10212	2.1	6
28	1.06 $\mu$ m laser absorption properties of Sm <sub>2</sub> O <sub>2</sub> S prepared by flux method. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2016</b> , 27, 2379-2384	2.1	6
27	Synthesis mechanism and microwave dielectric properties of Co <sub>0.5</sub> Ti <sub>0.5</sub> NbO <sub>4</sub> ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 3380-3385	2.1	6
26	The role of sodium compound fluxes used to synthesize Gd <sub>2</sub> O <sub>2</sub> S:Tb <sup>3+</sup> by sulfide fusion method. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 2723-2730	2.1	5
25	A luminescent Terbium-Succinate MOF fabricated by co-precipitation for sensing of Fe <sup>3+</sup> in aqueous environment. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 7326-7332	2.1	5
24	Enhanced absorbing property of Sm <sub>2</sub> O <sub>2</sub> S laser absorbent by doping Er <sup>3+</sup> /Tm <sup>3+</sup> . <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 697-701	2.1	5
23	Effect of NH <sub>4</sub> Cl flux used to synthesize double perovskite BaLaMgSbO <sub>6</sub> :Eu <sup>3+</sup> phosphor by solid-state reaction method. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 3373-3379	2.1	5
22	Effects of ZnO additive on crystalline phase and microwave dielectric properties of 0.90Al <sub>2</sub> O <sub>3</sub> ·0.10TiO <sub>2</sub> ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2016</b> , 27, 2687-2692	2.1	5
21	Narrowing of ferromagnetic resonance linewidth in calcium substituted YIG powders by Zr <sup>4+</sup> /Sn <sup>4+</sup> substitution. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2014</b> , 25, 4517-4523	2.1	5
20	Structural, magnetic and microwave absorption properties of Ni-doped ZnO nanofibers. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 2803-2811	2.1	5
19	Electromagnetic loss properties of ZnO nanofibers. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2016</b> , 27, 12846-12851	2.1	4
18	Preparation of water soluble acrylic resin adhesive for fluorescent lamps and its modification. <i>Rare Metals</i> , <b>2011</b> , 30, 657-660	5.5	4
17	Experimental and theoretical studies on the stable synthesis of a laser protective coating material erbium oxysulfide. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2018</b> , 29, 2406-2415	2.1	4
16	Luminescence properties of double perovskite Gd <sub>2</sub> MgTiO <sub>6</sub> :Tb <sup>3+</sup> phosphors by solid-state reaction method. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2019</b> , 30, 17923-17932	2.1	3
15	Sintering characteristics and microwave dielectric properties of Ba(Co <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> MnO <sub>2</sub> ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2015</b> , 26, 1107-1112	2.1	3

14	Effect of reaction temperature and reaction time on the sizes and defects of Sn doped ZnO quantum dots synthesized under ultrasonic irradiation. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 12803-12815	2.1	2
13	Luminescence characteristics of single-phase white-emitting phosphor Sr <sub>2</sub> CeO <sub>4</sub> :Eu <sup>3+</sup> . <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 10131-10138	2.1	2
12	Laser and electromagnetic loss properties of Perovskite SmNi <sub>x</sub> Fe <sub>1-x</sub> O <sub>3</sub> . <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 15050-15055	2.1	2
11	Preparation and properties of a flexible night vision imaging system filter for avionic LED displays. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2015</b> , 26, 2222-2229	2.1	2
10	Effects of sintering process on microstructure and microwave dielectric properties of Ba(Co <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> ceramics. <i>Electronic Materials Letters</i> , <b>2014</b> , 10, 1121-1125	2.9	2
9	The evolution and role of Na <sub>2</sub> CO <sub>3</sub> flux used to synthesize Er <sub>2</sub> O <sub>3</sub> laser absorbent. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2016</b> , 27, 11049-11054	2.1	2
8	The Luminescence Properties and Thermal Stability of a Green-Blue Color Tunable Sr <sub>2</sub> SiO <sub>4</sub> :Tb <sup>3+</sup> , Ce <sup>3+</sup> Phosphor. <i>Electronic Materials Letters</i> , <b>2019</b> , 15, 18-26	2.9	2
7	Phase controllable synthesis of NaMgF <sub>3</sub> :Yb <sup>3+</sup> , Er <sup>3+</sup> nanocrystals with effective red upconversion luminescence. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2018</b> , 29, 18320-18330	2.1	2
6	Synthesis and luminescent characteristics of green-emitting (Sr <sub>1-x</sub> M <sub>x</sub> ) <sub>2</sub> SiO <sub>4</sub> :Tb <sup>3+</sup> (M = Ba, Ca) phosphors. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2018</b> , 29, 7220-7226	2.1	1
5	Composition-induced tunable white emission in Ce/Tb/Eu co-doped lithium-barium borophosphate glasses. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2016</b> , 27, 1473-1478	2.1	1
4	Microstructure and microwave electromagnetic properties of Dy <sup>3+</sup> -doped W-type hexaferrites. <i>Rare Metals</i> , <b>2011</b> , 30, 505-509	5.5	1
3	Enhancement of upconversion luminescence intensity in NaMgF <sub>3</sub> :2.5%Yb <sup>3+</sup> , 0.5%Er <sup>3+</sup> nanocrystals with Eu <sup>3+</sup> doping. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2021</b> , 32, 20882-20890	2.1	0
2	The evolution and role of NH <sub>4</sub> Cl flux used to synthesize double perovskite BaLaMgSbO <sub>6</sub> : a potential red phosphor for white LEDs. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 5352-5359	2.1	
1	Laser absorption properties of Sm <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·10H <sub>2</sub> O prepared by coprecipitation method. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 17925-17931	2.1	