

# Igor V Ukrainets

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5890301/publications.pdf>

Version: 2024-02-01

201  
papers

916  
citations

840119

11  
h-index

887659

17  
g-index

203  
all docs

203  
docs citations

203  
times ranked

674  
citing authors

#	ARTICLE	IF	CITATIONS
1	4-Hydroxy-2-quinolones 144. Alkyl-, arylalkyl-, and arylamides of 2-hydroxy-4-oxo-4H-pyrido[1,2-a]pyrimidine-3-carboxylic acid and their diuretic properties. <i>Chemistry of Heterocyclic Compounds</i> , 2008, 44, 565-575.	0.6	27
2	2,1-Benzothiazine 2,2-Dioxides. 1. Synthesis, Structure, and Analgesic Activity of 1-R-4-Hydroxy-2,2-Dioxo-1H-2,6,1-Benzothiazine-3-Carboxylic Acid Esters. <i>Chemistry of Heterocyclic Compounds</i> , 2013, 49, 1378-1383.	0.6	22
3	2,1-Benzothiazine 2,2-Dioxides. 3*. 4-Hydroxy-1-Methyl-2,2-Dioxo-N-(1,3-Thiazol-2-yl)-1H-2,6,1-Benzothiazine-3-Carboxamides – a New Group of Potential Analgetics. <i>Chemistry of Heterocyclic Compounds</i> , 2014, 50, 103-110.	0.6	22
4	New luminescent terbium complex for the determination of DNA. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2005, 61, 109-116.	2.0	19
5	4-Hydroxy-2-quinolones 121. Synthesis and biological properties of 1-hydroxy-3-oxo-5,6-dihydro-3H-pyrrolo[3,2,1-ij]quinoline-2-carboxylic acid alkylamides. <i>Chemistry of Heterocyclic Compounds</i> , 2007, 43, 856-862.	0.6	19
6	Ethyl esters of malonanilic acids. Synthesis and pyrolysis. <i>Tetrahedron</i> , 1994, 50, 10331-10338.	1.0	17
7	2,1-Benzothiazine 2,2-Dioxides. 4*. Synthesis, Structure, and Analgesic Properties of 4-Hydroxy-1-Methyl-2,2-Dioxo-N-(Pyridin-2-yl)-1H-2,6,1-Benzothiazine-3-Carboxamides. <i>Chemistry of Heterocyclic Compounds</i> , 2014, 50, 564-572.	0.6	17
8	4-Hydroxy-2-quinolones. 93. Synthesis and biological properties of 2-hydroxy-4-imino-1,4-dihydroquinoline-3-carboxylic acid N-R-amides. <i>Chemistry of Heterocyclic Compounds</i> , 2006, 42, 475-487.	0.6	15
9	Crystal Habits and Biological Properties of N-(4-Trifluoromethylphenyl)-4-Hydroxy-2,2-Dioxo-1H-2,6,1-Benzothiazine-3-Carboxamide. <i>Scientia Pharmaceutica</i> , 2020, 88, 1.	0.7	15
10	Heterocyclic diuretics. <i>Chemistry of Heterocyclic Compounds</i> , 2012, 48, 155-165.	0.6	14
11	Title is missing!. <i>Chemistry of Heterocyclic Compounds</i> , 2000, 36, 1319-1325.	0.6	13
12	4-hydroxy-2-quinolones. 204.* synthesis, bromination, and analgetic properties of 1-allyl-4-hydroxy-6,7-dimethoxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acid arylalkylamides. <i>Chemistry of Heterocyclic Compounds</i> , 2012, 48, 1347-1356.	0.6	12
13	Title is missing!. <i>Chemistry of Heterocyclic Compounds</i> , 2002, 38, 571-575.	0.6	11
14	4-Hydroxy-2-quinolones. 90. Synthesis and antitubercular activity of 4-methyl-2-thiazolylamides of halo-substituted 4-hydroxy-2-oxo-1,2-dihydro-3-quinolinecarboxylic acids. <i>Chemistry of Heterocyclic Compounds</i> , 2006, 42, 64-69.	0.6	11
15	4-Hydroxy-2-quinolones 145. p-Toluenesulfonylhydrazide as a tosylating agent. <i>Chemistry of Heterocyclic Compounds</i> , 2008, 44, 677-681.	0.6	11
16	4-Hydroxy-2-quinolones. 152*. 3-acetyl-4-hydroxy-2-oxo-1,2-dihydroquinoline and its biologically active derivatives. <i>Chemistry of Heterocyclic Compounds</i> , 2009, 45, 169-175.	0.6	11
17	4-hydroxy-2-quinolones. 176*. 4-R-2-oxo-1,2-dihydroquinoline-3-carboxylic acids. synthesis, physicochemical and biological properties. <i>Chemistry of Heterocyclic Compounds</i> , 2010, 46, 559-568.	0.6	11
18	4-Hydroxy-2-quinolones. 195*. Synthesis of novel, potential analgesics based on 4-(hetaryl(methyl)amino-2-oxo-1,2-dihydroquinoline-3-carboxylic acids. <i>Chemistry of Heterocyclic Compounds</i> , 2011, 47, 67-73.	0.6	11

#	ARTICLE	IF	CITATIONS
19	Two pseudo-enantiomeric forms of <i>N</i> -benzyl-4-hydroxy-1-methyl-2,2-dioxo-1 <i>H</i> -2 <sup>1</sup> ,1-benzothiazine-3-carboxamide and their analgesic properties. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2016, 72, 411-415.	0.2	11
20	Competition between intermolecular hydrogen bonding and stacking in the crystals of 4-Hydroxy- <i>N</i> -(pyridin-2-yl)-2,2-dioxo-1 <i>H</i> -2 <sup>1</sup> ,1-benzothiazine-3-carboxamides. <i>Zeitschrift Fur Kristallographie - Crystalline Materials</i> , 2017, 232, 307-316.	0.4	11
21	4-Methyl-2,2-dioxo-1 <i>H</i> -2 <sup>1</sup> ,1-benzothiazine-3-carboxylic Acid. Peculiarities of Preparation, Structure, and Biological Properties. <i>Scientia Pharmaceutica</i> , 2018, 86, 9.	0.7	11
22	4-hydroxy-2-quinolones. 42. Synthesis and biological activity of 1- <i>R</i> -2-oxo-3-(2 <i>H</i> -1,2,4-benzothiadiazine-1,1-dioxid-3-yl)-4-hydroxyquinolines. <i>Chemistry of Heterocyclic Compounds</i> , 2000, 36, 346-350.	0.6	10
23	4-hydroxy-2-quinolones 165*. 1- <i>R</i> -4-hydroxy-2-oxo-1,2-dihydro-quinoline-3-carbaldehydes and their thiosemicarbazones. Synthesis, structure, and biological properties. <i>Chemistry of Heterocyclic Compounds</i> , 2009, 45, 705-714.	0.6	10
24	4-hydroxy-2-quinolones. 202*. Synthesis, chemical and biological properties of 4-hydroxy-6,7-dimethoxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acid alkylamides. <i>Chemistry of Heterocyclic Compounds</i> , 2012, 48, 320-326.	0.6	10
25	New Synthesis, Structure and Analgesic Properties of Methyl 1- <i>R</i> -4-Methyl-2,2-Dioxo-1 <i>H</i> -2 <sup>1</sup> ,1-Benzothiazine-3-Carboxylates. <i>Scientia Pharmaceutica</i> , 2017, 85, 2.	0.7	10
26	Recyclization of 2-imino-2 <i>H</i> -1-benzopyrans under the influence of nucleophilic reagents. 2. Reaction of 2-iminocoumarin-3-carboxamides witho-aminobenzenesulfonamide. <i>Chemistry of Heterocyclic Compounds</i> , 1998, 34, 791-795.	0.6	9
27	Luminescence determination of DNA using terbium complexes with 2-oxo-4-hydroxyquinoline-3-carboxylic acid amides as probes. <i>Journal of Analytical Chemistry</i> , 2006, 61, 44-51.	0.4	9
28	4-Hydroxy-2-quinolones. 97. Simple synthesis of the esters of 4-halo-substituted 2-oxo-1,2-dihydroquinoline-3-carboxylic acids. <i>Chemistry of Heterocyclic Compounds</i> , 2006, 42, 882-885.	0.6	9
29	4-Hydroxy-2-quinolones. 118. Synthesis, structure, and chemical properties of 2-bromomethyl-5-oxo-1,2-dihydro-5 <i>H</i> -oxazo-[3,2- <i>a</i> ]quinoline-4-carboxylic acid and its ethyl ester. <i>Chemistry of Heterocyclic Compounds</i> , 2007, 43, 617-628.	0.6	9
30	4-Hydroxy-2-quinolones 138. Synthesis and study of structure-biological activity relationships in a series of 1-hydroxy-3-oxo-5,6-dihydro-3 <i>H</i> -pyrrolo[3,2- <i>i</i> ]quinoline-2-carboxylic acid anilides. <i>Chemistry of Heterocyclic Compounds</i> , 2007, 43, 1532-1539.	0.6	9
31	4-hydroxy-2-quinolones 170*. synthesis and bromination of <i>N</i> -allylisatin. <i>Chemistry of Heterocyclic Compounds</i> , 2009, 45, 1241-1247.	0.6	9
32	4-Hydroxy-2-quinolones. 180*. Synthesis, chemical reactions, and analgesic activity of 1-allyl-4-hydroxy-6,7-dimethoxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acid alkylamides. <i>Chemistry of Heterocyclic Compounds</i> , 2010, 46, 1084-1095.	0.6	9
33	Novel Luminescent Probe Based on a Terbium(III) Complex for Hemoglobin Determination. <i>Journal of Applied Spectroscopy</i> , 2014, 81, 672-677.	0.3	9
34	The Effective Synthesis of <i>N</i> -(Arylalkyl)-1- <i>R</i> -4-hydroxy-2,2-dioxo-1,2-dihydro-2 <sup>1</sup> ,1-benzothiazine-3-carboxamides as Promising Analgesics of a New Chemical Class. <i>Scientia Pharmaceutica</i> , 2015, 83, 549-566.	0.7	9
35	Molecular Conformations and Biological Activity of <i>N</i> -Hetaryl(aryl)alkyl-4-methyl-2,2-dioxo-1 <i>H</i> -2 <sup>1</sup> ,1-benzothiazine-3-carboxamides. <i>Scientia Pharmaceutica</i> , 2018, 86, 50.	0.7	9
36	Effective synthesis of 3-(Benzimidazol-2-yl)-4-hydroxy-2-oxo-1,2-dihydroquinolines. <i>Tetrahedron Letters</i> , 1995, 36, 7747-7748.	0.7	8

#	ARTICLE	IF	CITATIONS
37	4-hydroxy-2-quinolones. 40. Synthesis and biological properties of anilides of 1H-2-oxo-4-hydroxyquinoline-3-carboxylic acid. <i>Chemistry of Heterocyclic Compounds</i> , 2000, 36, 166-169.	0.6	8
38	4-hydroxy-2-quinolones. 149*. Synthesis, chemical transformations, and biological properties of 1 <sup>2</sup> -N-acylhydrazides of 1-R-4-hydroxy-2-oxo-1,2-dihydro-quinoline-4-carboxylic acids. <i>Chemistry of Heterocyclic Compounds</i> , 2008, 44, 1347-1354.	0.6	8
39	4-Hydroxy-2-quinolones. 194*. 1-Hydroxy-3-oxo-6,7-dihydro-3H,5H-pyrido[3,2,1-ij]quinoline-2-carboxylic acid alkylamides. Synthesis, structure, and biological properties. <i>Chemistry of Heterocyclic Compounds</i> , 2011, 46, 1459-1466.	0.6	8
40	4-hydroxy-2-quinolones. 197*. The search for novel diuretics amongst halo-substituted 6-hydroxy-2-methyl-4-oxo-1,2-dihydro-4H-pyrrolo-[3,2,1-ij]quinoline-5-carboxylic acid anilides. <i>Chemistry of Heterocyclic Compounds</i> , 2011, 47, 826-832.	0.6	8
41	Effect of Bromination on the Pharmacological Properties of Methyl 1-Allyl-4-Hydroxy-2,2-Dioxo-1H-2 <sup>1</sup> 6,1-Benzothiazine-3-Carboxylate. <i>Pharmaceutical Chemistry Journal</i> , 2015, 49, 519-522.	0.3	8
42	Synthesis, Crystal Structure, and Biological Activity of Ethyl 4-Methyl-2,2-dioxo-1H-2 <sup>1</sup> 6,1-benzothiazine-3-carboxylate Polymorphic Forms. <i>Scientia Pharmaceutica</i> , 2018, 86, 21.	0.7	8
43	4-Hydroxy-2-quinolones. 31. 3-Amino-ir-2-oxo-4-hydroxyquinolines and their acyl derivatives. <i>Chemistry of Heterocyclic Compounds</i> , 1996, 32, 960-970.	0.6	7
44	4-Hydroxy-2-quinolones 130. The reactivity of ethyl 4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylates. <i>Chemistry of Heterocyclic Compounds</i> , 2007, 43, 1275-1279.	0.6	7
45	4-Hydroxy-2-quinolones 139. Synthesis, structure, and antiviral activity of N-R-amides of 2-hydroxy-4-oxo-4H-pyrido[1,2-a]pyrimidine-3-carboxylic acids. <i>Chemistry of Heterocyclic Compounds</i> , 2008, 44, 50.	0.6	7
46	4-hydroxy-2-quinolones 172*. Synthesis and structure of 4,3'-spiro[(6-allyl-2-amino-) Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50 387 Td (5-oxo) Compounds, 2009, 45, 1478-1484.	0.6	7
47	4-hydroxy-2-quinolones. 169*. synthesis and bromination of 1-allyl-3-(arylamino-methylene)quinoline-2,4-(1h,3h)-diones. <i>Chemistry of Heterocyclic Compounds</i> , 2009, 45, 1235-1240.	0.6	7
48	2,1-Benzothiazine 2,2-Dioxides. 5*. Hydrolysis of Alkyl 1-R-4-Hydroxy-2,2-Dioxo-1H-2 <sup>1</sup> 6,1-Benzo-Thiazine-3-Carboxylates**. <i>Chemistry of Heterocyclic Compounds</i> , 2014, 50, 1047-1052.	0.6	7
49	Synthesis, Spatial Structure and Analgesic Activity of Sodium 3-Benzylaminocarbonyl-1-methyl-2,2-dioxo-1H-2 <sup>1</sup> 6,1-benzothiazin-4-olate Solvates. <i>Scientia Pharmaceutica</i> , 2016, 84, 705-714.	0.7	7
50	Title is missing!. <i>Chemistry of Heterocyclic Compounds</i> , 2001, 37, 237-240.	0.6	6
51	4-hydroxy-2-quinolones. 96. Synthesis and properties of 4-methyl-2-oxo-1,2-dihydroquinoline-3-carboxylic acid. <i>Chemistry of Heterocyclic Compounds</i> , 2006, 42, 776-781.	0.6	6
52	4-Hydroxy-2-quinolones. 108. N-R-amides of 9-fluoro-1-hydroxy-5-methyl-3-oxo-6,7-dihydro-3H,5H-pyrido[3,2,1-ij]quinoline-2-carboxylic acid and their antitubercular activity. <i>Chemistry of Heterocyclic Compounds</i> , 2006, 42, 1208-1222.	0.6	6
53	4-hydroxy-2-quinolones. 179*. Synthesis, structure, and anti-inflammatory activity of 4-hydroxy-1-methyl-2-oxo-1,2-dihydroquinolin-3-ylacetic acid and its derivatives. <i>Chemistry of Heterocyclic Compounds</i> , 2010, 46, 947-956.	0.6	6
54	4-hydroxy-2-quinolones. 200*. Bromination of 1-R-4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acid pyridinylmethylene hydrazides. <i>Chemistry of Heterocyclic Compounds</i> , 2011, 47, 1014-1019.	0.6	6

#	ARTICLE	IF	CITATIONS
55	4-Hydroxy-2-Quinolones. 233*. Synthesis and Diuretic Activity of 9-Bromo-7-Hydroxy-5-Oxo-2,3-Dihydro-1H,5H-Pyrido[3,2,1-ij]Quinoline-6-Carboxylic Acid Anilides. Chemistry of Heterocyclic Compounds, 2013, 49, 1323-1330.	0.6	6
56	The Study of Structureâ€”Analgesic Activity Relationships in a Series of 4-Hydroxy-2,2-dioxo-1H-2Î»6,1-benzothiazine-3-carboxylic Acid Toluidides and Xylidides. Scientia Pharmaceutica, 2016, 84, 497-506.	0.7	6
57	Polymorphic modifications of a 1<i>H</i>-pyrrolo[3,2,1- <i>ij&lt;/i&gt;]quinoline-5-carboxamide possessing strong diuretic properties. Acta Crystallographica Section C, Structural Chemistry, 2018, 74, 1759-1767.</i>	0.2	6
58	4-Hydroxy-2-quinolones. 35. Synthesis and study of antithyroid properties of 1H-2-oxo-3-(coumarin-3-yl)-4-hydroxyquinolines. Chemistry of Heterocyclic Compounds, 1997, 33, 959-963.	0.6	5
59	4-Hydroxy-2-quinolones. 38. Synthesis, structure, and anticonvulsant activity of optically active 1-phenylethylamides of 1-R-4-hydroxy-2-oxo-3-quinolinecarboxylic acids. Chemistry of Heterocyclic Compounds, 2000, 36, 49-56.	0.6	5
60	4-Hydroxyquinol-2-ones. 86. Synthesis of Methyl (Ethyl) Esters of 1-Substituted 4-Amino-2-oxoquinoline-3-carboxylic Acids. Chemistry of Heterocyclic Compounds, 2005, 41, 1151-1157.	0.6	5
61	4-Hydroxy-2-quinolones. 111. Simple synthesis of 1-substituted 4-methyl-2-oxo-1,2-dihydroquinoline-3-carboxylic acids. Chemistry of Heterocyclic Compounds, 2007, 43, 58-62.	0.6	5
62	4-Hydroxy-2-quinolones. 122. 1-Hydroxy-3-oxo-5,6-dihydro-3H-pyrrolo[3,2,1-ij]-quinoline-2-carboxylic acid hetarylamides as potential antitubercular agents. Chemistry of Heterocyclic Compounds, 2007, 43, 863-870.	0.6	5
63	4-Hydroxy-2-quinolones 127. Simple method for exchanging chlorine for hydroxyl in 1-R-4-chloro-3-ethoxycarbonyl-2-oxo-1,2-dihydroquinolines. Chemistry of Heterocyclic Compounds, 2007, 43, 1154-1158.	0.6	5
64	4-Hydroxy-2-quinolones 129. Synthesis and structure of 2-bromomethyl-4-carboxy-5-methyl-1,2-dihydrooxazolo-[3,2-a]quinolinium bromide. Chemistry of Heterocyclic Compounds, 2007, 43, 1269-1274.	0.6	5
65	4-Hydroxy-2-quinolones 132. Synthesis, chemical, and biological properties of 1-R-4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acids 2-nitrobenzylidenehydrazides. Chemistry of Heterocyclic Compounds, 2007, 43, 1434-1439.	0.6	5
66	4-Hydroxy-2-quinolones 148. Synthesis and antitubercular activity of 1-hydroxy-3-oxo-6,7-dihydro-3H,5H-pyrido[3,2,1-ij]quinoline-2-carboxylic acid N-R-amides. Chemistry of Heterocyclic Compounds, 2008, 44, 956-966.	0.6	5
67	4-Hydroxy-2-quinolones 173*. 1-R-3-(2-diethylamino-ethyl)-1H-quinazoline-2,4-dione hydrochlorides as potential local anesthetic agents. Chemistry of Heterocyclic Compounds, 2010, 46, 96-105.	0.6	5
68	4-Hydroxy-2-quinolones. 221.* Synthesis, structure, and biological activity of		

#	ARTICLE	IF	CITATIONS
73	Metabolomics in Vitamin Status Assessment. <i>Current Pharmaceutical Design</i> , 2018, 24, 3028-3033.	0.9	5
74	4-Hydroxy-2-quinolones. 3. Synthesis and physicochemical properties of 1-R-3-carbethoxy-4-hydroxy-2-quinolones. <i>Chemistry of Heterocyclic Compounds</i> , 1992, 28, 534-538.	0.6	4
75	4-Hydroxy-2-quinolones. 36. Synthesis of 2-R-oxazolo[4,5-c]quinolin-4(5H)-ones. <i>Chemistry of Heterocyclic Compounds</i> , 1997, 33, 1328-1333.	0.6	4
76	4-Hydroxy-2-quinolones. 39. Structure of 6-bromo-4-hydroxy-1-isoamyl-2-oxo-3-quinolinecarboxylic acid. <i>Chemistry of Heterocyclic Compounds</i> , 2000, 36, 57-61.	0.6	4
77	4-Hydroxy-2-quinolones. 44. Synthesis of 2-R-3-oxomorpholino[5,6-c]-6-R'-Quinolin-5-ones. <i>Chemistry of Heterocyclic Compounds</i> , 2000, 36, 944-947.	0.6	4
78	4-Hydroxyquinol-2-ones. 87. Unusual Synthesis of 1-R-4-Hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylic Acid Pyridylamides. <i>Chemistry of Heterocyclic Compounds</i> , 2005, 41, 1158-1166.	0.6	4
79	4-hydroxy-2-quinolones. 94. Improved synthesis and structure of 1-hydroxy-3-oxo-5,6-dihydro-3h-pyrrolo[3,2,1-ij]-quinoline-2-carboxylic acid ethyl ester. <i>Chemistry of Heterocyclic Compounds</i> , 2006, 42, 631-635.	0.6	4
80	4-hydroxy-2-quinolones. 95. Synthesis, structure, and antitubercular properties of hetaryl amides of 4-hydroxy-2-oxo-1,2,5,6,7,8-hexahydroquinoline-3-carboxylic acid. <i>Chemistry of Heterocyclic Compounds</i> , 2006, 42, 765-775.	0.6	4
81	4-hydroxy-2-quinolones. 110. Bromination of 1-r-4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acid anilides. <i>Chemistry of Heterocyclic Compounds</i> , 2006, 42, 1301-1307.	0.6	4
82	4-hydroxy-2-quinolones. 114. Synthesis and structure of 6-R-5-hydroxy-2,4-dioxo-2,3,4,6-tetrahydrobenzo-[c][2,7]naphthyridine-1-carbonitriles. <i>Chemistry of Heterocyclic Compounds</i> , 2007, 43, 608-616.	0.6	4
83	4-Hydroxy-2-quinolones 120. Synthesis and structure of ethyl 2-hydroxy-4-oxo-4H-pyrido-[1,2-a]pyrimidine-3-carboxylate. <i>Chemistry of Heterocyclic Compounds</i> , 2007, 43, 729-739.	0.6	4
84	4-Hydroxy-2-quinolones 123. Amidation of 2-bromomethyl-5-oxo-1,2-dihydro-5H-oxazolo[3,2-a]-quinoline-4-carboxylic acid. <i>Chemistry of Heterocyclic Compounds</i> , 2007, 43, 871-878.	0.6	4
85	4-Hydroxy-2-quinolones 126. 1-Hydroxy-3-oxo-5,6-dihydro-3H-pyrrolo[3,2,1-ij]quinoline-2-carboxylic acid hydrazide and its derivatives. <i>Chemistry of Heterocyclic Compounds</i> , 2007, 43, 1014-1019.	0.6	4
86	4-Hydroxy-2-quinolinones 128. Bromination of N-allyl-4-hydroxy-2-oxo-1,2-dihydroquinolines and pyridines unsubstituted in position 3. <i>Chemistry of Heterocyclic Compounds</i> , 2007, 43, 1159-1166.	0.6	4
87	4-Hydroxy-2-quinolones 140. Synthesis and diuretic activity of arylalkyl amides of 4-methyl-2-oxo-1,2-dihydro-quinoline-3-carboxylic acid. <i>Chemistry of Heterocyclic Compounds</i> , 2008, 44, 64-72.	0.6	4
88	4-Hydroxy-2-quinolones 142. 4-Methyl-2-oxo-1,2-dihydroquinoline-3-carboxylic acid anilides as potential diuretics. <i>Chemistry of Heterocyclic Compounds</i> , 2008, 44, 178-183.	0.6	4
89	Studies of 3-O-acyl derivatives of naloxone as its potential prodrugs. <i>Chemistry of Heterocyclic Compounds</i> , 2009, 45, 405-416.	0.6	4
90	4-Hydroxy-2-quinolones. 154*. Pyrimidin- 2-yl amides of 1-r-4-hydroxy-2-oxo-1,2-dihydro-quinoline-3-carboxylic acids. synthesis, structure, and properties. <i>Chemistry of Heterocyclic Compounds</i> , 2009, 45, 567-579.	0.6	4

#	ARTICLE	IF	CITATIONS
91	4-Hydroxy-2-quinolones. 168*. Synthesis, chemical and antitubercular properties of 1-R-4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acid pyrazin-2-ylamides. <i>Chemistry of Heterocyclic Compounds</i> , 2009, 45, 1058-1068.	0.6	4
92	4-Hydroxy-2-quinolones. 174.* Hydrochlorides of [(alkylamino)alkyl]amides of 1-allyl-4-hydroxy-6,7-dimethoxy-2-oxo-1,2-dihydro-quinoline-3-carboxylic acid – a new class of opioid receptor antagonists. <i>Chemistry of Heterocyclic Compounds</i> , 2010, 46, 445-451.	0.6	4
93	2,1-Benzothiazine 2,2-Dioxides. 8*. Synthesis and Structure of 2'-Amino-2-Oxo-1,2-Dihydro-6'H-Spiro-[Indole-3,4'-Pyrano[3,2-c][2,1]Benzothiazine]-3'-Carbonitrile 5',5'-Dioxides. <i>Chemistry of Heterocyclic Compounds</i> , 2014, 50, 1346-1353.	0.6	4
94	2,1-Benzothiazine 2,2-Dioxides. 9*. Alkylation of Methyl 4-Hydroxy-1-Methyl-2,2-Dioxo-1H-2,6,1-Benzothiazine-3-Carboxylate with Ethyl Iodide. <i>Chemistry of Heterocyclic Compounds</i> , 2015, 50, 1741-1747.	0.6	4
95	Synthesis and Molecular Structure of Ethyl-4-Hydroxy-1-Phenyl-2,2-Dioxo-1H-2,6,1-Benzothiazine-3-Carboxylate. <i>Pharmaceutical Chemistry Journal</i> , 2017, 51, 482-485.	0.3	4
96	The Crystal Structure of N-(1-Arylethyl)-4-methyl-2,2-dioxo-1H-2,6,1-benzothiazine-3-carboxamides as the Factor Determining Biological Activity Thereof. <i>Scientia Pharmaceutica</i> , 2019, 87, 10.	0.7	4
97	Methyl 1-allyl-4-hydroxy-2,2-dioxo-1H-2,6,1-benzothiazine-3-carboxylate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o1698-o1698.	0.2	4
98	4-Hydroxy-2-quinolones. 20.* Synthesis and chemical conversions of ethyl esters of the chloro-substituted quinoline-3-carboxylic acids. <i>Chemistry of Heterocyclic Compounds</i> , 1995, 31, 167-175.	0.6	3
99	4-Hydroxy-2-quinolones. 30 Alkylation of 1H-2-oxo-3-carbethoxy-4-hydroxyquinoline. <i>Chemistry of Heterocyclic Compounds</i> , 1996, 32, 952-959.	0.6	3
100	4-hydroxy-2-quinolones. 33. Novel approach to synthesis of 1H-2-oxo-4-hydroxyquinoline-3-acetic acid. <i>Chemistry of Heterocyclic Compounds</i> , 1997, 33, 811-814.	0.6	3
101	4-Hydroxy-2-quinolones. 32. Synthesis and antithyroid activity of thio analogs of 1H-2-oxo-3-(2-Benzimidazolyl)-4-hydroxyquinoline. <i>Chemistry of Heterocyclic Compounds</i> , 1997, 33, 600-604.	0.6	3
102	4-hydroxy-2-quinolones. 41. Reaction of hydrazides of 1-R-2-oxo-4-hydroxyquinoline-3-carboxylic acids with ethyl orthoformate. <i>Chemistry of Heterocyclic Compounds</i> , 2000, 36, 170-173.	0.6	3
103	4-Hydroxy-2-quinolones. 46. Esters of 1H-2-Oxo-4-hydroxy-3-quinolineacetic Acid. <i>Chemistry of Heterocyclic Compounds</i> , 2001, 37, 100-102.	0.6	3
104	4-Hydroxy-2-quinolones. 84. Synthesis of 5-R-5H-5,7a,12-Triazabenz[a]anthracene-6,7-diones. <i>Chemistry of Heterocyclic Compounds</i> , 2005, 41, 896-904.	0.6	3
105	Methyl 1-acetyl-4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o4180-o4182.	0.2	3
106	4-Hydroxy-2-quinolones. 107. Reaction of triethyl methanetricarboxylate with indoline. <i>Chemistry of Heterocyclic Compounds</i> , 2006, 42, 1032-1037.	0.6	3
107	4-hydroxy-2-quinolones. 109. Alkylation of 4-substituted ethyl 2-oxo-1,2-dihydro-quinoline-3-carboxylates. <i>Chemistry of Heterocyclic Compounds</i> , 2006, 42, 1296-1300.	0.6	3
108	4-Hydroxy-2-quinolones 113. Synthesis and antitubercular activity of N-R-amides of 4-hydroxy-6-methyl-2-oxo-1-propyl-1,2,5,6,7,8-hexahydroquinoline-3-carboxylic acid. <i>Chemistry of Heterocyclic Compounds</i> , 2007, 43, 326-333.	0.6	3

#	ARTICLE	IF	CITATIONS
109	4-hydroxy-2-quinolones. 124. Synthesis and structure of ethyl 2-bromomethyl-5-oxo-1,2,6,7,8,9-hexahydro-5H-oxazolo-[3,2-a]quinoline-4-carboxylate. Chemistry of Heterocyclic Compounds, 2007, 43, 1001-1007.	0.6	3
110	4-hydroxy-2-quinolones. 153*. Synthesis of hetarylamides of 4-methyl-2-oxo-1,2-dihydroquinoline-3-carboxylic acid. Chemistry of Heterocyclic Compounds, 2009, 45, 345-350.	0.6	3
111	4-Hydroxy-2-quinolones 166*. Synthesis, isomerism, and antitubercular activity of 3-arylaminomethylene-quinoline-2,4-(1H,3H)-diones. Chemistry of Heterocyclic Compounds, 2009, 45, 802-808.	0.6	3
112	Determination of medicinal preparations, salts of organic bases, by the effect of their anions on the luminescence of lanthanide complexes. Journal of Analytical Chemistry, 2009, 64, 705-713.	0.4	3
113	4-Hydroxy-2-quinolones. 177*. Study of a structure-diuretic activity relationship in a series of 4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acid N-R-amides. Chemistry of Heterocyclic Compounds, 2010, 46, 699-710.	0.6	3
114	4-hydroxy-2-quinolones. 191.* synthesis, tautomerism and biological activity of benzimidazol-2-ylamides of 1-r-4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acids. Chemistry of Heterocyclic Compounds, 2011, 46, 1364-1370.	0.6	3
115	4-hydroxy-2-quinolones. 201*. Synthesis, structure, and diuretic activity of hydroxy- and alkoxy-anilides of 6-hydroxy-2-methyl-4-oxo-2,4-dihydro- 1H-pyrrolo[3,2,1-ij]quinoline-5-carboxylic acid. Chemistry of Heterocyclic Compounds, 2011, 47, 1122-1127.	0.6	3
116	Synthesis, Structure, and Analgesic Properties of Halogen-Substituted 4-Hydroxy-2,2-dioxo-1H-2Î»6,1-benzothiazine-3-carboxanilides. Scientia Pharmaceutica, 2016, 84, 523-535.	0.7	3
117	Crystal structure of methyl 1-allyl-4-methyl-1H-benzo[c][1,2]thiazine-3-carboxylate 2,2-dioxide. Acta Crystallographica Section E: Crystallographic Communications, 2016, 72, 1574-1576.	0.2	3
118	Synthesis and Biological Properties of {[ (4-Hydroxy-1-Methyl-2,2-Dioxido-1H-2,1-Benzothiazin-3-yl) Carbonyl] Amino} -Benzoic Acids and Their Derivatives. Pharmaceutical Chemistry Journal, 2017, 51, 553-557.	0.3	3
119	The Study of the Structureâ€”Diuretic Activity Relationship in a Series of New N-(Arylkyl)-6-hydroxy-2-methyl-4-oxo-2,4-dihydro-1H-pyrrolo-[3,2,1-ij]quinoline-5-carboxamides. Scientia Pharmaceutica, 2018, 86, 31.	0.7	3
120	Synthesis and Regularities of the Structureâ€”Activity Relationship in a Series of N-Pyridyl-4-methyl-2,2-dioxo-1H-2Î»6,1-benzothiazine-3-carboxamides. Scientia Pharmaceutica, 2019, 87, 12.	0.7	3
121	Ethyl 2-(4-hydroxy-1-methyl-2-oxo-1,2-dihydroquinolin-3-yl)acetate. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o968-o968.	0.2	3
122	Biological properties of two enantiomeric forms of N-(2,6-dimethylphenyl)-4-hydroxy-2,2-dioxo-1H-2Î»6,1-benzothiazine-3-carboxamide, a structural analogue of piroxicam. Acta Crystallographica Section C, Structural Chemistry, 2020, 76, 69-74.	0.2	3
123	4-Hydroxy-2-quinolones. 1. Efficient method for obtaining 3-alkyl-4-hydroxy-2-quinolones. Chemistry of Heterocyclic Compounds, 1991, 27, 1237-1238.	0.6	2
124	4-hydroxy-2-quinolones. 18. Synthesis and antithyroid activity of 1-R-2-oxo-3-(4-oxo-3H-quinazolin-2-yl)-4-hydroxyquinolines. Chemistry of Heterocyclic Compounds, 1993, 29, 1044-1047.	0.6	2
125	4-Hydroxy-2-quinolones 19. A new synthesis of 3-Alkyl-2-oxo-4-hydroxyquinolines. Chemistry of Heterocyclic Compounds, 1994, 30, 591-595.	0.6	2
126	4-Hydroxy-2-quinolones. 26. Bromination of 3-substituted 2-oxo-4-hydroxyquinolones. Chemistry of Heterocyclic Compounds, 1995, 31, 176-179.	0.6	2

#	ARTICLE	IF	CITATIONS
127	1-Ethyl-4-hydroxyquinolin-2(1H)-one. Acta Crystallographica Section E: Structure Reports Online, 2004, 60, o2356-o2358.	0.2	2
128	4-Hydroxyquinol-2-ones. 85. Synthesis of 2-Chloro-4-hydroxyquinoline-3-carboxylic Acid Ethyl Ester. Chemistry of Heterocyclic Compounds, 2005, 41, 1019-1021.	0.6	2
129	4-Hydroxy-2-quinolones. 92. Reaction of 1-R-4-chloro-3-ethoxycarbonyl-2-oxo-1,2-dihydroquinolines with anilines. Chemistry of Heterocyclic Compounds, 2006, 42, 343-351.	0.6	2
130	4-hydroxy-2-quinolones 125. Ethyl 3-bromo-2,4-dioxo-1,2,3,4-tetrahydroquinoline-3-carboxylates as potential brominating agents. Chemistry of Heterocyclic Compounds, 2007, 43, 1008-1013.	0.6	2
131	4-Hydroxy-2-quinolones 146. Synthesis and structure of 1,1-diallyl-4,4-dihydroxy-1H,1H-[3,3-biquinoliny]-2,2-dione. Chemistry of Heterocyclic Compounds, 2008, 44, 828-832.	0.6	2
132	4-Hydroxy-2-quinolones 147. Synthesis and tautomerism of 2-methyl-9H-furo-[2,3-b]quinolin-4-one. Chemistry of Heterocyclic Compounds, 2008, 44, 833-837.	0.6	2
133	4-Hydroxy-2-quinolones 150*. Efficient synthesis, structure, and biological activities of 4-methyl-2-oxo-1,2-dihydroquinoline-3-carboxylic acid alkyl amides. Chemistry of Heterocyclic Compounds, 2008, 44, 1493-1499.	0.6	2
134	4-hydroxy-2-quinolones 151. Reaction of 4-chloro-3-ethoxycarbonyl-2-oxo-1,2-dihydroquinolines with p-toluenesulfonylhydrazide. Chemistry of Heterocyclic Compounds, 2009, 45, 48-54.	0.6	2
135	4-Hydroxy-2-quinolones 155*. Bioreversible chemical modification of chinoxycaine at the tertiary amino group as a method of improving its pharmaceutical activity. Chemistry of Heterocyclic Compounds, 2009, 45, 698-704.	0.6	2
136	4-hydroxy-2-quinolones. 178*. irreversible chemical modification of chinoxycaine at the position 4 of the quinolone ring. Chemistry of Heterocyclic Compounds, 2010, 46, 850-855.	0.6	2
137	4-Hydro-2-quinolones. 192.* relationship of xy structure and analgesic activity of 4-amino-2-oxo-1,2-dihydroquinoline-3-carboxylic acids and their derivatives. Chemistry of Heterocyclic Compounds, 2011, 46, 1371-1379.	0.6	2
138	4-Hydroxyquinolones-2. 247*. 4-Hydroxy-2-Oxo-1,2-Dihydroquinoline or 4-Hydroxy-2,2-Dioxo-1H-2,6,1-Benzothiazine?. Chemistry of Heterocyclic Compounds, 2015, 50, 1444-1449.	0.6	2
139	New Synthesis and Analgesic and Diuretic Activity of Halo-Substituted 4-Hydroxy-1-Methyl-2,2-Dioxo-1H-2,6,1-Benzothiazine-3-Carboxanilides. Pharmaceutical Chemistry Journal, 2016, 50, 589-594.	0.3	2
140	Modification of the Benzene Moiety in the Quinolone Nucleus of 4-Hydroxy-6,7-Dimethoxy-2-Oxo-N-(Pyridin-3-Ylmethyl)-1,2-Dihydroquinoline-3-Carboxamide as an Attempt to Enhance its Analgesic Activity. Pharmaceutical Chemistry Journal, 2019, 52, 825-829.	0.3	2
141	Methyl 4-Hydroxy-2,2-Dioxo-1H-2,6,1-Benzothiazine-3-Carboxylate and Its Analogs Modified in the Benzene Moiety of the Molecule as New Analgesics. Scientia Pharmaceutica, 2020, 88, 10.	0.7	2
142	6-Ethoxycarbonyl-5,7-dihydroxy-2,3-dihydro-1H-pyrido[3,2,1-ij]quinolinium tribromide. Acta Crystallographica Section E: Structure Reports Online, 2013, 69, o82-o82.	0.2	2
143	2-Carbethoxy-4H-3,1-benzoxazin-4-one. 1. Synthesis and reaction mechanism of formation. Chemistry of Heterocyclic Compounds, 1991, 27, 903-907.	0.6	1
144	2-Carbethoxymethyl-4H-3,1-benzoxazin-4-one. 4. Reaction with anilines. Chemistry of Heterocyclic Compounds, 1994, 30, 204-207.	0.6	1

#	ARTICLE	IF	CITATIONS
145	2-Car-bethoxymethyl-4H-3,1-benzoxazin-4-one 6. Synthesis of some new 3-acylamino-4-oxaquinazolin-2-yl-acetic acid benzylamides as possible anticonvulsants. Chemistry of Heterocyclic Compounds, 1994, 30, 208-212.	0.6	1
146	4-Hydroxy-2-quinolones. 23. N-(2-thiazolyl)amides of 1-R-2-oxo-4-hydroxyquinoline-3-carboxylic acids ? A new group of potential antiinflammatory agents. Chemistry of Heterocyclic Compounds, 1994, 30, 1211-1213.	0.6	1
147	4-hydroxy-2-quinolones. 34. Structure of photocondensation products of 3-amino-1R-2-oxo-4-hydroxyquinolines. Chemistry of Heterocyclic Compounds, 1997, 33, 815-822.	0.6	1
148	4-hydroxy-2-quinolones. 43. Thermolysis of ethyl esters of 1-R-2-oxo-4-hydroxy-quinoline-3-carboxylic acids. Chemistry of Heterocyclic Compounds, 2000, 36, 443-448.	0.6	1
149	N-(1-Adamantyl)-4-hydroxy-2-(2-methylpropyl)-2-oxo-1,2-dihydroquinoline-3-carboxamide. Acta Crystallographica Section E: Structure Reports Online, 2001, 57, o414-o415.	0.2	1
150	Methyl 4-amino-2-oxo-1,2-dihydroquinoline-3-carboxylate. Acta Crystallographica Section E: Structure Reports Online, 2003, 59, o412-o414.	0.2	1
151	4-Hydroxyquinolones-2. 91. Synthesis and properties of ethyl 1-R-4-hydroxy-6-methyl-2-oxo-dihydropyridine-5-carboxylates. Chemistry of Heterocyclic Compounds, 2006, 42, 191-196.	0.6	1
152	4-Hydroxy-2-quinolones. 112. Reaction of 2-ethoxycarbonylmethyl-4H-3,1-benzoxazin-4-one with active methylene compounds. Chemistry of Heterocyclic Compounds, 2007, 43, 63-66.	0.6	1
153	4-Hydroxy-2-quinolones 119. Reaction of ethyl 1-R-4-chloro-2-oxo-1,2-dihydroquinoline-3-carboxylate with malononitrile. Chemistry of Heterocyclic Compounds, 2007, 43, 722-728.	0.6	1
154	4-Hydroxy-2-quinolones 131. Bromination of 3-allyl-4-hydroxy-2-oxo-1,2-dihydroquinoline. Chemistry of Heterocyclic Compounds, 2007, 43, 1426-1433.	0.6	1
155	4-Hydroxy-2-quinolones 137. Synthesis, structure, and spectroscopic characteristics of diethyl 2,2-dioxo-1,2,3,4,1a,2a,3a,4a-octahydro[4,4-b]quinolinyl-3,3a-dicarboxylate. Chemistry of Heterocyclic Compounds, 2007, 43, 1525-1531.	0.6	1
156	4-Hydroxy-2-quinolones 141. Synthesis and structure of 5R-3-hydroxy-1,5-dihydropyrazolo[4,3-c]quinolin-4-ones. Chemistry of Heterocyclic Compounds, 2008, 44, 173-177.	0.6	1
157	4-Hydroxy-2-quinolones 143. Synthesis, structure, and spectroscopic characteristics of ethyl 2-hydroxy-4-oxo-4H-pyrazino[1,2-a]pyrimidine-3-carboxylate. Chemistry of Heterocyclic Compounds, 2008, 44, 316-323.	0.6	1
158	4-Hydroxy-2-quinolones 171*. Synthesis, isomerism, and antitubercular activity of 1-R-4-hydroxy-2-oxo-1,2-dihydro-quinoline-3-carboxylic acid alkylidenehydrazides. Chemistry of Heterocyclic Compounds, 2009, 45, 1335-1342.	0.6	1
159	4-Hydroxy-2-quinolones. 175.*Reaction of -1-allyl-3-[(arylamino)methylene]quinoline-2,4-(1H,3H)-diones with bromine. Chemistry of Heterocyclic Compounds, 2010, 46, 452-456.	0.6	1
160	4-hydroxy-2-quinolones 196. synthesis and bromination of 1-allyl-3-(2-hydroxyethyl)-1h,3h-quinazoline-2,4-dione. Chemistry of Heterocyclic Compounds, 2011, 47, 731-736.	0.6	1
161	4-hydroxy-2-quinolones 199*. use of N,N'-dicyclohexylcarbodiimide in the synthesis of ethyl 4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylates. Chemistry of Heterocyclic Compounds, 2011, 47, 833-837.	0.6	1
162	4-hydroxy-2-quinolones. 203*. Reaction of 1-hexyl-4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acid 4-pyridylmethylidene hydrazide with bromine. Chemistry of Heterocyclic Compounds, 2012, 48, 1200-1203.	0.6	1

#	ARTICLE	IF	CITATIONS
163	New luminescent probe based on a terbium(III) complex for studying DNA affinity of aminoalkoxy fluorenones. <i>Journal of Applied Spectroscopy</i> , 2013, 80, 429-436.	0.3	1
164	4-Hydroxy-2-quinolones. 220*. Bromination of ethyl 7-hydroxy-5-oxo-2,3-dihydro-1H,5H-pyrido[3,2,1-ij]quinoline-6-carboxylate. <i>Chemistry of Heterocyclic Compounds</i> , 2013, 48, 1665-1669.	0.6	1
165	Synthesis and structure of 3-(3-acetoxyalkylcarbamoyl-4-hydroxy-2-oxo-1,2-dihydroquinolin-1-yl)propanoic acids. <i>Russian Journal of Organic Chemistry</i> , 2014, 50, 63-65.	0.3	1
166	(R,S)-2- $\beta$ -Amino-6- $\alpha$ -methyl-2,5- $\beta$ -trioxo-6-H-spiro[indoline-3,4- $\beta$ -pyrano[3,2-c][2,1]benzothiazine]-3- $\beta$ -carbonitrile dimethylformamide monosolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o786-o787.	0.2	1
167	2,1-Benzothiazine 2,2-dioxides 10*. Reaction of alkyl 1-R-4-hydroxy-2,2-dioxo-1,2,6,1-benzothiazine-3-carboxylates with 1H-1,2,4-triazol-5-amine. <i>Chemistry of Heterocyclic Compounds</i> , 2015, 51, 97-101.	0.6	1
168	Crystal structure of isopropyl 2-hydroxy-2-phenylacetate: a pharmacopoeia reference standard. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2017, 73, 771-773.	0.2	1
169	2-Bromomethyl-N-isopropyl-7,8-dimethoxy-1,2-dihydro-1,3-oxazolo[3,2-a]quinoline-4-carboxamide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o1031-o1031.	0.2	1
170	Molecular and crystal structure of methyl 4-methyl-2,2-dioxo-1,2,6,1-benzothiazine-3-carboxylate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2018, 74, 1299-1301.	0.2	1
171	Ethyl 5-[(1H-benzoimidazol-2-yl)aminocarbonyl]-4-hydroxy-2-methyl-6-oxo-1-propyl-1,6-dihydropyridine-3-carboxylate (4/2/1). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o1984-o1984.	0.2	1
172	Methyl 5-chloro-4-hydroxy-2,2-dioxo-1,2,6,1-benzothiazine-3-carboxylate: structure and Hirshfeld surface analysis. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2020, 76, 1657-1660.	0.2	1
173	Synthesis and anticoagulant activity of 4-hydroxyquinol-2-one-3-carbonamides. <i>Pharmaceutical Chemistry Journal</i> , 1990, 24, 257-259.	0.3	0
174	2-Carboethoxy-4H-3,1-benzoxazin-4-one. 2. Hydrazinolysis. <i>Chemistry of Heterocyclic Compounds</i> , 1991, 27, 907-909.	0.6	0
175	2-Carboethoxymethyl-4H-3,1-benzoxazin-4-one. 3. Condensation of o-phenylenediamine. <i>Chemistry of Heterocyclic Compounds</i> , 1992, 28, 198-200.	0.6	0
176	4-Hydroxy-2-quinolones. 4. selection of the optimum path for synthesis of n-r-substituted 4-hydroxy-2-quinolone-3-carboxylic acid amides. <i>Chemistry of Heterocyclic Compounds</i> , 1992, 28, 538-540.	0.6	0
177	4-Hydroxyquinolones-2. <i>Chemistry of Heterocyclic Compounds</i> , 1992, 28, 912-916.	0.6	0
178	4-Hydroxy-2-quinolones. 2. Simple synthesis of arboricine. <i>Chemistry of Heterocyclic Compounds</i> , 1992, 28, 438-439.	0.6	0
179	Biological properties of 2,4-dioxo-3H-quinoline-3-carboxylic acid and its ethyl ester. <i>Pharmaceutical Chemistry Journal</i> , 1992, 26, 138-141.	0.3	0
180	4-Hydroxy-2-quinolones 6. Synthesis, chemical transformations, and biological properties of dialkylamino-, hydroxy-, and halodialkylamides of 4-hydroxy-2-quinolone-3-carboxylic acids. <i>Chemistry of Heterocyclic Compounds</i> , 1993, 29, 87-91.	0.6	0

#	ARTICLE	IF	CITATIONS
181	4-Hydroxy-2-quinolones 7. Synthesis and biological properties of 1-R-3-(2-benzimidazolyl)-4-hydroxy-2-quinolones. <i>Chemistry of Heterocyclic Compounds</i> , 1993, 29, 92-94.	0.6	0
182	4-Hydroxy-2-quinolines. 15. Synthesis of N-(2-pyridyl)amides of 1-R-4-hydroxy-2-quinolone-3-carboxylic acids as possible new non-steroidal antiinflammatory agents. <i>Chemistry of Heterocyclic Compounds</i> , 1993, 29, 938-940.	0.6	0
183	4-Hydroxy-2-quinolones. 16. Condensation of N-R-substituted amides of 2-carboxymalonanilic acid with o-phenylenediamine. <i>Chemistry of Heterocyclic Compounds</i> , 1993, 29, 941-944.	0.6	0
184	4-Hydroxy-2-quinolones. 17. Dieckmann condensation as a thermally activated process. <i>Chemistry of Heterocyclic Compounds</i> , 1993, 29, 1041-1043.	0.6	0
185	4-hydroxy-2-quinolones. 24. Improved synthesis and biological properties of hydrochlorides of 2-dialkylaminoalkylamides of 1-alkyl-2-oxo-4-hydroxyquinoline-3-carboxylic acids. <i>Chemistry of Heterocyclic Compounds</i> , 1994, 30, 1214-1219.	0.6	0
186	4-Hydroxy-2-quinolones. 37. Simple synthesis of 1-R-2-oxo-3,4-dihydroquinolines. <i>Chemistry of Heterocyclic Compounds</i> , 1997, 33, 1334-1336.	0.6	0
187	4-Hydroxy-1-methyl-2-oxo-N-(4-oxo-2-propyl-3,4-dihydroquinazolin-3-yl)-1,2-dihydroquinoline-3-carboxamide. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2000, 56, e168-e169.	0.4	0
188	Ethyl 4-butylamino-2-chloroquinoline-3-carboxylate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2001, 57, o254-o255.	0.2	0
189	4-(4-Ethoxyphenylamino)-2-oxo-1,2-dihydroquinoline. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2001, 57, o721-o722.	0.2	0
190	1-Ethyl-4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acid. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2002, 58, o254-o256.	0.2	0
191	1-Allyl-4-hydroxy-2-oxo-1,2,5,6,7,8-hexahydroquinoline-3-carboxylic acid. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o1833-o1835.	0.2	0
192	Ethyl 4-(2-amino-1-cyano-2-oxoethyl)-2-oxo-1-propyl-1,2-dihydroquinoline-3-carboxylate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o5386-o5387.	0.2	0
193	4-Hydroxy-2-quinolones. 167*. Study of the reaction of ethyl 1-alkyl-substituted 4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylates with phosphorus oxychloride. <i>Chemistry of Heterocyclic Compounds</i> , 2009, 45, 952-956.	0.6	0
194	Methyl 2-(4-hydroxy-1-methyl-2-oxo-1,2-dihydroquinolin-3-yl)acetate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o3195-o3195.	0.2	0
195	(RS)-2-Oxo-4-(1-phenylethylamino)-1,2-dihydroquinoline-3-carboxylic acid. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o3054-o3054.	0.2	0
196	6-Hydroxy-1,2-dihydro-4H-pyrrolo[3,2,1-ij]quinolin-4-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o340-o340.	0.2	0
197	Synthesis and Antihypoxic Activity of 4-Hydroxy-6,7-Dimethoxy-2-Oxo-1,2-Dihydroquinoline-3-Carboxylic Acid N-R-Amide Hydrochlorides. <i>Pharmaceutical Chemistry Journal</i> , 2014, 48, 593-597.	0.3	0
198	Synthesis, Hydrolysis, and Analgesic Activity of 3-[3-(1-arylethylcarbamoyl)-4-hydroxy-2-oxo-1,2-dihydroquinolin-1-yl]propanenitriles and Their Derivatives. <i>Pharmaceutical Chemistry Journal</i> , 2016, 50, 431-435.	0.3	0

#	ARTICLE	IF	CITATIONS
199	Synthesis and Structure of 7-Hydroxy-5-Oxo-2,3-Dihydro-5H-[1,3]Thiazolo[3,2-a]-Pyrimidine-6-Carboxylic Acid Ethyl Ester. <i>Pharmaceutical Chemistry Journal</i> , 2017, 51, 56-59.	0.3	0
200	Molecular and crystal structure of 5,9-dimethyl-5 <i>H</i> -pyrano[3,2- <i>c</i> :5,6- <i>c</i> ']bis[2,1-benzothiazin]-7(9 <i>H</i> )-one 6,6,8,8-tetroxide dimethylformamide monosolvate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 1076-1078.	0.2	0
201	1-Allyl-4-hydroxy-2,2-dioxo- <i>N</i> -(4-methoxyphenyl)-1 <i>H</i> -2,4,6-triazolo[4,3- <i>b</i> ]pyrimidin-3-carboxamide: polymorphic transition due to grinding with the loss of the biological activity. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2022, 78, 70-79.	0.5	0