Igor V Ukrainets

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5890301/publications.pdf

Version: 2024-02-01

201 916 11
papers citations h-index

203 203 203 674 all docs docs citations times ranked citing authors

887659

17

g-index

| # | Article | IF | Citations |
|----|---|------------|-----------|
| 1 | 1-Allyl-4-hydroxy-2,2-dioxo- $\langle i \rangle N \langle i \rangle$ -(4-methoxyphenyl)- $1 \langle i \rangle H \langle i \rangle$ - $2 \hat{l} \rangle \langle \sup \rangle 6 \langle \sup \rangle$,1-benzothiazine-3-carboxamic polymorphic transition due to grinding with the loss of the biological activity. Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials, 2022, 78, 70-79. | le: 0.5 | O |
| 2 | Methyl 4-Hydroxy-2,2-Dioxo-1H-2λ6,1-Benzothiazine-3-Carboxylate and Its Analogs Modified in the Benzene Moiety of the Molecule as New Analgesics. Scientia Pharmaceutica, 2020, 88, 10. | 0.7 | 2 |
| 3 | Crystal Habits and Biological Properties of N-(4-Trifluoromethylphenyl)-4-Hydroxy-2,2-Dioxo-1H-2λ6,1-Benzothiazine-3-Carboxamide. Scientia Pharmaceutica, 2020, 88, 1. | 0.7 | 15 |
| 4 | Biological properties of two enantiomorphic forms of $\langle i \rangle N < i \rangle - 2\hat{l} < \sup 6 < \sup 7.1$ -benzothiazine-3-carboxamide, a structural analogue of piroxicam. Acta Crystallographica Section C, Structural Chemistry, 2020, 76, 69-74. | 0.2 | 3 |
| 5 | Methyl 5-chloro-4-hydroxy-2,2-dioxo-1 <i>H</i> -2λ ⁶ ,1-benzothiazine-3-carboxylate: structure and Hirshfeld surface analysis. Acta Crystallographica Section E: Crystallographic Communications, 2020, 76, 1657-1660. | 0.2 | 1 |
| 6 | Synthesis and Regularities of the Structure–Activity Relationship in a Series of N-Pyridyl-4-methyl-2,2-dioxo-1H-2λ6,1-benzothiazine-3-carboxamides. Scientia Pharmaceutica, 2019, 87, 12. | 0.7 | 3 |
| 7 | The Crystal Structure of N-(1-Arylethyl)-4-methyl-2,2-dioxo-1H-2λ6,1-benzothiazine-3-carboxamides as the Factor Determining Biological Activity Thereof. Scientia Pharmaceutica, 2019, 87, 10. | 0.7 | 4 |
| 8 | Modification of the Benzene Moiety in the Quinolone Nucleus of 4-Hydroxy-6,7-Dimethoxy-2-Oxo-N-(Pyridin-3-Ylmethyl)-1,2-Dihydroquinoline-3-Carboxamide as an Attempt to Enhance its Analgesic Activity. Pharmaceutical Chemistry Journal, 2019, 52, 825-829. | 0.3 | 2 |
| 9 | Molecular and crystal structure of 5,9-dimethyl-5 <i>>H</i> >-(i>c)-6,6,8,8-tetroxide dimethylformamide monosolvate. Acta Crystallographica Section E: Crystallographic Communications, 2019, 75, 1076-1078. | 0.2 | 0 |
| 10 | Molecular Conformations and Biological Activity of N-Hetaryl(aryl)alkyl-4-methyl-2,2-dioxo-1H-2λ6,1-benzothiazine-3-carboxamides. Scientia Pharmaceutica, 2018, 86, 50. | 0.7 | 9 |
| 11 | Polymorphic modifications of a 1 <i>H</i> -pyrrolo[3,2,1- <i>ij</i>)quinoline-5-carboxamide possessing strong diuretic properties. Acta Crystallographica Section C, Structural Chemistry, 2018, 74, 1759-1767. | 0.2 | 6 |
| 12 | Synthesis, Structure, and Analgesic Activity of Picolylamides of 2-Hydroxy-4-Oxo-4H-Pyrido-[1,2-a]Pyrimidine-3-Carboxylic Acids. Pharmaceutical Chemistry Journal, 2018, 52, 601-605. | 0.3 | 5 |
| 13 | The Study of the Structureâ€"Diuretic Activity Relationship in a Series of New N-(Arylalkyl)-6-hydroxy-2-methyl-4-oxo-2,4-dihydro-1H-pyrrolo-[3,2,1-ij]quinoline-5-carboxamides. Scientia Pharmaceutica, 2018, 86, 31. | 0.7 | 3 |
| 14 | 4-Methyl-2,2-dioxo-1H-2λ6,1-benzothiazine-3-carboxylic Acid. Peculiarities of Preparation, Structure, and Biological Properties. Scientia Pharmaceutica, 2018, 86, 9. | 0.7 | 11 |
| 15 | N-Aryl-7-hydroxy-5-oxo-2,3-dihydro-1H,5H-pyrido-[3,2,1-ij]quinoline-6-carboxamides. The Synthesis and Effects on Urinary Output. Scientia Pharmaceutica, 2018, 86, 12. | 0.7 | 5 |
| 16 | Synthesis, Crystal Structure, and Biological Activity of Ethyl 4-Methyl-2,2-dioxo-1H-2λ6,1-benzothiazine-3-carboxylate Polymorphic Forms. Scientia Pharmaceutica, 2018, 86, 21. | 0.7 | 8 |
| 17 | Molecular and crystal structure of methyl 4-methyl-2,2-dioxo-1H-2λ6,1-benzothiazine-3-carboxylate. Acta Crystallographica Section E: Crystallographic Communications, 2018, 74, 1299-1301. | 0.2 | 1 |
| 18 | Metabolomics in Vitamin Status Assessment. Current Pharmaceutical Design, 2018, 24, 3028-3033. | 0.9 | 5 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Competition between intermolecular hydrogen bonding and stacking in the crystals of 4-Hydroxy- <i>N</i> -(pyridin-2-yl)-2,2-dioxo-1 <i>H</i> -2l» ⁶ ,1-benzothiazine-3-carboxamides. Zeitschrift Fur Kristallographie - Crystalline Materials, 2017, 232, 307-316. | 0.4 | 11 |
| 20 | Synthesis and Structure of 7-Hydroxy-5-Oxo-2,3-Dihydro-5H-[1,3]Thiazolo[3,2-a]-Pyrimidine-6-Carboxylic Acid Ethyl Ester. Pharmaceutical Chemistry Journal, 2017, 51, 56-59. | 0.3 | 0 |
| 21 | Synthesis and Molecular Structure of Ethyl-4-Hydroxy-1-Phenyl-2,2-Dioxo-1H-2λ6,1-Benzothiazine-3-Carboxylate. Pharmaceutical Chemistry Journal, 2017, 51, 482-485. | 0.3 | 4 |
| 22 | Synthesis and Biological Properties of {[(4-Hydroxy-1-Methyl-2,2-Dioxido-1H-2,1-Benzothiazin-3-YL)Carbonyl]Amino}-Benzoic Acids and Their Derivatives. Pharmaceutical Chemistry Journal, 2017, 51, 553-557. | 0.3 | 3 |
| 23 | Crystal structure of isopropyl 2-hydroxy-2-phenylacetate: a pharmacopoeia reference standard. Acta Crystallographica Section E: Crystallographic Communications, 2017, 73, 771-773. | 0.2 | 1 |
| 24 | New Synthesis, Structure and Analgesic Properties of Methyl 1-R-4-Methyl-2,2-Dioxo-1H-2λ6,1-Benzothiazine-3-Carboxylates. Scientia Pharmaceutica, 2017, 85, 2. | 0.7 | 10 |
| 25 | Synthesis, Spatial Structure and Analgesic Activity of Sodium 3-Benzylaminocarbonyl-1-methyl-2,2-dioxo-1H-2λ6,1-benzothiazin-4-olate Solvates. Scientia Pharmaceutica, 2016, 84, 705-714. | 0.7 | 7 |
| 26 | The Study of Structureâ€"Analgesic Activity Relationships in a Series of 4-Hydroxy-2,2-dioxo-1H-2λ6,1-benzothiazine-3-carboxylic Acid Toluidides and Xylidides. Scientia Pharmaceutica, 2016, 84, 497-506. | 0.7 | 6 |
| 27 | Synthesis, Structure, and Analgesic Properties of Halogen-Substituted 4-Hydroxy-2,2-dioxo-1H-2λ6,1-benzothiazine-3-carboxanilides. Scientia Pharmaceutica, 2016, 84, 523-535. | 0.7 | 3 |
| 28 | New Synthesis and Analgesic and Diuretic Activity of Halo-Substituted 4-Hydroxy-1-Methyl-2,2-Dioxo-1H-2λ6,1-Benzothiazine-3-Carboxanilides. Pharmaceutical Chemistry Journal, 2016, 50, 589-594. | 0.3 | 2 |
| 29 | Two pseudo-enantiomeric forms of $<$ i> $>$ N $<$ li> $>$ -2λ $<$ sup> $<$ 6 $<$ 1-benzothiazine-3-carboxamide and their analgesic properties. Acta Crystallographica Section C, Structural Chemistry, 2016, 72, 411-415. | 0.2 | 11 |
| 30 | Using Bioisosteric Replacements to Enhance the Analgesic Properties of 4-Hydroxy-6,7-Dimethoxy-2-oxo-1,2-Dihydroquinoline-3-Carboxamides. Pharmaceutical Chemistry Journal, 2016, 50, 365-368. | 0.3 | 5 |
| 31 | Crystal structure of methyl 1-allyl-4-methyl-1H-benzo[c][1,2]thiazine-3-carboxylate 2,2-dioxide. Acta Crystallographica Section E: Crystallographic Communications, 2016, 72, 1574-1576. | 0.2 | 3 |
| 32 | Synthesis, Hydrolysis, and Analgesic Activity of 3-[3-(1-arylethylcarbamoyl)-4-hydroxy-2-oxo-1,2-dihydroquinolin-1-yl]propanenitriles and Their Derivatives. Pharmaceutical Chemistry Journal, 2016, 50, 431-435. | 0.3 | 0 |
| 33 | The Effective Synthesis of N-(Arylalkyl)-1-R-4-hydroxy-2,2-dioxo-1,2-dihydro-2λ6,1-benzothiazine-3-carboxamides as Promising Analgesics of a New Chemical Class. Scientia Pharmaceutica, 2015, 83, 549-566. | 0.7 | 9 |
| 34 | Effect of Bromination on the Pharmacological Properties of Methyl 1-Allyl-4-Hydroxy-2,2-Dioxo-1H-2λ6,1-Benzothiazine-3-Carboxylate. Pharmaceutical Chemistry Journal, 2015, 49, 519-522. | 0.3 | 8 |
| 35 | 2,1-Benzothiazine 2,2-Dioxides. 9*. Alkylation of Methyl 4-Hydroxy-1-Methyl-2,2-Dioxo-1Е2λ6,1-Benzothiazine-3-Carboxylate with Ethyl Iodide. Chemistry of Heterocyclic Compounds, 2015, 50, 1741-1747. | 0.6 | 4 |
| 36 | 2,1-Benzothiazine 2,2-dioxides 10*. Reaction of alkyl 1-R-4-hydroxy-2,2-dioxo-1Е2λ6,1-benzothiazine-3-carboxylates with 1H-1,2,4-triazol-5-amine. Chemistry of Heterocyclic Compounds, 2015, 51, 97-101. | 0.6 | 1 |

3

| # | Article | IF | CITATIONS |
|----|---|-----------------|----------------|
| 37 | 4-Hydroxyquinolones-2. 247*. 4-Hydroxy-2-Oxo-1,2-Dihydroquinoline or 4-Hydroxy-2,2-Dioxo-1Е2λ6,1-Benzothiazine?. Chemistry of Heterocyclic Compounds, 2015, 50, 1444-1449. | 0.6 | 2 |
| 38 | 2,1-Benzothiazine 2,2-Dioxides. 8*. Synthesis and Structure of 2'-Amino-2-Oxo-1,2-Dihydro-6'H-Spiro-[Indole-3,4'-Pyrano[3,2-c][2,1]Benzothiazine]-3'-Carbonitrile 5',5'-Dioxides. Chemistry of Heterocyclic Compounds, 2014, 50, 1346-1353. | 0.6 | 4 |
| 39 | Novel Luminescent Probe Based on a Terbium(III) Complex for Hemoglobin Determination. Journal of Applied Spectroscopy, 2014, 81, 672-677. | 0.3 | 9 |
| 40 | Synthesis and Antihypoxic Activity of 4-Hydroxy-6,7-Dimethoxy-2-Oxo-1,2-Dihydroquinoline-3-Carboxylic Acid N-R-Amide Hydrochlorides. Pharmaceutical Chemistry Journal, 2014, 48, 593-597. | 0.3 | 0 |
| 41 | Synthesis and structure of 3-(3-acetoxyalkylcarbamoyl-4-hydroxy-2-oxo-1,2-dihydroquinolin-1-yl)propanoic acids. Russian Journal of Organic Chemistry, 2014, 50, 63-65. | 0.3 | 1 |
| 42 | 2,1-Benzothiazine 2,2-Dioxides. 3*. 4-Hydroxy-1-Methyl-2,2-Dioxo-N-(1,3-Thiazol-2-yl)-1Е2λ6,1-Benzothiazine-3-Carboxamides – a New Group of Potential Analgetics. Chemistry of Heterocyclic Compounds, 2014, 50, 103-110. | 0.6 | 22 |
| 43 | 2,1-Benzothiazine 2,2-Dioxides. 5*. Hydrolysis of Alkyl 1-R-4-Hydroxy-2,2-Dioxo-1Е2λ6,1-Benzo-Thiazine-3-Carboxylates**. Chemistry of Heterocyclic Compounds, 2014, 50, 1047-1052. | 0.6 | 7 |
| 44 | (R,S)-2′-Amino-6′-methyl-2,5′,5′-trioxo-6′H-spiro[indoline-3,4′-pyrano[3,2-c][2,1]benzothiazine]dimethylformamide monosolvate. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o786-o787. | -3′-carb 0.2 | oonitrile 1 |
| 45 | 2,1-Benzothiazine 2,2-Dioxides. 4*. Synthesis, Structure, and Analgesic Properties of 4-Hydroxy-1-Methyl-2,2-Dioxo-N-(Pyridin-2-yl)-1H-2λ6,1-Benzothiazine-3-Carboxamides. Chemistry of Heterocyclic Compounds, 2014, 50, 564-572. | 0.6 | 17 |
| 46 | New luminescent probe based on a terbium(III) complex for studying DNA affinity of aminoalkoxy fluorenones. Journal of Applied Spectroscopy, 2013, 80, 429-436. | 0.3 | 1 |
| 47 | 2,1-Benzothiazine 2,2-Dioxides. 1. Synthesis, Structure, and Analgesic Activity of 1-R-4-Hydroxy-2,2-Dioxo-1H-2λ6,1-Benzothiazine-3-Carboxylic Acid Esters. Chemistry of Heterocyclic Compounds, 2013, 49, 1378-1383. | 0.6 | 22 |
| 48 | 4-Hydroxy-2-Quinolones. 233*. Synthesis and Diuretic Activity of 9-Bromo-7-Hydroxy-5-Oxo-2,3-Dihydro-1H,5H-Pyrido[3,2,1-ij]Quinoline-6-Carboxylic Acid Anilides. Chemistry of Heterocyclic Compounds, 2013, 49, 1323-1330. | 0.6 | 6 |
| 49 | 4-Hydroxy-2-quinolones. 220*. Bromination of ethyl 7-hydroxy-5-oxo-2,3-dihydro-1H,5H-pyrido[3,2,1-ij]quinoline-6-carboxylate. Chemistry of Heterocyclic Compounds, 2013, 48, 1665-1669. | 0.6 | 1 |
| 50 | 4-Hydroxy-2-quinolones. 221.* Synthesis, structure, and biological activity of | | |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | 4-hydroxy-2-quinolones. 203*. Reaction of 1-hexyl-4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acid 4-pyridylmethylidene hydrazide with bromine. Chemistry of Heterocyclic Compounds, 2012, 48, 1200-1203. | 0.6 | 1 |
| 56 | 4-hydroxy-2-quinolones. 204.* synthesis, bromination, and analgetic properties of 1-allyl-4-hydroxy-6,7-dimethoxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acid arylalkylamides. Chemistry of Heterocyclic Compounds, 2012, 48, 1347-1356. | 0.6 | 12 |
| 57 | 4-hydroxy-2-quinolones. 202*. Synthesis, chemical and biological properties of 4-hydroxy-6,7-dimethoxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acid alkylamides. Chemistry of Heterocyclic Compounds, 2012, 48, 320-326. | 0.6 | 10 |
| 58 | Heterocyclic diuretics. Chemistry of Heterocyclic Compounds, 2012, 48, 155-165. | 0.6 | 14 |
| 59 | (RS)-2-Oxo-4-(1-phenylethylamino)-1,2-dihydroquinoline-3-carboxylic acid. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o3054-o3054. | 0.2 | 0 |
| 60 | 4-hydroxy-2-quinolones. 191.* synthesis, tautomerism and biological activity of benzimidazol-2-ylamides of 1-r-4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acids. Chemistry of Heterocyclic Compounds, 2011, 46, 1364-1370. | 0.6 | 3 |
| 61 | 4-Hydro-2-quinolones. 192.* relationship of xy structure and analgesic activity of 4-amino-2-oxo-1,2-dihydroquinoline-3-carboxylic acids and their derivatives. Chemistry of Heterocyclic Compounds, 2011, 46, 1371-1379. | 0.6 | 2 |
| 62 | 4-Hydroxy-2-quinolones. 194*. 1-Hydroxy-3-oxo-6,7-dihydro-3H,5H-pyrido[3,2,1-ij]quinoline-2-carboxylic acid alkylamides. Synthesis, structure, and biological properties. Chemistry of Heterocyclic Compounds, 2011, 46, 1459-1466. | 0.6 | 8 |
| 63 | 4-Hydroxy-2-quinolones. 195*. Synthesis of novel, potential analgesics based on 4-(hetarylmethyl)amino-2-oxo-1,2-dihydro-quinoline-3-carboxylic acids. Chemistry of Heterocyclic Compounds, 2011, 47, 67-73. | 0.6 | 11 |
| 64 | 4-hydroxy-2-quinolones 196. synthesis and bromination of 1-allyl-3-(2-hydroxyethyl)-1h,3h-quinazoline-2,4-dione. Chemistry of Heterocyclic Compounds, 2011, 47, 731-736. | 0.6 | 1 |
| 65 | 4-hydroxy-2-quinolones. 197*. The search for novel diuretics amongst halo-substituted 6-hydroxy-2-methyl-4-oxo-1,2-dihydro-4H-pyrrolo-[3,2,1-ij]quinoline-5-carboxylic acid anilides. Chemistry of Heterocyclic Compounds, 2011, 47, 826-832. | 0.6 | 8 |
| 66 | 4-hydroxy-2- quinolones 199*. use of N,N'-dicyclohexylcarbodiimide in the synthesis of ethyl 4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylates. Chemistry of Heterocyclic Compounds, 2011, 47, 833-837. | 0.6 | 1 |
| 67 | 4-hydroxy-2-quinolones. 200*. Bromination of 1-R-4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acid pyridinylmethylene hydrazides. Chemistry of Heterocyclic Compounds, 2011, 47, 1014-1019. | 0.6 | 6 |
| 68 | 4-hydroxy-2-quinolones. 201*. Synthesis, structure, and diuretic activity of hydroxy- and alkoxy-anilides of 6-hydroxy-2-methyl-4-oxo-2,4-dihydro- 1H-pyrrolo[3,2,1-ij]quinoline-5-carboxylic acid. Chemistry of Heterocyclic Compounds, 2011, 47, 1122-1127. | 0.6 | 3 |
| 69 | 4-Hydroxy-2-quinolones 173*. 1-R-3-(2-diethylamino- ethyl)-1H-quinazoline- 2,4-dione hydrochlorides as potential local anesthetic agents. Chemistry of Heterocyclic Compounds, 2010, 46, 96-105. | 0.6 | 5 |
| 70 | 4-Hydroxy-2-quinolones. 174.* Hydrochlorides of [(alkylamino)alkyl]amides of 1-allyl-4-hydroxy-6,7-dimethoxy-2-oxo-1,2-dihydro- quinoline-3-carboxylic acid \hat{a} €" a new class of opioid receptor antagonists. Chemistry of Heterocyclic Compounds, 2010, 46, 445-451. | 0.6 | 4 |
| 71 | 4-Hydroxy-2-quinolones. 175.*Reaction of -1-allyl-3-[(arylamino)methylene]quinoline-2,4-(1H,3H)-diones with bromine. Chemistry of Heterocyclic Compounds, 2010, 46, 452-456. | 0.6 | 1 |
| 72 | 4-hydroxy-2-quinolones. 176*. 4-R-2-oxo-1,2-dihydroquinoline-3-carboxylic acids. synthesis, physicochemical and biological properties. Chemistry of Heterocyclic Compounds, 2010, 46, 559-568. | 0.6 | 11 |

| # | Article | IF | CITATIONS |
|----|--|---------------------|-------------------|
| 73 | 4-Hydroxy-2-quinolones. 177*. Study of a structure-diuretic activity relationship in a series of 4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acid N-R-amides. Chemistry of Heterocyclic Compounds, 2010, 46, 699-710. | 0.6 | 3 |
| 74 | 4-hydroxy-2-quinolones. 178*. irreversible chemical modification of chinoxicaine at the position 4 of the quinolone ring. Chemistry of Heterocyclic Compounds, 2010, 46, 850-855. | 0.6 | 2 |
| 75 | 4-hydroxy-2-quinolones. 179*. Synthesis, structure, and anti-inflammatory activity of 4-hydroxy-1-methyl-2-oxo-1,2-dihydroquinolin-3-ylacetic acid and its derivatives. Chemistry of Heterocyclic Compounds, 2010, 46, 947-956. | 0.6 | 6 |
| 76 | 4-Hydroxy-2-quinolones. 180*. Synthesis, chemical reactions, and analgesic activity of 1-allyl-4-hydroxy-6,7-dimethoxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acid alkylamides. Chemistry of Heterocyclic Compounds, 2010, 46, 1084-1095. | 0.6 | 9 |
| 77 | Methyl 2-(4-hydroxy-1-methyl-2-oxo-1,2-dihydroquinolin-3-yl)acetate. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o3195-o3195. | 0.2 | 0 |
| 78 | 4-hydroxy-2-quinolones 151. Reaction of 4-chloro-3-ethoxycarbonyl-2-oxo-1,2-dihydroquinolines with p-toluenesulfonylhydrazide. Chemistry of Heterocyclic Compounds, 2009, 45, 48-54. | 0.6 | 2 |
| 79 | 4-Hydroxy-2-quinolones. 152*. 3-acetyl-4-hydroxy-2-oxo-1,2-dihydroquinoline and its biologically active derivatives. Chemistry of Heterocyclic Compounds, 2009, 45, 169-175. | 0.6 | 11 |
| 80 | 4-hydroxy-2-quinolones. 153*. Synthesis of hetarylamides of 4-methyl-2-oxo-1,2-dihydroquinoline-3-carboxylic acid. Chemistry of Heterocyclic Compounds, 2009, 45, 345-350. | 0.6 | 3 |
| 81 | Studies of 3-O-acyl derivatives of naloxone as its potential prodrugs. Chemistry of Heterocyclic Compounds, 2009, 45, 405-416. | 0.6 | 4 |
| 82 | 4-Hydroxy-2-quinolones. 154*. Pyrimidin- 2-ylamides of 1-r-4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acids. synthesis, structure, and properties. Chemistry of Heterocyclic Compounds, 2009, 45, 567-579. | 0.6 | 4 |
| 83 | 4-Hydroxy-2-quinolones 155*. Bioreversible chemical modification of chinoxycaine at the tertiary amino group as a method of improving its pharmaceutical activity. Chemistry of Heterocyclic Compounds, 2009, 45, 698-704. | 0.6 | 2 |
| 84 | 4-hydroxy-2-quinolones 165*. 1-R-4-hydroxy-2-oxo-1,2-dihydro-quinoline-3-carbaldehydes and their thiosemicarbazones. Synthesis, structure, and biological properties. Chemistry of Heterocyclic Compounds, 2009, 45, 705-714. | 0.6 | 10 |
| 85 | 4-Hydroxy-2-quinolones 166*. Synthesis, isomerism, and antitubercular activity of 3-arylaminomethylene-quinoline-2,4-(1H,3H)-diones. Chemistry of Heterocyclic Compounds, 2009, 45, 802-808. | 0.6 | 3 |
| 86 | 4-Hydroxy-2-quinolones. 167*. Study of the reaction of ethyl 1-alkyl-substituted 4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylates with phosphorus oxychloride. Chemistry of Heterocyclic Compounds, 2009, 45, 952-956. | 0.6 | 0 |
| 87 | 4-Hydroxy-2-quinolones. 168*. Synthesis, chemical and antitubercular properties of 1-R-4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acid pyrazin-2-ylamides. Chemistry of Heterocyclic Compounds, 2009, 45, 1058-1068. | 0.6 | 4 |
| 88 | 4-hydroxy-2-quinolones 170*. synthesis and bromination of N-allylisatin. Chemistry of Heterocyclic Compounds, 2009, 45, 1241-1247. | 0.6 | 9 |
| 89 | 4-Hydroxy-2-quinolones 171*. Synthesis, isomerism, and antitubercular activity of 1-R-4-hydroxy-2-oxo-1,2-dihydro-quinoline-3-carboxylic acid alkylidenehydrazides. Chemistry of Heterocyclic Compounds, 2009, 45, 1335-1342. | 0.6 | 1 |
| 90 | 4-hydroxy-2-quinolones 172*. Synthesis and structure of 4,3'-spiro[(6-allyl-2-amino-) Tj ETQq0 0 0 rgBT /Overl | ock 10 Tf 50 0.6 | 67 Td (5-oxo 7 |

Compounds, 2009, 45, 1478-1484.

| # | Article | IF | CITATIONS |
|-----|--|--------------------|------------|
| 91 | Determination of medicinal preparations, salts of organic bases, by the effect of their anions on the luminescence of lanthanide complexes. Journal of Analytical Chemistry, 2009, 64, 705-713. | 0.4 | 3 |
| 92 | 4-hydroxy-2-quinolones. 169*. synthesis and bromination of 1-allyl-3-(arylamino-methylene)quinoline-2,4-(1h,3h)-diones. Chemistry of Heterocyclic Compounds, 2009, 45, 1235-1240. | 0.6 | 7 |
| 93 | Ethyl 2-(4-hydroxy-1-methyl-2-oxo-1,2-dihydroquinolin-3-yl)acetate. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, 0968-0968. | 0.2 | 3 |
| 94 | Ethyl 5-[(1H-benzoimidazol-2-yl)aminocarbonyl]-4-hydroxy-2-methyl-6-oxo-1-propyl-1,6-dihydropyridine-3-carboxylate (4/2/1). Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o1984-o1984. | â €"etb ano | l‹methanol |
| 95 | 4-Hydroxy-2-quinolones 140. Synthesis and diuretic activity of arylalkylamides of 4-methyl-2-oxo-1,2-dihydro-quinoline-3-carboxylic acid. Chemistry of Heterocyclic Compounds, 2008, 44, 64-72. | 0.6 | 4 |
| 96 | 4-Hydroxy-2-quinolones 139. Synthesis, structure, and antiviral activity of N-R-amides of 2-hydroxy-4-oxo-4H-pyrido[1,2-a]pyrimidine-3-carboxylic acids. Chemistry of Heterocyclic Compounds, 2008, 44, 50. | 0.6 | 7 |
| 97 | 4-Hydroxy-2-quinolones 142. 4-Methyl-2-oxo-1,2-dihydroquinoline-3-carboxylic acid anilides as potential diuretics. Chemistry of Heterocyclic Compounds, 2008, 44, 178-183. | 0.6 | 4 |
| 98 | 4-Hydroxy-2-quinolones 141. Synthesis and structure of 5R-3-hydroxy-1,5-dihydropyrazolo[4,3-c]quinolin-4-ones. Chemistry of Heterocyclic Compounds, 2008, 44, 173-177. | 0.6 | 1 |
| 99 | 4-Hydroxy-2-quinolones 143. Synthesis, structure, and spectroscopic characteristics of ethyl 2-hydroxy-4-oxo-4H-pyrazino[1,2-a]pyrimidine-3-carboxylate. Chemistry of Heterocyclic Compounds, 2008, 44, 316-323. | 0.6 | 1 |
| 100 | 4-Hydroxy-2-quinolones 144. Alkyl-, arylalkyl-, and arylamides of 2-hydroxy-4-oxo-4H-pyrido[1,2-a]pyrimidine-3-carboxylic acid and their diuretic properties. Chemistry of Heterocyclic Compounds, 2008, 44, 565-575. | 0.6 | 27 |
| 101 | 4-Hydroxy-2-quinolones 145. p-Toluenesulfonylhydrazide as a tosylating agent. Chemistry of Heterocyclic Compounds, 2008, 44, 677-681. | 0.6 | 11 |
| 102 | 4-Hydroxy-2-quinolones 146. Synthesis and structure of 1,1′-diallyl-4,4′-dihydroxy-1H,1′ H-[3,3′]biquinolinyl-2,2′-dione. Chemistry of Heterocyclic Compounds, 2008, 44, 828-832. | 0.6 | 2 |
| 103 | 4-Hydroxy-2-quinolones 147. Synthesis and tautomerism of 2-methyl-9H-furo-[2,3-b]quinolin-4-one. Chemistry of Heterocyclic Compounds, 2008, 44, 833-837. | 0.6 | 2 |
| 104 | 4-Hydroxy-2-quinolones 148. Synthesis and antitubercular activity of 1-hydroxy-3-oxo-6,7-dihydro-3H,5H-pyrido[3,2,1-ij]quinoline-2-carboxylic acid N-R-amides. Chemistry of Heterocyclic Compounds, 2008, 44, 956-966. | 0.6 | 5 |
| 105 | 4-hydroxy-2-quinolones. 149*. Synthesis, chemical transformations, and biological properties of \hat{l}^2 -N-acylhydrazides of 1-R-4-hydroxy-2-oxo-1,2-dihydro-quinoline-4-carboxylic acids. Chemistry of Heterocyclic Compounds, 2008, 44, 1347-1354. | 0.6 | 8 |
| 106 | 4-Hydroxy-2-quinolones 150*. Efficient synthesis, structure, and biological activities of 4-methyl-2-oxo-1,2-dihydroquinoline-3-carboxylic acid alkyl amides. Chemistry of Heterocyclic Compounds, 2008, 44, 1493-1499. | 0.6 | 2 |
| 107 | 2-Bromomethyl-N-isopropyl-7,8-dimethoxy-1,2-dihydro-1,3-oxazolo[3,2-a]quinoline-4-carboxamide. Acta Crystallographica Section E: Structure Reports Online, 2008, 64, o1031-o1031. | 0.2 | 1 |
| 108 | 4-Hydroxy-2-quinolones. 111. Simple synthesis of 1-substituted 4-methyl-2-oxo-1,2-dihydroquinoline-3-carboxylic acids. Chemistry of Heterocyclic Compounds, 2007, 43, 58-62. | 0.6 | 5 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | 4-Hydroxy-2-quinolones. 112. Reaction of 2-ethoxycarbonylmethyl-4H-3,1-benzoxazin-4-one with active methylene compounds. Chemistry of Heterocyclic Compounds, 2007, 43, 63-66. | 0.6 | 1 |
| 110 | 4-Hydroxy-2-quinolones 113. Synthesis and antitubercular activity of N-R-amides of 4-hydroxy-6-methyl-2-oxo-1-propyl-1,2,5,6,7,8-hexahydroquinoline-3-carboxylic acid. Chemistry of Heterocyclic Compounds, 2007, 43, 326-333. | 0.6 | 3 |
| 111 | 4-hydroxy-2-quinolones. 114. Synthesis and structure of 6-R-5-hydroxy-2,4-dioxo-2,3,4,6-tetrahydrobenzo-[c][2,7]naphthyridine-1-carbonitriles. Chemistry of Heterocyclic Compounds, 2007, 43, 608-616. | 0.6 | 4 |
| 112 | 4-Hydroxy-2-quinolones. 118. Synthesis, structure, and chemical properties of 2-bromomethyl-5-oxo-1,2-dihydro-5H-oxazolo-[3,2-a]quinoline-4-carboxylic acid and its ethyl ester. Chemistry of Heterocyclic Compounds, 2007, 43, 617-628. | 0.6 | 9 |
| 113 | 4-Hydroxy-2-quinolones 119. Reaction of ethyl 1-R-4-chloro-2-oxo-1,2-dihydroquinoline-3-carboxylate with malononitrile. Chemistry of Heterocyclic Compounds, 2007, 43, 722-728. | 0.6 | 1 |
| 114 | 4-Hydroxy-2-quinolones 120. Synthesis and structure of ethyl 2-hydroxy-4-oxo-4H-pyrido-[1,2-a]pyrimidine-3-carboxylate. Chemistry of Heterocyclic Compounds, 2007, 43, 729-739. | 0.6 | 4 |
| 115 | 4-Hydroxy-2-quinolones 121. Synthesis and biological properties of 1-hydroxy-3-oxo-5,6-dihydro-3h-pyrrolo[3,2,1-ij]quino-line-2-carboxylic acid alkylamides. Chemistry of Heterocyclic Compounds, 2007, 43, 856-862. | 0.6 | 19 |
| 116 | 4-Hydroxy-2-quinolones. 122. 1-Hydroxy-3-oxo-5,6-dihydro-3H-pyrrolo[3,2,1-ij]-quinoline-2-carboxylic acid hetarylamides as potential antitubercular agents. Chemistry of Heterocyclic Compounds, 2007, 43, 863-870. | 0.6 | 5 |
| 117 | 4-Hydroxy-2-quinolones 123. Amidation of 2-bromomethyl-5-oxo-1,2-dihydro-5H-oxazolo[3,2-a]-quinoline-4-carboxylic acid. Chemistry of Heterocyclic Compounds, 2007, 43, 871-878. | 0.6 | 4 |
| 118 | 4-hydroxy-2-quinolones. 124. Synthesis and structure of ethyl 2-bromomethyl-5-oxo-1,2,6,7,8,9-hexahydro-5H-oxazolo-[3,2-a]quinoline-4-carboxylate. Chemistry of Heterocyclic Compounds, 2007, 43, 1001-1007. | 0.6 | 3 |
| 119 | 4-hydroxy-2-quinolones 125. Ethyl 3-bromo-2,4-dioxo-1,2,3,4-tetrahydroquinoline-3-carboxylates as potential brominating agents. Chemistry of Heterocyclic Compounds, 2007, 43, 1008-1013. | 0.6 | 2 |
| 120 | 4-Hydroxy-2-quinolones 126. 1-Hydroxy-3-oxo-5,6-dihydro-3H-pyrrolo[3,2,1-ij]quinoline-2-carboxylic acid hydrazide and its derivatives. Chemistry of Heterocyclic Compounds, 2007, 43, 1014-1019. | 0.6 | 4 |
| 121 | 4-Hydroxy-2-quinolones 127. Simple method for exchanging chlorine for hydroxyl in 1-R-4-chloro-3-ethoxycarbonyl-2-oxo-1,2-dihydroquinolines. Chemistry of Heterocyclic Compounds, 2007, 43, 1154-1158. | 0.6 | 5 |
| 122 | 4-Hydroxy-2-quinolinones 128. Bromination of N-allyl-4-hydroxy-2-oxo-1,2-dihydroquinolines and pyridines unsubstituted in position 3. Chemistry of Heterocyclic Compounds, 2007, 43, 1159-1166. | 0.6 | 4 |
| 123 | 4-Hydroxy-2-quinolones 129. Synthesis and structure of 2-bromomethyl-4-carboxy-5-methyl-1,2-dihydrooxazolo-[3,2-a]quinolinium bromide. Chemistry of Heterocyclic Compounds, 2007, 43, 1269-1274. | 0.6 | 5 |
| 124 | 4-Hydroxy-2-quinolones 130. The reactivity of ethyl 4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylates. Chemistry of Heterocyclic Compounds, 2007, 43, 1275-1279. | 0.6 | 7 |
| 125 | 4-Hydroxy-2-quinolones 131. Bromination of 3-allyl-4-hydroxy-2-oxo-1,2-dihydroquinoline. Chemistry of Heterocyclic Compounds, 2007, 43, 1426-1433. | 0.6 | 1 |
| 126 | 4-Hydroxy-2-quinolones 132. Synthesis, chemical, and biological properties of 1-R-4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acids 2-nitrobenzylidenehydrazides. Chemistry of Heterocyclic Compounds, 2007, 43, 1434-1439. | 0.6 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|--------------------|-----------|
| 127 | 4-Hydroxy-2-quinolones 137. Synthesis, structure, and spectroscopic characteristics of diethyl 2,2â \in 2-dioxo-1,2,3,4,1â \in 2,2â \in 2,3â \in 2,4â \in 2-octahydro[4,4â \in 2]biquinolinyl-3,3â \in 2-dicarboxylate. Chemistry of Hete Compounds, 2007, 43, 1525-1531. | er o øyclic | 1 |
| 128 | 4-Hydroxy-2-quinolones 138. Synthesis and study of structure-biological activity relationships in a series of 1-hydroxy-3-oxo-5,6-dihydro-3H-pyrrolo[3,2,1-ij]quinoline-2-carboxylic acid anilides. Chemistry of Heterocyclic Compounds, 2007, 43, 1532-1539. | 0.6 | 9 |
| 129 | Ethyl 4-(2-amino-1-cyano-2-oxoethyl)-2-oxo-1-propyl-1,2-dihydroquinoline-3-carboxylate. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o5386-o5387. | 0.2 | 0 |
| 130 | Luminescence determination of DNA using terbium complexes with 2-oxo-4-hydroxyquinoline-3-carboxylic acid amides as probes. Journal of Analytical Chemistry, 2006, 61, 44-51. | 0.4 | 9 |
| 131 | 4-Hydroxy-2-quinolones. 90. Synthesis and antitubercular activity of 4-methyl-2-thiazolylamides of halo-substituted 4-hydroxy-2-oxo-1,2-dihydro-3-quinolinecarboxylic acids. Chemistry of Heterocyclic Compounds, 2006, 42, 64-69. | 0.6 | 11 |
| 132 | 4-Hydroxyquinolones-2. 91. Synthesis and properties of ethyl 1-R-4-hydroxy-6-methyl-2-oxo-dihydropyridine-5-carboxylates. Chemistry of Heterocyclic Compounds, 2006, 42, 191-196. | 0.6 | 1 |
| 133 | 4-Hydroxy-2-quinolones. 92. Reaction of 1-R-4-chloro-3-ethoxycarbonyl-2-oxo-1,2-dihydroquinolines with anilines. Chemistry of Heterocyclic Compounds, 2006, 42, 343-351. | 0.6 | 2 |
| 134 | 4-Hydroxy-2-quinolones. 93. Synthesis and biological properties of 2-hydroxy-4-imino-1,4-dihydroquinoline-3-carboxylic acid N-R-amides. Chemistry of Heterocyclic Compounds, 2006, 42, 475-487. | 0.6 | 15 |
| 135 | 4-hydroxy-2-quinolones. 94. Improved synthesis and structure of 1-hydroxy-3-oxo-5,6-dihydro-3h-pyrrolo[3,2,1-i,j]-quinoline-2-carboxylic acid ethyl ester. Chemistry of Heterocyclic Compounds, 2006, 42, 631-635. | 0.6 | 4 |
| 136 | 4-hydroxy-2-quinolones. 95. Synthesis, structure, and antitubercular properties of hetarylamides of 4-hydroxy-2-oxo-1,2,5,6,7,8-hexahydroquinoline-3-carboxylic acid. Chemistry of Heterocyclic Compounds, 2006, 42, 765-775. | 0.6 | 4 |
| 137 | 4-hydroxy-2-quinolones. 96. Synthesis and properties of 4-methyl-2-oxo-1,2-dihydroquinoline-3-carboxylic acid. Chemistry of Heterocyclic Compounds, 2006, 42, 776-781. | 0.6 | 6 |
| 138 | 4-Hydroxy-2-quinolones. 97. Simple synthesis of the esters of 4-halo-substituted 2-oxo-1,2-dihydroquinoline-3-carboxylic acids. Chemistry of Heterocyclic Compounds, 2006, 42, 882-885. | 0.6 | 9 |
| 139 | 4-Hydroxy-2-quinolones. 107. Reaction of triethyl methanetricarboxylate with indoline. Chemistry of Heterocyclic Compounds, 2006, 42, 1032-1037. | 0.6 | 3 |
| 140 | 4-Hydroxy-2-quinolones. 108. N-R-amides of 9-fluoro-1-hydroxy-5-methyl-3-oxo-6,7-dihydro-3H,5H-pyrido[3,2,1-ij]quinoline-2-carboxylic acid and their antitubercular activity. Chemistry of Heterocyclic Compounds, 2006, 42, 1208-1222. | 0.6 | 6 |
| 141 | 4-hydroxy-2-quinolones. 109. Alkylation of 4-substituted ethyl 2-oxo-1,2-dihydro-quinoline-3-carboxylates. Chemistry of Heterocyclic Compounds, 2006, 42, 1296-1300. | 0.6 | 3 |
| 142 | 4-hydroxy-2-quinolones. 110. Bromination of 1-r-4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acid anilides. Chemistry of Heterocyclic Compounds, 2006, 42, 1301-1307. | 0.6 | 4 |
| 143 | New luminescent terbium complex for the determination of DNA. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2005, 61, 109-116. | 2.0 | 19 |
| 144 | 4-Hydroxy-2-quinolones. 84. Synthesis of 5-R-5H-5,7a,12-Triazabenzo[a]anthracene-6,7-diones. Chemistry of Heterocyclic Compounds, 2005, 41, 896-904. | 0.6 | 3 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 145 | 4-Hydroxyquinol-2-ones. 85. Synthesis of 2-Chloro-4-hydroxyquinoline-3-carboxylic Acid Ethyl Ester. Chemistry of Heterocyclic Compounds, 2005, 41, 1019-1021. | 0.6 | 2 |
| 146 | 4-Hydroxyquinol-2-ones. 86. Synthesis of Methyl (Ethyl) Esters of 1-Substituted 4-Amino-2-oxoquinoline-3-carboxylic Acids. Chemistry of Heterocyclic Compounds, 2005, 41, 1151-1157. | 0.6 | 5 |
| 147 | 4-Hydroxyquinol-2-ones. 87. Unusual Synthesis of 1-R-4-Hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylic Acid Pyridylamides. Chemistry of Heterocyclic Compounds, 2005, 41, 1158-1166. | 0.6 | 4 |
| 148 | 1-Allyl-4-hydroxy-2-oxo-1,2,5,6,7,8-hexahydroquinoline-3-carboxylic acid. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o1833-o1835. | 0.2 | 0 |
| 149 | Methyl 1-acetonyl-4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylate. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o4180-o4182. | 0.2 | 3 |
| 150 | 1-Ethyl-4-hydroxyquinolin-2(1H)-one. Acta Crystallographica Section E: Structure Reports Online, 2004, 60, o2356-o2358. | 0.2 | 2 |
| 151 | Methyl 4-amino-2-oxo-1,2-dihydroquinoline-3-carboxylate. Acta Crystallographica Section E: Structure Reports Online, 2003, 59, o412-o414. | 0.2 | 1 |
| 152 | 1-Ethyl-4-hydroxy-2-oxo-1,2-dihydroquinoline-3-carboxylic acid. Acta Crystallographica Section E: Structure Reports Online, 2002, 58, o254-o256. | 0.2 | 0 |
| 153 | Title is missing!. Chemistry of Heterocyclic Compounds, 2002, 38, 571-575. | 0.6 | 11 |
| 154 | Ethyl 4-butylamino-2-chloroquinoline-3-carboxylate. Acta Crystallographica Section E: Structure Reports Online, 2001, 57, o254-o255. | 0.2 | 0 |
| 155 | N-(1-Adamantyl)-4-hydroxy-2-(2-methylpropyl)-2-oxo-1,2-dihydroquinoline-3-carboxamide. Acta Crystallographica Section E: Structure Reports Online, 2001, 57, o414-o415. | 0.2 | 1 |
| 156 | 4-(4-Ethoxyphenylamino)-2-oxo-1,2-dihydroquinoline. Acta Crystallographica Section E: Structure Reports Online, 2001, 57, o721-o722. | 0.2 | 0 |
| 157 | Title is missing!. Chemistry of Heterocyclic Compounds, 2001, 37, 237-240. | 0.6 | 6 |
| 158 | 4-Hydroxy-2-quinolones. 46. Esters of 1H-2-Oxo-4-hydroxy-3-quinolineacetic Acid. Chemistry of Heterocyclic Compounds, 2001, 37, 100-102. | 0.6 | 3 |
| 159 | 4-Hydroxy-1-methyl-2-oxo-N-(4-oxo-2-propyl-3,4-dihydroquinazolin-3-yl)-1,2-dihydroquinoline-3-carboxamide. Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, e168-e169. | 0.4 | 0 |
| 160 | Title is missing!. Chemistry of Heterocyclic Compounds, 2000, 36, 1319-1325. | 0.6 | 13 |
| 161 | 4-Hydroxy-2-quinolones. 38. Synthesis, structure, and anticonvulsant activity of optically active 1-phenylethylamides of 1-R-4-hydroxy-2-oxo-3-quinolinecarboxylic acids. Chemistry of Heterocyclic Compounds, 2000, 36, 49-56. | 0.6 | 5 |
| 162 | 4-Hydroxy-2-quinolones. 39. Structure of 6-bromo-4-hydroxy-1-isoamyl-2-oxo-3-quinolinecarboxylic acid. Chemistry of Heterocyclic Compounds, 2000, 36, 57-61. | 0.6 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | 4-hydroxy-2-quinolones. 42. Synthesis and biological activity of 1-R-2-oxo-3-(2H-1,2,4-benzothiadiazine-1,1-dioxid-3-yl)-4-hydroxyquinolines. Chemistry of Heterocyclic Compounds, 2000, 36, 346-350. | 0.6 | 10 |
| 164 | 4-Hydroxy-2-quinolones. 44. Synthesis of 2-R-3-oxomorpholino[5,6-c]-6-R'-Quinolin-5-ones. Chemistry of Heterocyclic Compounds, 2000, 36, 944-947. | 0.6 | 4 |
| 165 | 4-hydroxy-2-quinolones. 43. Thermolysis of ethyl esters of 1-R-2-oxo-4-hydroxy-quinoline-3-carboxylic acids. Chemistry of Heterocyclic Compounds, 2000, 36, 443-448. | 0.6 | 1 |
| 166 | 4-hydroxy-2-quinolones. 40. Synthesis and biological properties of anilides of 1H-2-oxo-4-hydroxyquinoline-3-carboxylic acid. Chemistry of Heterocyclic Compounds, 2000, 36, 166-169. | 0.6 | 8 |
| 167 | 4-hydroxy-2-quinolones. 41. Reaction of hydrazides of 1-R-2-oxo-4-hydroxyquinoline-3-carboxylic acids with ethyl orthoformate. Chemistry of Heterocyclic Compounds, 2000, 36, 170-173. | 0.6 | 3 |
| 168 | Recyclization of 2-imino-2H-1-benzopyrans under the influence of nucleophilic reagents. 2. Reaction of 2-iminocoumarin-3-carboxamides witho-aminobenzenesulfonamide. Chemistry of Heterocyclic Compounds, 1998, 34, 791-795. | 0.6 | 9 |
| 169 | 4-Hydroxy-2-quinolones. 37. Simple synthesis of 1 -R-2-oxo-3,4-dihydroxyquinolines. Chemistry of Heterocyclic Compounds, 1997 , 33 , 1334 - 1336 . | 0.6 | 0 |
| 170 | 4-Hydroxy-2-quinolones. 36. Synthesis of 2-R-oxazolo[4,5-c]quinolin-4(5H)-ones. Chemistry of Heterocyclic Compounds, 1997, 33, 1328-1333. | 0.6 | 4 |
| 171 | 4-hydroxy-2-quinolones. 33. Novel approach to synthesis of 1H-2-oxo-4-hydroxyquinoline-3-acetic acid. Chemistry of Heterocyclic Compounds, 1997, 33, 811-814. | 0.6 | 3 |
| 172 | 4-hydroxy-2-quinolones. 34. Structure of photocondensation products of 3-amino-1R-2-oxo-4-hydroxyquinolines. Chemistry of Heterocyclic Compounds, 1997, 33, 815-822. | 0.6 | 1 |
| 173 | 4-Hydroxy-2-quinolones. 35. Synthesis and study of antithyroid properties of 1H-2-oxo-3-(coumarin-3-yl)-4-hydroxyquinolines. Chemistry of Heterocyclic Compounds, 1997, 33, 959-963. | 0.6 | 5 |
| 174 | 4-Hydroxy-2-quinolones. 32. Synthesis and antithyroid activity of thio analogs of 1H-2-oxo-3-(2-Benzimidazolyl)-4-hydroxyquinoline. Chemistry of Heterocyclic Compounds, 1997, 33, 600-604. | 0.6 | 3 |
| 175 | 4-Hydroxy-2-quinolones. 30 Alkylation of 1H-2-oxo-3-carbethoxy-4-hydroxyquinoline. Chemistry of Heterocyclic Compounds, 1996, 32, 952-959. | 0.6 | 3 |
| 176 | 4-Hydroxy-2-quinolones. 31. 3-Amino-ir-2-oxo-4-hydroxyquinolines and their acyl derivatives. Chemistry of Heterocyclic Compounds, 1996, 32, 960-970. | 0.6 | 7 |
| 177 | 4-Hydroxy-2-quinolenes. 20.* Synthesis and chemical conversions of ehtyl esters of the chloro-substituted quinoline-3-carboxylic acids. Chemistry of Heterocyclic Compounds, 1995, 31, 167-175. | 0.6 | 3 |
| 178 | 4-Hydroxy-2-quinolones. 26. Bromination of 3-substituted 2-oxo-4-hydroxyquinolones. Chemistry of Heterocyclic Compounds, 1995, 31, 176-179. | 0.6 | 2 |
| 179 | Effective synthesis of 3-(Benzimidazol-2-yl)-4-hydroxy-2-oxo-1,2-dihydroquinolines. Tetrahedron Letters, 1995, 36, 7747-7748. | 0.7 | 8 |
| 180 | Ethyl esters of malonanilic acids. Synthesis and pyrolysis. Tetrahedron, 1994, 50, 10331-10338. | 1.0 | 17 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | 2-Carbethoxymethyl-4H-3,1-benzoxazin-4-one. 4. Reaction with anilines. Chemistry of Heterocyclic Compounds, 1994, 30, 204-207. | 0.6 | 1 |
| 182 | 2-Car-bethoxymethyl-4H-3,1-benzoxazin-4-one 6. Synthesis of some new 3-acylamino-4-oxaquinazolin-2-yl-acetic acid benzylamides as possible anticonvulsants. Chemistry of Heterocyclic Compounds, 1994, 30, 208-212. | 0.6 | 1 |
| 183 | 4-Hydroxy-2-quinolones 19. A new synthesis of 3-Alkyl-2-oxo-4-hydroxyquinolines. Chemistry of Heterocyclic Compounds, 1994, 30, 591-595. | 0.6 | 2 |
| 184 | 4-Hydroxy-2-quinolones. 23. N-(2-thiazolyl)amides of 1-R-2-oxo-4-hydroxyquinoline-3-carboxylic acids? A new group of potential antiinflammatory agents. Chemistry of Heterocyclic Compounds, 1994, 30, 1211-1213. | 0.6 | 1 |
| 185 | 4-hydroxy-2-quinolenes. 24. Improved synthesis and biological properties of hydrochlorides of?-dialkylaminoalkylamides of 1-alkyl-2-oxo-4-hydroxyquinoline-3-carboxylic acids. Chemistry of Heterocyclic Compounds, 1994, 30, 1214-1219. | 0.6 | 0 |
| 186 | 4-Hydroxy-2-quinolones 6. Synthesis, chemical transformations, and biological properties of dialkylamino-, hydroxy-, and halodialkylamides of 4-hydroxy-2-quinolone-3-carboxylic acids. Chemistry of Heterocyclic Compounds, 1993, 29, 87-91. | 0.6 | 0 |
| 187 | 4-Hydroxy-2-quinolones 7. Synthesis and biological properties of 1-R-3-(2-benzimidazolyl)-4-hydroxy-2-quinolones. Chemistry of Heterocyclic Compounds, 1993, 29, 92-94. | 0.6 | O |
| 188 | 4-Hydroxy-2-quinolines. 15. Synthesis of N-(2-pyridyl)amides of 1-R-4-hydroxy-2-quinolone-3-carboxylic acids as possible new non-steroidal antiinflammatory agents. Chemistry of Heterocyclic Compounds, 1993, 29, 938-940. | 0.6 | 0 |
| 189 | 4-Hydroxy-2-quinolones. 16. Condensation of N-R-substituted amides of 2-carboxymalonanilic acid with o-phenylenediamine. Chemistry of Heterocyclic Compounds, 1993, 29, 941-944. | 0.6 | 0 |
| 190 | 4-Hydroxy-2-quinolones. 17. Dieckmann condensation as a thermally activated process. Chemistry of Heterocyclic Compounds, 1993, 29, 1041-1043. | 0.6 | 0 |
| 191 | 4-hydroxy-2-quinolones. 18. Synthesis and antithyroid activity of 1-R-2-oxo-3-(4-oxo-3H-quinazolin-2-yl)-4-hydroxyquinolines. Chemistry of Heterocyclic Compounds, 1993, 29, 1044-1047. | 0.6 | 2 |
| 192 | 2-Carbethoxymethyl-4H-3,1-benzoxazin-4-one. 3. Condensation of o-phenylenediamive. Chemistry of Heterocyclic Compounds, 1992, 28, 198-200. | 0.6 | 0 |
| 193 | 4-Hydroxy-2-quinolones. 3. Synthesis and physicochemical properties of 1-R-3-carbethoxy-4-hydroxy-2-quinolones. Chemistry of Heterocyclic Compounds, 1992, 28, 534-538. | 0.6 | 4 |
| 194 | 4-Hydroxy-2-quinolones. 4. selection of the optimum path for synthesis of n-r-substituted 4-hydroxy-2-quinolone-3-carboxylic acid amides. Chemistry of Heterocyclic Compounds, 1992, 28, 538-540. | 0.6 | 0 |
| 195 | 4-Hydroxyquinolones-2. Chemistry of Heterocyclic Compounds, 1992, 28, 912-916. | 0.6 | 0 |
| 196 | 4-Hydroxy-2-quinolones. 2. Simple synthesis of arboricine. Chemistry of Heterocyclic Compounds, 1992, 28, 438-439. | 0.6 | 0 |
| 197 | Biological properties of 2,4-dioxo-3H-quinoline-3-carboxylic acid and its ethyl ester. Pharmaceutical Chemistry Journal, 1992, 26, 138-141. | 0.3 | 0 |
| 198 | 4-Hydroxy-2-quinolones. 1. Efficient method for obtaining 3-alkyl-4-hydroxy-2-quinolones. Chemistry of Heterocyclic Compounds, 1991, 27, 1237-1238. | 0.6 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | 2-Carbethoxy-4H-3,1-benzoxazin-4-one. 1. Synthesis and reaction mechanism of formation. Chemistry of Heterocyclic Compounds, 1991, 27, 903-907. | 0.6 | 1 |
| 200 | 2-Carbethoxy-4H-3,1-benzoxazin-4-one. 2. Hydrazinolysis. Chemistry of Heterocyclic Compounds, 1991, 27, 907-909. | 0.6 | 0 |
| 201 | Synthesis and anticoagulant activity of 4-hydroxyquinol-2-one-3-carbonamides. Pharmaceutical Chemistry Journal, 1990, 24, 257-259. | 0.3 | 0 |