

# Suguru Noda

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5891726/suguru-noda-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

163  
papers

4,362  
citations

35  
h-index

59  
g-index

166  
ext. papers

5,509  
ext. citations

7  
avg, IF

6.53  
L-index

#	Paper	IF	Citations
163	Systematic investigation of anode catalysts for liquid ammonia electrolysis. <i>Journal of Catalysis</i> , <b>2022</b> , 406, 222-230	7.3	0
162	Worrisome Exaggeration of Activity of Electrocatalysts Destined for Steady-State Water Electrolysis by Polarization Curves from Transient Techniques. <i>Journal of the Electrochemical Society</i> , <b>2022</b> , 169, 014508	3.9	6
161	Fast and stable hydrogen storage in the porous composite of MgH <sub>2</sub> with Nb <sub>2</sub> O <sub>5</sub> catalyst and carbon nanotube. <i>Journal of Alloys and Compounds</i> , <b>2022</b> , 893, 162206	5.7	5
160	Efficient Methanol Electrooxidation Catalyzed by Potentiostatically Grown Cu <sub>2</sub> O/OH(Ni) Nanowires: Role of Inherent Ni Impurity. <i>ACS Applied Energy Materials</i> , <b>2022</b> , 5, 419-429	6.1	3
159	Layered 2D transition metal (W, Mo, and Pt) chalcogenides for hydrogen evolution reaction <b>2022</b> , 495-525		1
158	Why Shouldn't Double-Layer Capacitance (C <sub>dl</sub> ) Be Always Trusted to Justify Faradaic Electrocatalytic Activity Differences?. <i>Journal of Electroanalytical Chemistry</i> , <b>2021</b> , 115842	4.1	8
157	High-performance solution-based silicon heterojunction solar cells using carbon nanotube with polymeric acid doping. <i>Carbon</i> , <b>2021</b> , 175, 519-524	10.4	1
156	Thermal properties of single-walled carbon nanotube forests with various volume fractions. <i>International Journal of Heat and Mass Transfer</i> , <b>2021</b> , 171, 121076	4.9	2
155	The Fe Effect: A review unveiling the critical roles of Fe in enhancing OER activity of Ni and Co based catalysts. <i>Nano Energy</i> , <b>2021</b> , 80, 105514	17.1	138
154	Surface amorphized nickel hydroxy sulphide for efficient hydrogen evolution reaction in alkaline medium. <i>Chemical Engineering Journal</i> , <b>2021</b> , 408, 127275	14.7	20
153	A review on recent developments in electrochemical hydrogen peroxide synthesis with a critical assessment of perspectives and strategies. <i>Advances in Colloid and Interface Science</i> , <b>2021</b> , 287, 102331	14.3	16
152	Performance enhancement of carbon nanotube/silicon solar cell by solution processable MoO <sub>x</sub> . <i>Applied Surface Science</i> , <b>2021</b> , 542, 148682	6.7	5
151	Ultra-long carbon nanotube forest via in situ supplements of iron and aluminum vapor sources. <i>Carbon</i> , <b>2021</b> , 172, 772-780	10.4	15
150	Pushing the Limits of Rapid Anodic Growth of CuO/Cu(OH) <sub>2</sub> Nanoneedles on Cu for the Methanol Oxidation Reaction: Anodization pH Is the Game Changer. <i>ACS Applied Energy Materials</i> , <b>2021</b> , 4, 899-912	6.1	10
149	Strategies and Perspectives to Catch the Missing Pieces in Energy-Efficient Hydrogen Evolution Reaction in Alkaline Media. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 18981-19006	16.4	59
148	Strategies and Perspectives to Catch the Missing Pieces in Energy-Efficient Hydrogen Evolution Reaction in Alkaline Media. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 19129-19154	3.6	10
147	Two-Dimensional Polydopamine Positive Electrodes for High-Capacity Alkali Metal-Ion Storage. <i>ChemElectroChem</i> , <b>2021</b> , 8, 1070-1077	4.3	2

146	The Significance of Properly Reporting Turnover Frequency in Electrocatalysis Research. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 23235	3.6	0
145	Fluidized-bed production of 0.3µm-long single-wall carbon nanotubes at 28% carbon yield with 0.1 mass% catalyst impurities using ethylene and carbon dioxide. <i>Carbon</i> , <b>2021</b> , 182, 23-31	10.4	2
144	The Significance of Properly Reporting Turnover Frequency in Electrocatalysis Research. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 23051-23067	16.4	34
143	High-energy-density LiS battery with positive electrode of lithium polysulfides held by carbon nanotube sponge. <i>Carbon</i> , <b>2021</b> , 182, 32-41	10.4	3
142	Controllable pore structures of pure and sub-millimeter-long carbon nanotubes. <i>Applied Surface Science</i> , <b>2021</b> , 566, 150751	6.7	2
141	Carbon nanotube/silicon heterojunction solar cell with an active area of 4µm <sup>2</sup> realized using a multifunctional molybdenum oxide layer. <i>Carbon</i> , <b>2021</b> , 185, 215-223	10.4	1
140	Enhanced CO <sub>2</sub> -assisted growth of single-wall carbon nanotube arrays using Fe/AlO catalyst annealed without CO <sub>2</sub> . <i>Carbon</i> , <b>2021</b> , 185, 264-271	10.4	1
139	Outstanding Low-Temperature Performance of Structure-Controlled Graphene Anode Based on Surface-Controlled Charge Storage Mechanism. <i>Advanced Functional Materials</i> , <b>2021</b> , 31, 2009397	15.6	13
138	Chemical Leaching of Inactive Cr and Subsequent Electrochemical Resurfacing of Catalytically Active Sites in Stainless Steel for High-Rate Alkaline Hydrogen Evolution Reaction. <i>ACS Applied Energy Materials</i> , <b>2020</b> , 3, 12596-12606	6.1	10
137	All-Soft Supercapacitors Based on Liquid Metal Electrodes with Integrated Functionalized Carbon Nanotubes. <i>ACS Nano</i> , <b>2020</b> , 14, 5659-5667	16.7	27
136	Appropriate Use of Electrochemical Impedance Spectroscopy in Water Splitting Electrocatalysis. <i>ChemElectroChem</i> , <b>2020</b> , 7, 2297-2308	4.3	54
135	Ultrafast Growth of a Cu(OH)-CuO Nanoneedle Array on Cu Foil for Methanol Oxidation Electrocatalysis. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 27327-27338	9.5	49
134	Nanotubes make battery lighter and safer. <i>Carbon</i> , <b>2020</b> , 167, 596-600	10.4	4
133	Facile catalyst deposition using mists for fluidized-bed production of sub-millimeter-long carbon nanotubes. <i>Carbon</i> , <b>2020</b> , 167, 256-263	10.4	7
132	Electrolysis of ammonia in aqueous solution by platinum nanoparticles supported on carbon nanotube film electrode. <i>Electrochimica Acta</i> , <b>2020</b> , 341, 136027	6.7	13
131	Life Cycle Greenhouse Gas Emissions of Long and Pure Carbon Nanotubes Synthesized via On-Substrate and Fluidized-Bed Chemical Vapor Deposition. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2020</b> , 8, 1730-1740	8.3	15
130	High-energy density Li <sub>x</sub> Si-S full cell based on 3D current collector of few-wall carbon nanotube sponge. <i>Carbon</i> , <b>2020</b> , 161, 612-621	10.4	6
129	Dispersing and doping carbon nanotubes by poly(p-styrene-sulfonic acid) for high-performance and stable transparent conductive films. <i>Carbon</i> , <b>2020</b> , 164, 150-156	10.4	10

128	Achieving Increased Electrochemical Accessibility and Lowered Oxygen Evolution Reaction Activation Energy for Co <sup>2+</sup> Sites with a Simple Anion Preoxidation. <i>Journal of Physical Chemistry C</i> , <b>2020</b> , 124, 9673-9684	3.8	21
127	Enhanced Lithium Storage of an Organic Cathode via the Bipolar Mechanism. <i>ACS Applied Energy Materials</i> , <b>2020</b> , 3, 3728-3735	6.1	12
126	Nickel selenides as pre-catalysts for electrochemical oxygen evolution reaction: A review. <i>International Journal of Hydrogen Energy</i> , <b>2020</b> , 45, 15763-15784	6.7	58
125	Progress in nickel chalcogenide electrocatalyzed hydrogen evolution reaction. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 4174-4192	13	95
124	Amorphous Catalysts and Electrochemical Water Splitting: An Untold Story of Harmony. <i>Small</i> , <b>2020</b> , 16, e1905779	11	210
123	Boosting the oxygen evolution activity of copper foam containing trace Ni by intentionally supplementing Fe and forming nanowires in anodization. <i>Electrochimica Acta</i> , <b>2020</b> , 364, 137170	6.7	9
122	Volumetric Discharge Capacity 1 A h cm <sup>3</sup> Realized by Sulfur in Carbon Nanotube Sponge Cathodes. <i>Journal of Physical Chemistry C</i> , <b>2019</b> , 123, 3951-3958	3.8	10
121	1.5 Minute-synthesis of continuous graphene films by chemical vapor deposition on Cu foils rolled in three dimensions. <i>Chemical Engineering Science</i> , <b>2019</b> , 201, 319-324	4.4	7
120	A Semitransparent Nitride Photoanode Responsive up to 600 nm Based on a Carbon Nanotube Thin Film Electrode. <i>ChemPhotoChem</i> , <b>2019</b> , 3, 521-524	3.3	8
119	Enhancing the photovoltaic performance of hybrid heterojunction solar cells by passivation of silicon surface via a simple 1-min annealing process. <i>Scientific Reports</i> , <b>2019</b> , 9, 12051	4.9	11
118	Stability of Chemically Doped Nanotube-Silicon Heterojunction Solar Cells: Role of Oxides at the Carbon-Silicon Interface. <i>ACS Applied Energy Materials</i> , <b>2019</b> , 2, 5925-5932	6.1	9
117	Effective Heat Transfer Pathways of Thermally Conductive Networks Formed by One-Dimensional Carbon Materials with Different Sizes. <i>Polymers</i> , <b>2019</b> , 11,	4.5	6
116	Gd-Enhanced Growth of Multi-Millimeter-Tall Forests of Single-Wall Carbon Nanotubes. <i>ACS Nano</i> , <b>2019</b> , 13, 13208-13216	16.7	7
115	Direct formation of continuous multilayer graphene films with controllable thickness on dielectric substrates. <i>Thin Solid Films</i> , <b>2019</b> , 675, 136-142	2.2	1
114	Critical effect of nanometer-size surface roughness of a porous Si seed layer on the defect density of epitaxial Si films for solar cells by rapid vapor deposition. <i>CrystEngComm</i> , <b>2018</b> , 20, 1774-1778	3.3	4
113	Millimeter-tall carbon nanotube arrays grown on aluminum substrates. <i>Carbon</i> , <b>2018</b> , 130, 834-842	10.4	22
112	Improved capacity of redox-active functional carbon cathodes by dimension reduction for hybrid supercapacitors. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 3367-3375	13	25
111	Carbon Nanotube Web with Carboxylated Polythiophene "Assist" for High-Performance Battery Electrodes. <i>ACS Nano</i> , <b>2018</b> , 12, 3126-3139	16.7	35

110	Self-supporting S@GO-FWCNTs composite films as positive electrodes for high-performance lithium-sulfur batteries.. <i>RSC Advances</i> , <b>2018</b> , 8, 2260-2266	3.7	9
109	Flame-assisted chemical vapor deposition for continuous gas-phase synthesis of 1-nm-diameter single-wall carbon nanotubes. <i>Carbon</i> , <b>2018</b> , 138, 1-7	10.4	19
108	An interdigitated electrode with dense carbon nanotube forests on conductive supports for electrochemical biosensors. <i>Analyst, The</i> , <b>2018</b> , 143, 3635-3642	5	8
107	Self-Supporting Hybrid Supercapacitor Electrodes Based on Carbon Nanotube and Activated Carbons. <i>Eurasian Chemico-Technological Journal</i> , <b>2018</b> , 20, 169	0.8	3
106	Carbon Nanotubes and Related Nanomaterials: Critical Advances and Challenges for Synthesis toward Mainstream Commercial Applications. <i>ACS Nano</i> , <b>2018</b> , 12, 11756-11784	16.7	239
105	Resettable Heterogeneous Catalyst: (Re)Generation and (Re)Adsorption of Ni Nanoparticles for Repeated Synthesis of Carbon Nanotubes on NiAlO Thin Films. <i>ACS Applied Nano Materials</i> , <b>2018</b> , 1, 5483-5492	5.6	
104	CO <sub>2</sub> -assisted growth of millimeter-tall single-wall carbon nanotube arrays and its advantage against H <sub>2</sub> O for large-scale and uniform synthesis. <i>Carbon</i> , <b>2018</b> , 136, 143-149	10.4	22
103	Highly air- and moisture-stable hole-doped carbon nanotube films achieved using boron-based oxidant. <i>Applied Physics Express</i> , <b>2017</b> , 10, 035101	2.4	10
102	Nano-Scale Smoothing of Double Layer Porous Si Substrates for Detaching and Fabricating Low Cost, High Efficiency Monocrystalline Thin Film Si Solar Cell by Zone Heating Recrystallization. <i>ECS Transactions</i> , <b>2017</b> , 75, 11-23	1	1
101	Catalyst nucleation and carbon nanotube growth from flame-synthesized Co-Al-O nanopowders at ten-second time scale. <i>Carbon</i> , <b>2017</b> , 114, 31-38	10.4	7
100	A-few-second synthesis of silicon nanoparticles by gas-evaporation and their self-supporting electrodes based on carbon nanotube matrix for lithium secondary battery anodes. <i>Journal of Power Sources</i> , <b>2017</b> , 363, 450-459	8.9	13
99	Ten-Second Epitaxy of Cu on Repeatedly Used Sapphire for Practical Production of High-Quality Graphene. <i>ACS Omega</i> , <b>2017</b> , 2, 3354-3362	3.9	2
98	Self-polymerized dopamine as an organic cathode for Li- and Na-ion batteries. <i>Energy and Environmental Science</i> , <b>2017</b> , 10, 205-215	35.4	181
97	Carbon nanotube/silicon heterojunction solar cells with surface-textured Si and solution-processed carbon nanotube films. <i>RSC Advances</i> , <b>2016</b> , 6, 93575-93581	3.7	17
96	Hierarchical networks of redox-active reduced crumpled graphene oxide and functionalized few-walled carbon nanotubes for rapid electrochemical energy storage. <i>Nanoscale</i> , <b>2016</b> , 8, 12330-8	7.7	30
95	Biomass-derived carbonaceous positive electrodes for sustainable lithium-ion storage. <i>Nanoscale</i> , <b>2016</b> , 8, 3671-7	7.7	35
94	A Color-Tunable Polychromatic Organic-Light-Emitting-Diode Device With Low Resistive Intermediate Electrode for Roll-to-Roll Manufacturing. <i>IEEE Transactions on Electron Devices</i> , <b>2016</b> , 63, 402-407	2.9	10
93	Lithium ion batteries made of electrodes with 99 wt% active materials and 1 wt% carbon nanotubes without binder or metal foils. <i>Journal of Power Sources</i> , <b>2016</b> , 321, 155-162	8.9	24

92	50–100 nm-thick pseudocapacitive electrodes of MnO <sub>2</sub> nanoparticles uniformly electrodeposited in carbon nanotube papers. <i>RSC Advances</i> , <b>2016</b> , 6, 41496-41505	3.7	12
91	Rapid vapour deposition and in situ melt crystallization for 1 min fabrication of 10 nm-thick crystalline silicon films with a lateral grain size of over 100 nm. <i>CrystEngComm</i> , <b>2016</b> , 18, 3404-3410	3.3	5
90	Overcoming the quality–quantity tradeoff in dispersion and printing of carbon nanotubes by a repetitive dispersion–extraction process. <i>Carbon</i> , <b>2015</b> , 91, 20-29	10.4	21
89	One-minute deposition of micrometre-thick porous Si/Cu anodes with compositional gradients on Cu current collectors for lithium secondary batteries. <i>Journal of Power Sources</i> , <b>2015</b> , 286, 540-550	8.9	10
88	Electrochemical polymerization of pyrene derivatives on functionalized carbon nanotubes for pseudocapacitive electrodes. <i>Nature Communications</i> , <b>2015</b> , 6, 7040	17.4	132
87	Denser and taller carbon nanotube arrays on Cu foils useable as thermal interface materials. <i>Japanese Journal of Applied Physics</i> , <b>2015</b> , 54, 095102	1.4	15
86	One-minute deposition of micrometre-thick porous Si anodes for lithium ion batteries. <i>RSC Advances</i> , <b>2015</b> , 5, 2938-2946	3.7	6
85	Direct synthesis of few- and multi-layer graphene films on dielectric substrates by Etching-precipitation–method. <i>Carbon</i> , <b>2015</b> , 82, 254-263	10.4	25
84	Simple and engineered process yielding carbon nanotube arrays with 1.2 × 10 <sup>13</sup> cm <sup>-2</sup> wall density on conductive underlayer at 400 °C. <i>Carbon</i> , <b>2015</b> , 81, 773-781	10.4	24
83	Important factors for effective use of carbon nanotube matrices in electrochemical capacitor hybrid electrodes without binding additives. <i>RSC Advances</i> , <b>2015</b> , 5, 16101-16111	3.7	12
82	Carbon nanotube 3D current collectors for lightweight, high performance and low cost supercapacitor electrodes. <i>RSC Advances</i> , <b>2014</b> , 4, 8230	3.7	31
81	One-step sub-10 nm patterning of carbon-nanotube thin films for transparent conductor applications. <i>ACS Nano</i> , <b>2014</b> , 8, 3285-93	16.7	66
80	Over 99.6 wt%-pure, sub-millimeter-long carbon nanotubes realized by fluidized-bed with careful control of the catalyst and carbon feeds. <i>Carbon</i> , <b>2014</b> , 80, 339-350	10.4	38
79	Methane-assisted chemical vapor deposition yielding millimeter-tall single-wall carbon nanotubes of smaller diameter. <i>ACS Nano</i> , <b>2013</b> , 7, 6719-28	16.7	19
78	The effect of atmospheric tarnishing on the optical and structural properties of silver nanoparticles. <i>Journal Physics D: Applied Physics</i> , <b>2013</b> , 46, 145308	3	35
77	Self-standing positive electrodes of oxidized few-walled carbon nanotubes for light-weight and high-power lithium batteries. <i>Energy and Environmental Science</i> , <b>2012</b> , 5, 5437-5444	35.4	109
76	Composite of TiN nanoparticles and few-walled carbon nanotubes and its application to the electrocatalytic oxygen reduction reaction. <i>Chemistry - an Asian Journal</i> , <b>2012</b> , 7, 286-9	4.5	30
75	Fluidized-bed synthesis of sub-millimeter-long single walled carbon nanotube arrays. <i>Carbon</i> , <b>2012</b> , 50, 1538-1545	10.4	32

74	One second growth of carbon nanotube arrays on a glass substrate by pulsed-current heating. <i>Carbon</i> , <b>2012</b> , 50, 2110-2118	10.4	7
73	Cold-gas chemical vapor deposition to identify the key precursor for rapidly growing vertically-aligned single-wall and few-wall carbon nanotubes from pyrolyzed ethanol. <i>Carbon</i> , <b>2012</b> , 50, 2953-2960	10.4	30
72	Millimeter-tall single-walled carbon nanotubes rapidly grown with and without water. <i>ACS Nano</i> , <b>2011</b> , 5, 975-84	16.7	110
71	Zeolite Surface As a Catalyst Support Material for Synthesis of Single-Walled Carbon Nanotubes. <i>Journal of Physical Chemistry C</i> , <b>2011</b> , 115, 24231-24237	3.8	17
70	Sub-millimeter-long carbon nanotubes repeatedly grown on and separated from ceramic beads in a single fluidized bed reactor. <i>Carbon</i> , <b>2011</b> , 49, 1972-1979	10.4	57
69	A simple and fast method to disperse long single-walled carbon nanotubes introducing few defects. <i>Carbon</i> , <b>2011</b> , 49, 3179-3183	10.4	16
68	Moderating carbon supply and suppressing Ostwald ripening of catalyst particles to produce 4.5-mm-tall single-walled carbon nanotube forests. <i>Carbon</i> , <b>2011</b> , 49, 4497-4504	10.4	57
67	Tailoring the Morphology of Carbon Nanotube Assemblies Using Microgradients in the Catalyst Thickness. <i>Japanese Journal of Applied Physics</i> , <b>2011</b> , 50, 095101	1.4	
66	Nanostructure and magnetic properties of c-axis oriented L10-FePt nanoparticles and nanocrystalline films on polycrystalline TiN underlayers. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , <b>2011</b> , 29, 031801	1.3	8
65	Tailoring the Morphology of Carbon Nanotube Assemblies Using Microgradients in the Catalyst Thickness. <i>Japanese Journal of Applied Physics</i> , <b>2011</b> , 50, 095101	1.4	
64	A Simple Combinatorial Method Aiding Research on Single-Walled Carbon Nanotube Growth on Substrates. <i>Japanese Journal of Applied Physics</i> , <b>2010</b> , 49, 02BA02	1.4	19
63	Real-Time Monitoring of Millimeter-Tall Vertically Aligned Single-Walled Carbon Nanotube Growth on Combinatorial Catalyst Library. <i>Japanese Journal of Applied Physics</i> , <b>2010</b> , 49, 085104	1.4	26
62	Combinatorial Evaluation for Field Emission Properties of Carbon Nanotubes Part II: High Growth Rate System. <i>Journal of Physical Chemistry C</i> , <b>2010</b> , 114, 12938-12947	3.8	5
61	Diameter Increase in Millimeter-Tall Vertically Aligned Single-Walled Carbon Nanotubes during Growth. <i>Applied Physics Express</i> , <b>2010</b> , 3, 045103	2.4	34
60	Two routes to polycrystalline CoSi <sub>2</sub> thin films by co-sputtering Co and Si. <i>Applied Surface Science</i> , <b>2010</b> , 256, 7118-7124	6.7	1
59	Millimeter-tall single-walled carbon nanotube forests grown from ethanol. <i>Carbon</i> , <b>2010</b> , 48, 2203-2211	10.4	51
58	Thickness-gradient dependent Raman enhancement in silver island films. <i>Applied Physics Letters</i> , <b>2009</b> , 94, 053106	3.4	13
57	Efficient field emission from triode-type 1D arrays of carbon nanotubes. <i>Nanotechnology</i> , <b>2009</b> , 20, 475707	3.7	7

56	Multiple Optimum Conditions for CoMo catalyzed growth of vertically aligned single-walled carbon nanotube forests. <i>Carbon</i> , <b>2009</b> , 47, 234-241	10.4	88
55	Combinatorial Surface-Enhanced Raman Spectroscopy and Spectroscopic Ellipsometry of Silver Island Films. <i>Journal of Physical Chemistry C</i> , <b>2009</b> , 113, 4820-4828	3.8	37
54	Two-Dimensional Combinatorial Investigation of Raman and Fluorescence Enhancement in Silver and Gold Sandwich Substrates. <i>Journal of Physical Chemistry C</i> , <b>2009</b> , 113, 9588-9594	3.8	5
53	12.3: 1-Second Implementation of CNT-Emitter Arrays on Glasses for BLUs. <i>Digest of Technical Papers SID International Symposium</i> , <b>2009</b> , 40, 139	0.5	1
52	Growth Valley Dividing Single- and Multi-Walled Carbon Nanotubes: Combinatorial Study of Nominal Thickness of Co Catalyst. <i>Japanese Journal of Applied Physics</i> , <b>2008</b> , 47, 1961-1965	1.4	26
51	Growth mechanism of epitaxial CoSi <sub>2</sub> on Si and reactive deposition epitaxy of double heteroepitaxial Si/CoSi <sub>2</sub> /Si. <i>Thin Solid Films</i> , <b>2008</b> , 516, 3989-3995	2.2	8
50	Combinatorial Evaluation for Field Emission Properties of Carbon Nanotubes. <i>Journal of Physical Chemistry C</i> , <b>2008</b> , 112, 17974-17982	3.8	9
49	CHEMICAL ENGINEERING FOR TECHNOLOGY INNOVATION. <i>Chemical Engineering Communications</i> , <b>2008</b> , 196, 267-276	2.2	1
48	Field Emission Properties of Single-Walled Carbon Nanotubes with a Variety of Emitter Morphologies. <i>Japanese Journal of Applied Physics</i> , <b>2008</b> , 47, 4780-4787	1.4	17
47	Self-organized metallic nanoparticle and nanowire arrays from ion-sputtered silicon templates. <i>Applied Physics Letters</i> , <b>2008</b> , 93, 063106	3.4	57
46	Growth window and possible mechanism of millimeter-thick single-walled carbon nanotube forests. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2008</b> , 8, 6123-8	1.3	37
45	Individuals, grasses, and forests of single- and multi-walled carbon nanotubes grown by supported Co catalysts of different nominal thicknesses. <i>Applied Surface Science</i> , <b>2008</b> , 254, 6710-6714	6.7	22
44	Structure and magnetic property of c-axis oriented L10-FePt nanoparticles on TiN/a-Si underlayers. <i>Journal of Vacuum Science &amp; Technology B</i> , <b>2007</b> , 25, 1892		5
43	Spontaneous formation of Si nanocones vertically aligned to Si wafers. <i>Journal of Vacuum Science &amp; Technology B</i> , <b>2007</b> , 25, 808		2
42	Millimeter-Thick Single-Walled Carbon Nanotube Forests: Hidden Role of Catalyst Support. <i>Japanese Journal of Applied Physics</i> , <b>2007</b> , 46, L399-L401	1.4	180
41	Filling the gap between researchers studying different materials and different methods: a proposal for structured keywords. <i>Journal of Information Science</i> , <b>2006</b> , 32, 511-524	2	25
40	Nanostructural Evolution in Non-Epitaxial Growth of Thin Films. <i>Materials Research Society Symposia Proceedings</i> , <b>2006</b> , 961, 1		
39	Spectroscopic study of laser-induced phase transition of gold nanoparticles on nanosecond time scales and longer. <i>Journal of Physical Chemistry B</i> , <b>2006</b> , 110, 3114-9	3.4	63

38	Novel Analytical Method of Nanoparticle Dispersibility in Polymer Nanocomposites; TEM-CT and 3D Topological Analysis. <i>Journal of the Ceramic Society of Japan</i> , <b>2006</b> , 114, 638-642		
37	A simple combinatorial method to discover Co/Mo binary catalysts that grow vertically aligned single-walled carbon nanotubes. <i>Carbon</i> , <b>2006</b> , 44, 1414-1419	10.4	81
36	Supported Ni catalysts from nominal monolayer grow single-walled carbon nanotubes. <i>Chemical Physics Letters</i> , <b>2006</b> , 428, 381-385	2.5	18
35	Growth mode during initial stage of chemical vapor deposition. <i>Applied Surface Science</i> , <b>2005</b> , 245, 281-289	2.9	39
34	c-Axis Oriented Face-Centered-Tetragonal-FePt Nanoparticle Monolayer Formed on a Polycrystalline TiN Seed Layer. <i>Japanese Journal of Applied Physics</i> , <b>2005</b> , 44, 7957-7961	1.4	4
33	Combinatorial method to prepare metal nanoparticles that catalyze the growth of single-walled carbon nanotubes. <i>Applied Physics Letters</i> , <b>2005</b> , 86, 173106	3.4	45
32	Stranski-Krastanov Growth of Tungsten during Chemical Vapor Deposition Revealed by Micro-Auger Electron Spectroscopy. <i>Japanese Journal of Applied Physics</i> , <b>2004</b> , 43, 6974-6977	1.4	5
31	Nucleation of W during Chemical Vapor Deposition from WF <sub>6</sub> and SiH <sub>4</sub> . <i>Japanese Journal of Applied Physics</i> , <b>2004</b> , 43, 3945-3950	1.4	14
30	Selective Silicidation of Co Using Silane or Disilane for Anti-Oxidation Barrier Layer in Cu Metallization. <i>Japanese Journal of Applied Physics</i> , <b>2004</b> , 43, 6001-6007	1.4	3
29	Reaction of Si with HCl to Form Chlorosilanes. <i>Journal of the Electrochemical Society</i> , <b>2004</b> , 151, C399	3.9	9
28	Structuring knowledge on nanomaterials processing. <i>Chemical Engineering Science</i> , <b>2004</b> , 59, 5085-5090	4.4	5
27	Wettability and crystalline orientation of Cu nanoislands on SiO <sub>2</sub> with a Cr underlayer. <i>Applied Physics A: Materials Science and Processing</i> , <b>2004</b> , 79, 625-628	2.6	8
26	Incubation Time during Chemical Vapor Deposition of Si onto SiO <sub>2</sub> from Silane. <i>Chemical Vapor Deposition</i> , <b>2004</b> , 10, 128-133		18
25	A Simple Index to Restrain Abnormal Protrusions in Films Fabricated Using CVD under Diffusion-Limited Conditions. <i>Chemical Vapor Deposition</i> , <b>2004</b> , 10, 221-228		9
24	Use of process indices for simplification of the description of vapor deposition systems. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , <b>2004</b> , 111, 156-163	3.1	7
23	Combinatorial masked deposition: simple method to control deposition flux and its spatial distribution. <i>Applied Surface Science</i> , <b>2004</b> , 225, 372-379	6.7	20
22	Preferred orientation and film structure of TaN films deposited by reactive magnetron sputtering. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , <b>2004</b> , 22, 332-338	2.9	13
21	Effects of substrate heating and biasing on nanostructural evolution of nonepitaxially grown TiN nanofilms. <i>Journal of Vacuum Science &amp; Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , <b>2003</b> , 21, 2512		14

20	Comprehensive perspective on the mechanism of preferred orientation in reactive-sputter-deposited nitrides. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , <b>2003</b> , 21, 1943-1954	2.9	89
19	Structural and morphological control of nanosized Cu islands on SiO <sub>2</sub> using a Ti underlayer. <i>Journal of Applied Physics</i> , <b>2003</b> , 94, 3492-3497	2.5	19
18	Mechanisms Controlling Preferred Orientation of Chemical Vapour Deposited Polycrystalline Films. <i>Solid State Phenomena</i> , <b>2003</b> , 93, 411-418	0.4	7
17	Initial growth stage of nanoscaled TiN films: Formation of continuous amorphous layers and thickness-dependent crystal nucleation. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , <b>2003</b> , 21, 1717-1723	2.9	35
16	Amorphous-to-crystalline transition during the early stages of thin film growth of Cr on SiO <sub>2</sub> . <i>Journal of Applied Physics</i> , <b>2003</b> , 93, 9336-9344	2.5	21
15	Growth of Trumpet-Like Protrusions During the CVD of Silicon Carbide Films. <i>Chemical Vapor Deposition</i> , <b>2002</b> , 8, 52-55		4
14	Cone Structure Formation by Preferred Growth of Random Nuclei in Chemical Vapor Deposited Epitaxial Silicon Films. <i>Chemical Vapor Deposition</i> , <b>2002</b> , 8, 87-89		4
13	Preferred Orientation of Chemical Vapor Deposited Polycrystalline Silicon Carbide Films. <i>Chemical Vapor Deposition</i> , <b>2002</b> , 8, 99-104		42
12	A new insight into the growth mode of metals on TiO <sub>2</sub> (110). <i>Surface Science</i> , <b>2002</b> , 513, 530-538	1.8	53
11	Initial growth and texture formation during reactive magnetron sputtering of TiN on Si(111). <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , <b>2002</b> , 20, 583-588	2.9	67
10	Effect of interfacial interactions on the initial growth of Cu on clean SiO <sub>2</sub> and 3-mercaptopropyltrimethoxysilane-modified SiO <sub>2</sub> substrates. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , <b>2002</b> , 20, 589-596	2.9	41
9	NO Reduction under the Excess O <sub>2</sub> Condition by Porous VYCOR Catalyst.. <i>Journal of Chemical Engineering of Japan</i> , <b>2001</b> , 34, 834-839	0.8	
8	Structure and morphology of self-assembled 3-mercaptopropyltrimethoxysilane layers on silicon oxide. <i>Applied Surface Science</i> , <b>2001</b> , 181, 307-316	6.7	143
7	Internal Microstructure and Formation Mechanism of Surface Protrusions in Pb-Ti-Nb-O Thin Films Prepared by MOCVD. <i>Chemical Vapor Deposition</i> , <b>2001</b> , 7, 253-259		3
6	Influence of Deposition Temperature on the Microstructure of Pb-Ti-Nb-O Thin Films by Metallorganic Chemical Vapor Deposition. <i>Journal of the Electrochemical Society</i> , <b>2001</b> , 148, C227	3.9	20
5	Gas-Phase Hydroxyl Radical Emission in the Thermal Decomposition of Lithium Hydroxide. <i>Journal of Physical Chemistry B</i> , <b>1999</b> , 103, 1954-1959	3.4	7
4	Gas-Phase Hydroxyl Radical Generation by the Surface Reactions over Basic Metal Oxides. <i>Journal of Physical Chemistry B</i> , <b>1998</b> , 102, 3185-3191	3.4	12
3	The Pitfalls of Using Potentiodynamic Polarization Curves for Tafel Analysis in Electrocatalytic Water Splitting. <i>ACS Energy Letters</i> , 1607-1611	20.1	79

- 2 iR drop correction in electrocatalysis: everything one needs to know!. *Journal of Materials Chemistry A*, 13 3
- 1 Layered 2D PtX<sub>2</sub> (X = S, Se, Te) for the electrocatalytic HER in comparison with Mo/WX<sub>2</sub> and Pt/C: are we missing the bigger picture?. *Energy and Environmental Science*, 35:4 4