

# Xiao-Jun Liao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/589259/publications.pdf>

Version: 2024-02-01

140  
papers

3,930  
citations

117571

34  
h-index

189801

50  
g-index

144  
all docs

144  
docs citations

144  
times ranked

3504  
citing authors

#	ARTICLE	IF	CITATIONS
1	Strategy for anthocyanins production: From efficient green extraction to novel microbial biosynthesis. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 9409-9424.	5.4	11
2	Nanocellulose: a promising green treasure from food wastes to available food materials. <i>Critical Reviews in Food Science and Nutrition</i> , 2022, 62, 989-1002.	5.4	51
3	Extraction, purification, bioactivity and pharmacological effects of capsaicin: a review. <i>Critical Reviews in Food Science and Nutrition</i> , 2022, 62, 5322-5348.	5.4	39
4	A review of fruit juice authenticity assessments: Targeted and untargeted analyses. <i>Critical Reviews in Food Science and Nutrition</i> , 2022, 62, 6081-6102.	5.4	13
5	Bioactive compounds, health benefits and functional food products of sea buckthorn: a review. <i>Critical Reviews in Food Science and Nutrition</i> , 2022, 62, 6761-6782.	5.4	43
6	Facile extraction and characterization of cellulose nanocrystals from agricultural waste sugarcane straw. <i>Journal of the Science of Food and Agriculture</i> , 2022, 102, 312-321.	1.7	31
7	<i>In silico</i> identification of novel small molecule umami peptide from ovotransferrin. <i>International Journal of Food Science and Technology</i> , 2022, 57, 2628-2635.	1.3	8
8	Analysis of coloration characteristics of Tunisian soft-seed pomegranate arils based on transcriptome and metabolome. <i>Food Chemistry</i> , 2022, 370, 131270.	4.2	12
9	Non-volatile and volatile metabolic profiling of tomato juice processed by high-hydrostatic-pressure and high-temperature short-time. <i>Food Chemistry</i> , 2022, 371, 131161.	4.2	23
10	Aggregation induced by the synergy of sodium chloride and high-pressure improves chlorophyll stability. <i>Food Chemistry</i> , 2022, 366, 130577.	4.2	14
11	Effect of high-pressure processing and thermal treatments on color and <i>in vitro</i> bioaccessibility of anthocyanin and antioxidants in cloudy pomegranate juice. <i>Food Chemistry</i> , 2022, 373, 131397.	4.2	22
12	Evaluation Study on Extraction of Anthocyanins from Red Cabbage Using High Pressure CO <sub>2</sub> + H <sub>2</sub> O: A Fuzzy Logic Model and Metabolomic Analysis. <i>Sustainability</i> , 2022, 14, 1369.	1.6	4
13	Extracellular pH decline introduced by high pressure carbon dioxide is a main factor inducing bacteria to enter viable but non-culturable state. <i>Food Research International</i> , 2022, 151, 110895.	2.9	14
14	Improvement of antioxidant properties of jujube puree by biotransformation of polyphenols via <i>Streptococcus thermophilus</i> fermentation. <i>Food Chemistry: X</i> , 2022, 13, 100214.	1.8	16
15	Dual aggregation in ground state and ground-excited state induced by high concentrations contributes to chlorophyll stability. <i>Food Chemistry</i> , 2022, 383, 132447.	4.2	2
16	Production of a Novel Superoxide Dismutase by <i>Escherichia coli</i> and <i>Pichia pastoris</i> and Analysis of the Thermal Stability of the Enzyme. <i>Frontiers in Nutrition</i> , 2022, 9, 850824.	1.6	2
17	Extraction and profiling of proteins in yellow powder from sweet potato starch wastewater using response surface methodology and proteomic approach. <i>Journal of Food Science</i> , 2022, 87, 339-352.	1.5	2
18	Inactivation of <i>Bacillus subtilis</i> by Curcumin-Mediated Photodynamic Technology through Inducing Oxidative Stress Response. <i>Microorganisms</i> , 2022, 10, 802.	1.6	7

#	ARTICLE	IF	CITATIONS
19	Antitumor mechanisms of an exopolysaccharide from <i>Lactobacillus fermentum</i> on HT-29 cells and HT-29 tumor-bearing mice. <i>International Journal of Biological Macromolecules</i> , 2022, 209, 552-562.	3.6	26
20	Effect of ultra-high pressure homogenization on microorganism and quality of composite pear juice. <i>Food Science and Nutrition</i> , 2022, 10, 3072-3084.	1.5	4
21	Inhibition effect of high hydrostatic pressure combined with epigallocatechin gallate treatments on pectin methylesterase in orange juice and model system. <i>Food Chemistry</i> , 2022, 390, 133147.	4.2	5
22	Supercritical Carbon Dioxide Applications in Food Processing. <i>Food Engineering Reviews</i> , 2021, 13, 570-591.	3.1	32
23	Effect of High Pressure Processing on the Preparation and Characteristic Changes of Biopolymer-Based Films in Food Packaging Applications. <i>Food Engineering Reviews</i> , 2021, 13, 454-464.	3.1	9
24	Shifts in autochthonous microbial diversity and volatile metabolites during the fermentation of chili pepper ( <i>Capsicum frutescens</i> L.). <i>Food Chemistry</i> , 2021, 335, 127512.	4.2	77
25	Insights into the major aroma-active compounds in clear red raspberry juice ( <i>Rubus idaeus</i> L. cv.) Tj ETQq1 1 0.784314 rgBT /Overlock 43	4.2	43
26	Effects of sugar matrices on the release of key aroma compounds in fresh and high hydrostatic pressure processed Tainong mango juices. <i>Food Chemistry</i> , 2021, 338, 128117.	4.2	27
27	Comprehensive investigation on volatile and non-volatile metabolites in broccoli juices fermented by animal- and plant-derived <i>Pediococcus pentosaceus</i> . <i>Food Chemistry</i> , 2021, 341, 128118.	4.2	24
28	Effects of frying, roasting and boiling on aroma profiles of adzuki beans ( <i>Vigna angularis</i> ) and potential of adzuki bean and millet flours to improve flavor and sensory characteristics of biscuits. <i>Food Chemistry</i> , 2021, 339, 127878.	4.2	45
29	Production of high sensory quality Shiitake mushroom ( <i>Lentinus edodes</i> ) by pulsed air-impingement jet drying (AID) technique. <i>Food Chemistry</i> , 2021, 341, 128290.	4.2	35
30	Rheological behavior and particle alignment of cellulose nanocrystal and its composite hydrogels during 3D printing. <i>Carbohydrate Polymers</i> , 2021, 253, 117217.	5.1	81
31	Isolation and identification of putative precursors of the volatile sulfur compounds and their inhibition methods in heat-sterilized melon juices. <i>Food Chemistry</i> , 2021, 343, 128459.	4.2	24
32	Physicochemical properties of seed protein isolates extracted from pepper meal by pressure-assisted and conventional solvent defatting. <i>Food and Function</i> , 2021, 12, 11033-11045.	2.1	3
33	The Impact of N <sub>2</sub> -Assisted High-Pressure Processing on the Microorganisms and Quality Indices of Fresh-Cut Bell Peppers. <i>Foods</i> , 2021, 10, 508.	1.9	5
34	High pressure processing combined with selected hurdles: Enhancement in the inactivation of vegetative microorganisms. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 1800-1828.	5.9	20
35	A new <i>Leuconostoc citreum</i> strain discovered in the traditional sweet potato sour liquid fermentation as a novel bioflocculant for highly efficient starch production. <i>Food Research International</i> , 2021, 144, 110327.	2.9	5
36	Forward osmosis concentration of high viscous polysaccharides of <i>Dendrobium officinale</i> : Process optimisation and membrane fouling analysis. <i>International Journal of Food Science and Technology</i> , 2021, 56, 4871-4882.	1.3	3

#	ARTICLE	IF	CITATIONS
37	Induced changes in bioactive compounds of broccoli juices after fermented by animal- and plant-derived <i>Pediococcus pentosaceus</i> . <i>Food Chemistry</i> , 2021, 357, 129767.	4.2	19
38	The effect of high pressure combined with moderate temperature and peptidoglycan fragments on spore inactivation. <i>Food Research International</i> , 2021, 148, 110615.	2.9	9
39	Metagenomics reveals the formation mechanism of flavor metabolites during the spontaneous fermentation of potherb mustard ( <i>Brassica juncea</i> var. <i>multiceps</i> ). <i>Food Research International</i> , 2021, 148, 110622.	2.9	33
40	Early-life polyphenol intake promotes <i>Akkermansia</i> growth and increase of host goblet cells in association with the potential synergistic effect of <i>Lactobacillus</i> . <i>Food Research International</i> , 2021, 149, 110648.	2.9	19
41	Biological transformation of chlorophyll-rich spinach ( <i>Spinacia oleracea</i> L.) extracts under in vitro gastrointestinal digestion and colonic fermentation. <i>Food Research International</i> , 2021, 139, 109941.	2.9	18
42	Enhanced rehydration behaviors of micellar casein powder: The effects of high hydrostatic pressure treatments on micelle structures. <i>Food Research International</i> , 2021, 150, 110797.	2.9	7
43	Profiling Phenolic Composition in Pomegranate Peel From Nine Selected Cultivars Using UHPLC-QTOF-MS and UPLC-QQQ-MS. <i>Frontiers in Nutrition</i> , 2021, 8, 807447.	1.6	16
44	A Novel Method of a High Pressure Processing Pre-Treatment on the Juice Yield and Quality of Persimmon. <i>Foods</i> , 2021, 10, 3069.	1.9	5
45	Effect of microwave and air-borne ultrasound-assisted air drying on drying kinetics and phytochemical properties of broccoli floret. <i>Drying Technology</i> , 2020, 38, 1733-1748.	1.7	25
46	Letting wine polyphenols functional: Estimation of wine polyphenols bioaccessibility under different drinking amount and drinking patterns. <i>Food Research International</i> , 2020, 127, 108704.	2.9	38
47	Gas chromatography–mass spectrometry combined with multivariate data analysis as a tool for differentiating between processed orange juice samples on the basis of their volatile markers. <i>Food Chemistry</i> , 2020, 311, 125913.	4.2	37
48	Induction, detection, formation, and resuscitation of viable but non-culturable state microorganisms. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2020, 19, 149-183.	5.9	144
49	Compared analysis of microbial diversity in donkey milk from Xinjiang and Shandong of China through High-throughput sequencing. <i>Food Research International</i> , 2020, 137, 109684.	2.9	13
50	Guidelines for absolute quantitative real-time PCR for microbial determination in <i>in vitro</i> gastrointestinal digestion. <i>Food Frontiers</i> , 2020, 1, 200-204.	3.7	15
51	Control of pathogenic and spoilage bacteria in meat and meat products by high pressure: Challenges and future perspectives. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2020, 19, 3476-3500.	5.9	29
52	Improving the production efficiency of sweet potato starch using a newly designed sedimentation tank during starch sedimentation process. <i>Journal of Food Processing and Preservation</i> , 2020, 44, e14811.	0.9	7
53	Masking the Perceived Astringency of Proanthocyanidins in Beverages Using Oxidized Starch Hydrogel Microencapsulation. <i>Foods</i> , 2020, 9, 756.	1.9	10
54	Enhanced water extraction with high-pressure carbon dioxide on purple sweet potato pigments: Comparison to traditional aqueous and ethanolic extraction. <i>Journal of CO2 Utilization</i> , 2020, 40, 101188.	3.3	12

#	ARTICLE	IF	CITATIONS
55	Use of information dependent acquisition mass spectra and sequential window acquisition of all theoretical fragment-ion mass spectra for fruit juices metabolomics and authentication. <i>Metabolomics</i> , 2020, 16, 81.	1.4	11
56	Quality comparison of black garlic processed by High Hydrostatic Pressure and High Pressure Carbon Dioxide. <i>Scientific Reports</i> , 2020, 10, 3719.	1.6	6
57	Acceleration of the Maillard reaction and achievement of product quality by high pressure pretreatment during black garlic processing. <i>Food Chemistry</i> , 2020, 318, 126517.	4.2	29
58	The application of pseudotargeted metabolomics method for fruit juices discrimination. <i>Food Chemistry</i> , 2020, 316, 126278.	4.2	19
59	Strategy of Fusion Covalent Organic Frameworks and Molecularly Imprinted Polymers: A Surprising Effect in Recognition and Loading of Cyanidin-3-O-glucoside. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 8751-8760.	4.0	51
60	Dietary <i>Luffa cylindrica</i> (L.) Roem promotes branched-chain amino acid catabolism in the circulation system via gut microbiota in diet-induced obese mice. <i>Food Chemistry</i> , 2020, 320, 126648.	4.2	36
61	High pressure-assisted vacuum-freeze drying: A novel, efficient way to accelerate moisture migration in shrimp processing. <i>Journal of Food Science</i> , 2020, 85, 1167-1176.	1.5	16
62	<i>Food Frontiers</i> : An academically sponsored new journal. <i>Food Frontiers</i> , 2020, 1, 3-5.	3.7	1
63	Correlation between autochthonous microbial communities and key odorants during the fermentation of red pepper ( <i>Capsicum annuum</i> L.). <i>Food Microbiology</i> , 2020, 91, 103510.	2.1	62
64	The modulation of <i>Luffa cylindrica</i> (L.) Roem supplementation on gene expression and amino acid profiles in liver for alleviating hepatic steatosis via gut microbiota in high-fat diet-fed mice: insight from hepatic transcriptome analysis. <i>Journal of Nutritional Biochemistry</i> , 2020, 80, 108365.	1.9	12
65	Chemical characterization and comparison of two chestnut rose cultivars from different regions. <i>Food Chemistry</i> , 2020, 323, 126806.	4.2	21
66	Integrating untargeted metabolomics and targeted analysis for not from concentrate and from concentrate orange juices discrimination and authentication. <i>Food Chemistry</i> , 2020, 329, 127130.	4.2	38
67	Effect of high hydrostatic pressure processing on textural properties and microstructural characterization of fresh-cut pumpkin ( <i>Cucurbita pepo</i> ). <i>Journal of Food Process Engineering</i> , 2020, 43, e13379.	1.5	18
68	Chlorophyll Supplementation in Early Life Prevents Diet-Induced Obesity and Modulates Gut Microbiota in Mice. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1801219.	1.5	37
69	Building of Pressure-Assisted Ultra-High Temperature System and Its Inactivation of Bacterial Spores. <i>Frontiers in Microbiology</i> , 2019, 10, 1275.	1.5	8
70	Quality Changes of Orange Juice after DPCD Treatment. <i>Journal of Food Quality</i> , 2019, 2019, 1-8.	1.4	2
71	Effects of high pressure processing on the interaction of $\beta$ -lactalbumin and pelargonidin-3-glucoside. <i>Food Chemistry</i> , 2019, 285, 22-30.	4.2	24
72	Use of liquid chromatography quadrupole time-of-flight mass spectrometry and metabolomic approach to discriminate coffee brewed by different methods. <i>Food Chemistry</i> , 2019, 286, 106-112.	4.2	38

#	ARTICLE	IF	CITATIONS
73	Mechanism of inactivation of <i>Bacillus subtilis</i> spores by high pressure CO <sub>2</sub> at high temperature. <i>Food Microbiology</i> , 2019, 82, 36-45.	2.1	11
74	Effects of high pressure on activities and properties of superoxide dismutase from chestnut rose. <i>Food Chemistry</i> , 2019, 294, 557-564.	4.2	21
75	Comparison of the compounds and characteristics of pepper seed oil by pressure-assisted, ultrasound-assisted and conventional solvent extraction. <i>Innovative Food Science and Emerging Technologies</i> , 2019, 54, 78-86.	2.7	34
76	Characterization of the major aroma-active compounds in Keitt mango juice: Comparison among fresh, pasteurization and high hydrostatic pressure processing juices. <i>Food Chemistry</i> , 2019, 289, 215-222.	4.2	85
77	Purification and Characterization of Superoxide Dismutases from Sea Buckthorn and Chestnut Rose. <i>Journal of Food Science</i> , 2019, 84, 746-753.	1.5	11
78	Identification of Cyanidin-3-arabinoside Extracted from Blueberry as a Selective Protein Tyrosine Phosphatase 1B Inhibitor. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 13624-13634.	2.4	49
79	The Association of Cell Division Regulated by DicC With the Formation of Viable but Non-culturable <i>Escherichia coli</i> O157:H7. <i>Frontiers in Microbiology</i> , 2019, 10, 2850.	1.5	13
80	Influence of uniform magnetic field on physicochemical properties of freeze-thawed avocado puree. <i>RSC Advances</i> , 2019, 9, 39595-39603.	1.7	17
81	Decreased resistance of sublethally injured <i>Escherichia coli</i> O157:H7 to salt, mild heat, nisin and acids induced by high pressure carbon dioxide. <i>International Journal of Food Microbiology</i> , 2018, 269, 137-143.	2.1	11
82	Impact of High Hydrostatic Pressure on the Shelling Efficacy, Physicochemical Properties, and Microstructure of Fresh Razor Clam ( <i>Sinonovacula constricta</i> ). <i>Journal of Food Science</i> , 2018, 83, 284-293.	1.5	24
83	Effects of lowering water activity by various humectants on germination of spores of <i>Bacillus</i> species with different germinants. <i>Food Microbiology</i> , 2018, 72, 112-127.	2.1	22
84	Inactivation kinetics, structural, and morphological modification of mango soluble acid invertase by high pressure processing combined with mild temperatures. <i>Food Research International</i> , 2018, 105, 845-852.	2.9	6
85	Isolation of strawberry anthocyanins using high-speed counter-current chromatography and the copigmentation with catechin or epicatechin by high pressure processing. <i>Food Chemistry</i> , 2018, 247, 81-88.	4.2	30
86	Application of nisin-assisted thermosonication processing for preservation and quality retention of fresh apple juice. <i>Ultrasonics Sonochemistry</i> , 2018, 42, 244-249.	3.8	44
87	Sulfated modification and anticoagulant activity of pumpkin ( <i>Cucurbita pepo</i> , Lady Godiva) polysaccharide. <i>International Journal of Biological Macromolecules</i> , 2018, 106, 447-455.	3.6	55
88	Characterization of Diversity and Probiotic Efficiency of the Autochthonous Lactic Acid Bacteria in the Fermentation of Selected Raw Fruit and Vegetable Juices. <i>Frontiers in Microbiology</i> , 2018, 9, 2539.	1.5	39
89	Effects of different pretreatments on pumpkin ( <i>Cucurbita pepo</i> ) lignocellulose degradation. <i>International Journal of Biological Macromolecules</i> , 2018, 120, 665-672.	3.6	14
90	Novel application of CO <sub>2</sub> -assisted high pressure processing in cucumber juice and apple juice. <i>LWT - Food Science and Technology</i> , 2018, 96, 491-498.	2.5	15

#	ARTICLE	IF	CITATIONS
91	Effects of high pressure processing on activity and structure of soluble acid invertase in mango pulp, crude extract, purified form and model systems. <i>Food Chemistry</i> , 2017, 231, 96-104.	4.2	15
92	Purification and characterisation of soluble acid invertase from mango fruits. <i>International Journal of Food Science and Technology</i> , 2017, 52, 906-915.	1.3	7
93	CO <sub>2</sub> -assisted high pressure processing on inactivation of <i>Escherichia coli</i> and <i>Staphylococcus aureus</i> . <i>Journal of CO<sub>2</sub> Utilization</i> , 2017, 22, 53-62.	3.3	26
94	iTRAQ-Based Proteomic Analysis of Sublethally Injured <i>Escherichia coli</i> O157:H7 Cells Induced by High Pressure Carbon Dioxide. <i>Frontiers in Microbiology</i> , 2017, 8, 2544.	1.5	7
95	“Laba”™ garlic processed by dense phase carbon dioxide: the relation between green colour generation and cellular structure, alliin consumption and alliinase activity. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 2969-2975.	1.7	7
96	Effects of High-Pressure Processing with or without Blanching on the Antioxidant and Physicochemical Properties of Mango Pulp. <i>Food and Bioprocess Technology</i> , 2016, 9, 1306-1316.	2.6	10
97	New Insights into the Formation of Viable but Nonculturable <i>Escherichia coli</i> O157:H7 Induced by High-Pressure CO <sub>2</sub> . <i>MBio</i> , 2016, 7, .	1.8	82
98	Role of peach proteins in juice precipitation induced by high pressure CO <sub>2</sub> . <i>Food Chemistry</i> , 2016, 209, 81-89.	4.2	8
99	Effects of high hydrostatic pressure on chlorophylls and chlorophyll-protein complexes in spinach. <i>European Food Research and Technology</i> , 2016, 242, 1533-1543.	1.6	13
100	Comparison of High Hydrostatic Pressure, High-Pressure Carbon Dioxide and High-Temperature Short-Time Processing on Quality of Mulberry Juice. <i>Food and Bioprocess Technology</i> , 2016, 9, 217-231.	2.6	62
101	Potential of high-pressure processing and high-temperature/short-time thermal processing on microbial, physicochemical and sensory assurance of clear cucumber juice. <i>Innovative Food Science and Emerging Technologies</i> , 2016, 34, 51-58.	2.7	61
102	Quality of Banana Puree During Storage: a Comparison of High Pressure Processing and Thermal Pasteurization Methods. <i>Food and Bioprocess Technology</i> , 2016, 9, 407-420.	2.6	28
103	Korla pear juice treated by ultrafiltration followed by high pressure processing or high temperature short time. <i>LWT - Food Science and Technology</i> , 2016, 65, 283-289.	2.5	33
104	Effect of High-pressure CO <sub>2</sub> Processing on Bacterial Spores. <i>Critical Reviews in Food Science and Nutrition</i> , 2016, 56, 1808-1825.	5.4	27
105	The effect of ultrasound on particle size, color, viscosity and polyphenol oxidase activity of diluted avocado puree. <i>Ultrasonics Sonochemistry</i> , 2015, 27, 567-575.	3.8	105
106	A Comparative Study of Changes in Microbiological Quality and Physicochemical Properties of N <sub>2</sub> -Infused and N <sub>2</sub> -Degassed Banana Smoothies After High Pressure Processing. <i>Food and Bioprocess Technology</i> , 2015, 8, 333-342.	2.6	23
107	Inactivation of <i>Bacillus subtilis</i> spores by high pressure CO <sub>2</sub> with high temperature. <i>International Journal of Food Microbiology</i> , 2015, 205, 73-80.	2.1	26
108	Microorganisms and Some Quality of Red Grapefruit Juice Affected by High Pressure Processing and High Temperature Short Time. <i>Food and Bioprocess Technology</i> , 2015, 8, 2096-2108.	2.6	31

#	ARTICLE	IF	CITATIONS
109	Enzyme Activity and Nutritional Quality of Peach ( <i>Prunus persica</i> ) Juice: Effect of High Hydrostatic Pressure. <i>International Journal of Food Properties</i> , 2014, 17, 1406-1417.	1.3	40
110	Inactivation of microorganisms naturally present in raw bovine milk by high-pressure carbon dioxide. <i>International Journal of Food Science and Technology</i> , 2014, 49, 696-702.	1.3	17
111	Effects of High Hydrostatic Pressure Combined with Blanching on Microorganisms and Quality Attributes of Cloudy and Clear Strawberry Juices. <i>International Journal of Food Properties</i> , 2014, 17, 1900-1920.	1.3	12
112	Effects of Anti-browning Combinations of Ascorbic Acid, Citric Acid, Nitrogen and Carbon Dioxide on the Quality of Banana Smoothies. <i>Food and Bioprocess Technology</i> , 2014, 7, 161-173.	2.6	44
113	Comparing the Effects of High Hydrostatic Pressure and Thermal Processing on Blanched and Unblanched Mango ( <i>Mangifera indica</i> L.) Nectar: Using Headspace Fingerprinting as an Untargeted Approach. <i>Food and Bioprocess Technology</i> , 2014, 7, 3000-3011.	2.6	35
114	Effect of Ultrafiltration Combined with High-Pressure Processing on Safety and Quality Features of Fresh Apple Juice. <i>Food and Bioprocess Technology</i> , 2014, 7, 3246-3258.	2.6	37
115	Influence of Pulsed Electric Field and Thermal Treatments on the Quality of Blueberry Juice. <i>International Journal of Food Properties</i> , 2014, 17, 1419-1427.	1.3	35
116	Inactivation of naturally occurring microbiota in cucumber juice by pressure treatment. <i>International Journal of Food Microbiology</i> , 2014, 174, 12-18.	2.1	19
117	Inactivation of <i>Escherichia coli</i> O157:H7 by high pressure carbon dioxide combined with nisin in physiological saline, phosphate-buffered saline and carrot juice. <i>Food Control</i> , 2014, 41, 139-146.	2.8	16
118	Comparison of Microbial Inactivation and Rheological Characteristics of Mango Pulp after High Hydrostatic Pressure Treatment and High Temperature Short Time Treatment. <i>Food and Bioprocess Technology</i> , 2013, 6, 2675.	2.6	18
119	Influence of Pressurization Rate and Mode on Inactivation of Natural Microorganisms in Purple Sweet Potato Nectar by High Hydrostatic Pressure. <i>Food and Bioprocess Technology</i> , 2013, 6, 1570-1579.	2.6	27
120	Comparing the effects of high hydrostatic pressure and thermal pasteurization combined with nisin on the quality of cucumber juice drinks. <i>Innovative Food Science and Emerging Technologies</i> , 2013, 17, 27-36.	2.7	99
121	Kinetics of 5-hydroxymethylfurfural formation in chinese acacia honey during heat treatment. <i>Food Science and Biotechnology</i> , 2012, 21, 1627-1632.	1.2	9
122	Isolation and identification of high pressure-resistant bacteria naturally contaminating strawberry pulp. <i>International Journal of Food Science and Technology</i> , 2012, 47, 2620-2626.	1.3	4
123	Textural Changes of Yellow Peach in Pouches Processed by High Hydrostatic Pressure and Thermal Processing During Storage. <i>Food and Bioprocess Technology</i> , 2012, 5, 3170-3180.	2.6	29
124	Oligosaccharides prepared by acid hydrolysis of polysaccharides from pumpkin ( <i>Cucurbita</i> ) <i>Food Science and Technology</i> , 2011, 46, 982-987.	1.3	33
125	The contribution of high pressure carbon dioxide in the inactivation kinetics and structural alteration of myrosinase. <i>International Journal of Food Science and Technology</i> , 2011, 46, 1545-1553.	1.3	10
126	Characteristics of thin-layer drying and rehydration of nata de coco. <i>International Journal of Food Science and Technology</i> , 2011, 46, 1438-1444.	1.3	8



#	ARTICLE	IF	CITATIONS
127	ENERGY REQUIREMENT AND QUALITY ASPECTS OF CHINESE JUJUBE ( <i>ZIZYPHUS JUJUBA MILLER</i> ) IN HOT AIR DRYING FOLLOWED BY MICROWAVE DRYING. <i>Journal of Food Process Engineering</i> , 2011, 34, 491-510.	1.5	30
128	Effects of high-pressure carbon dioxide on proteins and DNA in <i>Escherichia coli</i> . <i>Microbiology (United Kingdom)</i> , 2011, 157, 709-720.	0.7	20
129	Extraction of anthocyanins from red cabbage using high pressure CO <sub>2</sub> . <i>Bioresource Technology</i> , 2010, 101, 7151-7157.	4.8	55
130	Effects of microwave and ultrasonic wave treatment on inactivation of <i>Alicyclobacillus</i> . <i>International Journal of Food Science and Technology</i> , 2010, 45, 459-465.	1.3	16
131	Acceleration of Precipitation Formation in Peach Juice Induced by High-Pressure Carbon Dioxide. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 9605-9610.	2.4	27
132	Effect of high pressure carbon dioxide on the quality of carrot juice. <i>Innovative Food Science and Emerging Technologies</i> , 2009, 10, 321-327.	2.7	128
133	Isolation, identification, and color characterization of cyanidin-3-glucoside and cyanidin-3-sophoroside from red raspberry. <i>European Food Research and Technology</i> , 2008, 226, 395-403.	1.6	16
134	Inactivation of <i>Escherichia coli</i> inoculated into cloudy apple juice exposed to dense phase carbon dioxide. <i>International Journal of Food Microbiology</i> , 2007, 118, 126-131.	2.1	97
135	Kinetic analysis of the degradation and its color change of cyanidin-3-glucoside exposed to pulsed electric field. <i>European Food Research and Technology</i> , 2007, 224, 597-603.	1.6	40
136	Optimization of microwave-assisted extraction of anthocyanins in red raspberries and identification of anthocyanin of extracts using high-performance liquid chromatography – mass spectrometry. <i>European Food Research and Technology</i> , 2007, 225, 511-523.	1.6	88
137	Inactivation and reactivation of horseradish peroxidase treated with supercritical carbon dioxide. <i>European Food Research and Technology</i> , 2006, 222, 105-111.	1.6	21
138	Kinetic analysis of non-enzymatic browning in carrot juice concentrate during storage. <i>European Food Research and Technology</i> , 2006, 223, 282-289.	1.6	75
139	Change of polyphenol oxidase activity, color, and browning degree during storage of cloudy apple juice treated by supercritical carbon dioxide. <i>European Food Research and Technology</i> , 2006, 223, 427-432.	1.6	55
140	Inactivation and kinetic model for the <i>Escherichia coli</i> treated by a co-axial pulsed electric field. <i>European Food Research and Technology</i> , 2005, 221, 752-758.	1.6	28