

Seung Soo Yoo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5893821/publications.pdf>

Version: 2024-02-01

72
papers

637
citations

623699

14
h-index

752679

20
g-index

72
all docs

72
docs citations

72
times ranked

1171
citing authors

#	ARTICLE	IF	CITATIONS
1	Functional polymorphisms in PD-L1 gene are associated with the prognosis of patients with early stage non-small cell lung cancer. <i>Gene</i> , 2017, 599, 28-35.	2.2	47
2	Polymorphisms in the CASPASE Genes and Survival in Patients With Early-Stage Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2009, 27, 5823-5829.	1.6	37
3	Putative functional variants of XRCC1 identified by RegulomeDB were not associated with lung cancer risk in a Korean population. <i>Cancer Genetics</i> , 2015, 208, 19-24.	0.4	33
4	Expression of key regulatory genes in necroptosis and its effect on the prognosis in non-small cell lung cancer. <i>Journal of Cancer</i> , 2020, 11, 5503-5510.	2.5	32
5	Functional intronic ERCC1 polymorphism from regulomeDB can predict survival in lung cancer after surgery. <i>Oncotarget</i> , 2015, 6, 24522-24532.	1.8	24
6	Replication of the results of genome-wide and candidate gene association studies on telomere length in a Korean population. <i>Korean Journal of Internal Medicine</i> , 2015, 30, 719-726.	1.7	24
7	TERT Polymorphism rs2853669 Influences on Lung Cancer Risk in the Korean Population. <i>Journal of Korean Medical Science</i> , 2015, 30, 1423.	2.5	23
8	Clinical implication of minimal presence of solid or micropapillary subtype in early-stage lung adenocarcinoma. <i>Thoracic Cancer</i> , 2021, 12, 235-244.	1.9	23
9	Functional intronic variant of <i>SLC5A10</i> affects <i>DRG2</i> expression and survival outcomes of early-stage non-small cell lung cancer. <i>Cancer Science</i> , 2018, 109, 3902-3909.	3.9	22
10	Unmethylation of the <i>CHRN4</i> gene is an unfavorable prognostic factor in non-small cell lung cancer. <i>Lung Cancer</i> , 2014, 86, 85-90.	2.0	17
11	Clinical relevance of ground glass opacity in 105 patients with miliary tuberculosis. <i>Respiratory Medicine</i> , 2014, 108, 924-930.	2.9	17
12	The pri-let-7a-2 rs1143770C>T is associated with prognosis of surgically resected non-small cell lung cancer. <i>Gene</i> , 2016, 577, 148-152.	2.2	17
13	Pleural fluid adenosine deaminase/serum C-reactive protein ratio for the differentiation of tuberculous and parapneumonic effusions with neutrophilic predominance and high adenosine deaminase levels. <i>Infection</i> , 2017, 45, 59-65.	4.7	15
14	<i>RACK1</i> is a candidate gene associated with the prognosis of patients with early stage non-small cell lung cancer. <i>Oncotarget</i> , 2015, 6, 4451-4466.	1.8	15
15	Comparison of Early and Late Tuberculosis Deaths in Korea. <i>Journal of Korean Medical Science</i> , 2017, 32, 700.	2.5	13
16	Differential diagnosis between lymphoma-associated malignant pleural effusion and tuberculous pleural effusion. <i>Annals of Translational Medicine</i> , 2019, 7, 373-373.	1.7	13
17	Predictive Factors and Treatment Outcomes of Tuberculous Pleural Effusion in Patients With Cancer and Pleural Effusion. <i>American Journal of the Medical Sciences</i> , 2017, 354, 125-130.	1.1	12
18	A Panel of Genetic Polymorphism for the Prediction of Prognosis in Patients with Early Stage Non-Small Cell Lung Cancer after Surgical Resection. <i>PLoS ONE</i> , 2015, 10, e0140216.	2.5	11

#	ARTICLE	IF	CITATIONS
19	A genetic variation in microRNA target site of <i>ETS2</i> is associated with clinical outcomes of paclitaxel-cisplatin chemotherapy in non-small cell lung cancer. <i>Oncotarget</i> , 2016, 7, 15948-15958.	1.8	11
20	Anti-angiogenesis revisited: reshaping the treatment landscape of advanced non-small cell lung cancer. <i>Archives of Pharmacal Research</i> , 2022, 45, 263-279.	6.3	11
21	Real World Experience of Nivolumab in Non-Small Cell Lung Cancer in Korea. <i>Cancer Research and Treatment</i> , 2020, 52, 1112-1119.	3.0	10
22	RET Fusion Genes in Korean Non-Small Cell Lung Cancer. <i>Journal of Korean Medical Science</i> , 2013, 28, 1555.	2.5	9
23	Mycobacterial load affects adenosine deaminase 2 levels of tuberculous pleural effusion. <i>Journal of Infection</i> , 2015, 71, 488-491.	3.3	9
24	Intronic variant of <i>EGFR</i> is associated with GBAS expression and survival outcome of early-stage non-small cell lung cancer. <i>Thoracic Cancer</i> , 2018, 9, 916-923.	1.9	9
25	Real-world use of osimertinib in non-small cell lung cancer: ASTRIS study Korean subgroup analysis. <i>Current Medical Research and Opinion</i> , 2020, 36, 477-482.	1.9	9
26	Demographic and Clinical Factors Associated With Anti-SARS-CoV-2 Antibody Levels After 2 BNT162b2 mRNA Vaccine Doses. <i>JAMA Network Open</i> , 2022, 5, e2212996.	5.9	9
27	Glucose Transporter 1 Gene Variants Predict the Prognosis of Patients with Early-Stage Non-small Cell Lung Cancer. <i>Annals of Surgical Oncology</i> , 2018, 25, 3396-3403.	1.5	8
28	Bacterial pneumonia following cytotoxic chemotherapy for lung cancer: Clinical features, treatment outcome and prognostic factors. <i>Scandinavian Journal of Infectious Diseases</i> , 2010, 42, 734-740.	1.5	7
29	Effects of polymorphisms identified in genome-wide association studies of never-smoking females on the prognosis of non-small cell lung cancer. <i>Cancer Genetics</i> , 2017, 212-213, 8-12.	0.4	7
30	Usefulness of serum lactate dehydrogenase/pleural fluid adenosine deaminase ratio for differentiating <i>Mycoplasma pneumoniae</i> parapneumonic effusion and tuberculous pleural effusion. <i>Journal of Infection</i> , 2017, 75, 581-583.	3.3	7
31	Comparison of clinical manifestations and treatment outcome according to age groups in adult patients with miliary tuberculosis. <i>Journal of Thoracic Disease</i> , 2018, 10, 2881-2889.	1.4	7
32	Polymorphism in ASCL1 target gene DDC is associated with clinical outcomes of small cell lung cancer patients. <i>Thoracic Cancer</i> , 2020, 11, 19-28.	1.9	7
33	Comparison of short-term mortality between mechanically ventilated patients with COVID-19 and influenza in a setting of sustainable healthcare system. <i>Journal of Infection</i> , 2020, 81, e76-e78.	3.3	7
34	Polymorphisms in mitotic checkpoint-related genes can influence survival outcomes of early-stage non-small cell lung cancer. <i>Oncotarget</i> , 2017, 8, 61777-61785.	1.8	7
35	Laboratory and radiological discrimination between tuberculous and malignant pleural effusions with high adenosine deaminase levels. <i>Korean Journal of Internal Medicine</i> , 2022, 37, 137-145.	1.7	7
36	The Different Effect of <i>VEGF</i> Polymorphisms on the Prognosis of Non-Small Cell Lung Cancer according to Tumor Histology. <i>Journal of Korean Medical Science</i> , 2016, 31, 1735.	2.5	6

#	ARTICLE	IF	CITATIONS
37	Association between polymorphisms in microRNA target sites and survival in early-stage non-small cell lung cancer. <i>Thoracic Cancer</i> , 2017, 8, 682-686.	1.9	6
38	Different characteristics of tuberculous pleural effusion according to pleural fluid cellular predominance and loculation. <i>Journal of Thoracic Disease</i> , 2016, 8, 1935-1942.	1.4	5
39	Polymorphisms in cancer-related pathway genes and lung cancer. <i>European Respiratory Journal</i> , 2016, 48, 1184-1191.	6.7	5
40	Neutrophilic Loculated Tuberculous Pleural Effusion: Incidence, Characteristics and Differentiation From Complicated Parapneumonic Effusion. <i>American Journal of the Medical Sciences</i> , 2016, 351, 153-159.	1.1	5
41	Glucose transporter 3 gene variant is associated with survival outcome of patients with non-small cell lung cancer after surgical resection. <i>Gene</i> , 2019, 703, 58-64.	2.2	5
42	TSC2 genetic variant and prognosis in non-small cell lung cancer after curative surgery. <i>Thoracic Cancer</i> , 2019, 10, 335-340.	1.9	5
43	Polymorphisms in Glycolysis-Related Genes Are Associated with Clinical Outcomes of Paclitaxel-Cisplatin Chemotherapy in Non-Small Cell Lung Cancer. <i>Oncology</i> , 2020, 98, 468-477.	1.9	5
44	Genetic variants in histone modification regions are associated with the prognosis of lung adenocarcinoma. <i>Scientific Reports</i> , 2021, 11, 21520.	3.3	5
45	The Clinical Characteristics and Outcomes of Short-term Treatment in Patients with Recurrent Pulmonary Tuberculosis. <i>Tuberculosis and Respiratory Diseases</i> , 2008, 64, 341.	1.8	4
46	Comparison of exogenous and endogenous lipoid pneumonia: the relevance to bronchial anthracofibrosis. <i>Journal of Thoracic Disease</i> , 2018, 10, 2461-2466.	1.4	4
47	Genetic Variant of Notch Regulator DTX1 Predicts Survival After Lung Cancer Surgery. <i>Annals of Surgical Oncology</i> , 2019, 26, 3756-3764.	1.5	4
48	Etiological Distribution and Morphological Patterns of Granulomatous Pleurisy in a Tuberculosis-prevalent Country. <i>Journal of Korean Medical Science</i> , 2021, 36, e10.	2.5	4
49	Replication of results of a genome-wide association study on lung cancer survival in a Korean population. <i>Cancer Genetics</i> , 2014, 207, 35-39.e2.	0.4	3
50	Development of a prognosis prediction model incorporating genetic polymorphism with pathologic stage in stage I non-small cell lung cancer: multicenter study. <i>Thoracic Cancer</i> , 2017, 8, 251-259.	1.9	3
51	Regulatory variants in cancer-related pathway genes predict survival of patients with surgically resected non-small cell lung cancer. <i>Gene</i> , 2018, 646, 56-63.	2.2	3
52	An expression quantitative trait locus variant for LKB1 gene predicts the clinical outcomes of chemotherapy in patients with non-small cell lung cancer. <i>Cancer Genetics</i> , 2018, 228-229, 73-82.	0.4	3
53	Characteristics and survival impact of polymorphonuclear leucocyte-predominant malignant pleural effusions secondary to lung cancer. <i>Clinical Respiratory Journal</i> , 2020, 14, 772-779.	1.6	3
54	Impact of immune checkpoint gene CD155 Ala67Thr and CD226 Gly307Ser polymorphisms on small cell lung cancer clinical outcome. <i>Scientific Reports</i> , 2021, 11, 1794.	3.3	3

#	ARTICLE	IF	CITATIONS
55	The effect of susceptibility variants, identified in never-smoking female lung cancer cases, on male smokers. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 929-935.	1.7	3
56	Effect of genetic variation in Notch regulator DTX1 on SCLC prognosis compared with the effect on NSCLC prognosis. <i>Thoracic Cancer</i> , 2020, 11, 2698-2703.	1.9	2
57	Genetic Variants in One-Carbon Metabolism Pathway Predict Survival Outcomes of Early-Stage Non-Small Cell Lung Cancer. <i>Oncology</i> , 2020, 98, 897-904.	1.9	2
58	Comparison of biochemical parameters and chemokine levels in pleural fluid between patients with anergic and non-anergic tuberculous pleural effusion. <i>Tuberculosis</i> , 2020, 123, 101940.	1.9	2
59	Prognostic significance of genetic variants in GLUT1 in stage III non-small cell lung cancer treated with radiotherapy. <i>Thoracic Cancer</i> , 2021, 12, 874-879.	1.9	2
60	Prognostic factors in patients hospitalized with community-acquired aspiration pneumonia. <i>Journal of Infection and Chemotherapy</i> , 2022, 28, 47-53.	1.7	2
61	Idiopathic Pleural Effusions: Characteristics and Discrimination From Cytology-Negative Malignant Pleural Effusions. <i>American Journal of the Medical Sciences</i> , 2020, 360, 236-242.	1.1	2
62	The Effect of Corticosteroid in Conservative Treatment of Patients with Hemoptysis. <i>Tuberculosis and Respiratory Diseases</i> , 2007, 63, 486.	1.8	1
63	Genetic Variants in the Wnt Signaling Pathway Are Not Associated with Survival Outcome of Non-Small Cell Lung Cancer in a Korean Population. <i>Journal of Korean Medical Science</i> , 2016, 31, 463.	2.5	1
64	Genetic Polymorphisms in Activating Transcription Factor 3 Binding Site and the Prognosis of Early-Stage Non-Small Cell Lung Cancer. <i>Oncology</i> , 2021, 99, 336-344.	1.9	1
65	Usefulness analysis of the 2018 ASCO/IDSA guideline for outpatient management of fever and neutropenia in adults treated for malignancy. <i>Scientific Reports</i> , 2021, 11, 9048.	3.3	1
66	Epigenetic readers and lung cancer: the rs2427964C>T variant of the bromodomain and extraterminal domain gene <i>BRD3</i> is associated with poorer survival outcome in NSCLC. <i>Molecular Oncology</i> , 2022, 16, 750-763.	4.6	1
67	Polymorphisms in the SERPINA1 Gene and the Risk of Chronic Obstructive Pulmonary Disease in a Korean Population. <i>Tuberculosis and Respiratory Diseases</i> , 2008, 65, 285.	1.8	0
68	Nodular tracheobronchitis in a patient with lymphoma: an unusual presentation of viridans streptococcal respiratory tract infection. <i>Clinical Respiratory Journal</i> , 2018, 12, 327-330.	1.6	0
69	Detection of Deep Vein Thrombosis by Follow-up Indirect Computed Tomography Venography after Pulmonary Embolism. <i>Tuberculosis and Respiratory Diseases</i> , 2018, 81, 49.	1.8	0
70	The role of CECR1 in the immune-modulatory effects of butyrate and correlation between ADA2 and M1/M2 chemokines in tuberculous pleural effusion. <i>International Immunopharmacology</i> , 2021, 96, 107635.	3.8	0
71	Nuclear Pore Glycoprotein 62 Genetic Variant rs9523 is Associated with Clinical Outcomes of Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors in Lung Adenocarcinoma Patients. <i>Pharmacogenomics and Personalized Medicine</i> , 2021, Volume 14, 1291-1302.	0.7	0
72	Post-treatment change in Mycobacterium tuberculosis antigen-stimulated tumor necrosis factor-alpha release in patients with active tuberculosis. <i>Journal of Thoracic Disease</i> , 2015, 7, 903-7.	1.4	0