

Seung Soo Yoo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5893821/seung-soo-yoo-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71 papers	375 citations	10 h-index	15 g-index
72 ext. papers	530 ext. citations	4.2 avg, IF	2.81 L-index

#	Paper	IF	Citations
71	Polymorphisms in the CASPASE genes and survival in patients with early-stage non-small-cell lung cancer. <i>Journal of Clinical Oncology</i> , 2009 , 27, 5823-9	2.2	36
70	Functional polymorphisms in PD-L1 gene are associated with the prognosis of patients with early stage non-small cell lung cancer. <i>Gene</i> , 2017 , 599, 28-35	3.8	33
69	TERT Polymorphism rs2853669 Influences on Lung Cancer Risk in the Korean Population. <i>Journal of Korean Medical Science</i> , 2015 , 30, 1423-8	4.7	20
68	Putative functional variants of XRCC1 identified by RegulomeDB were not associated with lung cancer risk in a Korean population. <i>Cancer Genetics</i> , 2015 , 208, 19-24	2.3	19
67	Replication of the results of genome-wide and candidate gene association studies on telomere length in a Korean population. <i>Korean Journal of Internal Medicine</i> , 2015 , 30, 719-26	2.5	14
66	RACK1 is a candidate gene associated with the prognosis of patients with early stage non-small cell lung cancer. <i>Oncotarget</i> , 2015 , 6, 4451-66	3.3	13
65	The pri-let-7a-2 rs1143770C>T is associated with prognosis of surgically resected non-small cell lung cancer. <i>Gene</i> , 2016 , 577, 148-52	3.8	12
64	Pleural fluid adenosine deaminase/serum C-reactive protein ratio for the differentiation of tuberculous and parapneumonic effusions with neutrophilic predominance and high adenosine deaminase levels. <i>Infection</i> , 2017 , 45, 59-65	5.8	12
63	Clinical relevance of ground glass opacity in 105 patients with miliary tuberculosis. <i>Respiratory Medicine</i> , 2014 , 108, 924-30	4.6	11
62	Unmethylation of the CHRNA4 gene is an unfavorable prognostic factor in non-small cell lung cancer. <i>Lung Cancer</i> , 2014 , 86, 85-90	5.9	10
61	Functional intronic ERCC1 polymorphism from regulomeDB can predict survival in lung cancer after surgery. <i>Oncotarget</i> , 2015 , 6, 24522-32	3.3	10
60	Mycobacterial load affects adenosine deaminase 2 levels of tuberculous pleural effusion. <i>Journal of Infection</i> , 2015 , 71, 488-91	18.9	9
59	A Panel of Genetic Polymorphism for the Prediction of Prognosis in Patients with Early Stage Non-Small Cell Lung Cancer after Surgical Resection. <i>PLoS ONE</i> , 2015 , 10, e0140216	3.7	9
58	Glucose Transporter 1 Gene Variants Predict the Prognosis of Patients with Early-Stage Non-small Cell Lung Cancer. <i>Annals of Surgical Oncology</i> , 2018 , 25, 3396-3403	3.1	8
57	RET fusion genes in Korean non-small cell lung cancer. <i>Journal of Korean Medical Science</i> , 2013 , 28, 1555-8	4.7	8
56	A genetic variation in microRNA target site of ETS2 is associated with clinical outcomes of paclitaxel-cisplatin chemotherapy in non-small cell lung cancer. <i>Oncotarget</i> , 2016 , 7, 15948-58	3.3	8
55	Expression of key regulatory genes in necroptosis and its effect on the prognosis in non-small cell lung cancer. <i>Journal of Cancer</i> , 2020 , 11, 5503-5510	4.5	8

54	Comparison of Early and Late Tuberculosis Deaths in Korea. <i>Journal of Korean Medical Science</i> , 2017 , 32, 700-703	4.7	7
53	Functional intronic variant of SLC5A10 affects DRG2 expression and survival outcomes of early-stage non-small-cell lung cancer. <i>Cancer Science</i> , 2018 , 109, 3902-3909	6.9	7
52	Intronic variant of EGFR is associated with GBAS expression and survival outcome of early-stage non-small cell lung cancer. <i>Thoracic Cancer</i> , 2018 , 9, 916-923	3.2	7
51	Predictive Factors and Treatment Outcomes of Tuberculous Pleural Effusion in Patients With Cancer and Pleural Effusion. <i>American Journal of the Medical Sciences</i> , 2017 , 354, 125-130	2.2	6
50	Bacterial pneumonia following cytotoxic chemotherapy for lung cancer: clinical features, treatment outcome and prognostic factors. <i>Scandinavian Journal of Infectious Diseases</i> , 2010 , 42, 734-40		6
49	Polymorphisms in mitotic checkpoint-related genes can influence survival outcomes of early-stage non-small cell lung cancer. <i>Oncotarget</i> , 2017 , 8, 61777-61785	3.3	6
48	Comparison of short-term mortality between mechanically ventilated patients with COVID-19 and influenza in a setting of sustainable healthcare system. <i>Journal of Infection</i> , 2020 , 81, e76-e78	18.9	6
47	Comparison of clinical manifestations and treatment outcome according to age groups in adult patients with miliary tuberculosis. <i>Journal of Thoracic Disease</i> , 2018 , 10, 2881-2889	2.6	6
46	Different characteristics of tuberculous pleural effusion according to pleural fluid cellular predominance and loculation. <i>Journal of Thoracic Disease</i> , 2016 , 8, 1935-42	2.6	5
45	Polymorphisms in cancer-related pathway genes and lung cancer. <i>European Respiratory Journal</i> , 2016 , 48, 1184-1191	13.6	5
44	Effects of polymorphisms identified in genome-wide association studies of never-smoking females on the prognosis of non-small cell lung cancer. <i>Cancer Genetics</i> , 2017 , 212-213, 8-12	2.3	4
43	Glucose transporter 3 gene variant is associated with survival outcome of patients with non-small cell lung cancer after surgical resection. <i>Gene</i> , 2019 , 703, 58-64	3.8	4
42	Association between polymorphisms in microRNA target sites and survival in early-stage non-small cell lung cancer. <i>Thoracic Cancer</i> , 2017 , 8, 682-686	3.2	4
41	Usefulness of serum lactate dehydrogenase/pleural fluid adenosine deaminase ratio for differentiating <i>Mycoplasma pneumoniae</i> parapneumonic effusion and tuberculous pleural effusion. <i>Journal of Infection</i> , 2017 , 75, 581-583	18.9	4
40	Real-World Experience of Nivolumab in Non-small Cell Lung Cancer in Korea. <i>Cancer Research and Treatment</i> , 2020 , 52, 1112-1119	5.2	4
39	Real-world use of osimertinib in non-small cell lung cancer: ASTRIS study Korean subgroup analysis. <i>Current Medical Research and Opinion</i> , 2020 , 36, 477-482	2.5	4
38	Neutrophilic Loculated Tuberculous Pleural Effusion: Incidence, Characteristics and Differentiation From Complicated Parapneumonic Effusion. <i>American Journal of the Medical Sciences</i> , 2016 , 351, 153-9	2.2	3
37	Genetic Variant of Notch Regulator DTX1 Predicts Survival After Lung Cancer Surgery. <i>Annals of Surgical Oncology</i> , 2019 , 26, 3756-3764	3.1	3

36	Replication of results of a genome-wide association study on lung cancer survival in a Korean population. <i>Cancer Genetics</i> , 2014 , 207, 35-9.e1-2	2.3	3
35	The Clinical Characteristics and Outcomes of Short-term Treatment in Patients with Recurrent Pulmonary Tuberculosis. <i>Tuberculosis and Respiratory Diseases</i> , 2008 , 64, 341	3.2	3
34	Differential diagnosis between lymphoma-associated malignant pleural effusion and tuberculous pleural effusion. <i>Annals of Translational Medicine</i> , 2019 , 7, 373	3.2	3
33	The Different Effect of VEGF Polymorphisms on the Prognosis of Non-Small Cell Lung Cancer according to Tumor Histology. <i>Journal of Korean Medical Science</i> , 2016 , 31, 1735-1741	4.7	3
32	Clinical implication of minimal presence of solid or micropapillary subtype in early-stage lung adenocarcinoma. <i>Thoracic Cancer</i> , 2021 , 12, 235-244	3.2	3
31	An expression quantitative trait locus variant for LKB1 gene predicts the clinical outcomes of chemotherapy in patients with non-small cell lung cancer. <i>Cancer Genetics</i> , 2018 , 228-229, 73-82	2.3	3
30	Development of a prognosis-prediction model incorporating genetic polymorphism with pathologic stage in stage I non-small cell lung cancer: A multicenter study. <i>Thoracic Cancer</i> , 2017 , 8, 251-259	3.2	2
29	Comparison of biochemical parameters and chemokine levels in pleural fluid between patients with anergic and non-anergic tuberculous pleural effusion. <i>Tuberculosis</i> , 2020 , 123, 101940	2.6	2
28	Regulatory variants in cancer-related pathway genes predict survival of patients with surgically resected non-small cell lung cancer. <i>Gene</i> , 2018 , 646, 56-63	3.8	2
27	Comparison of exogenous and endogenous lipoid pneumonia: the relevance to bronchial anthracofibrosis. <i>Journal of Thoracic Disease</i> , 2018 , 10, 2461-2466	2.6	2
26	Genetic variants in histone modification regions are associated with the prognosis of lung adenocarcinoma. <i>Scientific Reports</i> , 2021 , 11, 21520	4.9	2
25	Polymorphism in ASCL1 target gene DDC is associated with clinical outcomes of small cell lung cancer patients. <i>Thoracic Cancer</i> , 2020 , 11, 19-28	3.2	2
24	Effect of genetic variation in Notch regulator DTX1 on SCLC prognosis compared with the effect on NSCLC prongosis. <i>Thoracic Cancer</i> , 2020 , 11, 2698-2703	3.2	2
23	TSC2 genetic variant and prognosis in non-small cell lung cancer after curative surgery. <i>Thoracic Cancer</i> , 2019 , 10, 335-340	3.2	2
22	The Effect of Corticosteroid in Conservative Treatment of Patients with Hemoptysis. <i>Tuberculosis and Respiratory Diseases</i> , 2007 , 63, 486	3.2	1
21	Laboratory and radiological discrimination between tuberculous and malignant pleural effusions with high adenosine deaminase levels. <i>Korean Journal of Internal Medicine</i> , 2021 ,	2.5	1
20	Genetic Variants in the Wnt Signaling Pathway Are Not Associated with Survival Outcome of Non-Small Cell Lung Cancer in a Korean Population. <i>Journal of Korean Medical Science</i> , 2016 , 31, 463-6	4.7	1
19	Characteristics and survival impact of polymorphonuclear leucocyte-predominant malignant pleural effusions secondary to lung cancer. <i>Clinical Respiratory Journal</i> , 2020 , 14, 772	1.7	1

18	Polymorphisms in Glycolysis-Related Genes Are Associated with Clinical Outcomes of Paclitaxel-Cisplatin Chemotherapy in Non-Small Cell Lung Cancer. <i>Oncology</i> , 2020 , 98, 468-477	3.6	1
17	Prognostic significance of genetic variants in GLUT1 in stage III non-small cell lung cancer treated with radiotherapy. <i>Thoracic Cancer</i> , 2021 , 12, 874-879	3.2	1
16	Etiological Distribution and Morphological Patterns of Granulomatous Pleurisy in a Tuberculosis-prevalent Country. <i>Journal of Korean Medical Science</i> , 2021 , 36, e10	4.7	1
15	Impact of immune checkpoint gene CD155 Ala67Thr and CD226 Gly307Ser polymorphisms on small cell lung cancer clinical outcome. <i>Scientific Reports</i> , 2021 , 11, 1794	4.9	1
14	Anti-angiogenesis revisited: reshaping the treatment landscape of advanced non-small cell lung cancer.. <i>Archives of Pharmacal Research</i> , 2022 , 45, 263	6.1	1
13	Demographic and Clinical Factors Associated With Anti-SARS-CoV-2 Antibody Levels After 2 BNT162b2 mRNA Vaccine Doses.. <i>JAMA Network Open</i> , 2022 , 5, e2212996	10.4	1
12	Idiopathic Pleural Effusions: Characteristics and Discrimination From Cytology-Negative Malignant Pleural Effusions. <i>American Journal of the Medical Sciences</i> , 2020 , 360, 236-242	2.2	0
11	Genetic Variants in One-Carbon Metabolism Pathway Predict Survival Outcomes of Early-Stage Non-Small Cell Lung Cancer. <i>Oncology</i> , 2020 , 98, 897-904	3.6	0
10	Usefulness analysis of the 2018 ASCO/IDSA guideline for outpatient management of fever and neutropenia in adults treated for malignancy. <i>Scientific Reports</i> , 2021 , 11, 9048	4.9	0
9	Nodular tracheobronchitis in a patient with lymphoma: an unusual presentation of viridans streptococcal respiratory tract infection. <i>Clinical Respiratory Journal</i> , 2018 , 12, 327-330	1.7	
8	Detection of Deep Vein Thrombosis by Follow-up Indirect Computed Tomography Venography after Pulmonary Embolism. <i>Tuberculosis and Respiratory Diseases</i> , 2018 , 81, 49-58	3.2	
7	Polymorphisms in the SERPINA1 Gene and the Risk of Chronic Obstructive Pulmonary Disease in a Korean Population. <i>Tuberculosis and Respiratory Diseases</i> , 2008 , 65, 285	3.2	
6	The effect of susceptibility variants, identified in never-smoking female lung cancer cases, on male smokers. <i>Korean Journal of Internal Medicine</i> , 2020 , 35, 929-935	2.5	
5	Post-treatment change in Mycobacterium tuberculosis antigen-stimulated tumor necrosis factor-alpha release in patients with active tuberculosis. <i>Journal of Thoracic Disease</i> , 2015 , 7, 903-7	2.6	
4	Prognostic factors in patients hospitalized with community-acquired aspiration pneumonia. <i>Journal of Infection and Chemotherapy</i> , 2022 , 28, 47-53	2.2	
3	Genetic Polymorphisms in Activating Transcription Factor 3 Binding Site and the Prognosis of Early-Stage Non-Small Cell Lung Cancer. <i>Oncology</i> , 2021 , 99, 336-344	3.6	
2	The role of CECR1 in the immune-modulatory effects of butyrate and correlation between ADA2 and M1/M2 chemokines in tuberculous pleural effusion. <i>International Immunopharmacology</i> , 2021 , 96, 107635	5.8	
1	Nuclear Pore Glycoprotein 62 Genetic Variant rs9523 is Associated with Clinical Outcomes of Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors in Lung Adenocarcinoma Patients. <i>Pharmacogenomics and Personalized Medicine</i> , 2021 , 14, 1291-1302	2.1	

