

Chew-Kiat Heng

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5893831/chew-kiat-heng-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118
papers

3,409
citations

31
h-index

55
g-index

125
ext. papers

4,432
ext. citations

6.1
avg, IF

4.32
L-index

#	Paper	IF	Citations
118	A polygenic risk score improves risk stratification of coronary artery disease: a large-scale prospective Chinese cohort study.. <i>European Heart Journal</i> , 2022 ,	9.5	3
117	Genetic associations with healthy ageing among Chinese adults 2022 , 8,		
116	Differential and shared genetic effects on kidney function between diabetic and non-diabetic individuals. <i>Communications Biology</i> , 2022 , 5,	6.7	1
115	Gene-educational attainment interactions in a multi-ancestry genome-wide meta-analysis identify novel blood pressure loci. <i>Molecular Psychiatry</i> , 2021 , 26, 2111-2125	15.1	3
114	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021 ,	50.4	24
113	Lipoprotein(a) as predictor of coronary artery disease and myocardial infarction in a multi-ethnic Asian population. <i>Atherosclerosis</i> , 2021 ,	3.1	3
112	Androgen-dependent tissue factor pathway inhibitor regulating protein: a review of its peripheral actions and association with cardiometabolic diseases. <i>Journal of Molecular Medicine</i> , 2021 , 1	5.5	0
111	Low frequency variants associated with leukocyte telomere length in the Singapore Chinese population. <i>Communications Biology</i> , 2021 , 4, 519	6.7	2
110	The association of genetically determined serum glycine with cardiovascular risk in East Asians. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 1840-1844	4.5	0
109	Midlife Leukocyte Telomere Length as an Indicator for Handgrip Strength in Late Life. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 172-175	6.4	1
108	Genome-wide analysis identifies novel susceptibility loci for myocardial infarction. <i>European Heart Journal</i> , 2021 , 42, 919-933	9.5	14
107	Association of variants with hemoglobin A1c and impact on diabetes diagnosis in East Asian individuals. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	7
106	Detection of ADTRP in circulation and its role as a novel biomarker for coronary artery disease. <i>PLoS ONE</i> , 2020 , 15, e0237074	3.7	3
105	Interaction between a haptoglobin genetic variant and coronary artery disease (CAD) risk factors on CAD severity in Singaporean Chinese population. <i>Molecular Genetics & Genomic Medicine</i> , 2020 , 8, e1450	2.3	1
104	Effect of plasma polyunsaturated fatty acid levels on leukocyte telomere lengths in the Singaporean Chinese population. <i>Nutrition Journal</i> , 2020 , 19, 119	4.3	3
103	Analysis of 47 Non-MHC Ankylosing Spondylitis Susceptibility Loci Regarding Associated Variants across Whites and Han Chinese. <i>Journal of Rheumatology</i> , 2020 , 47, 674-681	4.1	1
102	Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. <i>American Journal of Epidemiology</i> , 2019 , 188, 1033-1054	3.8	39

101	Multi-ancestry study of blood lipid levels identifies four loci interacting with physical activity. <i>Nature Communications</i> , 2019 , 10, 376	17.4	41
100	Loci for human leukocyte telomere length in the Singaporean Chinese population and trans-ethnic genetic studies. <i>Nature Communications</i> , 2019 , 10, 2491	17.4	29
99	A catalog of genetic loci associated with kidney function from analyses of a million individuals. <i>Nature Genetics</i> , 2019 , 51, 957-972	36.3	217
98	A multi-ancestry genome-wide study incorporating gene-smoking interactions identifies multiple new loci for pulse pressure and mean arterial pressure. <i>Human Molecular Genetics</i> , 2019 , 28, 2615-2633	5.6	14
97	Multi-ancestry genome-wide gene-smoking interaction study of 387,272 individuals identifies new loci associated with serum lipids. <i>Nature Genetics</i> , 2019 , 51, 636-648	36.3	59
96	Associations of autozygosity with a broad range of human phenotypes. <i>Nature Communications</i> , 2019 , 10, 4957	17.4	40
95	Fish and marine fatty acids intakes, the genotypes and long-term weight gain: a prospective cohort study. <i>BMJ Open</i> , 2019 , 9, e022877	3	2
94	A novel model for predicting non-responsiveness to intravenous immunoglobulins in Kawasaki disease: The Singapore experience. <i>Journal of Paediatrics and Child Health</i> , 2019 , 55, 962-967	1.3	0
93	A Large-Scale Multi-ancestry Genome-wide Study Accounting for Smoking Behavior Identifies Multiple Significant Loci for Blood Pressure. <i>American Journal of Human Genetics</i> , 2018 , 102, 375-400	11	59
92	Gene-diet interaction effects on BMI levels in the Singapore Chinese population. <i>Nutrition Journal</i> , 2018 , 17, 31	4.3	7
91	Novel genetic associations for blood pressure identified via gene-alcohol interaction in up to 570K individuals across multiple ancestries. <i>PLoS ONE</i> , 2018 , 13, e0198166	3.7	31
90	Interethnic analyses of blood pressure loci in populations of East Asian and European descent. <i>Nature Communications</i> , 2018 , 9, 5052	17.4	29
89	Association analyses of East Asian individuals and trans-ancestry analyses with European individuals reveal new loci associated with cholesterol and triglyceride levels. <i>Human Molecular Genetics</i> , 2017 , 26, 1770-1784	5.6	90
88	Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. <i>PLoS Medicine</i> , 2017 , 14, e1002383	11.6	223
87	The genetic variation rs6903956 in the novel androgen-dependent tissue factor pathway inhibitor regulating protein () gene is not associated with levels of plasma coagulation factors in the Singaporean Chinese. <i>Thrombosis Journal</i> , 2017 , 15, 1	5.6	3
86	Utility of genetic and non-genetic risk factors in predicting coronary heart disease in Singaporean Chinese. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 153-160	3.9	9
85	Genome-wide association study identifies a missense variant at APOA5 for coronary artery disease in Multi-Ethnic Cohorts from Southeast Asia. <i>Scientific Reports</i> , 2017 , 7, 17921	4.9	14
84	Differences in AMY1 Gene Copy Numbers Derived from Blood, Buccal Cells and Saliva Using Quantitative and Droplet Digital PCR Methods: Flagging the Pitfall. <i>PLoS ONE</i> , 2017 , 12, e0170767	3.7	12

83	Interaction Between Peroxisome Proliferator Activated Receptor α and Epithelial Membrane Protein 2 Polymorphisms Influences HDL-C Levels in the Chinese Population. <i>Annals of Human Genetics</i> , 2016 , 80, 282-93	2.2	
82	In-vitro function of upstream visfatin polymorphisms that are associated with adverse cardiometabolic parameters in obese children. <i>BMC Genomics</i> , 2016 , 17, 974	4.5	6
81	Functional characterization of two single nucleotide polymorphisms of acyl-coenzyme A:cholesterol acyltransferase 2. <i>Gene</i> , 2015 , 566, 236-41	3.8	1
80	Interaction effects between Paraoxonase 1 variants and cigarette smoking on risk of coronary heart disease in a Singaporean Chinese population. <i>Atherosclerosis</i> , 2015 , 240, 40-5	3.1	14
79	Trans-ancestry genome-wide association study identifies 12 genetic loci influencing blood pressure and implicates a role for DNA methylation. <i>Nature Genetics</i> , 2015 , 47, 1282-1293	36.3	223
78	A genome-wide association study of n-3 and n-6 plasma fatty acids in a Singaporean Chinese population. <i>Genes and Nutrition</i> , 2015 , 10, 53	4.3	35
77	Genetic Interactions Between TRPC6 and NPHS1 Variants Affect Posttransplant Risk of Recurrent Focal Segmental Glomerulosclerosis. <i>American Journal of Transplantation</i> , 2015 , 15, 3229-38	8.7	12
76	New loci and coding variants confer risk for age-related macular degeneration in East Asians. <i>Nature Communications</i> , 2015 , 6, 6063	17.4	118
75	Genes in FSGS: Diagnostic and Management Strategies in Children. <i>Current Pediatrics Reports</i> , 2015 , 3, 78-90	0.7	
74	Electrochemical detection of leukemia oncogenes using enzyme-loaded carbon nanotube labels. <i>Analyst, The</i> , 2014 , 139, 4223-30	5	14
73	Functional characterization of variants in MC4R gene promoter region found in obese children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E931-5	5.6	6
72	Multiple nonglycemic genomic loci are newly associated with blood level of glycated hemoglobin in East Asians. <i>Diabetes</i> , 2014 , 63, 2551-62	0.9	46
71	Prevalence and risk factors for retinopathy in persons without diabetes: the Singapore Indian Eye Study. <i>Acta Ophthalmologica</i> , 2014 , 92, e602-9	3.7	16
70	Visfatin and its genetic variants are associated with obesity-related morbidities and cardiometabolic risk in severely obese children. <i>Pediatric Obesity</i> , 2014 , 9, 81-91	4.6	15
69	The atherogenic effects of serum amyloid A are potentially mediated via inflammation and apoptosis. <i>Journal of Atherosclerosis and Thrombosis</i> , 2014 , 21, 854-67	4	5
68	Association of CETP Taq1B and -629C > A polymorphisms with coronary artery disease and lipid levels in the multi-ethnic Singaporean population. <i>Lipids in Health and Disease</i> , 2013 , 12, 85	4.4	20
67	Variant screening of the serum amyloid A1 gene and functional study of the p.Gly90Asp variant for its role in atherosclerosis. <i>Atherosclerosis</i> , 2013 , 227, 112-7	3.1	9
66	Association of single nucleotide polymorphism rs6903956 on chromosome 6p24.1 with coronary artery disease and lipid levels in different ethnic groups of the Singaporean population. <i>Clinical Biochemistry</i> , 2013 , 46, 755-9	3.5	21

65	The role of NF- κ B in SAA-induced peroxisome proliferator-activated receptor α activation. <i>Atherosclerosis</i> , 2013 , 227, 72-8	3.1	17
64	Are C-reactive protein associated genetic variants associated with serum levels and retinal markers of microvascular pathology in Asian populations from Singapore?. <i>PLoS ONE</i> , 2013 , 8, e67650	3.7	18
63	Effect of serum amyloid A1 treatment on global gene expression in THP-1-derived macrophages. <i>Inflammation Research</i> , 2012 , 61, 391-8	7.2	8
62	Association of intronic single-nucleotide polymorphisms in the EMILIN1 gene with essential hypertension in a Chinese population. <i>Journal of Human Hypertension</i> , 2012 , 26, 553-61	2.6	4
61	A self-contained disposable cartridge microsystem for dengue viral ribonucleic acid extraction. <i>Sensors and Actuators B: Chemical</i> , 2011 , 160, 1557-1564	8.5	8
60	Metabolomics-based identification of apoptosis-inducing metabolites in recombinant fed-batch CHO culture media. <i>Journal of Biotechnology</i> , 2011 , 151, 218-24	3.7	47
59	Serum amyloid A activates peroxisome proliferator-activated receptor α through extracellularly regulated kinase 1/2 and COX-2 expression in hepatocytes. <i>Biochemistry</i> , 2010 , 49, 9508-17	3.2	8
58	Association of three lipoprotein lipase polymorphisms with coronary artery disease in Chinese and Asian Indians. <i>International Journal of Cardiology</i> , 2010 , 144, 142-3	3.2	3
57	The impacts of thiazolidinediones on circulating C-reactive protein levels in different diseases: a meta-analysis. <i>Diabetes Research and Clinical Practice</i> , 2010 , 90, 279-87	7.4	11
56	Association between serum amyloid A and obesity: a meta-analysis and systematic review. <i>Inflammation Research</i> , 2010 , 59, 323-34	7.2	69
55	MEFV E148Q polymorphism is associated with Henoch-Schleulin purpura in Chinese children. <i>Pediatric Nephrology</i> , 2010 , 25, 2077-82	3.2	24
54	Metabolomics-driven approach for the improvement of Chinese hamster ovary cell growth: overexpression of malate dehydrogenase II. <i>Journal of Biotechnology</i> , 2010 , 147, 116-21	3.7	77
53	Design of a fully-enclosed disposable bio-micro fluidic cartridge with self-contained reagents for infectious diseases diagnostic applications 2009 ,		1
52	Celecoxib inhibits serum amyloid a-induced matrix metalloproteinase-10 expression in human endothelial cells. <i>Journal of Vascular Research</i> , 2009 , 46, 64-72	1.9	13
51	Metabolomics profiling of extracellular metabolites in recombinant Chinese Hamster Ovary fed-batch culture. <i>Rapid Communications in Mass Spectrometry</i> , 2009 , 23, 3763-71	2.2	60
50	Sequential responses to high-fat and high-calorie feeding in an obese mouse model. <i>Obesity</i> , 2008 , 16, 972-8	8	35
49	Sequential effects of a high-fiber diet with psyllium husks on the expression levels of hepatic genes and plasma lipids. <i>Nutrition</i> , 2008 , 24, 57-66	4.8	20
48	Algorithm and simulation for analysis of bio-images obtained by aperture diffraction based optical MEMS. <i>Optics Express</i> , 2008 , 16, 11937-53	3.3	3

47	Genome-wide association studies of coronary artery disease: have the results of replication studies been replicable?. <i>European Heart Journal</i> , 2008 , 29, 2189-90	9.5	1
46	Silicon-based microfilters for whole blood cell separation. <i>Biomedical Microdevices</i> , 2008 , 10, 251-7	3.7	209
45	Design of MEMS devices with optical apertures for the detection of transparent biological cells. <i>Biomedical Microdevices</i> , 2008 , 10, 639-52	3.7	2
44	Sensitive electrochemical detection of horseradish peroxidase at disposable screen-printed carbon electrode. <i>Electroanalysis</i> , 2008 , 20, 2040	3	12
43	Microfluidic systems for extracting nucleic acids for DNA and RNA analysis. <i>Sensors and Actuators A: Physical</i> , 2007 , 133, 335-339	3.9	27
42	Glass-based BioMEMS devices for optically excited cell impedance measurement. <i>Sensors and Actuators A: Physical</i> , 2007 , 133, 301-310	3.9	2
41	DNA purification silicon chip. <i>Sensors and Actuators A: Physical</i> , 2007 , 139, 139-144	3.9	23
40	Carbon nanotube-based labels for highly sensitive colorimetric and aggregation-based visual detection of nucleic acids. <i>Nanotechnology</i> , 2007 , 18, 455102	3.4	16
39	Impact of serum amyloid A on tissue factor and tissue factor pathway inhibitor expression and activity in endothelial cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007 , 27, 1645-50	9.4	38
38	Nucleic Acid Extraction, Amplification, and Detection on Si-Based Microfluidic Platforms. <i>IEEE Journal of Solid-State Circuits</i> , 2007 , 42, 1803-1813	5.5	7
37	Targeting early apoptotic genes in batch and fed-batch CHO cell cultures. <i>Biotechnology and Bioengineering</i> , 2006 , 95, 350-61	4.9	77
36	Transcriptional profiling of apoptotic pathways in batch and fed-batch CHO cell cultures. <i>Biotechnology and Bioengineering</i> , 2006 , 94, 373-82	4.9	71
35	Tag/anti-tag liquid-phase primer extension array: a flexible and versatile genotyping platform. <i>Genomics</i> , 2006 , 87, 151-7	4.3	7
34	CD14 promoter polymorphisms have no functional significance and are not associated with atopic phenotypes. <i>Pharmacogenetics and Genomics</i> , 2006 , 16, 229-36	1.9	27
33	The effects of three factor VII polymorphisms on factor VII coagulant levels in healthy Singaporean Chinese, Malay and Indian newborns. <i>Annals of Human Genetics</i> , 2006 , 70, 951-7	2.2	9
32	Spectral characterization of yeast cells with an epitaxy-based UV-Vis optical sensor. <i>Biomedical Microdevices</i> , 2006 , 8, 177-85	3.7	10
31	Interleukin-13 genetic polymorphisms in Singapore Chinese children correlate with long-term outcome of minimal-change disease. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 728-34	4.3	22
30	Reduced transcriptional activity in individuals with IL-18 gene variants detected from functional but not association study. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 338, 736-41	3.4	47

29	Detection of <i>Saccharomyces cerevisiae</i> immobilized on self-assembled monolayer (SAM) of alkanethiolate using electrochemical impedance spectroscopy. <i>Analytica Chimica Acta</i> , 2005 , 554, 52-59	6.6	77
28	The association of mitochondrial DNA 5178 C > a polymorphism with plasma lipid levels among three ethnic groups. <i>Annals of Human Genetics</i> , 2005 , 69, 639-44	2.2	11
27	Impact of dynamic online fed-batch strategies on metabolism, productivity and N-glycosylation quality in CHO cell cultures. <i>Biotechnology and Bioengineering</i> , 2005 , 89, 164-77	4.9	200
26	Acyl-CoA: cholesterol acyltransferase-2 gene polymorphisms and their association with plasma lipids and coronary artery disease risks. <i>Human Genetics</i> , 2005 , 118, 393-403	6.3	11
25	Arrayed primer extension: a robust and reliable genotyping platform for the diagnosis of single gene disorders: beta-thalassemia and thiopurine methyltransferase deficiency. <i>Genetic Testing and Molecular Biomarkers</i> , 2005 , 9, 212-9		18
24	The impact of factor XIIIa V34L polymorphism on plasma factor XIII activity in the Chinese and Asian Indians from Singapore. <i>Human Genetics</i> , 2004 , 114, 186-91	6.3	10
23	Predicting risk of coronary artery disease from DNA microarray-based genotyping using neural networks and other statistical analysis tool. <i>Journal of Bioinformatics and Computational Biology</i> , 2003 , 1, 521-39	1	7
22	LOW COST MICRO-PCR ARRAY AND MICRO-FLUIDIC INTEGRATION ON SINGLE SILICON CHIP. <i>International Journal of Computational Engineering Science</i> , 2003 , 04, 231-234		1
21	Schizosaccharomyces pombe cells deficient in triacylglycerols synthesis undergo apoptosis upon entry into the stationary phase. <i>Journal of Biological Chemistry</i> , 2003 , 278, 47145-55	5.4	97
20	FLIP-CHIP PACKAGED MICRO-PLATE FOR LOW COST THERMAL MULTIPLEXING. <i>International Journal of Computational Engineering Science</i> , 2003 , 04, 235-238		
19	Ethnic variations of a retinoblastoma susceptibility gene (RB1) polymorphism in eight Asian populations. <i>Journal of Genetics</i> , 2003 , 82, 33-7	1.2	9
18	ABCA1 gene polymorphisms and their associations with coronary artery disease and plasma lipids in males from three ethnic populations in Singapore. <i>Human Genetics</i> , 2003 , 113, 106-17	6.3	49
17	Cladistic analysis of human apolipoprotein a4 polymorphisms in relation to quantitative plasma lipid risk factors of coronary heart disease. <i>Annals of Human Genetics</i> , 2003 , 67, 107-24	2.2	9
16	Childhood nephrotic syndrome in relapse is associated with down-regulation of monocyte CD14 expression and lipopolysaccharide-induced tumour necrosis factor-alpha production. <i>Clinical and Experimental Immunology</i> , 2003 , 134, 111-9	6.2	12
15	Variation of the platelet glycoprotein IIIa PI(A1/A2) allele frequencies in the three ethnic groups of Singapore. <i>International Journal of Cardiology</i> , 2003 , 90, 269-73	3.2	12
14	Micro-assembled multi-chamber thermal cyler for low-cost reaction chip thermal multiplexing. <i>Sensors and Actuators A: Physical</i> , 2002 , 102, 114-121	3.9	38
13	Genotype associations of factor VII gene with plasma factor VII coagulant activity and antigen levels in healthy Chinese. <i>Blood Coagulation and Fibrinolysis</i> , 2002 , 13, 217-24	1	12
12	Thiopurine methyltransferase polymorphisms in a multiracial asian population and children with acute lymphoblastic leukemia. <i>Journal of Pediatric Hematology/Oncology</i> , 2002 , 24, 353-9	1.2	51

11	Risk factors for steroid dependency in children with idiopathic nephrotic syndrome. <i>Pediatric Nephrology</i> , 2001 , 16, 1049-52	3.2	53
10	Cladogramer: incorporating haplotype frequency into cladogram analysis. <i>Bioinformatics</i> , 2001 , 17, 481-7.2		1
9	Fibrinogen genotypes (alpha and beta) are associated with plasma fibrinogen levels in Chinese. <i>Journal of Medical Genetics</i> , 2001 , 38, E31	5.8	7
8	Variations in the promoter region of the apolipoprotein A-1 gene influence plasma lipoprotein(a) levels in Asian Indian neonates from Singapore. <i>Pediatric Research</i> , 2001 , 49, 514-8	3.2	23
7	Evolution of the apolipoprotein B gene and coronary artery disease: a study in low and high risk Asians. <i>Annals of Human Genetics</i> , 1999 , 63, 45-62	2.2	15
6	Racial variation of cord plasma lipoprotein(a) levels in relation to coronary risk level: a study in three ethnic groups in Singapore. <i>Pediatric Research</i> , 1996 , 40, 718-22	3.2	24
5	Racial variation of factor VII activity and antigen levels and their correlates in healthy Chinese and Indians at low and high risk for coronary artery disease. <i>Atherosclerosis</i> , 1995 , 117, 33-42	3.1	19
4	Association of factor VII genotype with plasma factor VII activity and antigen levels in healthy Indian adults and interaction with triglycerides. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1994 , 14, 1923-7		32
3	Influence of polymorphisms for apolipoprotein B (ins/del, XbaI, EcoRI) and apolipoprotein E on serum lipids and apolipoproteins in a Javanese population. <i>Genetic Epidemiology</i> , 1994 , 11, 19-27	2.6	26
2	Microfluidic chips for viral RNA extraction & detection		5
1	Potentiostatic deposition and detection of DNA on conductive nitrogen doped diamond-like carbon film electrode		1