

Ken Takahashi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5893964/publications.pdf>

Version: 2024-02-01

159
papers

62,573
citations

61857

43
h-index

5663

162
g-index

178
all docs

178
docs citations

178
times ranked

86015
citing authors

#	ARTICLE	IF	CITATIONS
1	The minimum standard of care for managing malignant pleural mesothelioma in developing nations within the Asia-Pacific Region. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2022, 18, 177-190.	0.7	0
2	The Ecological Association between Asbestos Consumption and Asbestos-Related Diseases 15 Years Later. <i>Environmental Health Perspectives</i> , 2022, 130, .	2.8	7
3	Development of the "National Asbestos Profile" to Eliminate Asbestos-Related Diseases in 195 Countries. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1804.	1.2	12
4	The Role of E-Cadherin and microRNA on FAK Inhibitor Response in Malignant Pleural Mesothelioma (MPM). <i>International Journal of Molecular Sciences</i> , 2021, 22, 10225.	1.8	4
5	Global, regional, and national burden of respiratory tract cancers and associated risk factors from 1990 to 2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet Respiratory Medicine</i> , 2021, 9, 1030-1049.	5.2	86
6	Preclinical Models and Resources to Facilitate Basic Science Research on Malignant Mesothelioma – A Review. <i>Frontiers in Oncology</i> , 2021, 11, 748444.	1.3	4
7	Burden of Mesothelioma Deaths by National Income Category: Current Status and Future Implications. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6900.	1.2	18
8	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet</i> , 2020, 396, 1204-1222.	6.3	7,664
9	Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet</i> , 2020, 396, 1223-1249.	6.3	3,928
10	Five insights from the Global Burden of Disease Study 2019. <i>Lancet</i> , 2020, 396, 1135-1159.	6.3	335
11	CDKN2A and MTAP Are Useful Biomarkers Detectable by Droplet Digital PCR in Malignant Pleural Mesothelioma: A Potential Alternative Method in Diagnosis Compared to Fluorescence In Situ Hybridisation. <i>Frontiers in Oncology</i> , 2020, 10, 579327.	1.3	10
12	Global trends and gaps in research related to latent tuberculosis infection. <i>BMC Public Health</i> , 2020, 20, 352.	1.2	19
13	<p>The Current Understanding Of Asbestos-Induced Epigenetic Changes Associated With Lung Cancer</p>. <i>Lung Cancer: Targets and Therapy</i> , 2020, Volume 11, 1-11.	1.3	17
14	Global and regional burden of chronic respiratory disease in 2016 arising from non-infectious airborne occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. <i>Occupational and Environmental Medicine</i> , 2020, 77, 142-150.	1.3	56
15	Global and regional burden of disease and injury in 2016 arising from occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. <i>Occupational and Environmental Medicine</i> , 2020, 77, 133-141.	1.3	56
16	Global and regional burden of cancer in 2016 arising from occupational exposure to selected carcinogens: a systematic analysis for the Global Burden of Disease Study 2016. <i>Occupational and Environmental Medicine</i> , 2020, 77, 151-159.	1.3	64
17	Effects of Individual and Coexisting Diabetes and Cardiomyopathy on Diastolic Function in Rats (<i>Rattus norvegicus domestica</i>). <i>Comparative Medicine</i> , 2020, 70, 499-509.	0.4	3
18	An ecological study of eosinophilic meningitis caused by the nematode, <i>Angiostrongylus cantonensis</i> (Chen, 1935) (Nematoda: Metastrongylidae). <i>Parasitology International</i> , 2019, 72, 101944.	0.6	4

#	ARTICLE	IF	CITATIONS
19	Implementation of national policies for a total asbestos ban: a global comparison. <i>Lancet Planetary Health, The</i> , 2019, 3, e341-e348.	5.1	16
20	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2017. <i>JAMA Oncology</i> , 2019, 5, 1749.	3.4	1,691
21	New insight into the intraventricular pressure gradient as a sensitive indicator of diastolic cardiac dysfunction in patients with childhood cancer after anthracycline therapy. <i>Heart and Vessels</i> , 2019, 34, 992-1001.	0.5	18
22	The Global Health Dimensions of Asbestos and Asbestos-Related Diseases. <i>Annals of Global Health</i> , 2018, 82, 209.	0.8	43
23	Global, regional, and national age-sex-specific mortality and life expectancy, 1950â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1684-1735.	6.3	716
24	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1736-1788.	6.3	4,989
25	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1923-1994.	6.3	3,269
26	Genomic Deletion of BAP1 and CDKN2A Are Useful Markers for Quality Control of Malignant Pleural Mesothelioma (MPM) Primary Cultures. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3056.	1.8	7
27	Bibliometric analysis of gaps in research on asbestos-related diseases: declining emphasis on public health over 26 years. <i>BMJ Open</i> , 2018, 8, e022806.	0.8	12
28	Australiaâ€™s Ongoing Legacy of Asbestos: Significant Challenges Remain Even after the Complete Banning of Asbestos Almost Fifteen Years Ago. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 384.	1.2	17
29	Trends and the Economic Effect of Asbestos Bans and Decline in Asbestos Consumption and Production Worldwide. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 531.	1.2	36
30	Global Asbestos Disaster. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1000.	1.2	129
31	Influence of chronic kidney disease on hospitalization, chronic dialysis, and mortality in Japanese men: a longitudinal analysis. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 316-323.	0.7	14
32	Measurement of Aortic Valve Coaptation and Effective Height Using Echocardiography in Patients with Ventricular Septal Defects and Aortic Valve Prolapse. <i>Pediatric Cardiology</i> , 2017, 38, 608-616.	0.6	3
33	A comparative assessment of major international disasters: the need for exposure assessment, systematic emergency preparedness, and lifetime health care. <i>BMC Public Health</i> , 2017, 17, 46.	1.2	46
34	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-years for 32 Cancer Groups, 1990 to 2015. <i>JAMA Oncology</i> , 2017, 3, 524.	3.4	4,254
35	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1151-1210.	6.3	3,565
36	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1345-1422.	6.3	1,879

#	ARTICLE	IF	CITATIONS
37	Experience of Japan in Achieving a Total Ban on Asbestos. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1261.	1.2	16
38	Estimation of the global burden of mesothelioma deaths from incomplete national mortality data. <i>Occupational and Environmental Medicine</i> , 2017, 74, 851-858.	1.3	122
39	Compensation for Asbestos-Related Diseases in Japan: Utilization of Standard Classifications of Industry and Occupations. <i>Asian Pacific Journal of Cancer Prevention</i> , 2017, 18, 1779-1782.	0.5	1
40	Estimating the incidence of malignant mesothelioma in Vietnam: a pilot descriptive cancer registration study. <i>International Journal of Occupational and Environmental Health</i> , 2016, 22, 167-172.	1.2	2
41	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1459-1544.	6.3	4,934
42	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1659-1724.	6.3	4,203
43	Management of congenital complete heart block in a low-birth-weight infant. <i>Journal of Cardiac Surgery</i> , 2016, 31, 645-647.	0.3	4
44	The Journal of Occupational Health from 1959 to 2016. <i>Journal of Occupational Health</i> , 2016, 58, 135-137.	1.0	0
45	The global health dimensions of asbestos and asbestos-related diseases. <i>Journal of Occupational Health</i> , 2016, 58, 220-223.	1.0	13
46	88 Global estimation of mesothelioma deaths. <i>Lung Cancer</i> , 2016, 91, S32.	0.9	0
47	Risk of Chronic Kidney Disease in Non-Obese Individuals with Clustering of Metabolic Factors: A Longitudinal Study. <i>Internal Medicine</i> , 2015, 54, 375-382.	0.3	22
48	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 386, 743-800.	6.3	4,951
49	The Global Burden of Cancer 2013. <i>JAMA Oncology</i> , 2015, 1, 505.	3.4	2,269
50	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990–2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015, 386, 2145-2191.	6.3	1,544
51	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 386, 2287-2323.	6.3	2,184
52	Global, regional, and national age–sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 385, 117-171.	6.3	5,847
53	Asbestos: use, bans and disease burden in Europe. <i>Bulletin of the World Health Organization</i> , 2014, 92, 790-797.	1.5	79
54	A new technique for venous unifocalization of the bilateral superior vena cava with the Glenn procedure. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 148, 356-358.	0.4	4

#	ARTICLE	IF	CITATIONS
55	Statement in Response to Asbestos Industry Efforts to Prevent a Ban on Asbestos in Pakistan: <i>Chrysotile Asbestos Use is Not Safe and Must Be Banned</i> . Archives of Environmental and Occupational Health, 2013, 68, 243-249.	0.7	5
56	Asbestos and Asbestos-related Diseases in Vietnam: In reference to the International Labor Organization/World Health Organization National Asbestos Profile. Safety and Health at Work, 2013, 4, 117-121.	0.3	6
57	Potential years of life lost (PYLL) caused by asbestos-related diseases in the world. American Journal of Industrial Medicine, 2013, 56, 993-1000.	1.0	27
58	Lung Cancer Probably Related to Talc Exposure: a Case Report. Industrial Health, 2013, 51, 228-231.	0.4	3
59	Suboptimal radiation protection for municipal employees operating in the Fukushima designated zone: Figure 1. Occupational and Environmental Medicine, 2012, 69, 453-454.	1.3	6
60	A baseline profile of asbestos in the US-affiliated Pacific islands. International Journal of Occupational and Environmental Health, 2012, 18, 22-28.	1.2	2
61	Variation in benchmark dose (BMD) and the 95% lower confidence limit of benchmark dose (BMDL) among general Japanese populations with no anthropogenic exposure to cadmium. International Archives of Occupational and Environmental Health, 2012, 85, 941-950.	1.1	18
62	Compensation scheme for complementary and alternative medicine use in asbestos-related diseases in New South Wales, Australia. Journal of Clinical Pharmacy and Therapeutics, 2012, 37, 373-374.	0.7	0
63	Comparison of total suspended particulate concentration-response relationships for respiratory symptoms between Chinese children with a different susceptibility status. Science of the Total Environment, 2012, 421-422, 111-117.	3.9	1
64	Elimination of asbestos use and asbestos-related diseases: an unfinished story. Cancer Science, 2012, 103, 1751-1755.	1.7	36
65	Preventive Measures to Eliminate Asbestos-Related Diseases in Singapore. Safety and Health at Work, 2011, 2, 201-209.	0.3	6
66	Periodontal Disease and Incident Diabetes. Journal of Dental Research, 2011, 90, 41-46.	2.5	122
67	Asbestos use and asbestos-related diseases in Asia: Past, present and future. Respirology, 2011, 16, 767-775.	1.3	80
68	Global mesothelioma deaths reported to the World Health Organization between 1994 and 2008. Bulletin of the World Health Organization, 2011, 89, 716-724.	1.5	318
69	Global Magnitude of Reported and Unreported Mesothelioma. Environmental Health Perspectives, 2011, 119, 514-518.	2.8	182
70	National Use of Asbestos in Relation to Economic Development. Environmental Health Perspectives, 2010, 118, 116-119.	2.8	27
71	The Case for a Global Ban on Asbestos. Environmental Health Perspectives, 2010, 118, 897-901.	2.8	124
72	Towards Elimination of Asbestos-Related Diseases: A Theoretical Basis for International Cooperation. Safety and Health at Work, 2010, 1, 103-106.	0.3	9

#	ARTICLE	IF	CITATIONS
73	Air pollution and children's respiratory symptoms in six cities of Northern China. <i>Respiratory Medicine</i> , 2010, 104, 1903-1911.	1.3	67
74	Induction of the arginine vasopressin-enhanced green fluorescent protein fusion transgene in the rat locus coeruleus. <i>Stress</i> , 2010, 13, 281-292.	0.8	19
75	Relationships between Diabetes and Medical and Dental Care Costs: Findings from a Worksite Cohort Study in Japan. <i>Industrial Health</i> , 2010, 48, 857-863.	0.4	3
76	Cancer risk among Japanese chromium platers, 1976-2003. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010, 36, 216-221.	1.7	27
77	The Effects of Smoking on Dental Care Utilization and Its Costs in Japan. <i>Journal of Dental Research</i> , 2009, 88, 66-70.	2.5	10
78	Clinical Factors Predictive of Encephalitis Caused by <i>Angiostrongylus cantonensis</i> . <i>American Journal of Tropical Medicine and Hygiene</i> , 2009, 81, 698-701.	0.6	44
79	Can workplaces be predictors for recent onset latent tuberculosis in health care workers?. <i>Journal of Occupational Medicine and Toxicology</i> , 2009, 4, 20.	0.9	11
80	Effect of age, smoking and other lifestyle factors on urinary 7-methylguanine and 8-hydroxydeoxyguanosine. <i>Cancer Science</i> , 2009, 100, 715-721.	1.7	69
81	Respiratory symptoms among residents of a heavy-industry province in China: Prevalence and risk factors. <i>Respiratory Medicine</i> , 2008, 102, 1536-1544.	1.3	33
82	Asbestos-related diseases: time for technology sharing. <i>Occupational Medicine</i> , 2008, 58, 384-385.	0.8	11
83	Recent Mortality from Pleural Mesothelioma, Historical Patterns of Asbestos Use, and Adoption of Bans: A Global Assessment. <i>Environmental Health Perspectives</i> , 2008, 116, 1675-1680.	2.8	83
84	Perception in Relation to a Potential Influenza Pandemic among Healthcare Workers in Japan: Implications for Preparedness. <i>Journal of Occupational Health</i> , 2008, 50, 13-23.	1.0	29
85	Bibliometric Research in Occupational Health. <i>Industrial Health</i> , 2008, 46, 519-522.	0.4	18
86	Towards uniform requirements for manuscripts submitted to journals in occupational medicine. <i>Occupational Medicine</i> , 2007, 57, 613-614.	0.8	7
87	Occupational Lung Diseases and the Mining Industry in Mongolia. <i>International Journal of Occupational and Environmental Health</i> , 2007, 13, 195-201.	1.2	26
88	Ecological association between asbestos-related diseases and historical asbestos consumption: an international analysis. <i>Lancet</i> , The, 2007, 369, 844-849.	6.3	203
89	The Effect of Periodontal Disease on Medical and Dental Costs in a Middle-Aged Japanese Population: A Longitudinal Worksite Study. <i>Journal of Periodontology</i> , 2007, 78, 2120-2126.	1.7	28
90	The Ratification Status of ILO Conventions Related to Occupational Safety and Health and Its Relationship with Reported Occupational Fatality Rates. <i>Journal of Occupational Health</i> , 2007, 49, 72-79.	1.0	19

#	ARTICLE	IF	CITATIONS
91	Citation classics in occupational medicine journals. Scandinavian Journal of Work, Environment and Health, 2007, 33, 245-251.	1.7	66
92	Health Support Program for Coronary Risk in the Occupational Setting. Asian Pacific Journal of Disease Management, 2007, 1, 34-39.	0.3	2
93	Three-dimensional Echocardiography Improves the Understanding of the Mechanisms and Site of Left Atrioventricular Valve Regurgitation in Atrioventricular Septal Defect. Journal of the American Society of Echocardiography, 2006, 19, 1502-1510.	1.2	59
94	Association of Psychological Well-being with Oral Conditions in Japanese Workers. Journal of Occupational Health, 2006, 48, 487-493.	1.0	11
95	Development of Simultaneous Determination Method of Phthalate Monoester Metabolites in Urine by LC/MS/MS and Its Application to Assessment of Phthalate-Ester Exposure. Bunseki Kagaku, 2006, 55, 661-667.	0.1	5
96	Substantial differences in preparedness for emergency infection control measures among major hospitals in Japan: lessons from SARS. Journal of Infection and Chemotherapy, 2006, 12, 124-131.	0.8	3
97	The development and regulation of occupational exposure limits in Japan. Regulatory Toxicology and Pharmacology, 2006, 46, 120-125.	1.3	15
98	Estimation of future mortality from pleural malignant mesothelioma in Japan based on an age-cohort model. American Journal of Industrial Medicine, 2006, 49, 1-7.	1.0	136
99	Recent Trends in ILO Conventions Related to Occupational Safety and Health. International Journal of Occupational Safety and Ergonomics, 2006, 12, 255-266.	1.1	6
100	Mortality of Iron-Steel Workers in Anshanl China: A Retrospective Cohort Study. International Journal of Occupational and Environmental Health, 2006, 12, 193-202.	1.2	34
101	Decreased Serum Free Testosterone in Workers Exposed to High Levels of Di-n-butyl Phthalate (DBP) and Di-2-ethylhexyl Phthalate (DEHP): A Cross-Sectional Study in China. Environmental Health Perspectives, 2006, 114, 1643-1648.	2.8	310
102	Inequality in the health status of workers in small-scale enterprises. Occupational Medicine, 2006, 57, 126-130.	0.8	16
103	A Retrospective Cohort Study among Iron-Steel Workers in Anshan, China : Exposure Assessment. Journal of UOEH, 2006, 28, 253-263.	0.3	0
104	SARS Risk Perception and Preventive Measures, Singapore and Japan. Emerging Infectious Diseases, 2005, 11, 641-642.	2.0	16
105	Percutaneous Exposure Incidents Among Australian Hospital Staff. International Journal of Occupational Safety and Ergonomics, 2005, 11, 323-330.	1.1	12
106	SARS risk perceptions in healthcare workers, Japan. Emerging Infectious Diseases, 2005, 11, 404-10.	2.0	71
107	Male Reproductive Health in Relation to Occupational Exposure to Endocrine Disrupting and Other Potent Chemicals, A Review of the Epidemiologic Literature. Journal of UOEH, 2004, 26, 23-40.	0.3	7
108	Chip ligating human genomic DNA serves as storage material and template for polymerase chain reaction. Biotechnology Letters, 2003, 25, 509-512.	1.1	3

#	ARTICLE	IF	CITATIONS
109	Leukocyte 8-hydroxydeoxyguanosine and aromatic DNA adduct in coke-oven workers with polycyclic aromatic hydrocarbon exposure. <i>International Archives of Occupational and Environmental Health</i> , 2003, 76, 499-504.	1.1	36
110	Geographical correlation between ambient UVB level and mortality risk of leukemia in Japan. <i>Environmental Research</i> , 2003, 92, 78-84.	3.7	11
111	The silica carcinogenicity issue in Japan. <i>Occupational and Environmental Medicine</i> , 2003, 60, 897-898.	1.3	2
112	A Cross-country Comparative Overview of the Asbestos Situation in Ten Asian Countries. <i>International Journal of Occupational and Environmental Health</i> , 2003, 9, 244-248.	1.2	25
113	Estimating the Induction Period of Pleural Mesothelioma From Aggregate Data on Asbestos Consumption. <i>Journal of Occupational and Environmental Medicine</i> , 2003, 45, 1107-1115.	0.9	12
114	A Proposal for Topic-based Impact Factors and their Application to Occupational Health Literature. <i>Journal of Occupational Health</i> , 2003, 45, 248-253.	1.0	8
115	Cytochrome P450 1B1 mRNA levels in peripheral blood cells and exposure to polycyclic aromatic hydrocarbons in Chinese coke oven workers. <i>Science of the Total Environment</i> , 2002, 296, 27-33.	3.9	35
116	Age-Associated Increase of 8-Hydroxydeoxyguanosine in Human Colorectal Tissue DNA. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2001, 56, B483-B485.	1.7	19
117	Amphibole fibres in Chinese chrysotile asbestos. <i>Annals of Occupational Hygiene</i> , 2001, , .	1.9	22
118	An International Comparison of the Involvement of Epidemiology in the Most Frequently Cited Publications in the Field of Clinical Medicine.. <i>Journal of Epidemiology</i> , 2001, 11, 41-45.	1.1	14
119	Amphibole fibres in Chinese chrysotile asbestos. <i>Annals of Occupational Hygiene</i> , 2001, 45, 145-152.	1.9	12
120	Urinary 1-hydroxypyrene in coke oven workers relative to exposure, alcohol consumption, and metabolic enzymes. <i>Occupational and Environmental Medicine</i> , 2001, 58, 716-721.	1.3	42
121	Aromatic DNA adducts in coke-oven workers, in relation to exposure, lifestyle and genetic polymorphism of metabolic enzymes. <i>International Archives of Occupational and Environmental Health</i> , 2000, 73, 127-135.	1.1	26
122	Past, Present and Future Trends of Occupational Health in Japan, as at 1998. <i>Occupational Medicine</i> , 2000, 50, 437-439.	0.8	2
123	Ecological Relationship between Mesothelioma Incidence/Mortality and Asbestos Consumption in Ten Western Countries and Japan. <i>Journal of Occupational Health</i> , 1999, 41, 8-11.	1.0	40
124	Recent Trends in Homepages of Occupational Health Journals on the Internet. <i>Journal of Occupational Health</i> , 1999, 41, 83-86.	1.0	1
125	AN ALTERNATIVE TO JOURNAL-BASED IMPACT FACTORS. <i>Occupational Medicine</i> , 1999, 49, 57-58.	0.8	14
126	REFINING THE COMPUTATION OF TOPIC BASED IMPACT FACTORS—SOME SUGGESTIONS. <i>Occupational Medicine</i> , 1999, 49, 571-571.	0.8	12

#	ARTICLE	IF	CITATIONS
127	Nested case-control study of esophageal cancer in relation to occupational exposure to silica and other dusts. , 1999, 35, 272-280.		39
128	Regional Correlation Between Estimated UVB Levels and Skin Cancer Mortality in Japan. Journal of Epidemiology, 1999, 9, 123-128.	1.1	5
129	Seasonal Variation in Sudden Death among Japanese Workers: Why are There Peaks in Spring and Winter?. Journal of Occupational Health, 1999, 41, 244-252.	1.0	2
130	A study of multiple biomarkers in coke oven workers—a cross-sectional study in China. Carcinogenesis, 1998, 19, 1963-1968.	1.3	65
131	Occupational lung diseases and global occupational health on the Net. Occupational Medicine, 1998, 48, 3-6.	0.8	4
132	Acute Liver Dysfunction among Workers Exposed to 2,2-Dichloro-1,1-trifluoroethane (HCFC-123): A Case Report. Journal of Occupational Health, 1998, 40, 169-170.	1.0	22
133	Exposure to 2,2-Dichloro-1,1-trifluoroethane (HCFC-123) and Acute Liver Dysfunction: A Causal Inference. Journal of Occupational Health, 1998, 40, 334-338.	1.0	9
134	Environmental and Biological Monitoring of 2,2-Dichloro-1,1-trifluoroethane (HCFC-123). Journal of Occupational Health, 1998, 40, 348-349.	1.0	8
135	Relationship between Asbestos Exposures and 8-Hydroxydeoxyguanosine Levels in Leukocytic DNA of Workers at a Chinese Asbestos-material Plant. International Journal of Occupational and Environmental Health, 1997, 3, 111-119.	1.2	29
136	New trends for practice in telecommunication applied to preventive and environmental medicine. Environmental Health and Preventive Medicine, 1997, 2, 45-48.	1.4	0
137	Developing national indicators for occupational health. Scandinavian Journal of Work, Environment and Health, 1997, 23, 392-393.	1.7	2
138	Estimation of the Optimal Cut Off Point in a New Immunological Faecal Occult Blood Test in a Corporate Colorectal Cancer Screening Programme. Journal of Medical Screening, 1996, 3, 66-71.	1.1	43
139	Effects of Weight Cycling on Coronary Risk Factors. Journal of Epidemiology, 1996, 6, 55-62.	1.1	2
140	A bibliometric study of the trend in articles related to epidemiology published in occupational health journals.. Occupational and Environmental Medicine, 1996, 53, 433-438.	1.3	25
141	Lung-Retained Dose Following Occupational Exposure to Silica. Journal of Occupational and Environmental Hygiene, 1995, 10, 1031-1036.	0.5	2
142	Health status, health habits, utilization behaviour and health care utilization in an actively employed Japanese population. Occupational Medicine, 1995, 45, 186-192.	0.8	5
143	Return to Work After Stroke. Stroke, 1995, 26, 399-401.	1.0	79
144	Association between location of the lesion and discharge status of ADL in first stroke patients. Archives of Physical Medicine and Rehabilitation, 1994, 75, 858-860.	0.5	29

#	ARTICLE	IF	CITATIONS
145	Comprehensive periodic health examination: impact on health care utilisation and costs in a working population in Japan.. Journal of Epidemiology and Community Health, 1994, 48, 476-481.	2.0	9
146	Relation between lung asbestos fibre burden and exposure indices based on job history.. Occupational and Environmental Medicine, 1994, 51, 461-469.	1.3	28
147	Current status of occupational health in Japan. Occupational Medicine, 1994, 44, 66-69.	0.8	10
148	Health-Related Worries, Perceived Health Status, and Health Care Utilization. Journal of UOEH, 1994, 16, 287-299.	0.3	5
149	Factors influencing return to work after stroke in Japan.. Stroke, 1993, 24, 1182-1185.	1.0	60
150	A Matched Case-Control Study on Sudden Unexpected Death among Japanese Workers. Journal of Epidemiology, 1993, 3, 29-34.	1.1	2
151	Prediction of Discharge Barthel Index Score for Stroke Patients at Rehabilitation Commencement.. The Japanese Journal of Rehabilitation Medicine, 1993, 30, 717-720.	0.1	0
152	Work-related Bladder Cancer Risks in Male Japanese Workers: Estimation of Attributable Fraction and Geographical Correlation Analysis. Japanese Journal of Cancer Research, 1991, 82, 624-631.	1.7	14
153	Interpersonal Awareness and Smoking Behavior in the Workplace. Asia-Pacific Journal of Public Health, 1991, 5, 288-296.	0.4	0
154	A Prospective Cohort Study of Chromium Plating Workers in Japan. Archives of Environmental Health, 1990, 45, 107-111.	0.4	29
155	Bleeding esophageal varices caused by Graves' hypervascular cervical goiter. The Japanese Journal of Surgery, 1986, 16, 363-366.	0.2	4
156	Biologic responses to low level lead exposure.. Keio Journal of Medicine, 1976, 25, 123-130.	0.5	2
157	On the Significance of p-Nitrophenol in Urine in Parathion Poisoning. Japanese Journal of Hygiene, 1956, 11, 128-131.	0.6	0
158	On the Significance of p-Nitrophenol in Urine in Parathion Poisoning. Japanese Journal of Hygiene, 1956, 11, 132-135.	0.6	0
159	On the Significance of p-Nitrophenol in Urine in Parathion Poisoning. Japanese Journal of Hygiene, 1956, 11, 123-127.	0.6	1