

Hideyuki Yamamoto

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/589402/hideyuki-yamamoto-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55
papers

1,333
citations

16
h-index

36
g-index

57
ext. papers

1,415
ext. citations

4.7
avg, IF

3.67
L-index

#	Paper	IF	Citations
55	Roles of Pyk2 in signal transduction after gonadotropin-releasing hormone receptor stimulation. <i>Journal of Cellular Physiology</i> , 2021 , 236, 3033-3043	7	1
54	Vanilla scent reduces frequency of urination in urethane-anesthetized rats. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2021 , 13, 189-193	1.9	
53	Deletion of the lysyl oxidase-like 1 gene induces impaired elastin fiber synthesis and inefficient urethral closure in rats. <i>Biomedical Research</i> , 2021 , 42, 23-31	1.5	
52	Phenotypic Characterization of the Endocannabinoid-Degrading Enzyme Alpha/Beta-Hydrolase Domain 6 Knockout Rat. <i>Cannabis and Cannabinoid Research</i> , 2021 ,	4.6	2
51	Increased expression of EGR1 and KLF4 by polysulfide via activation of the ERK1/2 and ERK5 pathways in cultured intestinal epithelial cells. <i>Biomedical Research</i> , 2020 , 41, 119-129	1.5	2
50	Fyn-mediated phosphorylation of Pyk2 promotes its activation and dissociation downstream of gonadotropin-releasing hormone receptor. <i>FEBS Journal</i> , 2020 , 287, 3551-3564	5.7	3
49	Regulation of epidermal growth factor receptor expression and morphology of lung epithelial cells by interleukin-1. <i>Journal of Biochemistry</i> , 2020 , 168, 113-123	3.1	2
48	Mirabegron causes vesical and urethral relaxation in rats with spinal cord injury. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2020 , 12, 92-98	1.9	1
47	Evaluation of a rat model of functional urinary bladder outlet obstruction produced by chronic inhibition of nitric oxide synthase. <i>Life Sciences</i> , 2019 , 234, 116772	6.8	1
46	Tadalafil improves bladder dysfunction and object recognition in rats with pelvic venous congestion. <i>International Journal of Urology</i> , 2019 , 26, 578-585	2.3	4
45	Relationship of blood flow in the common iliac vein to lower urinary tract disease. <i>Journal of Medical Ultrasonics (2001)</i> , 2019 , 46, 223-229	1.4	5
44	Spinal glycinergic and gamma-aminobutyric acid-ergic neurons inhibit the micturition reflex after electrical stimulation of the perineum in rats with pelvic venous congestion. <i>International Journal of Urology</i> , 2019 , 26, 1149-1155	2.3	3
43	Emotional Stress Facilitates Micturition Reflex: Possible Inhibition by an α -Adrenoceptor Blocker in the Conscious and Anesthetized State. <i>International Neurourology Journal</i> , 2019 , 23, 100-108	2.6	5
42	In Vitro Effects of Plasma Collected From Rats Administered Naftopidil on Whole Urinary Bladder Preparation Isolated From Rats. <i>International Neurourology Journal</i> , 2019 , 23, 277-286	2.6	
41	Mechanisms underlying the effects of propiverine on bladder activity in rats with pelvic venous congestion and urinary frequency. <i>Biomedical Research</i> , 2019 , 40, 145-152	1.5	2
40	Activation of Pyk2 by CaM kinase II in cultured hypothalamic neurons and gonadotroph cells. <i>Journal of Cellular Physiology</i> , 2019 , 234, 6865-6875	7	4
39	CaMKII β s localized in dendritic spines as both drebrin-dependent and drebrin-independent pools. <i>Journal of Neurochemistry</i> , 2018 , 146, 145-159	6	8

38	Phosphorylation of epidermal growth factor receptor at serine 1047 in cultured lung alveolar epithelial cells by bradykinin B2 receptor stimulation. <i>Pulmonary Pharmacology and Therapeutics</i> , 2018 , 48, 53-61	3.5	4
37	Up-regulation of DUSP5 and DUSP6 by gonadotropin-releasing hormone in cultured hypothalamic neurons, GT1-7 cells. <i>Biomedical Research</i> , 2018 , 39, 149-158	1.5	4
36	Pelvic venous congestion induces lower urinary tract dysfunction in rats. <i>Biomedical Research</i> , 2018 , 39, 269-277	1.5	6
35	Targeting EphA4 abrogates intrinsic resistance to chemotherapy in well-differentiated cervical cancer cell line. <i>European Journal of Pharmacology</i> , 2018 , 840, 70-78	5.3	4
34	Naftopidil Improves Symptoms in a Rat Model of Tranilast-Induced Interstitial Cystitis. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2017 , 9, 107-110	1.9	3
33	Action of naftopidil on spinal serotonergic neurotransmission for inhibition of the micturition reflex in rats. <i>Neurourology and Urodynamics</i> , 2017 , 36, 604-609	2.3	3
32	ErbB4 cleavage by gonadotropin-releasing hormone receptor stimulation in cultured gonadotroph cells. <i>European Journal of Pharmacology</i> , 2017 , 799, 171-179	5.3	1
31	Effects of silodosin on bladder activity in rats with frequent urination induced by pelvic venous congestion. <i>International Journal of Urology</i> , 2016 , 23, 881-887	2.3	6
30	Pelvic venous congestion with castration causes chronic prostatitis in rats. <i>International Journal of Urology</i> , 2016 , 23, 431-5	2.3	9
29	Naftopidil improves locomotor activity and urinary frequency in rats with pelvic venous congestion. <i>Biomedical Research</i> , 2016 , 37, 221-6	1.5	5
28	Stimulation of Cell Migration by Flagellin Through the p38 MAP Kinase Pathway in Cultured Intestinal Epithelial Cells. <i>Journal of Cellular Biochemistry</i> , 2016 , 117, 247-58	4.7	10
27	Propiverine increases urethral wall catecholamine levels and bladder leak point pressure in rats. <i>International Journal of Urology</i> , 2016 , 23, 93-9	2.3	9
26	Involvement of Protein Kinase D1 in Signal Transduction from the Protein Kinase C Pathway to the Tyrosine Kinase Pathway in Response to Gonadotropin-releasing Hormone. <i>Journal of Biological Chemistry</i> , 2015 , 290, 25974-85	5.4	10
25	Differential regulation of epidermal growth factor receptor by hydrogen peroxide and flagellin in cultured lung alveolar epithelial cells. <i>European Journal of Pharmacology</i> , 2015 , 748, 133-42	5.3	9
24	Spinal mechanism of micturition reflex inhibition by naftopidil in rats. <i>Life Sciences</i> , 2014 , 116, 106-11	6.8	16
23	Desensitization by different strategies of epidermal growth factor receptor and ErbB4. <i>Journal of Pharmacological Sciences</i> , 2014 , 124, 287-93	3.7	12
22	Intravenous or local injections of flavoxate in the rostral pontine reticular formation inhibit urinary frequency induced by activation of medial frontal lobe neurons in rats. <i>Journal of Urology</i> , 2014 , 192, 1278-85	2.5	5
21	Phosphorylation of epidermal growth factor receptor at serine 1047 by MAP kinase-activated protein kinase-2 in cultured lung epithelial cells treated with flagellin. <i>Archives of Biochemistry and Biophysics</i> , 2013 , 529, 75-85	4.1	8

20	High-dose tranilast administration to rats creates interstitial cystitis-like symptoms with increased vascular permeability. <i>Life Sciences</i> , 2013 , 93, 897-903	6.8	14
19	Selective cleavage of ErbB4 by G-protein-coupled gonadotropin-releasing hormone receptor in cultured hypothalamic neurons. <i>Journal of Cellular Physiology</i> , 2012 , 227, 2492-501	7	18
18	Synergistic Effect by Co-Administration of Tamsulosin and Solifenacin on Bladder Activity in Rats. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2012 , 4, 3-8	1.9	2
17	Induction of epithelial-mesenchymal transition by flagellin in cultured lung epithelial cells. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2012 , 303, L1057-69	5.8	16
16	Interaction of ethyl pyruvate in vitro with NF- κ B subunits, RelA and p50. <i>European Journal of Pharmacology</i> , 2011 , 650, 151-6	5.3	7
15	Inhibition by ethyl pyruvate of the nuclear translocation of nuclear factor-kappaB in cultured lung epithelial cells. <i>Pulmonary Pharmacology and Therapeutics</i> , 2010 , 23, 308-15	3.5	16
14	Phosphorylation of ribosomal protein S19 at Ser59 by CaM kinase I alpha. <i>Journal of Neurochemistry</i> , 2009 , 109, 393-402	6	15
13	Involvement of CaM kinase II in gonadotropin-releasing hormone-induced activation of MAP kinase in cultured hypothalamic neurons. <i>Archives of Biochemistry and Biophysics</i> , 2007 , 466, 234-41	4.1	21
12	Phosphorylation of tau at serine 416 by Ca ²⁺ /calmodulin-dependent protein kinase II in neuronal soma in brain. <i>Journal of Neurochemistry</i> , 2005 , 94, 1438-47	6	42
11	Differential activation of the luteinizing hormone beta-subunit promoter by activin and gonadotropin-releasing hormone: a role for the mitogen-activated protein kinase signaling pathway in LbetaT2 gonadotrophs. <i>Biology of Reproduction</i> , 2004 , 70, 236-43	3.9	44
10	Phosphorylation of microtubule-associated protein tau by Ca ²⁺ /calmodulin-dependent protein kinase II in its tubulin binding sites. <i>Archives of Biochemistry and Biophysics</i> , 2002 , 408, 255-62	4.1	26
9	Involvement of mitogen-activated protein kinase in cyclic adenosine 3',5'-monophosphate-induced hormone gene expression in rat pituitary GH(3) cells. <i>Endocrinology</i> , 2001 , 142, 2811-9	4.8	33
8	Increase of brain-derived neurotrophic factor gene expression in NG108-15 cells by the nuclear isoforms of Ca ²⁺ /calmodulin-dependent protein kinase II. <i>Journal of Neurochemistry</i> , 2000 , 74, 1913-22	6	29
7	Regulation of insulin secretion by overexpression of Ca ²⁺ /calmodulin-dependent protein kinase II in insulinoma MIN6 cells. <i>Endocrinology</i> , 2000 , 141, 2350-60	4.8	30
6	Nuclear localization of the delta subunit of Ca ²⁺ /calmodulin-dependent protein kinase II in rat cerebellar granule cells. <i>Journal of Neurochemistry</i> , 1999 , 72, 815-25	6	30
5	The antibody specific for myristoylated alanine-rich C kinase substrate phosphorylated by protein kinase C: activation of protein kinase C in smooth muscle cells in human coronary arteries. <i>Archives of Biochemistry and Biophysics</i> , 1998 , 359, 151-9	4.1	13
4	Overexpression of Ca ²⁺ /calmodulin-dependent protein kinase II inhibits neurite outgrowth of PC12 cells. <i>Journal of Neurochemistry</i> , 1996 , 66, 57-64	6	39
3	Phosphorylation and regulation of glutamate receptors by calcium/calmodulin-dependent protein kinase II. <i>Nature</i> , 1993 , 362, 640-2	50.4	438

- | | | | |
|---|--|---|-----|
| 2 | Staurosporine: an effective inhibitor for Ca ²⁺ /calmodulin-dependent protein kinase II. <i>Journal of Neurochemistry</i> , 1991 , 56, 294-8 | 6 | 136 |
| 1 | Purification and characterization of a Ca ²⁺ - and calmodulin-dependent protein kinase from rat brain. <i>Journal of Neurochemistry</i> , 1982 , 39, 1607-17 | 6 | 197 |