

Bence Sipos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5894504/publications.pdf>

Version: 2024-02-01

54
papers

5,186
citations

159585

30
h-index

168389

53
g-index

56
all docs

56
docs citations

56
times ranked

9532
citing authors

#	ARTICLE	IF	CITATIONS
1	Targeting interleukin 6 signaling by monoclonal antibody siltuximab on cholangiocarcinoma. Journal of Gastroenterology and Hepatology (Australia), 2021, 36, 1334-1345.	2.8	18
2	Unraveling the Molecular Tumor-Promoting Regulation of Cofilin-1 in Pancreatic Cancer. Cancers, 2021, 13, 725.	3.7	12
3	CUX1 Enhances Pancreatic Cancer Formation by Synergizing with KRAS and Inducing MEK/ERK-Dependent Proliferation. Cancers, 2021, 13, 2462.	3.7	6
4	Combined effects of PNPLA3, TM6SF2 and HSD17B13 variants on severity of biopsy-proven non-alcoholic fatty liver disease. Hepatology International, 2021, 15, 922-933.	4.2	14
5	Immunoprofiling in Neuroendocrine Neoplasms Unveil Immunosuppressive Microenvironment. Cancers, 2020, 12, 3448.	3.7	12
6	Major histocompatibility complex class 1 (MHC1) loss among patients with glioblastoma (GBM).. Journal of Clinical Oncology, 2020, 38, e14523-e14523.	1.6	5
7	Solide und zystische nichtendokrine Tumoren des Pankreas. Pathologie, 2020, , 707-774.	0.0	0
8	Heterozygous carriage of the alpha1-antitrypsin Pi*Z variant increases the risk to develop liver cirrhosis. Gut, 2019, 68, 1099-1107.	12.1	100
9	Contrast-enhanced imaging in hepatic epithelioid hemangioendothelioma: retrospective study of 10 patients. Zeitschrift Fur Gastroenterologie, 2019, 57, 753-766.	0.5	17
10	The antioxidant transcription factor Nrf2 modulates the stress response and phenotype of malignant as well as premalignant pancreatic ductal epithelial cells by inducing expression of the ATF3 splicing variant \hat{I}^{Zip2} . Oncogene, 2019, 38, 1461-1476.	5.9	7
11	<i>MAFA</i> missense mutation causes familial insulinomatosis and diabetes mellitus. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 1027-1032.	7.1	88
12	Therapeutic targeting of tumor-associated macrophages in pancreatic neuroendocrine tumors. International Journal of Cancer, 2018, 143, 1806-1816.	5.1	35
13	Pancreatic neuroendocrine carcinomas reveal a closer relationship to ductal adenocarcinomas than to neuroendocrine tumors G3. Human Pathology, 2018, 77, 70-79.	2.0	95
14	SDF-1/CXCR4 expression is an independent negative prognostic biomarker in patients with head and neck cancer after primary radiochemotherapy. Radiotherapy and Oncology, 2018, 126, 125-131.	0.6	24
15	Necroptosis microenvironment directs lineage commitment in liver cancer. Nature, 2018, 562, 69-75.	27.8	283
16	Microvessel density and angiogenesis in primary hepatic malignancies: Differential expression of CD31 and VEGFR-2 in hepatocellular carcinoma and intrahepatic cholangiocarcinoma. Pathology Research and Practice, 2018, 214, 1136-1141.	2.3	30
17	Impact of surgery in patients with metastatic soft tissue sarcoma: A monocentric retrospective analysis. Journal of Surgical Oncology, 2018, 118, 167-176.	1.7	22
18	Somatostatin receptor expression related to TP53 and RB1 alterations in pancreatic and extrapancreatic neuroendocrine neoplasms with a Ki67-index above 20%. Modern Pathology, 2017, 30, 587-598.	5.5	162

#	ARTICLE	IF	CITATIONS
19	Therapeutic effects of Argyrin F in pancreatic adenocarcinoma. <i>Cancer Letters</i> , 2017, 399, 20-28.	7.2	8
20	SDF-1/CXCR4 expression in head and neck cancer and outcome after postoperative radiochemotherapy. <i>Clinical and Translational Radiation Oncology</i> , 2017, 5, 28-36.	1.7	16
21	miRNA dynamics in tumor-infiltrating myeloid cells modulating tumor progression in pancreatic cancer. <i>Oncolmmunology</i> , 2016, 5, e1160181.	4.6	14
22	Morphology of the peritoneal cavity and pathophysiological consequences. <i>Pleura and Peritoneum</i> , 2016, 1, 193-201.	1.2	20
23	The anti-oxidative transcription factor Nuclear factor E2 related factor-2 (Nrf2) counteracts TGF- β 1 mediated growth inhibition of pancreatic ductal epithelial cells -Nrf2 as determinant of pro-tumorigenic functions of TGF- β 1. <i>BMC Cancer</i> , 2016, 16, 155.	2.6	17
24	The role of integrins in primary and secondary brain tumors. <i>Histology and Histopathology</i> , 2016, 31, 1069-78.	0.7	8
25	Role of BCL9L in transforming growth factor- β 2 (TGF- β 2)-induced epithelial-to-mesenchymal-transition (EMT) and metastasis of pancreatic cancer. <i>Oncotarget</i> , 2016, 7, 73725-73738.	1.8	25
26	Treatment of pancreatic ductal adenocarcinoma (PDAC) by argyirin F (AF) + gemcitabine (G).. <i>Journal of Clinical Oncology</i> , 2016, 34, 310-310.	1.6	0
27	A Multistep High-Content Screening Approach to Identify Novel Functionally Relevant Target Genes in Pancreatic Cancer. <i>PLoS ONE</i> , 2015, 10, e0122946.	2.5	13
28	The Crosstalk between Nrf2 and TGF- β 1 in the Epithelial-Mesenchymal Transition of Pancreatic Duct Epithelial Cells. <i>PLoS ONE</i> , 2015, 10, e0132978.	2.5	48
29	Chronic graft-versus-host-disease in CD34+ -humanized NSG mice is associated with human susceptibility HLA haplotypes for autoimmune disease. <i>Journal of Autoimmunity</i> , 2015, 62, 55-66.	6.5	38
30	Combined inhibition of BET family proteins and histone deacetylases as a potential epigenetics-based therapy for pancreatic ductal adenocarcinoma. <i>Nature Medicine</i> , 2015, 21, 1163-1171.	30.7	349
31	Glucagon Cell Hyperplasia and Neoplasia With and Without Glucagon Receptor Mutations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, E783-E788.	3.6	65
32	Novel prognostic markers revealed by a proteomic approach separating benign from malignant insulinomas. <i>Modern Pathology</i> , 2015, 28, 69-79.	5.5	20
33	Inverse expression of somatostatin and CXCR4 chemokine receptors in gastroenteropancreatic neuroendocrine neoplasms of different malignancy. <i>Oncotarget</i> , 2015, 6, 27566-27579.	1.8	77
34	Comparative Characterization of Stroma Cells and Ductal Epithelium in Chronic Pancreatitis and Pancreatic Ductal Adenocarcinoma. <i>PLoS ONE</i> , 2014, 9, e94357.	2.5	70
35	Intraductal papillary neoplasms of the bile duct: stepwise progression to carcinoma involves common molecular pathways. <i>Modern Pathology</i> , 2014, 27, 73-86.	5.5	127
36	In vivo RNAi screening identifies a mechanism of sorafenib resistance in liver cancer. <i>Nature Medicine</i> , 2014, 20, 1138-1146.	30.7	242

#	ARTICLE	IF	CITATIONS
37	EGF Receptor Is Required for KRAS-Induced Pancreatic Tumorigenesis. <i>Cancer Cell</i> , 2012, 22, 304-317.	16.8	445
38	Lack of CCR7 expression is rate limiting for lymphatic spread of pancreatic ductal adenocarcinoma. <i>International Journal of Cancer</i> , 2012, 131, E371-81.	5.1	31
39	Early Requirement of Rac1 in a Mouse Model of Pancreatic Cancer. <i>Gastroenterology</i> , 2011, 141, 719-730.e7.	1.3	105
40	Stat3/Socs3 Activation by IL-6 Transsignaling Promotes Progression of Pancreatic Intraepithelial Neoplasia and Development of Pancreatic Cancer. <i>Cancer Cell</i> , 2011, 19, 456-469.	16.8	754
41	Notch2 is required for progression of pancreatic intraepithelial neoplasia and development of pancreatic ductal adenocarcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 13438-13443.	7.1	190
42	Up-regulation of L1CAM in Pancreatic Duct Cells Is Transforming Growth Factor β 1 and Slug-Dependent: Role in Malignant Transformation of Pancreatic Cancer. <i>Cancer Research</i> , 2009, 69, 4517-4526.	0.9	90
43	Analysis of the Pancreatic Tumor Progression by a Quantitative Proteomic Approach and Immunohistochemical Validation. <i>Journal of Proteome Research</i> , 2009, 8, 1647-1656.	3.7	67
44	Role of myofibroblasts in innate chemoresistance of pancreatic carcinoma—Epigenetic downregulation of caspases. <i>International Journal of Cancer</i> , 2008, 123, 1751-1760.	5.1	64
45	The CXCR5 Chemokine Receptor Is Expressed by Carcinoma Cells and Promotes Growth of Colon Carcinoma in the Liver. <i>Cancer Research</i> , 2006, 66, 9576-9582.	0.9	89
46	Pancreatic fibrosis associated with age and ductal papillary hyperplasia. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2005, 447, 800-805.	2.8	149
47	Lymphatic spread of ductal pancreatic adenocarcinoma is independent of lymphangiogenesis. <i>Journal of Pathology</i> , 2005, 207, 301-312.	4.5	46
48	Tumor Stroma Interactions Induce Chemoresistance in Pancreatic Ductal Carcinoma Cells Involving Increased Secretion and Paracrine Effects of Nitric Oxide and Interleukin-1 β . <i>Cancer Research</i> , 2004, 64, 1331-1337.	0.9	241
49	Expression of Lymphangiogenic Factors and Evidence of Intratumoral Lymphangiogenesis in Pancreatic Endocrine Tumors. <i>American Journal of Pathology</i> , 2004, 165, 1187-1197.	3.8	70
50	Terminally Modified Oligodeoxynucleotides Directed Against p53 in an Orthotopic Xenograft Model: A Novel Adjuvant Treatment Strategy for Pancreatic Ductal Carcinoma. <i>Pancreas</i> , 2004, 28, 1-12.	1.1	17
51	A comprehensive characterization of pancreatic ductal carcinoma cell lines: towards the establishment of an in vitro research platform. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003, 442, 444-452.	2.8	284
52	Vascular endothelial growth factor mediated angiogenic potential of pancreatic ductal carcinomas enhanced by hypoxia: An in vitro and in vivo study. <i>International Journal of Cancer</i> , 2002, 102, 592-600.	5.1	30
53	Genetic profile of 22 pancreatic carcinoma cell lines. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2001, 439, 798-802.	2.8	308
54	Duct changes and K-ras mutations in the disease-free pancreas: analysis of type, age relation and spatial distribution. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 1999, 435, 461-468.	2.8	116