

Chrisophe Hirtz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5895338/chrisophe-hirtz-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100 papers	2,342 citations	23 h-index	46 g-index
118 ext. papers	2,862 ext. citations	4.6 avg, IF	4.72 L-index

#	Paper	IF	Citations
100	Hypoxemia increases blood-brain barrier permeability during extreme apnea in humans.. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2022 , 271678X221075967	7.3	3
99	Deciphering Black Extrinsic Tooth Stain Composition in Children Using Metaproteomics.. <i>ACS Omega</i> , 2022 , 7, 8258-8267	3.9	
98	Blood amyloid and tau biomarkers as predictors of cerebrospinal fluid profiles.. <i>Journal of Neural Transmission</i> , 2022 , 129, 231	4.3	0
97	Proteomics Challenges for the Assessment of Synuclein Proteoforms as Clinical Biomarkers in Parkinson's Disease.. <i>Frontiers in Aging Neuroscience</i> , 2022 , 14, 818606	5.3	0
96	Intra-articular delivery of full-length antibodies through the use of an in situ forming depot.. <i>Journal of Controlled Release</i> , 2021 , 341, 578-590	11.7	0
95	Characterization of pre-analytical sample handling effects on a panel of Alzheimer's disease-related blood-based biomarkers: Results from the Standardization of Alzheimer's Blood Biomarkers (SABB) working group. <i>Alzheimer's and Dementia</i> , 2021 ,	1.2	12
94	FTO-mediated cytoplasmic mA demethylation adjusts stem-like properties in colorectal cancer cell. <i>Nature Communications</i> , 2021 , 12, 1716	17.4	23
93	Tau protein in cerebrospinal fluid: a novel biomarker of the time of death?. <i>International Journal of Legal Medicine</i> , 2021 , 135, 2081-2089	3.1	1
92	Cytokine response following perturbation of the cervicovaginal milieu during HPV genital infection. <i>Immunologic Research</i> , 2021 , 69, 255-263	4.3	1
91	The potential impact of salivary peptides in periodontitis. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2021 , 58, 479-492	9.4	2
90	Use of plasma biomarkers for AT(N) classification of neurodegenerative dementias. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021 , 92, 1206-1214	5.5	10
89	Cytokines as new biomarkers of skin wound vitality. <i>International Journal of Legal Medicine</i> , 2021 , 135, 2537-2545	3.1	4
88	Serum glial fibrillary acidic protein is a predictor of brain metastases in patients with metastatic breast cancer. <i>International Journal of Cancer</i> , 2021 , 149, 1605-1618	7.5	2
87	Ghrelin and adipokines: An overview of their physiological role, antimicrobial activity and impact on cardiovascular conditions. <i>Vitamins and Hormones</i> , 2021 , 115, 477-509	2.5	1
86	Immunoassay and Mass Spectrometry Methods for Tau Protein Quantification in the Cerebrospinal Fluid. <i>Neuromethods</i> , 2021 , 71-85	0.4	
85	Analytical comparison of ELISA and mass spectrometry for quantification of serum hepcidin in critically ill patients. <i>Bioanalysis</i> , 2021 , 13, 1029-1035	2.1	2
84	Concussion history in rugby union players is associated with depressed cerebrovascular reactivity and cognition. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021 , 31, 2291-2299	4.6	1

83	Quantifying RNA modifications by mass spectrometry: a novel source of biomarkers in oncology. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2021 , 1-18	9.4	3
82	Metrological references for person ability in memory tests. <i>Measurement: Sensors</i> , 2021 , 18, 100289	0.5	1
81	MALDI-TOF IP-MS quantification of plasma amyloid peptides in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020 , 16, e047112	1.2	1
80	Cerebrospinal Fluid and Plasma Biomarkers do not Differ in the Presenile and Late-Onset Behavioral Variants of Frontotemporal Dementia. <i>Journal of Alzheimer's Disease</i> , 2020 , 74, 903-911	4.3	5
79	Gravitational Transitions Increase Posterior Cerebral Perfusion and Systemic Oxidative-nitrosative Stress: Implications for Neurovascular Unit Integrity. <i>Neuroscience</i> , 2020 , 441, 142-160	3.9	4
78	Cerebrospinal fluid phospho-tau T217 outperforms T181 as a biomarker for the differential diagnosis of Alzheimer's disease and PET amyloid-positive patient identification. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 26	9	80
77	Soluble Interleukin-1 Receptor-1 (sIL-1R1), Thrombospondin-1, and Vinculin for the Identification of Septic Shock Patients Suffering from an Invasive Fungal Infection. <i>Mediators of Inflammation</i> , 2020 , 2020, 1-13	4.3	2
76	Serum GFAP in multiple sclerosis: correlation with disease type and MRI markers of disease severity. <i>Scientific Reports</i> , 2020 , 10, 10923	4.9	17
75	Laccases 2 & 3 as biomarkers of Botrytis cinerea infection in sweet white wines. <i>Food Chemistry</i> , 2020 , 315, 126233	8.5	5
74	Efficient extraction of intact HSA-A β peptide complexes from sera: Toward albuminome biomarker identification. <i>Talanta</i> , 2020 , 216, 121002	6.2	3
73	Development of a primary calibrator and candidate reference method for metrological traceability of tau protein results. <i>Alzheimer's and Dementia</i> , 2020 , 16, e043036	1.2	
72	Detection of amyloid beta peptides in body fluids for the diagnosis of Alzheimer's disease: Where do we stand?. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2020 , 57, 99-113	9.4	13
71	Cerebrospinal fluid A β 1-40 peptides increase in Alzheimer's disease and are highly correlated with phospho-tau in control individuals. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 123	9	10
70	Hepcidin and ferritin levels in restless legs syndrome: a case-control study. <i>Scientific Reports</i> , 2020 , 10, 11914	4.9	10
69	Variation of human salivary alpha-amylase proteoforms in three stimulation models. <i>Clinical Oral Investigations</i> , 2020 , 24, 475-486	4.2	4
68	Serum neurofilament light chain at time of diagnosis is an independent prognostic factor of survival in amyotrophic lateral sclerosis. <i>European Journal of Neurology</i> , 2020 , 27, 251-257	6	36
67	Peripheral Blood and Salivary Biomarkers of Blood-Brain Barrier Permeability and Neuronal Damage: Clinical and Applied Concepts. <i>Frontiers in Neurology</i> , 2020 , 11, 577312	4.1	16
66	SILK studies - capturing the turnover of proteins linked to neurodegenerative diseases. <i>Nature Reviews Neurology</i> , 2019 , 15, 419-427	15	22

65	Stable Isotope Labeling Kinetics in CNS Translational Medicine: Introduction to SILK Technology. <i>Handbook of Behavioral Neuroscience</i> , 2019 , 29, 173-190	0.7	
64	Biochemical markers of time since death in cerebrospinal fluid: A first step towards. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2019 , 56, 274-286	9.4	7
63	Natural history, dynamics, and ecology of human papillomaviruses in genital infections of young women: protocol of the PAPCLEAR cohort study. <i>BMJ Open</i> , 2019 , 9, e025129	3	8
62	Bystander effectors of chondrosarcoma cells irradiated at different LET impair proliferation of chondrocytes. <i>Journal of Cell Communication and Signaling</i> , 2019 , 13, 343-356	5.2	11
61	Intact Protein Analysis by LC-MS for Characterizing Biomarkers in Cerebrospinal Fluid. <i>Methods in Molecular Biology</i> , 2019 , 1959, 163-172	1.4	
60	Dental stem cells as a promising source for cell therapies in neurological diseases. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2019 , 56, 170-181	9.4	5
59	In Vivo Large-Scale Mapping of Protein Turnover in Human Cerebrospinal Fluid. <i>Analytical Chemistry</i> , 2019 , 91, 15500-15508	7.8	1
58	The prognostic value of the τ Tau protein serum level in metastatic breast cancer patients and its correlation with brain metastases. <i>BMC Cancer</i> , 2019 , 19, 110	4.8	14
57	The mA pathway protects the transcriptome integrity by restricting RNA chimera formation in plants. <i>Life Science Alliance</i> , 2019 , 2,	5.8	29
56	Nano-flow vs standard-flow: Which is the more suitable LC/MS method for quantifying hepcidin-25 in human serum in routine clinical settings?. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1086, 110-117	3.2	3
55	Association between serum hepcidin level and restless legs syndrome. <i>Movement Disorders</i> , 2018 , 33, 618-627	7	17
54	Assessing a multiplex-targeted proteomics approach for the clinical diagnosis of periodontitis using saliva samples. <i>Bioanalysis</i> , 2018 , 10, 35-45	2.1	7
53	Identification of multiple proteoforms biomarkers on clinical samples by routine Top-Down approaches. <i>Data in Brief</i> , 2018 , 18, 1013-1021	1.2	6
52	Data from a targeted proteomics approach to discover biomarkers in saliva for the clinical diagnosis of periodontitis. <i>Data in Brief</i> , 2018 , 18, 294-299	1.2	8
51	Strain effect on extracellular laccase activities from <i>Botrytis cinerea</i> . <i>Australian Journal of Grape and Wine Research</i> , 2018 , 24, 241-251	2.4	9
50	Towards a routine application of Top-Down approaches for label-free discovery workflows. <i>Journal of Proteomics</i> , 2018 , 175, 12-26	3.9	16
49	Alzheimer's Disease: Advances in Drug Development. <i>Journal of Alzheimer's Disease</i> , 2018 , 65, 3-13	4.3	32
48	Sample Pooling and Inflammation Linked to the False Selection of Biomarkers for Neurodegenerative Diseases in Top-Down Proteomics: A Pilot Study. <i>Frontiers in Molecular Neuroscience</i> , 2018 , 11, 477	6.1	12

47	Impact of biological matrix on inflammatory protein biomarker quantification based on targeted mass spectrometry. <i>Bioanalysis</i> , 2018 , 10, 1383-1399	2.1	4
46	Plasma and CSF biomarkers for the diagnosis of Alzheimer's disease in adults with Down syndrome: a cross-sectional study. <i>Lancet Neurology</i> , 2018 , 17, 860-869	24.1	105
45	What sample preparation should be chosen for targeted MS monoclonal antibody quantification in human serum?. <i>Bioanalysis</i> , 2018 , 10, 723-735	2.1	10
44	Regulatory context and validation of assays for clinical mass spectrometry proteomics (cMSP) methods. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2018 , 55, 346-358	9.4	7
43	Clinical mass spectrometry proteomics (cMSP) for medical laboratory: What does the future hold?. <i>Clinica Chimica Acta</i> , 2017 , 467, 51-58	6.2	23
42	Characterizing Deep White Matter Hyperintensities in Patients with Symptomatic Isolated Cortical Superficial Siderosis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017 , 26, 465-469	2.8	0
41	Quantification of hepcidin-25 in human cerebrospinal fluid using LC-MS/MS. <i>Bioanalysis</i> , 2017 , 9, 337-347	2.1	11
40	Cerebrospinal fluid levels of orexin-A and histamine, and sleep profile within the Alzheimer process. <i>Neurobiology of Aging</i> , 2017 , 53, 59-66	5.6	53
39	Impurity determination for hepcidin by liquid chromatography-high resolution and ion mobility mass spectrometry for the value assignment of candidate primary calibrators. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 2559-2567	4.4	14
38	RECQ1 helicase is involved in replication stress survival and drug resistance in multiple myeloma. <i>Leukemia</i> , 2017 , 31, 2104-2113	10.7	42
37	Clinical perspectives of dried blood spot protein quantification using mass spectrometry methods. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2017 , 54, 173-184	9.4	14
36	Comparison of HbA1c detection in whole blood and dried blood spots using an automated ion-exchange HPLC system. <i>Bioanalysis</i> , 2017 , 9, 427-434	2.1	11
35	Impact of iron deficiency diagnosis using hepcidin mass spectrometry dosage methods on hospital stay and costs after a prolonged ICU stay: Study protocol for a multicentre, randomised, single-blinded medico-economic trial. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2017 , 36, 391-396	3	8
34	[P1073]: QUANTIFICATION OF HEPCIDIN-25 IN HUMAN CEREBROSPINAL FLUID: TECHNICAL FEASIBILITY AND BIOLOGICAL RELEVANCE IN NEURODEGENERATIVE DISEASES 2017 , 13, P354-P354		
33	Proteomic profile of cerebrospinal fluid in patients with multiple sclerosis using two dimensional gel electrophoresis. <i>British Journal of Biomedical Science</i> , 2016 , 73, 143-146	1.6	3
32	Development of new quantitative mass spectrometry and semi-automatic isofocusing methods for the determination of Apolipoprotein E typing. <i>Clinica Chimica Acta</i> , 2016 , 454, 33-8	6.2	17
31	Absolute quantification of 35 plasma biomarkers in human saliva using targeted MS. <i>Bioanalysis</i> , 2016 , 8, 43-53	2.1	18
30	Human S100A10 plays a crucial role in the acquisition of the endometrial receptivity phenotype. <i>Cell Adhesion and Migration</i> , 2016 , 10, 282-98	3.2	20

29	Tau Protein Quantification in Human Cerebrospinal Fluid by Targeted Mass Spectrometry at High Sequence Coverage Provides Insights into Its Primary Structure Heterogeneity. <i>Journal of Proteome Research</i> , 2016 , 15, 667-76	5.6	66
28	Cerebrospinal Fluid Alzheimer's Disease Biomarkers in Isolated Supratentorial Cortical Superficial Siderosis. <i>Journal of Alzheimer's Disease</i> , 2016 , 54, 1291-1295	4.3	12
27	From radioimmunoassay to mass spectrometry: a new method to quantify orexin-A (hypocretin-1) in cerebrospinal fluid. <i>Scientific Reports</i> , 2016 , 6, 25162	4.9	29
26	Differential Mass Spectrometry Profiles of Tau Protein in the Cerebrospinal Fluid of Patients with Alzheimer's Disease, Progressive Supranuclear Palsy, and Dementia with Lewy Bodies. <i>Journal of Alzheimer's Disease</i> , 2016 , 51, 1033-43	4.3	76
25	O1-05-04: PROFILING OF INTACT PROTEINS IN THE CSF OF ALZHEIMER'S DISEASE PATIENTS USING TOP DOWN CLINICAL PROTEOMICS (TDCP): A NEW APPROACH GIVING ACCESS TO ISOFORM SPECIFIC INFORMATION OF NEURODEGENERATIVE BIOMARKERS 2016 , 12, P183-P184		1
24	P1-188: CSF Orexin-A/Hypocretin-1 Changes in the Alzheimer Disease Process 2016 , 12, P476-P476		
23	Cerebrospinal Fluid Alzheimer's Disease Biomarkers in Cerebral Amyloid Angiopathy-Related Inflammation. <i>Journal of Alzheimer's Disease</i> , 2016 , 50, 759-764	4.3	19
22	Multi-omics profiling reveals that eating difficulties developed consecutively to artificial nutrition in the neonatal period are associated to specific saliva composition. <i>Journal of Proteomics</i> , 2015 , 128, 105-12	3.9	14
21	Quantitative detection of amyloid- β peptides by mass spectrometry: state of the art and clinical applications. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 1483-93	5.9	21
20	Stable Isotope Labeling by Amino acid in Vivo (SILAV): a new method to explore protein metabolism. <i>Rapid Communications in Mass Spectrometry</i> , 2015 , 29, 1917-25	2.2	7
19	Antibody-free quantification of seven tau peptides in human CSF using targeted mass spectrometry. <i>Frontiers in Neuroscience</i> , 2015 , 9, 302	5.1	24
18	Development and validation of dried matrix spot sampling for the quantitative determination of amyloid β peptides in cerebrospinal fluid. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014 , 52, 649-55	5.9	5
17	Clinical measurement of Hepcidin-25 in human serum: Is quantitative mass spectrometry up to the job?. <i>EuPA Open Proteomics</i> , 2014 , 3, 60-67	0.1	18
16	Impact of harmonization of collection tubes on Alzheimer's disease diagnosis. <i>Alzheimer's and Dementia</i> , 2014 , 10, S390-S394.e2	1.2	50
15	Current and future use of "dried blood spot" analyses in clinical chemistry. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013 , 51, 1897-909	5.9	78
14	Quantitative Clinical Chemistry Proteomics (qCCP) using mass spectrometry: general characteristics and application. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013 , 51, 919-35	5.9	43
13	From "clinical proteomics" to "clinical chemistry proteomics": considerations using quantitative mass-spectrometry as a model approach. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011 , 50, 235-42	5.9	6
12	Excreted/secreted proteins from trypanosome procyclic strains. <i>Journal of Biomedicine and Biotechnology</i> , 2010 , 2010, 212817		36

11	Proteins and proteolysis in pre-term and term human milk and possible implications for infant formulae. <i>International Dairy Journal</i> , 2010 , 20, 715-723	3.5	45
10	Exocytosis and protein secretion in Trypanosoma. <i>BMC Microbiology</i> , 2010 , 10, 20	4.5	109
9	Matrix-assisted laser desorption/ionization imaging mass spectrometry of oxaliplatin derivatives in heated intraoperative chemotherapy (HIPEC)-like treated rat kidney. <i>Rapid Communications in Mass Spectrometry</i> , 2010 , 24, 415-21	2.2	48
8	Use of reducing/nonreducing two-dimensional electrophoresis for the study of disulfide-mediated interactions between proteins in raw and heated bovine milk. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 5948-55	5.7	49
7	Proteomic Studies of Saliva: A Proposal for a Standardized Handling of Clinical Samples. <i>Clinical Proteomics</i> , 2007 , 3, 13-21	5	17
6	MS characterization of multiple forms of alpha-amylase in human saliva. <i>Proteomics</i> , 2005 , 5, 4597-607	4.8	55
5	Preproinsulin I and II mRNA expression in adult rat submandibular glands. <i>European Journal of Oral Sciences</i> , 2000 , 108, 292-6	2.3	8
4	B2 kinin receptor upregulation by cAMP is associated with BK-induced PGE2 production in rat mesangial cells. <i>American Journal of Physiology - Renal Physiology</i> , 1998 , 274, F532-40	4.3	10
3	A role for uncoupling protein-2 as a regulator of mitochondrial hydrogen peroxide generation. <i>FASEB Journal</i> , 1997 , 11, 809-815	0.9	641
2	FTO-mediated cytoplasmic m6A demethylation adjusts stem-like properties in colorectal cancer cell		4
1	A single short reprogramming early in life improves fitness and increases lifespan in old age		3