

Kari G Rabe

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5895397/kari-g-rabe-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142
papers

4,691
citations

38
h-index

66
g-index

147
ext. papers

5,701
ext. citations

6
avg, IF

4.77
L-index

#	Paper	IF	Citations
142	Chronic lymphocytic leukemia (CLL) with Reed-Sternberg-like cells vs Classic Hodgkin lymphoma transformation of CLL: does this distinction matter?. <i>Blood Cancer Journal</i> , 2022 , 12, 18	7	1
141	Shorter Treatment-Naïve Leukocyte Telomere Length is Associated with Poorer Overall Survival of Patients with Pancreatic Ductal Adenocarcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 210-216	4	0
140	A risk prediction tool for individuals with a family history of breast, ovarian, or pancreatic cancer: BRCAPANCPRO. <i>British Journal of Cancer</i> , 2021 , 125, 1712-1717	8.7	1
139	Humoral and cellular immune responses to recombinant herpes zoster vaccine in patients with chronic lymphocytic leukemia and monoclonal B cell lymphocytosis. <i>American Journal of Hematology</i> , 2021 , 97, 90	7.1	4
138	Venetoclax treatment of patients with relapsed T-cell prolymphocytic leukemia. <i>Blood Cancer Journal</i> , 2021 , 11, 47	7	1
137	The CLL International Prognostic Index predicts outcomes in monoclonal B-cell lymphocytosis and Rai 0 CLL. <i>Blood</i> , 2021 , 138, 149-159	2.2	4
136	Natural history of monoclonal B-cell lymphocytosis among relatives in CLL families. <i>Blood</i> , 2021 , 137, 2046-2056	2.2	4
135	The prognostic significance of del6q23 in chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 2021 , 96, E203-E206	7.1	1
134	Risk of serious infection among individuals with and without low count monoclonal B-cell lymphocytosis (MBL). <i>Leukemia</i> , 2021 , 35, 239-244	10.7	7
133	Atrial fibrillation in patients with chronic lymphocytic leukemia (CLL) treated with ibrutinib: risk prediction, management, and clinical outcomes. <i>Annals of Hematology</i> , 2021 , 100, 143-155	3	7
132	A rare germline CDKN2A variant (47T>G; p16-L16R) predisposes carriers to pancreatic cancer by reducing cell cycle inhibition. <i>Journal of Biological Chemistry</i> , 2021 , 296, 100634	5.4	0
131	Smoking Modifies Pancreatic Cancer Risk Loci on 2q21.3. <i>Cancer Research</i> , 2021 , 81, 3134-3143	10.1	2
130	Polygenic risk score and risk of monoclonal B-cell lymphocytosis in caucasians and risk of chronic lymphocytic leukemia (CLL) in African Americans. <i>Leukemia</i> , 2021 ,	10.7	1
129	Cause of death in patients with newly diagnosed chronic lymphocytic leukemia (CLL) stratified by the CLL-International Prognostic Index. <i>Blood Cancer Journal</i> , 2021 , 11, 140	7	0
128	Risk of Pancreatic Cancer Among Individuals With Pathogenic Variants in the ATM Gene. <i>JAMA Oncology</i> , 2021 , 7, 1664-1668	13.4	7
127	International prognostic score for asymptomatic early-stage chronic lymphocytic leukemia. <i>Blood</i> , 2020 , 135, 1859-1869	2.2	45
126	Genome-Wide Gene-Diabetes and Gene-Obesity Interaction Scan in 8,255 Cases and 11,900 Controls from PanScan and PanC4 Consortia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1784-1791	4	4

125	The impact of dose modification and temporary interruption of ibrutinib on outcomes of chronic lymphocytic leukemia patients in routine clinical practice. <i>Cancer Medicine</i> , 2020 , 9, 3390-3399	4.8	19
124	Genome-Wide Association Study Data Reveal Genetic Susceptibility to Chronic Inflammatory Intestinal Diseases and Pancreatic Ductal Adenocarcinoma Risk. <i>Cancer Research</i> , 2020 , 80, 4004-4013	10.1	1
123	Tumor mutational load predicts time to first treatment in chronic lymphocytic leukemia (CLL) and monoclonal B-cell lymphocytosis beyond the CLL international prognostic index. <i>American Journal of Hematology</i> , 2020 , 95, 906-917	7.1	6
122	Leukocyte Telomere Length and Its Interaction with Germline Variation in Telomere-Related Genes in Relation to Pancreatic Adenocarcinoma Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1492-1500	4	2
121	Polygenic Risk Score and Risk of Chronic Lymphocytic Leukemia, Monoclonal B-Cell Lymphocytosis (MBL), and MBL Subtypes. <i>Blood</i> , 2020 , 136, 35-36	2.2	
120	Clinical Characteristics and Outcomes of Newly Diagnosed Patients with Chronic Lymphocytic Leukemia Who Are 80 Years of Age or Older. <i>Blood</i> , 2020 , 136, 26-27	2.2	
119	Impact of Deletion6q23 Identified By FISH in Patients with Chronic Lymphocytic Leukemia. <i>Blood</i> , 2020 , 136, 12-13	2.2	
118	Immunogenicity of a Recombinant Herpes Zoster Vaccine in Patients with Chronic Lymphocytic Leukemia. <i>Blood</i> , 2020 , 136, 49-50	2.2	1
117	Venetoclax Has Modest Efficacy in the Treatment of Patients with Relapsed T-Cell Prolymphocytic Leukemia. <i>Blood</i> , 2020 , 136, 39-40	2.2	1
116	The role of 18F-FDG-PET in detecting Richter's transformation of chronic lymphocytic leukemia in patients receiving therapy with a B-cell receptor inhibitor. <i>Haematologica</i> , 2020 , 105, 2675-2678	6.6	11
115	Accuracy of Smoking Status Reporting: Proxy Information in a Rapidly Fatal Cancer Setting. <i>Mayo Clinic Proceedings Innovations, Quality & Outcomes</i> , 2020 , 4, 801-809	3.1	
114	Incidence and risk of tumor lysis syndrome in patients with relapsed chronic lymphocytic leukemia (CLL) treated with venetoclax in routine clinical practice. <i>Leukemia and Lymphoma</i> , 2020 , 61, 2383-2388	1.9	11
113	Addition of venetoclax at time of progression in ibrutinib-treated patients with chronic lymphocytic leukemia: Combination therapy to prevent ibrutinib flare. <i>American Journal of Hematology</i> , 2020 , 95, E57-E60	7.1	5
112	Disease Flare During Temporary Interruption of Ibrutinib Therapy in Patients with Chronic Lymphocytic Leukemia. <i>Oncologist</i> , 2020 , 25, 974-980	5.7	5
111	Effect of Germline Mutations in Homologous Recombination Repair Genes on Overall Survival of Patients with Pancreatic Adenocarcinoma. <i>Clinical Cancer Research</i> , 2020 , 26, 6505-6512	12.9	15
110	Risk factors for hypogammaglobulinemia in chronic lymphocytic leukemia patients treated with anti-CD20 monoclonal antibody-based therapies. <i>Journal of Hematopathology</i> , 2020 , 13, 221-229	0.4	
109	Delineation of clinical and biological factors associated with cutaneous squamous cell carcinoma among patients with chronic lymphocytic leukemia. <i>Journal of the American Academy of Dermatology</i> , 2020 , 83, 1581-1589	4.5	2
108	Mendelian Randomization Analysis of n-6 Polyunsaturated Fatty Acid Levels and Pancreatic Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 2735-2739	4	2

107	Bayesian copy number detection and association in large-scale studies. <i>BMC Cancer</i> , 2020 , 20, 856	4.8	
106	Clinical characteristics and outcomes of Richter transformation: experience of 204 patients from a single center. <i>Haematologica</i> , 2020 , 105, 765-773	6.6	31
105	A laboratory-based scoring system predicts early treatment in Rai 0 chronic lymphocytic leukemia. <i>Haematologica</i> , 2020 , 105, 1613-1620	6.6	6
104	Rapid disease progression following discontinuation of ibrutinib in patients with chronic lymphocytic leukemia treated in routine clinical practice. <i>Leukemia and Lymphoma</i> , 2019 , 60, 2712-2719	1.9	28
103	Analysis of Heritability and Genetic Architecture of Pancreatic Cancer: A PanC4 Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1238-1245	4	27
102	Pancreatic cancer and melanoma related perceptions and behaviors following disclosure of CDKN2A variant status as a research result. <i>Genetics in Medicine</i> , 2019 , 21, 2468-2477	8.1	5
101	KRAS, NRAS, and BRAF mutations are highly enriched in trisomy 12 chronic lymphocytic leukemia and are associated with shorter treatment-free survival. <i>Leukemia</i> , 2019 , 33, 2111-2115	10.7	10
100	Risk of Different Cancers Among First-degree Relatives of Pancreatic Cancer Patients: Influence of Proband's Susceptibility Gene Mutation Status. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 264-271	9.7	5
99	Association of elevated serum free light chains with chronic lymphocytic leukemia and monoclonal B-cell lymphocytosis. <i>Blood Cancer Journal</i> , 2019 , 9, 59	7	2
98	Developmental subtypes assessed by DNA methylation-iPLEX forecast the natural history of chronic lymphocytic leukemia. <i>Blood</i> , 2019 , 134, 688-698	2.2	16
97	BTK and/or PLCG2 Mutations in Patients with Chronic Lymphocytic Leukemia (CLL) Treated with Ibrutinib: Characteristics and Outcomes at the Time of Progression. <i>Blood</i> , 2019 , 134, 3050-3050	2.2	2
96	Serum B-cell maturation antigen as a prognostic marker for untreated chronic lymphocytic leukemia. <i>Journal of Clinical Oncology</i> , 2019 , 37, 7525-7525	2.2	1
95	Developmental DNA Methylation Subtype Predicts Progression to Treatment and Survival in High-Count Monoclonal B Lymphocytosis. <i>Blood</i> , 2019 , 134, 3022-3022	2.2	
94	Tumor Mutational Load and Germline Polygenic Risk Score Predicts Time-to-First Treatment in Chronic Lymphocytic Leukemia (CLL) and High-Count Monoclonal B Cell Lymphocytosis (MBL). <i>Blood</i> , 2019 , 134, 852-852	2.2	
93	The Role of Imaging in Predicting Time to First Treatment and Overall Survival in Individuals with CLL-like High Count Monoclonal B-Cell Lymphocytosis. <i>Blood</i> , 2019 , 134, 3037-3037	2.2	
92	Agnostic Pathway/Gene Set Analysis of Genome-Wide Association Data Identifies Associations for Pancreatic Cancer. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 557-567	9.7	16
91	Should Researchers Offer Results to Family Members of Cancer Biobank Participants? A Mixed-Methods Study of Proband and Family Preferences. <i>AJOB Empirical Bioethics</i> , 2019 , 10, 1-22	3	9
90	IGH translocations in chronic lymphocytic leukemia: Clinicopathologic features and clinical outcomes. <i>American Journal of Hematology</i> , 2019 , 94, 338-345	7.1	11

89	Outcomes of a large cohort of individuals with clinically ascertained high-count monoclonal B-cell lymphocytosis. <i>Haematologica</i> , 2018 , 103, e237-e240	6.6	9
88	Association of polygenic risk score with the risk of chronic lymphocytic leukemia and monoclonal B-cell lymphocytosis. <i>Blood</i> , 2018 , 131, 2541-2551	2.2	15
87	Validation of a biological score to predict response in chronic lymphocytic leukemia patients treated front-line with bendamustine and rituximab. <i>Leukemia</i> , 2018 , 32, 1869-1873	10.7	8
86	Genome-wide meta-analysis identifies five new susceptibility loci for pancreatic cancer. <i>Nature Communications</i> , 2018 , 9, 556	17.4	103
85	Functional and clinical relevance of VLA-4 (CD49d/CD29) in ibrutinib-treated chronic lymphocytic leukemia. <i>Journal of Experimental Medicine</i> , 2018 , 215, 681-697	16.6	41
84	Prevalence of germ-line mutations in cancer genes among pancreatic cancer patients with a positive family history. <i>Genetics in Medicine</i> , 2018 , 20, 119-127	8.1	74
83	Comparison between the CLL-IPI and the Barcelona-Brno prognostic model: Analysis of 1299 newly diagnosed cases. <i>American Journal of Hematology</i> , 2018 , 93, E35-E37	7.1	12
82	Germline Rare Coding Variants and Risk of Pancreatic Cancer in Minority Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018 , 27, 1364-1370	4	13
81	Predictive value of the CLL-IPI in CLL patients receiving chemo-immunotherapy as first-line treatment. <i>European Journal of Haematology</i> , 2018 , 101, 703	3.8	5
80	Immunoglobulin heavy chain variable region gene and prediction of time to first treatment in patients with chronic lymphocytic leukemia: Mutational load or mutational status? Analysis of 1003 cases. <i>American Journal of Hematology</i> , 2018 , 93, E216-E219	7.1	9
79	Autoimmune cytopenias in patients with chronic lymphocytic leukaemia treated with ibrutinib in routine clinical practice at an academic medical centre. <i>British Journal of Haematology</i> , 2018 , 183, 421-427	4.5	25
78	Association Between Inherited Germline Mutations in Cancer Predisposition Genes and Risk of Pancreatic Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 2401-2409	27.4	222
77	Telomere Length Is Associated with Epigenetic Programming in CLL and Is a Superior Predictor of Clinical Outcome with the Ability to Bifurcate Patients with the Same CLL-IPI Score. <i>Blood</i> , 2018 , 132, 1833-1833	2.2	
76	Clonal Hematopoiesis of Indeterminate Potential (CHIP) and Chronic Lymphocytic Leukemia (CLL) Driver Genes: Risk of CLL and Monoclonal B-Cell Lymphocytosis (MBL). <i>Blood</i> , 2018 , 132, 3116-3116	2.2	
75	Clinical Characteristics and Outcomes of Chronic Lymphocytic Leukemia Patients with Richter Transformation. <i>Blood</i> , 2018 , 132, 1857-1857	2.2	
74	A Laboratory Based Scoring System Predicts Early Treatment in Rai 0/Binet a CLL. <i>Blood</i> , 2018 , 132, 4399-4399	2.2	
73	Risk Model for Overall Survival for Patients with Relapsed/Refractory Chronic Lymphocytic Leukemia: Validated for Patients on Ibrutinib, Idelalisib, Venetoclax, or Chemoimmunotherapy. <i>Blood</i> , 2018 , 132, 4394-4394	2.2	
72	Association between the Risk of Low/High-Count Monoclonal B-Cell Lymphocytosis (MBL) and the Chronic Lymphocytic Leukemia (CLL) Polygenic Risk Score (PRS). <i>Blood</i> , 2018 , 132, 5538-5538	2.2	

71	Chronic lymphocytic leukemia cells from ibrutinib treated patients are sensitive to Axl receptor tyrosine kinase inhibitor therapy. <i>Oncotarget</i> , 2018 , 9, 37173-37184	3.3	7
70	Psychological Impact of Learning CDKN2A Variant Status as a Genetic Research Result. <i>Public Health Genomics</i> , 2018 , 21, 154-163	1.9	4
69	Pancreatic cancer risk is modulated by inflammatory potential of diet and ABO genotype: a consortia-based evaluation and replication study. <i>Carcinogenesis</i> , 2018 , 39, 1056-1067	4.6	18
68	Genetically Predicted Telomere Length is not Associated with Pancreatic Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 971-974	4	8
67	Renal insufficiency is an independent prognostic factor in patients with chronic lymphocytic leukemia. <i>Haematologica</i> , 2017 , 102, e22-e25	6.6	8
66	CD49d associates with nodal presentation and subsequent development of lymphadenopathy in patients with chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2017 , 178, 99-105	4.5	15
65	Relationship between co-morbidities at diagnosis, survival and ultimate cause of death in patients with chronic lymphocytic leukaemia (CLL): a prospective cohort study. <i>British Journal of Haematology</i> , 2017 , 178, 394-402	4.5	37
64	Detection of early pancreatic ductal adenocarcinoma with thrombospondin-2 and CA19-9 blood markers. <i>Science Translational Medicine</i> , 2017 , 9,	17.5	137
63	Liver dysfunction in chronic lymphocytic leukemia: Prevalence, outcomes, and pathological findings. <i>American Journal of Hematology</i> , 2017 , 92, 1362-1369	7.1	8
62	Pharmacovigilance during ibrutinib therapy for chronic lymphocytic leukemia (CLL)/small lymphocytic lymphoma (SLL) in routine clinical practice. <i>Leukemia and Lymphoma</i> , 2017 , 58, 1376-1383	1.9	30
61	Atrial fibrillation in patients with chronic lymphocytic leukemia (CLL). <i>Leukemia and Lymphoma</i> , 2017 , 58, 1630-1639	1.9	71
60	Prevalence of Low Count (LC) Monoclonal B Cell Lymphocytosis (MBL) and Serious Infections in a Population-Based Cohort of U.S. Adults Participating in a Large Bio-Repository. <i>Blood</i> , 2017 , 130, 831-831 ²	1.2	3
59	Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. <i>Nature Communications</i> , 2016 , 7, 11843	17.4	59
58	Prevalence and characteristics of central nervous system involvement by chronic lymphocytic leukemia. <i>Haematologica</i> , 2016 , 101, 458-65	6.6	51
57	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016 , 7, 10933	17.4	70
56	Analysis of racial variations in disease characteristics, treatment patterns, and outcomes of patients with chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 2016 , 91, 677-80	7.1	9
55	Whole Genome Sequencing Defines the Genetic Heterogeneity of Familial Pancreatic Cancer. <i>Cancer Discovery</i> , 2016 , 6, 166-75	24.4	206
54	Pancreatic cancer: associations of inflammatory potential of diet, cigarette smoking and long-standing diabetes. <i>Carcinogenesis</i> , 2016 , 37, 481-90	4.6	46

53	Relationship of blood monocytes with chronic lymphocytic leukemia aggressiveness and outcomes: a multi-institutional study. <i>American Journal of Hematology</i> , 2016 , 91, 687-91	7.1	11
52	Validation of the CLL-IPI and comparison with the MDACC prognostic index in newly diagnosed patients. <i>Blood</i> , 2016 , 128, 2093-2095	2.2	42
51	Association of Common Susceptibility Variants of Pancreatic Cancer in Higher-Risk Patients: A PACGENE Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 1185-91	4	22
50	Metformin Use and Survival of Patients With Pancreatic Cancer: A Cautionary Lesson. <i>Journal of Clinical Oncology</i> , 2016 , 34, 1898-904	2.2	60
49	The chronic lymphocytic leukemia international prognostic index predicts time to first treatment in early CLL: Independent validation in a prospective cohort of early stage patients. <i>American Journal of Hematology</i> , 2016 , 91, 1090-1095	7.1	43
48	Common variation at 2p13.3, 3q29, 7p13 and 17q25.1 associated with susceptibility to pancreatic cancer. <i>Nature Genetics</i> , 2015 , 47, 911-6	36.3	171
47	Zinc transporter genes and urological cancers: integrated analysis suggests a role for ZIP11 in bladder cancer. <i>Tumor Biology</i> , 2015 , 36, 7431-7	2.9	12
46	Granulomatous interstitial nephritis secondary to chronic lymphocytic leukemia/small lymphocytic lymphoma. <i>Annals of Diagnostic Pathology</i> , 2015 , 19, 130-6	2.2	11
45	Identification of recurrent truncated DDX3X mutations in chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2015 , 169, 445-8	4.5	31
44	Epstein-Barr Virus MicroRNAs are Expressed in Patients with Chronic Lymphocytic Leukemia and Correlate with Overall Survival. <i>EBioMedicine</i> , 2015 , 2, 572-82	8.8	34
43	Renal complications in chronic lymphocytic leukemia and monoclonal B-cell lymphocytosis: the Mayo Clinic experience. <i>Haematologica</i> , 2015 , 100, 1180-8	6.6	53
42	Exposure to environmental chemicals and heavy metals, and risk of pancreatic cancer. <i>Cancer Causes and Control</i> , 2015 , 26, 1583-91	2.8	48
41	BRCA1, BRCA2, PALB2, and CDKN2A mutations in familial pancreatic cancer: a PACGENE study. <i>Genetics in Medicine</i> , 2015 , 17, 569-77	8.1	175
40	Hypogammaglobulinemia in newly diagnosed chronic lymphocytic leukemia: Natural history, clinical correlates, and outcomes. <i>Cancer</i> , 2015 , 121, 2883-91	6.4	47
39	Characterization of large structural genetic mosaicism in human autosomes. <i>American Journal of Human Genetics</i> , 2015 , 96, 487-97	11	77
38	Hodgkin transformation of chronic lymphocytic leukemia: Incidence, outcomes, and comparison to de novo Hodgkin lymphoma. <i>American Journal of Hematology</i> , 2015 , 90, 334-8	7.1	56
37	Atrial Fibrillation in Patients with Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2015 , 126, 2950-2950	2.2	5
36	The Importance of Pharmacovigilance during Ibrutinib Therapy for Chronic Lymphocytic Leukemia (CLL) in Routine Clinical Practice. <i>Blood</i> , 2015 , 126, 717-717	2.2	7

35	Do variants associated with susceptibility to pancreatic cancer and type 2 diabetes reciprocally affect risk?. <i>PLoS ONE</i> , 2015 , 10, e0117230	3.7	13
34	Correlation Between Peripheral Blood Counts and Extent of Bone Marrow Infiltration in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2015 , 126, 2926-2926	2.2	
33	Mutations in Driver Genes and Changes in Clonal Dynamics Are Associated with Shorter Time to Treatment in MBL Cases. <i>Blood</i> , 2015 , 126, 5264-5264	2.2	
32	Development of a comprehensive prognostic index for patients with chronic lymphocytic leukemia. <i>Blood</i> , 2014 , 124, 49-62	2.2	202
31	Impact of diabetes mellitus on clinical outcomes in patients undergoing surgical resection for pancreatic cancer: a retrospective, cohort study. <i>American Journal of Gastroenterology</i> , 2014 , 109, 1484-92	6.7	17
30	Incidence of chronic lymphocytic leukemia and high-count monoclonal B-cell lymphocytosis using the 2008 guidelines. <i>Cancer</i> , 2014 , 120, 2000-5	6.4	27
29	Chronic lymphocytic leukemia in young (≤5 years) patients: a comprehensive analysis of prognostic factors and outcomes. <i>Haematologica</i> , 2014 , 99, 140-7	6.6	47
28	Variants associated with susceptibility to pancreatic cancer and melanoma do not reciprocally affect risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1121-4	4	14
27	Receptivity and preferences of pancreatic cancer family members for participating in lifestyle programs to reduce cancer risk. <i>Hereditary Cancer in Clinical Practice</i> , 2013 , 11, 3	2.3	8
26	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. <i>Nature Genetics</i> , 2013 , 45, 868-76	36.3	147
25	Diffuse large B-cell lymphoma (Richter syndrome) in patients with chronic lymphocytic leukaemia (CLL): a cohort study of newly diagnosed patients. <i>British Journal of Haematology</i> , 2013 , 162, 774-82	4.5	151
24	Hodgkin Transformation Of Chronic Lymphocytic Leukemia (CLL): Mayo Clinic Experience. <i>Blood</i> , 2013 , 122, 1642-1642	2.2	5
23	Heritable Predisposition To Richter Syndrome In Patients With Chronic Lymphocytic Leukemia. <i>Blood</i> , 2013 , 122, 2867-2867	2.2	3
22	Hypogammaglobulinemia In Patients With Previously Untreated Chronic Lymphocytic Leukemia: Clinical Correlates and Outcomes. <i>Blood</i> , 2013 , 122, 4178-4178	2.2	2
21	Outcomes Of Chronic Lymphocytic Leukemia Patients With Richter Syndrome. <i>Blood</i> , 2013 , 122, 4179-4179	2.2	4
20	Clonal Evolution In Patients With Previously Untreated Chronic Lymphocytic Leukemia. <i>Blood</i> , 2013 , 122, 1643-1643	2.2	
19	Chronic Graft Vs Host Disease Is The Strongest Predictor Of Outcome After Reduced Intensity Conditioning Stem Cell Transplantation In Chronic Lymphocytic Leukemia and Is Associated With Pretransplant B Cell Characteristics. <i>Blood</i> , 2013 , 122, 3375-3375	2.2	
18	New-onset diabetes in pancreatic cancer: a study in the primary care setting. <i>Pancreatology</i> , 2012 , 12, 156-61	3.8	49

17	Factors influencing receptivity to future screening options for pancreatic cancer in those with and without pancreatic cancer family history. <i>Hereditary Cancer in Clinical Practice</i> , 2012 , 10, 8	2.3	13
16	Detectable clonal mosaicism and its relationship to aging and cancer. <i>Nature Genetics</i> , 2012 , 44, 651-8	36.3	409
15	Pathway analysis of genome-wide association study data highlights pancreatic development genes as susceptibility factors for pancreatic cancer. <i>Carcinogenesis</i> , 2012 , 33, 1384-90	4.6	85
14	Genome-wide association study identifies a novel susceptibility locus at 6p21.3 among familial CLL. <i>Blood</i> , 2011 , 117, 1911-6	2.2	102
13	Prevalence of CDKN2A mutations in pancreatic cancer patients: implications for genetic counseling. <i>European Journal of Human Genetics</i> , 2011 , 19, 472-8	5.3	88
12	Infectious Complications Among Individuals with Monoclonal B-Cell Lymphocytosis (MBL): A Prospective Case-Control Study of Newly Diagnosed Patients,. <i>Blood</i> , 2011 , 118, 3903-3903	2.2	
11	Prevalence of MBL Increases Over Time In Relatives of CLL Families,. <i>Blood</i> , 2011 , 118, 3881-3881	2.2	
10	Alemtuzumab Use and Survival After Reduced Intensity Allogeneic Stem Cell Transplantation in High-Risk Chronic Lymphocytic Leukemia (CLL),. <i>Blood</i> , 2011 , 118, 4152-4152	2.2	
9	In Patients Newly Diagnosed with Chronic Lymphocytic Leukemia the Absolute Monocyte Count At Presentation Is Directly Associated with Disease Progression Independently From Rai Staging or Cytogenetics. <i>Blood</i> , 2011 , 118, 2835-2835	2.2	
8	The Prevalence of Serious Infectious Complications in a Cohort of Non-Referred Patients with Newly Diagnosed Chronic Lymphocytic Leukemia (CLL) Compared to Controls: Results of a Cohort Study. <i>Blood</i> , 2011 , 118, 4610-4610	2.2	
7	Genome-wide association study of follicular lymphoma identifies a risk locus at 6p21.32. <i>Nature Genetics</i> , 2010 , 42, 661-4	36.3	137
6	Cystic fibrosis transmembrane conductance regulator (CFTR) gene mutations and risk for pancreatic adenocarcinoma. <i>Cancer</i> , 2010 , 116, 203-9	6.4	58
5	Age at diagnosis and the utility of prognostic testing in patients with chronic lymphocytic leukemia. <i>Cancer</i> , 2010 , 116, 4777-87	6.4	91
4	Brief report: natural history of individuals with clinically recognized monoclonal B-cell lymphocytosis compared with patients with Rai 0 chronic lymphocytic leukemia. <i>Journal of Clinical Oncology</i> , 2009 , 27, 3959-63	2.2	109
3	Pancreatic cancer genetic epidemiology consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 704-10	4	116
2	Probability of pancreatic cancer following diabetes: a population-based study. <i>Gastroenterology</i> , 2005 , 129, 504-11	13.3	167
1	Risk of malignancy in first-degree relatives of patients with pancreatic carcinoma. <i>Cancer</i> , 2005 , 104, 388-94	6.4	59