

Klaus Pj Martiny

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5897528/klaus-pj-martiny-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38
papers

784
citations

14
h-index

27
g-index

42
ext. papers

926
ext. citations

4.2
avg, IF

3.82
L-index

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 38 | Transcranial low voltage pulsed electromagnetic fields in patients with treatment-resistant depression. <i>Biological Psychiatry</i> , 2010 , 68, 163-9 | 7.9 | 80 |
| 37 | The chronotherapeutic treatment of bipolar disorders: A systematic review and practice recommendations from the ISBD task force on chronotherapy and chronobiology. <i>Bipolar Disorders</i> , 2019 , 21, 741-773 | 3.8 | 75 |
| 36 | A 9-week randomized trial comparing a chronotherapeutic intervention (wake and light therapy) to exercise in major depressive disorder patients treated with duloxetine. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 1234-42 | 4.6 | 58 |
| 35 | Daylight: What makes the difference?. <i>Lighting Research and Technology</i> , 2020 , 52, 423-442 | 2 | 49 |
| 34 | The Role of Daylight for Humans: Gaps in Current Knowledge. <i>Clocks & Sleep</i> , 2020 , 2, 61-85 | 2.9 | 47 |
| 33 | The day-to-day acute effect of wake therapy in patients with major depression using the HAM-D6 as primary outcome measure: results from a randomised controlled trial. <i>PLoS ONE</i> , 2013 , 8, e67264 | 3.7 | 29 |
| 32 | A comparison of the Major Depression Inventory (MDI) and the Beck Depression Inventory (BDI) in severely depressed patients. <i>International Journal of Psychiatry in Clinical Practice</i> , 2011 , 15, 56-61 | 2.4 | 29 |
| 31 | Demographic and psychosocial correlates of quality of life in the elderly from a cross-cultural perspective. <i>Clinical Psychology and Psychotherapy</i> , 2008 , 15, 193-204 | 2.9 | 28 |
| 30 | The lack of sustained effect of bright light, after discontinuation, in non-seasonal major depression. <i>Psychological Medicine</i> , 2006 , 36, 1247-52 | 6.9 | 23 |
| 29 | Maintained superiority of chronotherapeutics vs. exercise in a 20-week randomized follow-up trial in major depression. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 446-57 | 6.5 | 22 |
| 28 | Reducing the rate and duration of Re-ADMISSions among patients with unipolar disorder and bipolar disorder using smartphone-based monitoring and treatment - the RADMIS trials: study protocol for two randomized controlled trials. <i>Trials</i> , 2017 , 18, 277 | 2.8 | 22 |
| 27 | Usability, Acceptability, and Adherence to an Electronic Self-Monitoring System in Patients With Major Depression Discharged From Inpatient Wards. <i>Journal of Medical Internet Research</i> , 2017 , 19, e1237.6 | 7.6 | 17 |
| 26 | Depressed Patients Hospitalized in Southeast-Facing Rooms Are Discharged Earlier than Patients in Northwest-Facing Rooms. <i>Neuropsychobiology</i> , 2016 , 74, 193-201 | 4 | 16 |
| 25 | Decreasing TSH levels in patients with Seasonal Affective Disorder (SAD) responding to 1 week of bright light therapy. <i>Journal of Affective Disorders</i> , 2004 , 79, 253-7 | 6.6 | 14 |
| 24 | Predictors of response to combined wake and light therapy in treatment-resistant inpatients with depression. <i>Chronobiology International</i> , 2018 , 35, 1209-1220 | 3.6 | 13 |
| 23 | A short-term double-blind randomized controlled pilot trial with active or placebo pindolol in patients treated with venlafaxine for major depression. <i>Nordic Journal of Psychiatry</i> , 2012 , 66, 147-54 | 2.3 | 11 |
| 22 | Experiences of wake and light therapy in patients with depression: A qualitative study. <i>International Journal of Mental Health Nursing</i> , 2017 , 26, 170-180 | 3.8 | 9 |

| | | | |
|----|---|------|---|
| 21 | Evidence for the Efficacy of Bright Light Therapy for Bipolar Depression. <i>American Journal of Psychiatry</i> , 2018 , 175, 905-906 | 11.9 | 9 |
| 20 | Psychometric analysis of the Melancholia Scale in trials with non-pharmacological augmentation of patients with therapy-resistant depression. <i>Acta Neuropsychiatrica</i> , 2014 , 26, 155-60 | 3.9 | 8 |
| 19 | Circadian reinforcement therapy in combination with electronic self-monitoring to facilitate a safe post-discharge period of patients with depression by stabilizing sleep: protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2019 , 19, 124 | 4.2 | 6 |
| 18 | Reducing the rate of psychiatric re-admissions in bipolar disorder using smartphones-The RADMIS trial. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 453-465 | 6.5 | 6 |
| 17 | The performance of the revised Major Depression Inventory for self-reported severity of depression--implications for the DSM-5 and ICD-11. <i>Psychotherapy and Psychosomatics</i> , 2013 , 82, 187-8 | 9.4 | 5 |
| 16 | The effect of smartphone-based monitoring and treatment on the rate and duration of psychiatric readmission in patients with unipolar depressive disorder: The RADMIS randomized controlled trial. <i>Journal of Affective Disorders</i> , 2021 , 282, 354-363 | 6.6 | 5 |
| 15 | Melanopsin-mediated pupillary responses in bipolar disorder-a cross-sectional pupillometric investigation. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 7 | 5.4 | 3 |
| 14 | Transcranial pulsed electromagnetic fields for treatment-resistant depression: A multicenter 8-week single-arm cohort study. <i>European Psychiatry</i> , 2020 , 63, e18 | 6 | 2 |
| 13 | Transcutaneous Vagal Nerve Stimulation in Treatment-Resistant Depression: A Feasibility Study. <i>Neuromodulation</i> , 2021 , | 3.1 | 2 |
| 12 | Novel Augmentation Strategies in Major Depression. <i>Danish Medical Journal</i> , 2017 , 64, | 3.8 | 2 |
| 11 | Differentiating depression and ADHD without depression in adults with processing-speed measures. <i>Acta Neuropsychiatrica</i> , 2020 , 32, 237-246 | 3.9 | 1 |
| 10 | Mood and behavior seasonality in glaucoma; assessing correlations between seasonality and structure and function of the retinal ganglion cells. <i>PLoS ONE</i> , 2020 , 15, e0229991 | 3.7 | 1 |
| 9 | New perspectives on techniques for the clinical psychiatrist: Brain stimulation, chronobiology and psychiatric brain imaging. <i>Psychiatry and Clinical Neurosciences</i> , 2008 , 62, 627-37 | 6.2 | 1 |
| 8 | Dynamic LED light versus static LED light for depressed inpatients: results from a randomized feasibility trial. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 5 | 1.9 | 1 |
| 7 | Per Bech 12.1.1942-9.5.2018 In Memoriam. <i>Nordic Journal of Psychiatry</i> , 2018 , 72, 395 | 2.3 | 1 |
| 6 | Salivary Cortisol Awakening Response as a Predictor for Depression Severity in Adult Patients with a Major Depressive Episode Performing a Daily Exercise Program.. <i>Neuropsychobiology</i> , 2022 , 1-10 | 4 | 0 |
| 5 | Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 26 | 5.4 | 0 |
| 4 | Bright light treatment is effective in treating older patients with non-seasonal major depression. <i>Evidence-based Nursing</i> , 2011 , 14, 117-8 | 0.3 | |

- 3 Dynamic LED-light versus static LED-light for depressed inpatients: study protocol for a randomised clinical study. *BMJ Open*, **2020**, 10, e032233 3
- 2 Light therapy for seasonal affective disorder in visual impairment and blindness - a pilot study. *Acta Neuropsychiatrica*, **2021**, 33, 191-199 3.9
- 1 Seasonal variation in neurohormones, mood and sleep in patients with primary open angle glaucoma - implications of the ipRGC-system. *Chronobiology International*, **2021**, 38, 1421-1431 3.6