

Klaus Pj Martiny

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5897528/klaus-pj-martiny-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38
papers

784
citations

14
h-index

27
g-index

42
ext. papers

926
ext. citations

4.2
avg, IF

3.82
L-index

#	Paper	IF	Citations
38	Salivary Cortisol Awakening Response as a Predictor for Depression Severity in Adult Patients with a Major Depressive Episode Performing a Daily Exercise Program.. <i>Neuropsychobiology</i> , 2022 , 1-10	4	0
37	The effect of smartphone-based monitoring and treatment on the rate and duration of psychiatric readmission in patients with unipolar depressive disorder: The RADMIS randomized controlled trial. <i>Journal of Affective Disorders</i> , 2021 , 282, 354-363	6.6	5
36	Light therapy for seasonal affective disorder in visual impairment and blindness - a pilot study. <i>Acta Neuropsychiatrica</i> , 2021 , 33, 191-199	3.9	
35	Melanopsin-mediated pupillary responses in bipolar disorder-a cross-sectional pupillometric investigation. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 7	5.4	3
34	Seasonal variation in neurohormones, mood and sleep in patients with primary open angle glaucoma - implications of the ipRGC-system. <i>Chronobiology International</i> , 2021 , 38, 1421-1431	3.6	
33	Reducing the rate of psychiatric re-admissions in bipolar disorder using smartphones-The RADMIS trial. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 453-465	6.5	6
32	Transcutaneous Vagal Nerve Stimulation in Treatment-Resistant Depression: A Feasibility Study. <i>Neuromodulation</i> , 2021 ,	3.1	2
31	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 26	5.4	0
30	Differentiating depression and ADHD without depression in adults with processing-speed measures. <i>Acta Neuropsychiatrica</i> , 2020 , 32, 237-246	3.9	1
29	Mood and behavior seasonality in glaucoma; assessing correlations between seasonality and structure and function of the retinal ganglion cells. <i>PLoS ONE</i> , 2020 , 15, e0229991	3.7	1
28	The Role of Daylight for Humans: Gaps in Current Knowledge. <i>Clocks & Sleep</i> , 2020 , 2, 61-85	2.9	47
27	Transcranial pulsed electromagnetic fields for treatment-resistant depression: A multicenter 8-week single-arm cohort study. <i>European Psychiatry</i> , 2020 , 63, e18	6	2
26	Dynamic LED light versus static LED light for depressed inpatients: results from a randomized feasibility trial. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 5	1.9	1
25	Dynamic LED-light versus static LED-light for depressed inpatients: study protocol for a randomised clinical study. <i>BMJ Open</i> , 2020 , 10, e032233	3	
24	Daylight: What makes the difference?. <i>Lighting Research and Technology</i> , 2020 , 52, 423-442	2	49
23	Circadian reinforcement therapy in combination with electronic self-monitoring to facilitate a safe post-discharge period of patients with depression by stabilizing sleep: protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2019 , 19, 124	4.2	6
22	The chronotherapeutic treatment of bipolar disorders: A systematic review and practice recommendations from the ISBD task force on chronotherapy and chronobiology. <i>Bipolar Disorders</i> , 2019 , 21, 741-773	3.8	75

21	Per Bech 12.1.1942-9.5.2018 In Memoriam. <i>Nordic Journal of Psychiatry</i> , 2018 , 72, 395	2.3	1
20	Evidence for the Efficacy of Bright Light Therapy for Bipolar Depression. <i>American Journal of Psychiatry</i> , 2018 , 175, 905-906	11.9	9
19	Predictors of response to combined wake and light therapy in treatment-resistant inpatients with depression. <i>Chronobiology International</i> , 2018 , 35, 1209-1220	3.6	13
18	Reducing the rate and duration of Re-ADMISSions among patients with unipolar disorder and bipolar disorder using smartphone-based monitoring and treatment - the RADMIS trials: study protocol for two randomized controlled trials. <i>Trials</i> , 2017 , 18, 277	2.8	22
17	Experiences of wake and light therapy in patients with depression: A qualitative study. <i>International Journal of Mental Health Nursing</i> , 2017 , 26, 170-180	3.8	9
16	Usability, Acceptability, and Adherence to an Electronic Self-Monitoring System in Patients With Major Depression Discharged From Inpatient Wards. <i>Journal of Medical Internet Research</i> , 2017 , 19, e1237.6	7.6	17
15	Novel Augmentation Strategies in Major Depression. <i>Danish Medical Journal</i> , 2017 , 64,	3.8	2
14	Depressed Patients Hospitalized in Southeast-Facing Rooms Are Discharged Earlier than Patients in Northwest-Facing Rooms. <i>Neuropsychobiology</i> , 2016 , 74, 193-201	4	16
13	Maintained superiority of chronotherapeutics vs. exercise in a 20-week randomized follow-up trial in major depression. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 446-57	6.5	22
12	Psychometric analysis of the Melancholia Scale in trials with non-pharmacological augmentation of patients with therapy-resistant depression. <i>Acta Neuropsychiatrica</i> , 2014 , 26, 155-60	3.9	8
11	The performance of the revised Major Depression Inventory for self-reported severity of depression--implications for the DSM-5 and ICD-11. <i>Psychotherapy and Psychosomatics</i> , 2013 , 82, 187-8	9.4	5
10	The day-to-day acute effect of wake therapy in patients with major depression using the HAM-D6 as primary outcome measure: results from a randomised controlled trial. <i>PLoS ONE</i> , 2013 , 8, e67264	3.7	29
9	A short-term double-blind randomized controlled pilot trial with active or placebo pindolol in patients treated with venlafaxine for major depression. <i>Nordic Journal of Psychiatry</i> , 2012 , 66, 147-54	2.3	11
8	A 9-week randomized trial comparing a chronotherapeutic intervention (wake and light therapy) to exercise in major depressive disorder patients treated with duloxetine. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 1234-42	4.6	58
7	Bright light treatment is effective in treating older patients with non-seasonal major depression. <i>Evidence-based Nursing</i> , 2011 , 14, 117-8	0.3	
6	A comparison of the Major Depression Inventory (MDI) and the Beck Depression Inventory (BDI) in severely depressed patients. <i>International Journal of Psychiatry in Clinical Practice</i> , 2011 , 15, 56-61	2.4	29
5	Transcranial low voltage pulsed electromagnetic fields in patients with treatment-resistant depression. <i>Biological Psychiatry</i> , 2010 , 68, 163-9	7.9	80
4	New perspectives on techniques for the clinical psychiatrist: Brain stimulation, chronobiology and psychiatric brain imaging. <i>Psychiatry and Clinical Neurosciences</i> , 2008 , 62, 627-37	6.2	1

3	Demographic and psychosocial correlates of quality of life in the elderly from a cross-cultural perspective. <i>Clinical Psychology and Psychotherapy</i> , 2008 , 15, 193-204	2.9	28
2	The lack of sustained effect of bright light, after discontinuation, in non-seasonal major depression. <i>Psychological Medicine</i> , 2006 , 36, 1247-52	6.9	23
1	Decreasing TSH levels in patients with Seasonal Affective Disorder (SAD) responding to 1 week of bright light therapy. <i>Journal of Affective Disorders</i> , 2004 , 79, 253-7	6.6	14