

Robson Coutinho-Silva

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5897744/robson-coutinho-silva-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers

3,819
citations

37
h-index

56
g-index

143
ext. papers

4,534
ext. citations

5.3
avg, IF

5.58
L-index

#	Paper	IF	Citations
124	P2X7 Receptor Triggers Lysosomal Leakage Through Calcium Mobilization in a Mechanism Dependent on Pannexin-1 Hemichannels.. <i>Frontiers in Immunology</i> , 2022 , 13, 752105	8.4	0
123	Antileishmanial Chemotherapy through Clemastine Fumarate Mediated Inhibition of the Inositol Phosphorylceramide Synthase. <i>ACS Infectious Diseases</i> , 2021 , 7, 47-63	5.5	5
122	Adenosine Diphosphate Improves Wound Healing in Diabetic Mice Through P2Y Receptor Activation. <i>Frontiers in Immunology</i> , 2021 , 12, 651740	8.4	6
121	Dietary Fiber Drives IL-1 β Dependent Peritonitis Induced by via Activation of the NLRP3 Inflammasome. <i>Journal of Immunology</i> , 2021 , 206, 2441-2452	5.3	
120	Purinergic signalling in host innate immune defence against intracellular pathogens. <i>Biochemical Pharmacology</i> , 2021 , 187, 114405	6	8
119	Purinergic signaling: a new front-line determinant of resistance and susceptibility in leishmaniasis. <i>Biomedical Journal</i> , 2021 ,	7.1	2
118	Hyperhomocysteinemia alters cytokine gene expression, cytochrome c oxidase activity and oxidative stress in striatum and cerebellum of rodents. <i>Life Sciences</i> , 2021 , 277, 119386	6.8	1
117	Innate immune memory mediates increased susceptibility to Alzheimer's disease-like pathology in sepsis surviving mice. <i>Brain, Behavior, and Immunity</i> , 2021 , 95, 287-298	16.6	4
116	Purinergic signaling in the modulation of redox biology. <i>Redox Biology</i> , 2021 , 47, 102137	11.3	3
115	Differential involvement of the canonical and noncanonical inflammasomes in the immune response against infection by the periodontal bacteria and. <i>Current Research in Microbial Sciences</i> , 2021 , 2, 100023	3.3	1
114	The Complexity of Purinergic Signaling During Toxoplasma Infection. <i>Current Topics in Medicinal Chemistry</i> , 2021 , 21, 205-212	3	1
113	Brilliant blue G, a P2X7 receptor antagonist, attenuates early phase of renal inflammation, interstitial fibrosis and is associated with renal cell proliferation in ureteral obstruction in rats. <i>BMC Nephrology</i> , 2020 , 21, 206	2.7	8
112	Purinergic signaling, DAMPs, and inflammation. <i>American Journal of Physiology - Cell Physiology</i> , 2020 , 318, C832-C835	5.4	49
111	Using Cytometry for Investigation of Purinergic Signaling in Tumor-Associated Macrophages. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2020 , 97, 1109-1126	4.6	1
110	P2X7 receptor activation increases expression of caveolin-1 and formation of macrophage lipid rafts, thereby boosting CD39 activity. <i>Journal of Cell Science</i> , 2020 , 133,	5.3	8
109	Low-Cost Scientific Exhibition: A Proposal to Promote Science Education. <i>Creative Education</i> , 2020 , 11, 760-782	0.4	3
108	MSU Crystals induce sterile IL-1 β secretion via P2X7 receptor activation and HMGB1 release. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2020 , 1864, 129461	4	4

107	P2Y Receptor Induces Infection Control in a Mechanism Dependent on Caspase-1 Activation and IL-1 Secretion. <i>Mediators of Inflammation</i> , 2020 , 2020, 2545682	4.3	5
106	P2X7 receptor deletion attenuates oxidative stress and liver damage in sepsis. <i>Purinergic Signalling</i> , 2020 , 16, 561-572	3.8	10
105	Purinergic signaling in infectious diseases of the central nervous system. <i>Brain, Behavior, and Immunity</i> , 2020 , 89, 480-490	16.6	16
104	A journey through the digestive system: analysis of a practical activity's use as a didactic resource for undergraduate students. <i>Journal of Biological Education</i> , 2020 , 1-33	0.9	2
103	CD73-dependent adenosine dampens interleukin-1β-induced CXCL8 production in gingival fibroblasts: Association with heme oxygenase-1 and adenosine monophosphate-activated protein kinase. <i>Journal of Periodontology</i> , 2020 , 91, 253-262	4.6	2
102	P2Y Receptor Antagonist Clopidogrel Attenuates Lung Inflammation Triggered by Silica Particles. <i>Frontiers in Pharmacology</i> , 2020 , 11, 301	5.6	3
101	Targeting Purinergic Signaling in the Dynamics of Disease Progression in Sepsis. <i>Frontiers in Pharmacology</i> , 2020 , 11, 626484	5.6	1
100	Non-canonical NLRP3 inflammasome activation and IL-1β signaling are necessary to L. amazonensis control mediated by P2X7 receptor and leukotriene B4. <i>PLoS Pathogens</i> , 2019 , 15, e1007887	7.6	28
99	Creatine supplementation impairs airway inflammation in an experimental model of asthma involving P2 _U receptor. <i>European Journal of Immunology</i> , 2019 , 49, 928-939	6.1	4
98	Immunomodulatory effects of P2X7 receptor in intracellular parasite infections. <i>Current Opinion in Pharmacology</i> , 2019 , 47, 53-58	5.1	19
97	Immunological Pathways Triggered by and : Therapeutic Possibilities?. <i>Mediators of Inflammation</i> , 2019 , 2019, 7241312	4.3	26
96	A Funçã social dos museus e centros de ciências: integraçã com escolas e secretarias de educaçã. <i>Ciências E Cultura</i> , 2019 , 71, 04-05	0.3	2
95	The giant artery: blood and blood vessels in a science museum. <i>Journal of Biological Education</i> , 2019 , 1-19	0.9	1
94	Disruption of Purinergic Receptor P2X7 Signaling Increases Susceptibility to Cerebral Toxoplasmosis. <i>American Journal of Pathology</i> , 2019 , 189, 730-738	5.8	9
93	P2X7 receptor-mediated leukocyte recruitment and Porphyromonas gingivalis clearance requires IL-1β production and autocrine IL-1 receptor activation. <i>Immunobiology</i> , 2019 , 224, 50-59	3.4	7
92	Intralesional uridine-5Triphosphate (UTP) treatment induced resistance to Leishmania amazonensis infection by boosting Th immune responses and reactive oxygen species production. <i>Purinergic Signalling</i> , 2018 , 14, 201-211	3.8	9
91	The P2X7 Receptor in Inflammatory Diseases: Angel or Demon?. <i>Frontiers in Pharmacology</i> , 2018 , 9, 52	5.6	200
90	Purinergic Cooperation Between P2Y and P2X7 Receptors Promote Cutaneous Leishmaniasis Control: Involvement of Pannexin-1 and Leukotrienes. <i>Frontiers in Immunology</i> , 2018 , 9, 1531	8.4	19

89	Oral infection of mice with <i>Fusobacterium nucleatum</i> results in macrophage recruitment to the dental pulp and bone resorption. <i>Biomedical Journal</i> , 2018 , 41, 184-193	7.1	11
88	Contribution of sulfate-reducing bacteria to homeostasis disruption during intestinal inflammation. <i>Life Sciences</i> , 2018 , 215, 145-151	6.8	15
87	Inflammatory early events associated to the role of P2X7 receptor in acute murine toxoplasmosis. <i>Immunobiology</i> , 2017 , 222, 676-683	3.4	26
86	Potential role of P2X7R in esophageal squamous cell carcinoma proliferation. <i>Purinergic Signalling</i> , 2017 , 13, 279-292	3.8	15
85	CD39 limits P2X7 receptor inflammatory signaling and attenuates sepsis-induced liver injury. <i>Journal of Hepatology</i> , 2017 , 67, 716-726	13.4	84
84	P2X7 receptor promotes intestinal inflammation in chemically induced colitis and triggers death of mucosal regulatory T cells. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017 , 1863, 1183-1194	6.9	26
83	Sulphate-reducing bacteria from ulcerative colitis patients induce apoptosis of gastrointestinal epithelial cells. <i>Microbial Pathogenesis</i> , 2017 , 112, 126-134	3.8	33
82	P2X7 receptor drives Th1 cell differentiation and controls the follicular helper T cell population to protect against <i>Plasmodium chabaudi</i> malaria. <i>PLoS Pathogens</i> , 2017 , 13, e1006595	7.6	33
81	Sulfate-reducing bacteria stimulate gut immune responses and contribute to inflammation in experimental colitis. <i>Life Sciences</i> , 2017 , 189, 29-38	6.8	47
80	The role of the P2X7 receptor in murine cutaneous leishmaniasis: aspects of inflammation and parasite control. <i>Purinergic Signalling</i> , 2017 , 13, 143-152	3.8	22
79	Adenine Nucleotides Control Proliferation In Vivo of Rat Retinal Progenitors by P2Y Receptor. <i>Molecular Neurobiology</i> , 2017 , 54, 5142-5155	6.2	6
78	P2X7 Receptor Signaling Contributes to Sepsis-Associated Brain Dysfunction. <i>Molecular Neurobiology</i> , 2017 , 54, 6459-6470	6.2	31
77	The P2X7 Receptor Mediates Control in Macrophages through Canonical NLRP3 Inflammasome Activation and Reactive Oxygen Species Production. <i>Frontiers in Immunology</i> , 2017 , 8, 1257	8.4	56
76	Multifaceted Effects of Extracellular Adenosine Triphosphate and Adenosine in the Tumor-Host Interaction and Therapeutic Perspectives. <i>Frontiers in Immunology</i> , 2017 , 8, 1526	8.4	49
75	Role of P2X7 Receptor in an Animal Model of Mania Induced by D-Amphetamine. <i>Molecular Neurobiology</i> , 2016 , 53, 611-620	6.2	37
74	Is the inflammasome relevant for epithelial cell function?. <i>Microbes and Infection</i> , 2016 , 18, 93-101	9.3	29
73	Increased expression of NTPDases 2 and 3 in mesenteric endothelial cells during schistosomiasis favors leukocyte adhesion through P2Y1 receptors. <i>Vascular Pharmacology</i> , 2016 , 82, 66-72	5.9	10
72	The purinergic receptor P2X7 role in control of Dengue virus-2 infection and cytokine/chemokine production in infected human monocytes. <i>Immunobiology</i> , 2016 , 221, 794-802	3.4	27

71	P2X7 receptor knockout prevents streptozotocin-induced type 1 diabetes in mice. <i>Molecular and Cellular Endocrinology</i> , 2016 , 419, 148-57	4.4	22
70	Atividades experimentais e o ensino de Física para os anos iniciais do Ensino Fundamental: análise de um programa formativo para professores. <i>Caderno Brasileiro De Ensino De Física</i> , 2016 , 33, 579	0.1	
69	Danger signals, inflammasomes, and the intricate intracellular lives of chlamydiae. <i>Biomedical Journal</i> , 2016 , 39, 306-315	7.1	8
68	Crosstalk between purinergic receptors and lipid mediators in leishmaniasis. <i>Parasites and Vectors</i> , 2016 , 9, 489	4	16
67	Purinergic signaling during Porphyromonas gingivalis infection. <i>Biomedical Journal</i> , 2016 , 39, 251-260	7.1	17
66	Decrease of serum adenine nucleotide hydrolysis in an irritant contact dermatitis mice model: potential P2X7R involvement. <i>Molecular and Cellular Biochemistry</i> , 2015 , 404, 221-8	4.2	5
65	Pathological concentrations of homocysteine increases IL-1 β production in macrophages in a P2X7, NF- κ B, and erk-dependent manner. <i>Purinergic Signalling</i> , 2015 , 11, 463-70	3.8	29
64	A Dual Role for P2X7 Receptor during Porphyromonas gingivalis Infection. <i>Journal of Dental Research</i> , 2015 , 94, 1233-42	8.1	31
63	Pharmacological and molecular characterization of functional P2 receptors in rat embryonic cardiomyocytes. <i>Purinergic Signalling</i> , 2015 , 11, 127-38	3.8	7
62	Pyrimidinergic Receptor Activation Controls Toxoplasma gondii Infection in Macrophages. <i>PLoS ONE</i> , 2015 , 10, e0133502	3.7	16
61	The P2X7 Receptor Contributes to the Development of the Exacerbated Inflammatory Response Associated with Sepsis. <i>Journal of Innate Immunity</i> , 2015 , 7, 417-27	6.9	34
60	Silica-induced inflammasome activation in macrophages: role of ATP and P2X7 receptor. <i>Immunobiology</i> , 2015 , 220, 1101-6	3.4	36
59	Leukotriene B4 modulates P2X7 receptor-mediated Leishmania amazonensis elimination in murine macrophages. <i>Journal of Immunology</i> , 2014 , 192, 4765-73	5.3	49
58	Prophylactic systemic P2X7 receptor blockade prevents experimental colitis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014 , 1842, 65-78	6.9	47
57	Pharmacological blockage and P2X7 deletion hinder aversive memories: reversion in an enriched environment. <i>Neuroscience</i> , 2014 , 280, 220-30	3.9	11
56	Periodate-oxidized ATP modulates macrophage functions during infection with Leishmania amazonensis. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2014 , 85, 588-600	4.6	6
55	P2X7 receptor modulates inflammatory and functional pulmonary changes induced by silica. <i>PLoS ONE</i> , 2014 , 9, e110185	3.7	45
54	Macrophage P2X7 receptor function is reduced during schistosomiasis: putative role of TGF- β . <i>Mediators of Inflammation</i> , 2014 , 2014, 134974	4.3	10

53	Pulmonary infection with hypervirulent Mycobacteria reveals a crucial role for the P2X7 receptor in aggressive forms of tuberculosis. <i>PLoS Pathogens</i> , 2014 , 10, e1004188	7.6	55
52	Overexpression of ATP-activated P2X7 receptors in the intestinal mucosa is implicated in the pathogenesis of Crohn's disease. <i>Inflammatory Bowel Diseases</i> , 2014 , 20, 444-57	4.5	62
51	Porphyromonas gingivalis fimbriae dampen P2X7-dependent interleukin-1 β secretion. <i>Journal of Innate Immunity</i> , 2014 , 6, 831-45	6.9	30
50	Modulation of mouse embryonic stem cell proliferation and neural differentiation by the P2X7 receptor. <i>PLoS ONE</i> , 2014 , 9, e96281	3.7	54
49	The role of P2X7 receptor in infectious inflammatory diseases and the influence of ectonucleotidases. <i>Biomedical Journal</i> , 2014 , 37, 169-77	7.1	58
48	Endothelial P2X7 receptors expression is reduced by schistosomiasis. <i>Purinergic Signalling</i> , 2013 , 9, 81-93	3.8	17
47	Protein kinase C-mediated ATP stimulation of Na(+)-ATPase activity in LLC-PK1 cells involves a P2Y2 and/or P2Y4 receptor. <i>Archives of Biochemistry and Biophysics</i> , 2013 , 535, 136-42	4.1	5
46	Implication of purinergic P2X7 receptor in M. tuberculosis infection and host interaction mechanisms: a mouse model study. <i>Immunobiology</i> , 2013 , 218, 1104-12	3.4	28
45	P2X7 receptor is required for neutrophil accumulation in a mouse model of irritant contact dermatitis. <i>Experimental Dermatology</i> , 2013 , 22, 184-8	4	17
44	Reversible inhibition of Chlamydia trachomatis infection in epithelial cells due to stimulation of P2X(4) receptors. <i>Infection and Immunity</i> , 2012 , 80, 4232-8	3.7	18
43	Characterizing the presence and sensitivity of the P2X7 receptor in different compartments of the gut. <i>Journal of Innate Immunity</i> , 2012 , 4, 529-41	6.9	25
42	Extracellular ATP induces cell death in human intestinal epithelial cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2012 , 1820, 1867-78	4	46
41	Role of extracellular nucleotides in the immune response against intracellular bacteria and protozoan parasites. <i>Microbes and Infection</i> , 2012 , 14, 1271-7	9.3	73
40	The role of P2X7 purinergic receptors in inflammatory and nociceptive changes accompanying cyclophosphamide-induced haemorrhagic cystitis in mice. <i>British Journal of Pharmacology</i> , 2012 , 165, 183-96	8.6	44
39	Mast cell function and death in Trypanosoma cruzi infection. <i>American Journal of Pathology</i> , 2011 , 179, 1894-904	5.8	15
38	Purinergic receptor agonists modulate phagocytosis and clearance of apoptotic cells in macrophages. <i>Immunobiology</i> , 2011 , 216, 1-11	3.4	43
37	Infection with Leishmania amazonensis upregulates purinergic receptor expression and induces host-cell susceptibility to UTP-mediated apoptosis. <i>Cellular Microbiology</i> , 2011 , 13, 1410-28	3.9	31
36	Colchicine inhibits cationic dye uptake induced by ATP in P2X2 and P2X7 receptor-expressing cells: implications for its therapeutic action. <i>British Journal of Pharmacology</i> , 2011 , 163, 912-26	8.6	79

35	Lipopolysaccharide-induced lung injury: role of P2X7 receptor. <i>Respiratory Physiology and Neurobiology</i> , 2011 , 179, 314-25	2.8	44
34	C terminus of the P2X7 receptor: treasure hunting. <i>Purinergic Signalling</i> , 2011 , 7, 7-19	3.8	74
33	Lipid metabolism modulation by the P2X7 receptor in the immune system and during the course of infection: new insights into the old view. <i>Purinergic Signalling</i> , 2011 , 7, 381-92	3.8	21
32	Differential modulation of ATP-induced P2X7-associated permeabilities to cations and anions of macrophages by infection with <i>Leishmania amazonensis</i> . <i>PLoS ONE</i> , 2011 , 6, e25356	3.7	25
31	Host-cell lipid rafts: a safe door for micro-organisms?. <i>Biology of the Cell</i> , 2010 , 102, 391-407	3.5	71
30	Characterization of ATP-induced cell death in the GL261 mouse glioma. <i>Journal of Cellular Biochemistry</i> , 2010 , 109, 983-91	4.7	44
29	Activation of the P2X(7) receptor triggers the elimination of <i>Toxoplasma gondii</i> tachyzoites from infected macrophages. <i>Microbes and Infection</i> , 2010 , 12, 497-504	9.3	73
28	Gap junction reduction in cardiomyocytes following transforming growth factor-beta treatment and <i>Trypanosoma cruzi</i> infection. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2009 , 104, 1083-90	2.6	26
27	Modulation of P2X(7) purinergic receptor in macrophages by <i>Leishmania amazonensis</i> and its role in parasite elimination. <i>Microbes and Infection</i> , 2009 , 11, 842-9	9.3	64
26	Expression of purinergic receptors and modulation of P2X7 function by the inflammatory cytokine IFNgamma in human epithelial cells. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2009 , 1788, 1176-87	3.8	36
25	The P2X(7) receptor and intracellular pathogens: a continuing struggle. <i>Purinergic Signalling</i> , 2009 , 5, 197-204	3.8	50
24	Modulation of P2X7 receptor expression in macrophages from mineral oil-injected mice. <i>Immunobiology</i> , 2008 , 213, 481-92	3.4	11
23	P2X7 modulatory web in <i>Trypanosoma cruzi</i> infection. <i>Parasitology Research</i> , 2008 , 103, 829-38	2.4	16
22	The role of P2 receptors in controlling infections by intracellular pathogens. <i>Purinergic Signalling</i> , 2007 , 3, 83-90	3.8	43
21	Changes in expression of P2X7 receptors in NOD mouse pancreas during the development of diabetes. <i>Autoimmunity</i> , 2007 , 40, 108-16	3	21
20	Early expression of adenosine 5Triphosphate-gated P2X7 receptors in the developing rat pancreas. <i>Pancreas</i> , 2007 , 35, 164-8	2.6	8
19	Activation of ERK1/2 by extracellular nucleotides in macrophages is mediated by multiple P2 receptors independently of P2X7-associated pore or channel formation. <i>British Journal of Pharmacology</i> , 2006 , 147, 324-34	8.6	34
18	The role of purinergic P2X7 receptors in the inflammation and fibrosis of unilateral ureteral obstruction in mice. <i>Kidney International</i> , 2006 , 70, 1599-606	9.9	90

17	Effect of extracellular ATP on the human leukaemic cell line K562 and its multidrug counterpart. <i>Molecular and Cellular Biochemistry</i> , 2006 , 289, 111-24	4.2	6
16	Impairment of the splenic immune system in P2X(2)/P2X(3) knockout mice. <i>Immunobiology</i> , 2005 , 209, 661-8	3.4	20
15	Multiple P2X and P2Y receptor subtypes in mouse J774, spleen and peritoneal macrophages. <i>Biochemical Pharmacology</i> , 2005 , 69, 641-55	6	56
14	Presence of the P2X(7) purinergic receptor on immune cells that invade the rat endometrium during oestrus. <i>Journal of Reproductive Immunology</i> , 2005 , 66, 127-40	4.2	13
13	P2X and P2Y purinergic receptors on human intestinal epithelial carcinoma cells: effects of extracellular nucleotides on apoptosis and cell proliferation. <i>American Journal of Physiology - Renal Physiology</i> , 2005 , 288, G1024-35	5.1	92
12	Modulation of intercellular communication in macrophages: possible interactions between GAP junctions and P2 receptors. <i>Journal of Cell Science</i> , 2004 , 117, 4717-26	5.3	44
11	Extracellular ATP induces cell death in CD4+/CD8+ double-positive thymocytes in mice infected with <i>Trypanosoma cruzi</i> . <i>Microbes and Infection</i> , 2003 , 5, 1363-71	9.3	37
10	P2X and P2Y purinoceptor expression in pancreas from streptozotocin-diabetic rats. <i>Molecular and Cellular Endocrinology</i> , 2003 , 204, 141-54	4.4	58
9	Inhibition of chlamydial infectious activity due to P2X7R-dependent phospholipase D activation. <i>Immunity</i> , 2003 , 19, 403-12	32.3	136
8	Changes in expression of P2 receptors in rat and mouse pancreas during development and ageing. <i>Cell and Tissue Research</i> , 2001 , 306, 373-83	4.2	52
7	Modulation of P2Z/P2X(7) receptor activity in macrophages infected with <i>Chlamydia psittaci</i> . <i>American Journal of Physiology - Cell Physiology</i> , 2001 , 280, C81-9	5.4	88
6	P2Z/P2X7 receptor-dependent apoptosis of dendritic cells. <i>American Journal of Physiology - Cell Physiology</i> , 1999 , 276, C1139-47	5.4	173
5	Extracellular ATP: a further modulator in neuroendocrine control of the thymus. <i>NeuroImmunoModulation</i> , 1999 , 6, 81-9	2.5	12
4	P2Z purinoceptor-associated pores induced by extracellular ATP in macrophages and J774 cells. <i>American Journal of Physiology - Cell Physiology</i> , 1997 , 273, C1793-800	5.4	92
3	A cation non-selective channel induced by extracellular ATP in macrophages and phagocytic cells of the thymic reticulum. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1996 , 1278, 125-30	3.8	27
2	Characterization of P2Z purinergic receptors on phagocytic cells of the thymic reticulum in culture. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1996 , 1280, 217-22	3.8	25
1	The P2Z purinoceptor: an open question in the immune system. <i>Trends in Immunology</i> , 1996 , 17, 292-4		3