

Ruth MartÃ- -Lluch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5899158/publications.pdf>

Version: 2024-02-01

74
papers

2,049
citations

236612

25
h-index

264894

42
g-index

78
all docs

78
docs citations

78
times ranked

3096
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of residential greenness on myocardial infarction in the population with diabetes: A sex-dependent association?. <i>Environmental Research</i> , 2022, 205, 112449.	3.7	9
2	Individuals With SARS-CoV-2 Infection During the First and Second Waves in Catalonia, Spain: Retrospective Observational Study Using Daily Updated Data. <i>JMIR Public Health and Surveillance</i> , 2022, 8, e30006.	1.2	6
3	The Association of Dietary Intake with Arterial Stiffness and Vascular Ageing in a Population with Intermediate Cardiovascular Risk—A MARK Study. <i>Nutrients</i> , 2022, 14, 244.	1.7	8
4	Extreme diurnal temperature range and cardiovascular emergency hospitalisations in a Mediterranean region. <i>Occupational and Environmental Medicine</i> , 2021, 78, 62-68.	1.3	20
5	Validity of Chronic Venous Disease Diagnoses and Epidemiology Using Validated Electronic Health Records From Primary Care: A Real-World Data Analysis. <i>Journal of Nursing Scholarship</i> , 2021, 53, 296-305.	1.1	14
6	Efficacy of tailored recommendations to promote healthy lifestyles: a post hoc analysis of a randomized controlled trial. <i>Translational Behavioral Medicine</i> , 2021, 11, 1548-1557.	1.2	3
7	Do individuals with autoimmune disease have increased risk of subclinical carotid atherosclerosis and stiffness?. <i>Hypertension Research</i> , 2021, 44, 978-987.	1.5	3
8	Effectiveness of a Multicomponent Intervention in Primary Care That Addresses Patients with Diabetes Mellitus with Two or More Unhealthy Habits, Such as Diet, Physical Activity or Smoking: Multicenter Randomized Cluster Trial (EIRA Study). <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5788.	1.2	6
9	Ankle-brachial index and the risk of hemorrhagic stroke. <i>European Journal of Internal Medicine</i> , 2021, 94, 112-114.	1.0	1
10	Derivation and validation of SIDIAP-FHP score: A new risk model predicting cardiovascular disease in familial hypercholesterolemia phenotype. <i>Atherosclerosis</i> , 2020, 292, 42-51.	0.4	9
11	Control of cardiovascular risk factors with tailored recommendations: A randomized controlled trial. <i>Preventive Medicine</i> , 2020, 141, 106302.	1.6	4
12	Is it time to use real-world data from primary care in Alzheimer's disease?. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 60.	3.0	7
13	Levels of ankle-brachial index and the risk of diabetes mellitus complications. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000977.	1.2	18
14	Incidence of Cardiovascular Disease in Patients with Familial Hypercholesterolemia Phenotype: Analysis of 5 Years Follow-Up of Real-World Data from More than 1.5 Million Patients. <i>Journal of Clinical Medicine</i> , 2019, 8, 1080.	1.0	33
15	How well can electronic health records from primary care identify Alzheimer's disease cases?. <i>Clinical Epidemiology</i> , 2019, Volume 11, 509-518.	1.5	28
16	Effectiveness of Statins as Primary Prevention in People With Gout: A Population-Based Cohort Study. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2019, 24, 542-550.	1.0	4
17	Capacity adiposity indices to identify metabolic syndrome in subjects with intermediate cardiovascular risk (MARK study). <i>PLoS ONE</i> , 2019, 14, e0209992.	1.1	18
18	Role of Low Ankle-Brachial Index in Cardiovascular and Mortality Risk Compared with Major Risk Conditions. <i>Journal of Clinical Medicine</i> , 2019, 8, 870.	1.0	15

#	ARTICLE	IF	CITATIONS
19	<p>Epidemiology of dementia: prevalence and incidence estimates using validated electronic health records from primary care</p>. <i>Clinical Epidemiology</i> , 2019, Volume 11, 217-228.	1.5	78
20	Hypertension and high ankle brachial index. <i>Journal of Hypertension</i> , 2019, 37, 92-98.	0.3	7
21	Acute Myocardial Infarction Population Incidence and Mortality Rates, and 28-day Case-fatality in Older Adults. The REGICOR Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018, 71, 718-725.	0.4	11
22	Effectiveness of Statins as Primary Prevention in People With Different Cardiovascular Risk: A Populationâ€Based Cohort Study. <i>Clinical Pharmacology and Therapeutics</i> , 2018, 104, 719-732.	2.3	12
23	A body shape index and vascular structure and function in Spanish adults (MARK study). <i>Medicine (United States)</i> , 2018, 97, e13299.	0.4	10
24	Statins for primary prevention of cardiovascular events and mortality in old and very old adults with and without type 2 diabetes: retrospective cohort study. <i>BMJ: British Medical Journal</i> , 2018, 362, k3359.	2.4	135
25	Validity of a method for the self-screening of cardiovascular risk. <i>Clinical Epidemiology</i> , 2018, Volume 10, 549-560.	1.5	5
26	Tasas de incidencia y mortalidad, y letalidad poblacional a 28 dÃas del infarto agudo de miocardio en adultos mayores. Estudio REGICOR. <i>Revista Espanola De Cardiologia</i> , 2018, 71, 718-725.	0.6	10
27	The association between education and cardiovascular disease incidence is mediated by hypertension, diabetes, and body mass index. <i>Scientific Reports</i> , 2017, 7, 12370.	1.6	70
28	Adiposity measures and arterial stiffness in primary care: the MARK prospective observational study. <i>BMJ Open</i> , 2017, 7, e016422.	0.8	15
29	Differences in cardio-ankle vascular index in a general Mediterranean population depending on the presence or absence of metabolic cardiovascular risk factors. <i>Atherosclerosis</i> , 2017, 264, 29-35.	0.4	3
30	Abnormally High Ankleâ€Brachial Index is Associated with All-cause and Cardiovascular Mortality: The REGICOR Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2017, 54, 370-377.	0.8	27
31	[PP.19.14] THE BODY SHAPE INDEX IS ASSOCIATED WITH THE VASCULAR STRUCTURE AND FUNCTION IN CAUCASIAN ADULTS. MARK STUDY. <i>Journal of Hypertension</i> , 2017, 35, e243-e244.	0.3	0
32	Effects of extreme temperatures on cardiovascular emergency hospitalizations in a Mediterranean region: a self-controlled case series study. <i>Environmental Health</i> , 2017, 16, 32.	1.7	44
33	Diet quality and carotid atherosclerosis in intermediate cardiovascular risk individuals. <i>Nutrition Journal</i> , 2017, 16, 40.	1.5	2
34	Glycemic markers and relation with arterial stiffness in Caucasian subjects of the MARK study. <i>PLoS ONE</i> , 2017, 12, e0175982.	1.1	24
35	Statins and new-onset atrial fibrillation in a cohort of patients with hypertension. Analysis of electronic health records, 2006â€2015. <i>PLoS ONE</i> , 2017, 12, e0186972.	1.1	9
36	Diet and physical activity in people with intermediate cardiovascular risk and their relationship with the health-related quality of life: results from the MARK study. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 169.	1.0	18

#	ARTICLE	IF	CITATIONS
37	Diabetes and new-onset atrial fibrillation in a hypertensive population. <i>Annals of Medicine</i> , 2016, 48, 119-127.	1.5	14
38	Prevalence and incidence of Q-wave unrecognized myocardial infarction in general population: Diagnostic value of the electrocardiogram. The REGICOR study. <i>International Journal of Cardiology</i> , 2016, 225, 300-305.	0.8	10
39	Role of renal function in cardiovascular risk assessment: A retrospective cohort study in a population with low incidence of coronary heart disease. <i>Preventive Medicine</i> , 2016, 89, 200-206.	1.6	7
40	Breast feeding basic competence in primary care: Development and validation of the CAPA questionnaire. <i>Midwifery</i> , 2016, 42, 87-92.	1.0	8
41	Association of metabolic syndrome and its components with arterial stiffness in Caucasian subjects of the MARK study: a cross-sectional trial. <i>Cardiovascular Diabetology</i> , 2016, 15, 148.	2.7	61
42	Association between markers of glycemia and carotid intima-media thickness: the MARK study. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 203.	0.7	14
43	Vascular structure and function and their relationship with health-related quality of life in the MARK study. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 95.	0.7	9
44	Statins for Prevention of Cardiovascular Events in a Low-Risk Population With Low Ankle Brachial Index. <i>Journal of the American College of Cardiology</i> , 2016, 67, 630-640.	1.2	92
45	Peripheral Arterial Disease Incidence and Associated Risk Factors in a Mediterranean Population-based Cohort. The REGICOR Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2016, 51, 696-705.	0.8	26
46	Patterns of statin use and cholesterol goal attainment in a high-risk cardiovascular population: A retrospective study of primary care electronic medical records. <i>Journal of Clinical Lipidology</i> , 2016, 10, 134-142.	0.6	31
47	PP.02.37. <i>Journal of Hypertension</i> , 2015, 33, e149.	0.3	0
48	The Association Between the Cardio-ankle Vascular Index and Other Parameters of Vascular Structure and Function in Caucasian Adults: MARK Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015, 22, 901-911.	0.9	37
49	PP.20.15. <i>Journal of Hypertension</i> , 2015, 33, e311.	0.3	0
50	Adding low ankle brachial index to classical risk factors improves the prediction of major cardiovascular events. The REGICOR study. <i>Atherosclerosis</i> , 2015, 241, 357-363.	0.4	35
51	Incident Atrial Fibrillation Hazard in Hypertensive Population. <i>Hypertension</i> , 2015, 65, 1180-1186.	1.3	8
52	Leukocyte Subtype Counts and Its Association with Vascular Structure and Function in Adults with Intermediate Cardiovascular Risk. MARK Study. <i>PLoS ONE</i> , 2015, 10, e0119963.	1.1	10
53	Derivation and validation of BOREAS, a risk score identifying candidates to develop cold-induced hypertension. <i>Environmental Research</i> , 2014, 132, 190-196.	3.7	12
54	Carotid Intima-media Thickness in the Spanish Population: Reference Ranges and Association With Cardiovascular Risk Factors. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012, 65, 1086-1093.	0.4	3

#	ARTICLE	IF	CITATIONS
55	Validity for Use in Research on Vascular Diseases of the SIDIAP (Information System for the Tj ETQq1 1 0.784314 rgBT /Overlock 10 T5	0.4	49
56	Grosor Antima-media carotídeo en poblaci3n espa±ola: valores de referencia y asociaci3n con los factores de riesgo cardiovascular. Revista Espanola De Cardiologia, 2012, 65, 1086-1093.	0.6	56
57	Validez del Sistema de Informaci3n para el Desarrollo de la Investigaci3n en Atenci3n Primaria (SIDIAP) en el estudio de enfermedades vasculares: estudio EMMA. Revista Espanola De Cardiologia, 2012, 65, 29-37.	0.6	125
58	Analyzing the Coronary Heart Disease Mortality Decline in a Mediterranean Population: Spain 1988-2005. Revista Espanola De Cardiologia (English Ed), 2011, 64, 988-996.	0.4	61
59	Derivation and validation of REASON: A risk score identifying candidates to screen for peripheral arterial disease using ankle brachial index. Atherosclerosis, 2011, 214, 474-479.	0.4	32
60	Improving interMediate Risk management. MARK study. BMC Cardiovascular Disorders, 2011, 11, 61.	0.7	25
61	Posici3n socioecon3mica e infarto agudo de miocardio. Estudio caso-control de base poblacional. Revista Espanola De Cardiologia, 2010, 63, 1045-1053.	0.6	23
62	Pron3stico y manejo de los pacientes con s3ndrome coronario agudo y enfermedad polivascular. Revista Espanola De Cardiologia, 2009, 62, 1012-1021.	0.6	17
63	Chemical bioactivity of sponges along an environmental gradient in a Mediterranean cave. Scientia Marina, 2009, 73, 387-397.	0.3	23
64	MASCARA (Manejo del S3ndrome Coronario Agudo. Registro Actualizado) Study. General Findings. Revista Espanola De Cardiologia (English Ed), 2008, 61, 803-816.	0.4	22
65	Response of the Mediterranean sponge Chondrosia reniformis Nardo to copper pollution. Environmental Pollution, 2006, 141, 452-458.	3.7	63
66	Seasonal variation in the structure of three Mediterranean algal communities in various light conditions. Estuarine, Coastal and Shelf Science, 2005, 64, 613-622.	0.9	13
67	Spatial and temporal variation of natural toxicity in cnidarians, bryozoans and tunicates in Mediterranean caves. Scientia Marina, 2005, 69, 485-492.	0.3	15
68	Benthic assemblages in two Mediterranean caves: species diversity and coverage as a function of abiotic parameters and geographic distance. Journal of the Marine Biological Association of the United Kingdom, 2004, 84, 557-572.	0.4	61
69	Temporal variation of several structure descriptors in animal-dominated benthic communities in two Mediterranean caves. Journal of the Marine Biological Association of the United Kingdom, 2004, 84, 573-580.	0.4	12
70	Seasonal and spatial variation of species toxicity in Mediterranean seaweed communities: correlation to biotic and abiotic factors. Marine Ecology - Progress Series, 2004, 282, 73-85.	0.9	28
71	Quantitative assessment of natural toxicity in sponges: toxicity bioassay versus compound quantification. Journal of Chemical Ecology, 2003, 29, 1307-1318.	0.9	26
72	Sublethal effects of contamination on the Mediterranean sponge Crambe crambe: metal accumulation and biological responses. Marine Pollution Bulletin, 2003, 46, 1273-1284.	2.3	75

#	ARTICLE	IF	CITATIONS
73	Does stress protein induction by copper modify natural toxicity in sponges?. Environmental Toxicology and Chemistry, 2001, 20, 2588-2593.	2.2	30
74	How do reproductive output, larval behaviour, and recruitment contribute to adult spatial patterns in Mediterranean encrusting sponges?. Marine Ecology - Progress Series, 1998, 167, 137-148.	0.9	99