

Daemin Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/589941/publications.pdf>

Version: 2024-02-01

12

papers

173

citations

1040056

9

h-index

1199594

12

g-index

12

all docs

12

docs citations

12

times ranked

168

citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular systematics of the New World clingfish genus <i>Gobiesox</i> (Teleostei: Gobiesocidae) and the origin of a freshwater clade. <i>Molecular Phylogenetics and Evolution</i> , 2017, 112, 138-147.	2.7	21
2	Time for Korean wildlife conservation. <i>Science</i> , 2019, 363, 1161-1162.	12.6	21
3	Introgression and Species Delimitation in the Longear Sunfish < i> <i>Lepomis megalotis</i> </i> (Teleostei:) Tj ETQq1 1 0.784314 rgBT /Overlock 5.6 20		
4	Phylogeny and time scale of diversification in the fossil-rich sunfishes and black basses (Teleostei:) Tj ETQq0 0 0 rgBT /Overlock 2.7 10 Tf 50		
5	Phylogenomics and species delimitation of the economically important Black Basses (<i>Micropterus</i>). <i>Scientific Reports</i> , 2022, 12, .	3.3	18
6	Phylogeography of < i> <i>Rhinichthys cataractae</i> </i> (Teleostei: Cyprinidae): pre-glacial colonization across the Continental Divide and Pleistocene diversification within the Rio Grande drainage. <i>Biological Journal of the Linnean Society</i> , 2014, 111, 317-333.	1.6	14
7	Molecular Phylogenetics of the Clingfishes (Teleostei: Gobiesocidae)"Implications for Classification. <i>Copeia</i> , 2020, 108, .	1.3	14
8	<i>Cobitis nalbanti</i> , a new species of spined loach from South Korea, and redescription of <i>Cobitis lutheri</i> (Teleostei: Cobitidae). <i>Zootaxa</i> , 2016, 4208, 577.	0.5	12
9	Multi-locus phylogenetic analyses support the monophly and the Miocene diversification of < i> <i>Iksookimia</i> </i> (Teleostei: Cypriniformes: Cobitidae). <i>Systematics and Biodiversity</i> , 2018, 16, 81-88.	1.2	12
10	High genetic diversity within the morphologically conservative dwarf loach, <i>Kichulchoia brevifasciata</i> (Teleostei: Cobitidae), an endangered freshwater fish from South Korea. <i>Conservation Genetics</i> , 2013, 14, 757-769.	1.5	9
11	Small fishes crossed a large mountain range: Quaternary stream capture events and freshwater fishes on both sides of the Taebaek Mountains. <i>Integrative Zoology</i> , 2017, 12, 292-302.	2.6	6
12	Incorporation of latitude-adjusted bioclimatic variables increases accuracy in species distribution models. <i>Ecological Modelling</i> , 2022, 469, 109986.	2.5	6