

# Dario DiFrancesco

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5899698/dario-difrancesco-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

169  
papers

13,003  
citations

60  
h-index

111  
g-index

182  
ext. papers

14,281  
ext. citations

7.2  
avg, IF

6.59  
L-index

#	Paper	IF	Citations
169	Pacemaker mechanisms in cardiac tissue. <i>Annual Review of Physiology</i> , <b>1993</b> , 55, 455-72	23.1	671
168	Direct activation of cardiac pacemaker channels by intracellular cyclic AMP. <i>Nature</i> , <b>1991</b> , 351, 145-7	50.4	655
167	A model of cardiac electrical activity incorporating ionic pumps and concentration changes. <i>Philosophical Transactions of the Royal Society of London Series B, Biological Sciences</i> , <b>1985</b> , 307, 353-98		584
166	How does adrenaline accelerate the heart?. <i>Nature</i> , <b>1979</b> , 280, 235-6	50.4	424
165	The role of the funny current in pacemaker activity. <i>Circulation Research</i> , <b>2010</b> , 106, 434-46	15.7	375
164	Properties of the hyperpolarizing-activated current (if) in cells isolated from the rabbit sino-atrial node. <i>Journal of Physiology</i> , <b>1986</b> , 377, 61-88	3.9	354
163	A new interpretation of the pace-maker current in calf Purkinje fibres. <i>Journal of Physiology</i> , <b>1981</b> , 314, 359-76	3.9	318
162	Familial sinus bradycardia associated with a mutation in the cardiac pacemaker channel. <i>New England Journal of Medicine</i> , <b>2006</b> , 354, 151-7	59.2	305
161	Heart rate lowering by specific and selective I(f) current inhibition with ivabradine: a new therapeutic perspective in cardiovascular disease. <i>Drugs</i> , <b>2004</b> , 64, 1757-65	12.1	284
160	Molecular architecture of the human sinus node: insights into the function of the cardiac pacemaker. <i>Circulation</i> , <b>2009</b> , 119, 1562-75	16.7	277
159	A study of the ionic nature of the pace-maker current in calf Purkinje fibres. <i>Journal of Physiology</i> , <b>1981</b> , 314, 377-93	3.9	265
158	Voltage-clamp investigations of membrane currents underlying pace-maker activity in rabbit sino-atrial node. <i>Journal of Physiology</i> , <b>1980</b> , 308, 331-51	3.9	258
157	Physiology and pharmacology of the cardiac pacemaker ("funny") current <b>2005</b> , 107, 59-79		252
156	Muscarinic modulation of cardiac rate at low acetylcholine concentrations. <i>Science</i> , <b>1989</b> , 243, 669-71	33.3	233
155	Current-dependent block of rabbit sino-atrial node I(f) channels by ivabradine. <i>Journal of General Physiology</i> , <b>2002</b> , 120, 1-13	3.4	230
154	Properties of the hyperpolarization-activated current in rat hippocampal CA1 pyramidal cells. <i>Journal of Neurophysiology</i> , <b>1993</b> , 69, 2129-36	3.2	218
153	Characterization of single pacemaker channels in cardiac sino-atrial node cells. <i>Nature</i> , <b>1986</b> , 324, 470-3	50.4	218

152	What keeps us ticking: a funny current, a calcium clock, or both?. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2009</b> , 47, 157-70	5.8	215
151	Deep bradycardia and heart block caused by inducible cardiac-specific knockout of the pacemaker channel gene Hcn4. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 1705-10	11.5	188
150	Action of the hyperpolarization-activated current (I <sub>h</sub> ) blocker ZD 7288 in hippocampal CA1 neurons. <i>Pflügers Archiv European Journal of Physiology</i> , <b>1997</b> , 435, 99-106	4.6	180
149	The contribution of the 'pacemaker' current (I <sub>f</sub> ) to generation of spontaneous activity in rabbit sino-atrial node myocytes. <i>Journal of Physiology</i> , <b>1991</b> , 434, 23-40	3.9	179
148	The cardiac hyperpolarizing-activated current, I <sub>f</sub> . Origins and developments. <i>Progress in Biophysics and Molecular Biology</i> , <b>1985</b> , 46, 163-83	4.7	169
147	Heteromeric HCN1-HCN4 channels: a comparison with native pacemaker channels from the rabbit sinoatrial node. <i>Journal of Physiology</i> , <b>2003</b> , 549, 347-59	3.9	160
146	Properties of the current I <sub>f</sub> in the sino-atrial node of the rabbit compared with those of the current I <sub>K</sub> in Purkinje fibres. <i>Journal of Physiology</i> , <b>1980</b> , 308, 353-67	3.9	151
145	A potassium channel protein encoded by chlorella virus PBCV-1. <i>Science</i> , <b>2000</b> , 287, 1641-4	33.3	149
144	Exercise training reduces resting heart rate via downregulation of the funny channel HCN4. <i>Nature Communications</i> , <b>2014</b> , 5, 3775	17.4	148
143	Funny channels in the control of cardiac rhythm and mode of action of selective blockers. <i>Pharmacological Research</i> , <b>2006</b> , 53, 399-406	10.2	147
142	Reduction of K <sup>+</sup> uptake in glia prevents long-term depression maintenance and causes epileptiform activity. <i>Journal of Neuroscience</i> , <b>1997</b> , 17, 2813-24	6.6	142
141	Block and activation of the pace-maker channel in calf Purkinje fibres: effects of potassium, caesium and rubidium. <i>Journal of Physiology</i> , <b>1982</b> , 329, 485-507	3.9	139
140	Modulation of single hyperpolarization-activated channels (I <sub>f</sub> ) by cAMP in the rabbit sino-atrial node. <i>Journal of Physiology</i> , <b>1994</b> , 474, 473-82	3.9	133
139	Muscarinic control of the hyperpolarization-activated current (I <sub>f</sub> ) in rabbit sino-atrial node myocytes. <i>Journal of Physiology</i> , <b>1988</b> , 405, 493-510	3.9	133
138	Inhibition of the hyperpolarization-activated current (I <sub>f</sub> ) induced by acetylcholine in rabbit sino-atrial node myocytes. <i>Journal of Physiology</i> , <b>1988</b> , 405, 477-91	3.9	133
137	Integrated allosteric model of voltage gating of HCN channels. <i>Journal of General Physiology</i> , <b>2001</b> , 117, 519-32	3.4	127
136	Properties of ivabradine-induced block of HCN1 and HCN4 pacemaker channels. <i>Journal of Physiology</i> , <b>2006</b> , 572, 335-46	3.9	114
135	Localization of pacemaker channels in lipid rafts regulates channel kinetics. <i>Circulation Research</i> , <b>2004</b> , 94, 1325-31	15.7	114

134	The funny current: cellular basis for the control of heart rate. <i>Drugs</i> , <b>2007</b> , 67 Suppl 2, 15-24	12.1	110
133	Human cardiac and bone marrow stromal cells exhibit distinctive properties related to their origin. <i>Cardiovascular Research</i> , <b>2011</b> , 89, 650-60	9.9	96
132	Seeing climate change: the visual construction of global warming in Canadian national print media. <i>Cultural Geographies</i> , <b>2011</b> , 18, 517-536	0.9	92
131	Cardiac mesoangioblasts are committed, self-renewable progenitors, associated with small vessels of juvenile mouse ventricle. <i>Cell Death and Differentiation</i> , <b>2008</b> , 15, 1417-28	12.7	87
130	Localization of f-channels to caveolae mediates specific beta2-adrenergic receptor modulation of rate in sinoatrial myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2007</b> , 42, 71-8	5.8	84
129	Dual allosteric modulation of pacemaker (f) channels by cAMP and voltage in rabbit SA node. <i>Journal of Physiology</i> , <b>1999</b> , 515 ( Pt 2), 367-76	3.9	82
128	Hyperpolarization-activated cyclic nucleotide-gated channel 1 is a molecular determinant of the cardiac pacemaker current I(f). <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 29233-41	5.4	81
127	Interaction of the pacemaker channel HCN1 with filamin A. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 43847-53	5.4	79
126	Reciprocal role of the inward currents $i_b$ , $i_{Na}$ and $i(f)$ in controlling and stabilizing pacemaker frequency of rabbit sino-atrial node cells. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>1992</b> , 250, 199-207	4.4	75
125	From funny current to HCN channels: 20 years of excitement. <i>Physiology</i> , <b>2002</b> , 17, 32-7	9.8	74
124	An updated computational model of rabbit sinoatrial action potential to investigate the mechanisms of heart rate modulation. <i>Journal of Physiology</i> , <b>2012</b> , 590, 4483-99	3.9	72
123	Serious workings of the funny current. <i>Progress in Biophysics and Molecular Biology</i> , <b>2006</b> , 90, 13-25	4.7	72
122	Kinetics and magnitude of the time-dependent potassium current in the rabbit sinoatrial node: effect of external potassium. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1979</b> , 381, 271-9	4.6	70
121	Recessive loss-of-function mutation in the pacemaker HCN2 channel causing increased neuronal excitability in a patient with idiopathic generalized epilepsy. <i>Journal of Neuroscience</i> , <b>2011</b> , 31, 17327-37	6.6	69
120	Dysfunctional HCN ion channels in neurological diseases. <i>Frontiers in Cellular Neuroscience</i> , <b>2015</b> , 6, 174	6.1	67
119	Small potassium ion channel proteins encoded by chlorella viruses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2004</b> , 101, 5318-24	11.5	65
118	Distribution of the pacemaker HCN4 channel mRNA and protein in the rabbit sinoatrial node. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2009</b> , 47, 221-7	5.8	64
117	Modulation of rate by autonomic agonists in SAN cells involves changes in diastolic depolarization and the pacemaker current. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2007</b> , 43, 39-48	5.8	64

116	HCN-related channelopathies. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2010</b> , 460, 405-15	4.6	63
115	I(f)-dependent modulation of pacemaker rate mediated by cAMP in the presence of ryanodine in rabbit sino-atrial node cells. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2003</b> , 35, 905-13	5.8	63
114	Effects of protein kinase inhibitors on canine Purkinje fibre pacemaker depolarization and the pacemaker current i(f). <i>Journal of Physiology</i> , <b>1991</b> , 440, 367-84	3.9	63
113	Acetylcholine inhibits activation of the cardiac hyperpolarizing-activated current, if. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1987</b> , 410, 139-42	4.6	63
112	Characterization of the pace-maker current kinetics in calf Purkinje fibres. <i>Journal of Physiology</i> , <b>1984</b> , 348, 341-67	3.9	61
111	The effects of calcium on outward membrane currents in the cardiac Purkinje fibre. <i>Journal of Physiology</i> , <b>1979</b> , 289, 347-73	3.9	61
110	Pacemaker channels. <i>Annals of the New York Academy of Sciences</i> , <b>2004</b> , 1015, 111-21	6.5	60
109	Heart rate reduction via selective 'funny' channel blockers. <i>Current Opinion in Pharmacology</i> , <b>2007</b> , 7, 208-13	5.1	59
108	Cardiac pacemaker I(f) current and its inhibition by heart rate-reducing agents. <i>Current Medical Research and Opinion</i> , <b>2005</b> , 21, 1115-22	2.5	58
107	The funny current has a major pacemaking role in the sinus node. <i>Heart Rhythm</i> , <b>2012</b> , 9, 299-301	6.7	55
106	A gain-of-function mutation in the cardiac pacemaker HCN4 channel increasing cAMP sensitivity is associated with familial Inappropriate Sinus Tachycardia. <i>European Heart Journal</i> , <b>2017</b> , 38, 280-288	9.5	54
105	Action of serotonin on the hyperpolarization-activated cation current (I <sub>h</sub> ) in rat CA1 hippocampal neurons. <i>European Journal of Neuroscience</i> , <b>1999</b> , 11, 3093-100	3.5	52
104	The human gene coding for HCN2, a pacemaker channel of the heart. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , <b>1999</b> , 1446, 419-25		51
103	Gravity gradiometer systems Advances and challenges. <i>Geophysical Prospecting</i> , <b>2009</b> , 57, 615-623	1.9	50
102	The pacemaker current: from basics to the clinics. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2007</b> , 18, 342-7	2.7	50
101	Some properties of the UL-FS 49 block of the hyperpolarization-activated current (i(f)) in sino-atrial node myocytes. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1994</b> , 427, 64-70	4.6	50
100	Functional comparison of HCN isoforms expressed in ventricular and HEK 293 cells. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2002</b> , 444, 597-601	4.6	49
99	Barium-induced blockade of the inward rectifier in calf Purkinje fibres. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1984</b> , 402, 446-53	4.6	49

98	HCN1 mutation spectrum: from neonatal epileptic encephalopathy to benign generalized epilepsy and beyond. <i>Brain</i> , <b>2018</b> , 141, 3160-3178	11.2	48
97	C terminus-mediated control of voltage and cAMP gating of hyperpolarization-activated cyclic nucleotide-gated channels. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 29930-4	5.4	47
96	Minimum Information about a Cardiac Electrophysiology Experiment (MICEE): standardised reporting for model reproducibility, interoperability, and data sharing. <i>Progress in Biophysics and Molecular Biology</i> , <b>2011</b> , 107, 4-10	4.7	45
95	Embryonic stem cell-derived CD166+ precursors develop into fully functional sinoatrial-like cells. <i>Circulation Research</i> , <b>2013</b> , 113, 389-98	15.7	44
94	Measurement and significance of the reversal potential for the pace-maker current (iK2) in sheep Purkinje fibres. <i>Journal of Physiology</i> , <b>1979</b> , 297, 135-62	3.9	44
93	An isoform of the cGMP-gated retinal photoreceptor channel gene expressed in the sinoatrial node (pacemaker) region of rabbit heart. <i>Biochemical Society Transactions</i> , <b>1993</b> , 21, 119S	5.1	43
92	Activation of f-channels by cAMP analogues in macropatches from rabbit sino-atrial node myocytes. <i>Journal of Physiology</i> , <b>1997</b> , 501 ( Pt 3), 565-71	3.9	42
91	Functional characterisation and subcellular localisation of HCN1 channels in rabbit retinal rod photoreceptors. <i>Journal of Physiology</i> , <b>2002</b> , 542, 89-97	3.9	42
90	The viral potassium channel Kcv: structural and functional features. <i>FEBS Letters</i> , <b>2003</b> , 552, 12-6	3.8	42
89	Intracellular Ca modulates K-inward rectification in cardiac myocytes. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1989</b> , 413, 322-4	4.6	41
88	Cyclic dinucleotides bind the C-linker of HCN4 to control channel cAMP responsiveness. <i>Nature Chemical Biology</i> , <b>2014</b> , 10, 457-62	11.7	40
87	Control of cardiac rate by "funny" channels in health and disease. <i>Annals of the New York Academy of Sciences</i> , <b>2008</b> , 1123, 213-23	6.5	40
86	Identification of the molecular site of ivabradine binding to HCN4 channels. <i>PLoS ONE</i> , <b>2013</b> , 8, e53132	3.7	38
85	Kinetic and ionic properties of the human HCN2 pacemaker channel. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2000</b> , 439, 618-26	4.6	38
84	The onset and autonomic regulation of cardiac pacemaker activity: relevance of the f current. <i>Cardiovascular Research</i> , <b>1995</b> , 29, 449-456	9.9	37
83	Cadmium-induced blockade of the cardiac fast Na channels in calf Purkinje fibres. <i>Proceedings of the Royal Society of London Series B, Containing Papers of A Biological Character</i> , <b>1985</b> , 223, 475-84		37
82	Funny Current and Cardiac Rhythm: Insights from HCN Knockout and Transgenic Mouse Models. <i>Frontiers in Physiology</i> , <b>2012</b> , 3, 240	4.6	36
81	Long distance interactions within the potassium channel pore are revealed by molecular diversity of viral proteins. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 28443-9	5.4	36

80	Na(+) current contribution to the diastolic depolarization in newborn rabbit SA node cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2000</b> , 279, H2303-9	5.2	36
79	A caveolin-binding domain in the HCN4 channels mediates functional interaction with caveolin proteins. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2012</b> , 53, 187-95	5.8	35
78	The short N-terminus is required for functional expression of the virus-encoded miniature K(+) channel Kcv. <i>FEBS Letters</i> , <b>2002</b> , 530, 65-9	3.8	35
77	Acetylcholine reverses effects of beta-agonists on pacemaker current in canine cardiac Purkinje fibers but has no direct action. A difference between primary and secondary pacemakers. <i>Circulation Research</i> , <b>1990</b> , 66, 633-6	15.7	35
76	Funny channel gene mutations associated with arrhythmias. <i>Journal of Physiology</i> , <b>2013</b> , 591, 4117-24	3.9	34
75	Effects of dronedarone on acetylcholine-activated current in rabbit SAN cells. <i>British Journal of Pharmacology</i> , <b>2000</b> , 130, 1315-20	8.6	34
74	Kinetic and ionic properties of the human HCN2 pacemaker channel. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2000</b> , 439, 618-626	4.6	34
73	Modulation of the hyperpolarization-activated current (I <sub>f</sub> ) by adenosine in rabbit sinoatrial myocytes. <i>Circulation</i> , <b>1996</b> , 94, 734-41	16.7	34
72	Molecular composition and functional properties of f-channels in murine embryonic stem cell-derived pacemaker cells. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2009</b> , 46, 343-51	5.8	33
71	The onset and autonomic regulation of cardiac pacemaker activity: relevance of the f current. <i>Cardiovascular Research</i> , <b>1995</b> , 29, 449-456	9.9	33
70	How integrated are neurology and palliative care services? Results of a multicentre mapping exercise. <i>BMC Neurology</i> , <b>2016</b> , 16, 63	3.1	33
69	Internal and external K <sup>+</sup> help gate the inward rectifier. <i>Biophysical Journal</i> , <b>1989</b> , 55, 197-202	2.9	32
68	A synthetic peptide that prevents cAMP regulation in mammalian hyperpolarization-activated cyclic nucleotide-gated (HCN) channels. <i>ELife</i> , <b>2018</b> , 7,	8.9	29
67	In vitro epigenetic reprogramming of human cardiac mesenchymal stromal cells into functionally competent cardiovascular precursors. <i>PLoS ONE</i> , <b>2012</b> , 7, e51694	3.7	28
66	An LQTS6 MiRP1 mutation suppresses pacemaker current and is associated with sinus bradycardia. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2013</b> , 24, 1021-7	2.7	28
65	The pacemaker current (I <sub>f</sub> ) plays an important role in regulating SA node pacemaker activity. <i>Cardiovascular Research</i> , <b>1995</b> , 30, 307-308	9.9	28
64	Intracellular calcium does not directly modulate cardiac pacemaker (if) channels. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1991</b> , 419, 662-4	4.6	27
63	Human iPSC modelling of a familial form of atrial fibrillation reveals a gain of function of I <sub>f</sub> and I <sub>CaL</sub> in patient-derived cardiomyocytes. <i>Cardiovascular Research</i> , <b>2020</b> , 116, 1147-1160	9.9	27

62	A novel de novo HCN1 loss-of-function mutation in genetic generalized epilepsy causing increased neuronal excitability. <i>Neurobiology of Disease</i> , <b>2018</b> , 118, 55-63	7.5	26
61	Voltage-dependence of virus-encoded miniature K <sup>+</sup> channel Kcv. <i>Journal of Membrane Biology</i> , <b>2002</b> , 187, 15-25	2.3	25
60	L-type but not T-type calcium current changes during postnatal development in rabbit sinoatrial node. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2001</b> , 281, H1252-9	5.2	25
59	Action of internal pronase on the f-channel kinetics in the rabbit SA node. <i>Journal of Physiology</i> , <b>1999</b> , 520 Pt 3, 737-44	3.9	25
58	HCN4, Sinus Bradycardia and Atrial Fibrillation. <i>Arrhythmia and Electrophysiology Review</i> , <b>2015</b> , 4, 9-13	3.2	25
57	Mammalian $\alpha$ AMPK regulates intrinsic heart rate. <i>Nature Communications</i> , <b>2017</b> , 8, 1258	17.4	24
56	Human cord blood CD34 <sup>+</sup> progenitor cells acquire functional cardiac properties through a cell fusion process. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2011</b> , 300, H1875-84	5.2	24
55	A comparison of gravimetric techniques for measuring subsurface void signals. <i>Journal Physics D: Applied Physics</i> , <b>2001</b> , 34, 433-443	3	23
54	Current understanding of the pathophysiological mechanisms responsible for inappropriate sinus tachycardia: role of the I <sub>f</sub> "funny" current. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2016</b> , 46, 19-28	2.4	19
53	Delayed activation of the cardiac pacemaker current and its dependence on conditioning pre-hyperpolarizations. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1983</b> , 396, 265-7	4.6	19
52	The contribution of potassium accumulation to outward currents in frog atrium. <i>Journal of Physiology</i> , <b>1980</b> , 306, 127-49	3.9	19
51	Mesoangioblasts from ventricular vessels can differentiate in vitro into cardiac myocytes with sinoatrial-like properties. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2010</b> , 48, 415-23	5.8	17
50	Mutation in S6 domain of HCN4 channel in patient with suspected Brugada syndrome modifies channel function. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2016</b> , 468, 1663-71	4.6	16
49	Separation of current induced by potassium accumulation from acetylcholine-induced relaxation current in the rabbit S-A node. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1980</b> , 387, 83-90	4.6	16
48	Action of ouabain, oligomycin, and glucagon on cultured heart cells treated with adriamycin. <i>Pharmacological Research Communications</i> , <b>1976</b> , 8, 105-9		16
47	A circadian clock in the sinus node mediates day-night rhythms in Hcn4 and heart rate. <i>Heart Rhythm</i> , <b>2021</b> , 18, 801-810	6.7	16
46	HCN ion channels and accessory proteins in epilepsy: genetic analysis of a large cohort of patients and review of the literature. <i>Epilepsy Research</i> , <b>2019</b> , 153, 49-58	3	15
45	A Loss-of-Function Mutation Associated With Familial Benign Myoclonic Epilepsy in Infancy Causes Increased Neuronal Excitability. <i>Frontiers in Molecular Neuroscience</i> , <b>2018</b> , 11, 269	6.1	15



44	Two distinct pathways of muscarinic current responses in rabbit sino-atrial node myocytes. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1998</b> , 437, 164-7	4.6	15
43	A Brief History of Pacemaking. <i>Frontiers in Physiology</i> , <b>2019</b> , 10, 1599	4.6	14
42	Rebuttal: "The funny current in the context of the coupled clock pacemaker cell system". <i>Heart Rhythm</i> , <b>2012</b> , 9, 457-8	6.7	14
41	Implications of the Re-Interpretation of $I_{K2}$ for the Modelling of the Electrical Activity of Pacemaker Tissues in the Heart. <i>Developments in Cardiovascular Medicine</i> , <b>1982</b> , 93-128		14
40	The expression of the rare caveolin-3 variant T78M alters cardiac ion channels function and membrane excitability. <i>Cardiovascular Research</i> , <b>2017</b> , 113, 1256-1265	9.9	13
39	Cell-specific Dynamic Clamp analysis of the role of funny $I_f$ current in cardiac pacemaking. <i>Progress in Biophysics and Molecular Biology</i> , <b>2016</b> , 120, 50-66	4.7	13
38	$I_f$ inhibition: a novel mechanism of action. <i>European Heart Journal Supplements</i> , <b>2003</b> , 5, G19-G25	1.5	12
37	Cesium prevents maintenance of long-term depression in rat hippocampal CA1 neurons. <i>NeuroReport</i> , <b>1994</b> , 5, 1813-6	1.7	12
36	Block of the cardiac pacemaker current ( $I_f$ ) in the rabbit sino-atrial node and in canine Purkinje fibres by 9-amino-1,2,3,4-tetrahydroacridine. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1991</b> , 417, 611-5	4.6	12
35	Mutation in pore domain uncovers cation- and voltage-sensitive recovery from inactivation in KAT1 channel. <i>Biophysical Journal</i> , <b>2000</b> , 78, 1862-71	2.9	11
34	The effects of manganese and barium on the cardiac pacemaker current, $I_f$ , in rabbit sino-atrial node myocytes. <i>Experientia</i> , <b>1991</b> , 47, 449-52		11
33	The time course of potassium current following potassium accumulation in frog atrium: analytical solutions using a linear approximation. <i>Journal of Physiology</i> , <b>1980</b> , 306, 151-73	3.9	11
32	Single-channel properties of the sinoatrial node $Na^+$ current in the newborn rabbit. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2001</b> , 442, 192-6	4.6	10
31	beta-modulation of pacemaker rate: novel mechanism or novel mechanics of an old one?. <i>Circulation Research</i> , <b>2002</b> , 90, E69-9	15.7	9
30	Cesium and the pacemaker current. <i>Journal of Cardiovascular Electrophysiology</i> , <b>1995</b> , 6, 1152-5	2.7	9
29	The nickel-promoted 1,3-migration of an $sp^2$ center; ring expansion of a vinylcyclobutene. <i>Journal of Organic Chemistry</i> , <b>1986</b> , 51, 2098-2102	4.2	9
28	Funny channel-based pacemaking. <i>Heart Rhythm</i> , <b>2010</b> , 7, 276-9	6.7	8
27	Gating movements and ion permeation in HCN4 pacemaker channels. <i>Molecular Cell</i> , <b>2021</b> , 81, 2929-2943.e6	4.6	8

26	Higher cardiogenic potential of iPSCs derived from cardiac versus skin stromal cells. <i>Frontiers in Bioscience - Landmark</i> , <b>2016</b> , 21, 719-43	2.8	8
25	Considerations on the size of currents required for pacemaking. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2010</b> , 48, 802-803	5.8	7
24	Generation and control of cardiac pacing the pacemaker current. <i>Trends in Cardiovascular Medicine</i> , <b>1991</b> , 1, 250-5	6.9	7
23	The Cardiac Pacemaker Current <i>if</i> . <i>Journal of Cardiovascular Electrophysiology</i> , <b>1992</b> , 3, 334-344	2.7	6
22	Anacardic acid and thyroid hormone enhance cardiomyocytes production from undifferentiated mouse ES cells along functionally distinct pathways. <i>Endocrine</i> , <b>2016</b> , 53, 681-8	4	4
21	Letter regarding article by Michels et al, "Single-channel properties support a potential contribution of hyperpolarization-activated cyclic nucleotide-gated channels and <i>I<sub>f</sub></i> to cardiac arrhythmias". <i>Circulation</i> , <b>2005</b> , 112, e72; author reply e72-3	16.7	4
20	Expression and characterization of a canine hippocampal inwardly rectifying K <sup>+</sup> current in <i>Xenopus</i> oocytes. <i>Journal of Physiology</i> , <b>1992</b> , 457, 229-46	3.9	4
19	The hyperpolarization-activated ( <i>if</i> ) current: Autonomic regulation and the control of pacing. <i>Developments in Cardiovascular Medicine</i> , <b>1996</b> , 31-37		4
18	Generation of human induced pluripotent stem cells (EURACi001-A, EURACi002-A, EURACi003-A) from peripheral blood mononuclear cells of three patients carrying mutations in the CAV3 gene. <i>Stem Cell Research</i> , <b>2018</b> , 27, 25-29	1.6	3
17	Multinucleated giant cells with an osteoclast phenotype derived from caprine peripheral blood mononuclear cells. <i>Veterinary Journal</i> , <b>2011</b> , 189, 361-3	2.5	3
16	The 'funny' side of sepsis. <i>Journal of Physiology</i> , <b>2014</b> , 592, 1171	3.9	2
15	Autonomic modulation of heart rate: pitfalls of nonselective channel blockade. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2003</b> , 285, H2865; author reply H2865	5.2	2
14	Differential effects of ACh on cardiac pacemaker cells. <i>Trends in Neurosciences</i> , <b>1992</b> , 15, 249-50	13.3	2
13	Comparing pathways for long-term heart rate modulation by the funny current. <i>Journal of General Physiology</i> , <b>2019</b> , 151, 1066-1069	3.4	2
12	LEONARDO DA VINCI AND THE ORIGIN OF SEMEN. <i>Notes and Records of the Royal Society</i> , <b>2014</b> , 68, 391-402	4.0	1
11	The Funny Pacemaker Current <b>2009</b> , 59-99		1
10	Hyperpolarization-Activated ( <i>if</i> ) Current in Heart <b>1994</b> , 335-343		1
9	HCN Channels and Cardiac Pacemaking. <i>Cardiac and Vascular Biology</i> , <b>2018</b> , 97-126	0.2	1

- 8 Multifactorial impact of channel beta-subunit gene mutation on automaticity. *Journal of Cardiovascular Electrophysiology*, **2013**, 24, E26-7 2.7
- 7 The Bunny Pacemaker Current **2011**, 59-81
- 6 More seafood to control heart rate?. *Heart Rhythm*, **2009**, 6, 1493-4 6.7
- 5 Expression of KAT1, a plant inward-rectifying potassium channel, in *Xenopus* oocytes. *Giornale Botanico Italiano (Florence, Italy: 1962)*, **1995**, 129, 1068-1069
- 4 Discovery of Herbacetin as a Novel SGK1 Inhibitor to Alleviate Myocardial Hypertrophy (Adv. Sci. 2/2022). *Advanced Science*, **2022**, 9, 2270009 13.6
- 3 Pacemaker Channels and Normal Automaticity **2004**, 103-111
- 2 Cyclic AMP Regulation of the Pacemaker (If) Current in Heart **1992**, 241-246
- 1 The Ionic Currents Underlying Pacemaker Activity. *Developments in Cardiovascular Medicine*, **1985**, 63-83