

# Daniela A Cabrini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5900470/publications.pdf>

Version: 2024-02-01

63  
papers

2,041  
citations

236833

25  
h-index

254106

43  
g-index

63  
all docs

63  
docs citations

63  
times ranked

2956  
citing authors

#	ARTICLE	IF	CITATIONS
1	Hspa8 and ICAM-1 as damage-induced mediators of T cell activation. <i>Journal of Leukocyte Biology</i> , 2021, ,	1.5	6
2	Corticoid-like anti-inflammatory effect of <i>Vochysia bifalcata</i> Warm.: Preclinical evidence of efficacy and safety. <i>Journal of Ethnopharmacology</i> , 2020, 252, 112472.	2.0	0
3	Neuronal and non-neuronal transient receptor potential ankyrin 1 mediates UVB radiation-induced skin inflammation in mice. <i>Life Sciences</i> , 2020, 262, 118557.	2.0	7
4	Expanding the anti-inflammatory potential of <i>Moringa oleifera</i> : topical effect of seed oil on skin inflammation and hyperproliferation. <i>Journal of Ethnopharmacology</i> , 2020, 254, 112708.	2.0	17
5	Preclinical study of the topical anti-inflammatory activity of <i>Cyperus rotundus</i> L. extract (Cyperaceae) in models of skin inflammation. <i>Journal of Ethnopharmacology</i> , 2020, 254, 112709.	2.0	26
6	Antinociceptive and Anti-Inflammatory Effects of Bixin, a Carotenoid Extracted from the Seeds of <i>Bixa orellana</i> . <i>Planta Medica</i> , 2019, 85, 1216-1224.	0.7	30
7	Role of TRPA1 receptors in skin inflammation induced by volatile chemical irritants in mice. <i>European Journal of Pharmacology</i> , 2019, 858, 172460.	1.7	16
8	<i>Tabernaemontana catharinensis</i> leaves effectively reduce the irritant contact dermatitis by glucocorticoid receptor-dependent pathway in mice. <i>Biomedicine and Pharmacotherapy</i> , 2019, 109, 646-657.	2.5	15
9	<i>Tabernaemontana catharinensis</i> leaves exhibit topical anti-inflammatory activity without causing toxicity. <i>Journal of Ethnopharmacology</i> , 2019, 231, 205-216.	2.0	11
10	Aliskiren: Preclinical evidence for the treatment of hyperproliferative skin disorders. <i>Biomedicine and Pharmacotherapy</i> , 2018, 104, 151-157.	2.5	2
11	Kinin Receptors in Skin Wound Healing. <i>Recent Clinical Techniques, Results, and Research in Wounds</i> , 2018, , 483-495.	0.1	1
12	Pre-clinical efficacy assessment of <i>Malva sylvestris</i> on chronic skin inflammation. <i>Biomedicine and Pharmacotherapy</i> , 2017, 93, 852-860.	2.5	17
13	Anti-proliferative and anti-inflammatory effects of 3 $\beta$ ,6 $\beta$ ,16 $\beta$ -Trihydroxylup-20(29)-ene on cutaneous inflammation. <i>Journal of Ethnopharmacology</i> , 2017, 195, 298-308.	2.0	11
14	Potential of Paclitaxel-Induced Pain Syndrome in Mice by Angiotensin I Converting Enzyme Inhibition and Involvement of Kinins. <i>Molecular Neurobiology</i> , 2017, 54, 7824-7837.	1.9	20
15	<i>Pereskia aculeata</i> : biological analysis on wistar rats. <i>Food Science and Technology</i> , 2017, 37, 42-47.	0.8	8
16	Involvement of the TRPV1 receptor in plasma extravasation in airways of rats treated with an angiotensin-converting enzyme inhibitor. <i>Pulmonary Pharmacology and Therapeutics</i> , 2016, 41, 25-33.	1.1	8
17	Hydroalcoholic extract of <i>Sapium glandulatum</i> (Vell.) Pax displays potent anti-inflammatory activities through a glucocorticoid receptor-dependent pathway. <i>Phytomedicine</i> , 2016, 23, 1610-1620.	2.3	9
18	Kinin receptors in skin wound healing. <i>Journal of Dermatological Science</i> , 2016, 82, 95-105.	1.0	17

#	ARTICLE	IF	CITATIONS
19	Quantitative genotoxicity assays for analysis of medicinal plants: A systematic review. <i>Journal of Ethnopharmacology</i> , 2016, 178, 289-296.	2.0	91
20	Investigation of anti-inflammatory and anti-proliferative activities promoted by photoactivated cationic porphyrin. <i>Photodiagnosis and Photodynamic Therapy</i> , 2015, 12, 444-458.	1.3	13
21	Pre-clinical evidences of <i>Pyrostegia venusta</i> in the treatment of vitiligo. <i>Journal of Ethnopharmacology</i> , 2015, 168, 315-325.	2.0	13
22	Inhibitory effect of GB-2a (I3-naringenin-11 $\beta$ -eriodictyol) on melanogenesis. <i>Journal of Ethnopharmacology</i> , 2015, 174, 224-229.	2.0	13
23	Topical Anti-Inflammatory Activity of a Monofloral Honey of <i>Mimosa scabrella</i> Provided by <i>Melipona marginata</i> During Winter in Southern Brazil. <i>Journal of Medicinal Food</i> , 2014, 17, 817-825.	0.8	47
24	Rhamnogalacturonan from <i>Acmella oleracea</i> (L.) R.K. Jansen: Gastroprotective and Ulcer Healing Properties in Rats. <i>PLoS ONE</i> , 2014, 9, e84762.	1.1	43
25	Pre-clinical anti-inflammatory aspects of a cuisine and medicinal millennial herb: <i>Malva sylvestris</i> L.. <i>Food and Chemical Toxicology</i> , 2013, 58, 324-331.	1.8	60
26	Anti-inflammatory effects of inosine in allergic lung inflammation in mice: evidence for the participation of adenosine A2A and A3 receptors. <i>Purinergic Signalling</i> , 2013, 9, 325-336.	1.1	42
27	Effect of a <i>Garcinia gardneriana</i> (Planchon and Triana) Zappi hydroalcoholic extract on melanogenesis in B16F10 melanoma cells. <i>Journal of Ethnopharmacology</i> , 2013, 148, 199-204.	2.0	28
28	<i>Combretum leprosum</i> Mart. (Combretaceae): Potential as an antiproliferative and anti-inflammatory agent. <i>Journal of Ethnopharmacology</i> , 2013, 145, 311-319.	2.0	27
29	Anti-inflammatory effects of purine nucleosides, adenosine and inosine, in a mouse model of pleurisy: evidence for the role of adenosine A2 receptors. <i>Purinergic Signalling</i> , 2012, 8, 693-704.	1.1	59
30	Hyperpigmentant activity of leaves and flowers extracts of <i>Pyrostegia venusta</i> on murine B16F10 melanoma. <i>Journal of Ethnopharmacology</i> , 2012, 141, 1005-1011.	2.0	26
31	Simvastatin ointment, a new treatment for skin inflammatory conditions. <i>Journal of Dermatological Science</i> , 2012, 66, 127-135.	1.0	33
32	Endothelium dependent expression and underlying mechanisms of des-Arg9-bradykinin-induced B1R-mediated vasoconstriction in rat portal vein. <i>Peptides</i> , 2012, 37, 216-224.	1.2	8
33	Antidepressant-like effect of the novel MAO inhibitor 2-(3,4-dimethoxy-phenyl)-4,5-dihydro-1H-imidazole (2-DMPI) in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 39, 31-39.	2.5	21
34	In vivo participation of nitric oxide in hyperproliferative epidermal phenomena in mice. <i>European Journal of Pharmacology</i> , 2012, 687, 1-8.	1.7	9
35	B1 and B2 kinin receptor participation in hyperproliferative and inflammatory skin processes in mice. <i>Journal of Dermatological Science</i> , 2011, 64, 23-30.	1.0	16
36	The involvement of TRPA1 channel activation in the inflammatory response evoked by topical application of cinnamaldehyde to mice. <i>Life Sciences</i> , 2011, 88, 1077-1087.	2.0	43

#	ARTICLE	IF	CITATIONS
37	Functional expression of angiotensinogen depends on splicing enhancers in exon 2. <i>Molecular and Cellular Endocrinology</i> , 2011, 332, 228-233.	1.6	1
38	Effectiveness of <i>Vernonia scorpioides</i> ethanolic extract against skin inflammatory processes. <i>Journal of Ethnopharmacology</i> , 2011, 138, 390-397.	2.0	28
39	Patient-reported outcomes in psoriasis research and practice. <i>British Journal of Dermatology</i> , 2011, 165, 1361-1362.	1.4	10
40	<i>Garcinia gardneriana</i> (Planchon & Triana) Zappi. (Clusiaceae) as a Topical Anti-inflammatory Alternative for Cutaneous Inflammation. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2011, 109, 56-62.	1.2	20
41	Involvement of mast cells in a mouse model of postoperative pain. <i>European Journal of Pharmacology</i> , 2011, 672, 88-95.	1.7	63
42	Central substance P NK1 receptors are involved in fever induced by LPS but not by IL-1 $\beta$ and CCL3/MIP-1 $\alpha$ in rats. <i>Brain Research</i> , 2011, 1384, 161-169.	1.1	19
43	Analysis of the Potential Topical Anti-Inflammatory Activity of <i>Averrhoa carambola</i> L. in Mice. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011, 2011, 1-7.	0.5	60
44	Anti-inflammatory effect of crude extract and isolated compounds from <i>Baccharis illinita</i> DC in acute skin inflammation. <i>Journal of Ethnopharmacology</i> , 2010, 130, 262-266.	2.0	39
45	Topical anti-inflammatory activity of <i>Eugenia brasiliensis</i> Lam. (Myrtaceae) leaves. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 60, 479-487.	1.2	34
46	Topical antiinflammatory activity and chemical composition of the epicuticular wax from the leaves of <i>Eugenia beaurepaireana</i> (Myrtaceae). <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2009, 45, 171-176.	1.2	8
47	Mechanisms operated by endothelin ETA and ETB receptors in the trigeminal ganglion contribute to orofacial thermal hyperalgesia induced by infraorbital nerve constriction in rats. <i>Neuropeptides</i> , 2009, 43, 133-142.	0.9	53
48	The non-peptide kinin receptor antagonists FR 173657 and SSR 240612: Preclinical evidence for the treatment of skin inflammation. <i>Regulatory Peptides</i> , 2009, 152, 67-72.	1.9	14
49	<i>Morinda citrifolia</i> Linn (Noni): In vivo and in vitro reproductive toxicology. <i>Journal of Ethnopharmacology</i> , 2009, 121, 229-233.	2.0	35
50	Topical anti-inflammatory activity of <i>Serjania erecta</i> Radlk (Sapindaceae) extracts. <i>Journal of Ethnopharmacology</i> , 2008, 118, 220-224.	2.0	27
51	Anti-inflammatory effects of hydroalcoholic extract and two biflavonoids from <i>Garcinia gardneriana</i> leaves in mouse paw oedema. <i>Journal of Ethnopharmacology</i> , 2008, 118, 405-411.	2.0	58
52	The role of kinin B1 receptors in the nociception produced by peripheral protein kinase C activation in mice. <i>Neuropharmacology</i> , 2008, 54, 597-604.	2.0	32
53	Topical simvastatin: Preclinical evidence for a treatment of skin inflammatory conditions. <i>Journal of Dermatological Science</i> , 2006, 44, 45-47.	1.0	21
54	Bradykinin B 1 Receptor Expression Induced by Tissue Damage in the Rat Portal Vein. <i>Circulation Research</i> , 2004, 94, 1375-1382.	2.0	57

#	ARTICLE	IF	CITATIONS
55	Kinin B1 receptors: key G-protein-coupled receptors and their role in inflammatory and painful processes. <i>British Journal of Pharmacology</i> , 2004, 143, 803-818.	2.7	224
56	The "in vivo" and "ex vivo" roles of cyclooxygenase-2, nuclear factor- $\kappa$ B and protein kinases pathways in the up-regulation of B1 receptor-mediated contraction of the rabbit aorta. <i>Regulatory Peptides</i> , 2001, 97, 121-130.	1.9	16
57	Inflammatory pain: kinins and antagonists. <i>Current Opinion in Anaesthesiology</i> , 2001, 14, 519-526.	0.9	57
58	Molecular and pharmacological evidence for modulation of kinin B1 receptor expression by endogenous glucocorticoids hormones in rats. <i>British Journal of Pharmacology</i> , 2001, 132, 567-577.	2.7	32
59	Changes in paw oedema triggered via bradykinin B1 and B2 receptors in streptozotocin-diabetic rats. <i>European Journal of Pharmacology</i> , 2001, 416, 169-177.	1.7	28
60	Kinins in pain and inflammation. <i>Pain</i> , 2000, 87, 1-5.	2.0	248
61	Characterization of des-Arg9-bradykinin-induced contraction in guinea-pig gallbladder in vitro. <i>European Journal of Pharmacology</i> , 1997, 331, 31-38.	1.7	11
62	Herbal medicine Catuama induces endothelium-dependent and -independent vasorelaxant action on isolated vessels from rats, guinea-pigs and rabbits. <i>Phytotherapy Research</i> , 1997, 11, 32-38.	2.8	18
63	Mechanisms of bradykinin-induced contraction of the guinea-pig gallbladder in vitro. <i>British Journal of Pharmacology</i> , 1995, 114, 1549-1556.	2.7	15