

Hiroyuki Shimono

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5902533/publications.pdf>

Version: 2024-02-01

67
papers

1,501
citations

331538

21
h-index

330025

37
g-index

67
all docs

67
docs citations

67
times ranked

1340
citing authors

#	ARTICLE	IF	CITATIONS
1	Diurnal regulation of rice N uptake ability under interrupted N supply. <i>Functional Plant Biology</i> , 2022, , .	1.1	0
2	Root sampling and RNA extraction methods for field-based gene expression analysis of soybeans. <i>Plant Production Science</i> , 2021, 24, 339-345.	0.9	0
3	Effect of soil temperature on growth and yield of sweet potato (&l>Ipomoea batatas&l> L.) under cool climate. <i>J Agricultural Meteorology</i> , 2021, 77, 118-127.	0.8	8
4	Lodging tolerance of rice is improved without decreasing productivity by mixing lines with different maturity dates. <i>Crop and Pasture Science</i> , 2021, 72, 38.	0.7	1
5	Genotypic variation in cold tolerance of 18 Ethiopian rice cultivars in relation to their reproductive morphology. <i>Field Crops Research</i> , 2021, 262, 108042.	2.3	2
6	A Deep Learning Method to Impute Missing Values and Compress Genome-wide Polymorphism Data in Rice. , 2021, , .		1
7	Dry matter partitioning to leaves differentiates African and Asian rice genotypes exposed to elevated CO ₂ . <i>Journal of Agronomy and Crop Science</i> , 2021, 207, 120-127.	1.7	2
8	Internal transport of CO ₂ from the rootâ€zone to plant shoot is pH dependent. <i>Physiologia Plantarum</i> , 2019, 165, 451-463.	2.6	7
9	Genetic variation of phenotypic plasticity in Bangladesh rice germplasm. <i>Field Crops Research</i> , 2019, 243, 107618.	2.3	1
10	Improvement of Seedling Establishment by Seed Coating with Iron in Early-winter Direct-sowing Rice. <i>Japanese Journal of Crop Science</i> , 2019, 88, 259-267.	0.1	0
11	Prescreening in large populations as a tool for identifying elevated CO ₂ -responsive genotypes in plants. <i>Functional Plant Biology</i> , 2019, 46, 1.	1.1	17
12	Effects of elevated atmospheric CO ₂ concentration on morphology of leaf blades in Chinese yam. <i>Plant Production Science</i> , 2018, 21, 311-321.	0.9	7
13	Transgenerational effect of maternal growth environment on flowering date in rice (<i>Oryza sativa</i> L.). <i>Environmental and Experimental Botany</i> , 2018, 155, 307-312.	2.0	1
14	Relative Response of Indigenous Rice Genotypes to Low Versus Normal Planting Density for Determination of Differential Phenotypic Plasticity in Traits Related to Grain Yield. <i>Plant Tissue Culture and Biotechnology</i> , 2018, 28, 109-124.	0.1	0
15	Male Sterility Induced by Low Temperature at the Booting Stage in Rice. <i>Japanese Journal of Crop Science</i> , 2018, 87, 113-124.	0.1	1
16	Genomeâ€wide association mapping for phenotypic plasticity in rice. <i>Plant, Cell and Environment</i> , 2017, 40, 1565-1575.	2.8	45
17	Effects of elevated CO ₂ concentration on growth and photosynthesis of Chinese yam under different temperature regimes. <i>Plant Production Science</i> , 2017, 20, 227-236.	0.9	13
18	Effects of elevated CO ₂ concentration on bulbil germination and early seedling growth in Chinese yam under different air temperatures. <i>Plant Production Science</i> , 2017, 20, 313-322.	0.9	13

#	ARTICLE	IF	CITATIONS
19	Effects of Planting Density on Grain Yield and Quality of Rice Cultivars in Aomori Prefecture. Japanese Journal of Crop Science, 2017, 86, 329-338.	0.1	7
20	Mining a yield-trial database to identify high-yielding cultivars by simulation modeling: a case study for rice. J Agricultural Meteorology, 2017, 73, 51-58.	0.8	5
21	Rice Free-Air Carbon Dioxide Enrichment Studies to Improve Assessment of Climate Change Effects on Rice Agriculture. Advances in Agricultural Systems Modeling, 2016, , 45-68.	0.3	22
22	Combining mapping of physiological quantitative trait loci and transcriptome for cold tolerance for counteracting male sterility induced by low temperatures during reproductive stage in rice. Physiologia Plantarum, 2016, 157, 175-192.	2.6	23
23	Finlay's Wilkinson's regression coefficient as a pre-screening criterion for yield responsiveness to elevated atmospheric CO ₂ concentration in crops. Physiologia Plantarum, 2016, 158, 312-317.	2.6	13
24	Effects of salt and low light intensity during the vegetative stage on susceptibility of rice to male sterility induced by chilling stress during the reproductive stage. Plant Production Science, 2016, 19, 497-507.	0.9	8
25	Phenotypic plasticity conditions the response of soybean seed yield to elevated atmospheric CO ₂ concentration. Plant Physiology, 2015, 169, pp.00980.2015.	2.3	32
26	Cooling water before panicle initiation increases chilling-induced male sterility and disables chilling-induced expression of genes encoding OsFKBP65 and heat shock proteins in rice spikelets. Plant, Cell and Environment, 2015, 38, 1255-1274.	2.8	22
27	Planting geometry as a pre-screening technique for identifying CO ₂ responsive rice genotypes: a case study of panicle number. Physiologia Plantarum, 2014, 152, 520-528.	2.6	16
28	Genotypic variation in the response to high water temperature during vegetative growth and the effects on rice productivity under a cool climate. Field Crops Research, 2014, 162, 12-19.	2.3	5
29	Food Production Capacity of Japan. Japanese Journal of Crop Science, 2014, 83, 341-351.	0.1	0
30	Lower responsiveness of canopy evapotranspiration rate than of leaf stomatal conductance to open-air CO ₂ elevation in rice. Global Change Biology, 2013, 19, 2444-2453.	4.2	31
31	Plasticity of rice tiller production is related to genotypic variation in the biomass response to elevated atmospheric CO ₂ concentration and low temperatures during vegetative growth. Environmental and Experimental Botany, 2013, 87, 227-234.	2.0	23
32	Effects of early planting on growth and yield of rice cultivars under a cool climate. Field Crops Research, 2013, 144, 11-18.	2.3	11
33	Application of a process-based biogeochemistry model, DNDC-Rice, to a rice field under free-air CO ₂ enrichment (FACE). J Agricultural Meteorology, 2013, 69, 173-190.	0.8	10
34	Variation of Sterility Induced by Cool-Irrigation Tolerance Test Depending on Years and Period of Cool Irrigation in Rice Cultivars. Japanese Journal of Crop Science, 2013, 82, 176-182.	0.1	2
35	Food security and climate change: on the potential to adapt global crop production by active selection to rising atmospheric carbon dioxide. Proceedings of the Royal Society B: Biological Sciences, 2012, 279, 4097-4105.	1.2	167
36	Interactive Effects of Elevated Atmospheric CO ₂ and Waterlogging on Vegetative Growth of Soybean (<i>Glycine max</i> (L.) Merr.). Plant Production Science, 2012, 15, 238-245.	0.9	16

#	ARTICLE	IF	CITATIONS
37	Effects of Autumn Direct-seeding on Rice Growth and Yield under Cool Climates. Japanese Journal of Crop Science, 2012, 81, 93-98.	0.1	4
38	Nitrogen Uptake by Rice (<i>Oryza sativa</i> L.) Exposed to Low Water Temperatures at Different Growth Stages. Journal of Agronomy and Crop Science, 2012, 198, 145-151.	1.7	22
39	Factors Responsible for Regional Variation of Cold Tolerance in Rice in Northern Japan. Japanese Journal of Crop Science, 2012, 81, 190-193.	0.1	2
40	Water temperatures during vegetative growth affect cold tolerance at the booting stage of rice under controlled environmental conditions. J Agricultural Meteorology, 2012, 68, 159-164.	0.8	10
41	Poor grain growth in rice under high temperatures affected by water temperature during vegetative stage. J Agricultural Meteorology, 2012, 68, 205-214.	0.8	4
42	Cold tolerance for sterility induced by low temperature at booting stage can be improved by warmer water temperature during vegetative growth. Climate in Biosphere, 2012, 12, 1-5.	0.1	4
43	Risk map for cool injury inducing spikelet sterility by low temperature at booting stage in rice with taking into account for growth stage and temperature before the booting stage in Tohoku region, Japan. Climate in Biosphere, 2012, 12, 6-11.	0.1	1
44	Interactive Effects of Soil Salinity and Temperature on Vegetative Growth of Rice after Flooded by TSUNAMI 11 March 2011. Japanese Journal of Crop Science, 2012, 81, 441-448.	0.1	0
45	Genotypic Variation in Rice Cold Tolerance Responses during Reproductive Growth as a Function of Water Temperature during Vegetative Growth. Crop Science, 2011, 51, 290-297.	0.8	29
46	Effect of high water temperature during vegetative growth on rice growth and yield under a cool climate. Field Crops Research, 2011, 121, 88-95.	2.3	16
47	Rice genotypes that respond strongly to elevated CO ₂ also respond strongly to low planting density. Agriculture, Ecosystems and Environment, 2011, 141, 240-243.	2.5	28
48	Earlier rice phenology as a result of climate change can increase the risk of cold damage during reproductive growth in northern Japan. Agriculture, Ecosystems and Environment, 2011, 144, 201-207.	2.5	68
49	Extraordinary hot summer in Hokkaido decrease rice yield and satisfy growing of cultivar in Tohoku region. J Agricultural Meteorology, 2011, 67, 269-274.	0.8	10
50	Effect of panicle removal on photosynthetic acclimation under elevated CO ₂ in rice. Photosynthetica, 2010, 48, 530-536.	0.9	23
51	Diurnal and seasonal variations in stomatal conductance of rice at elevated atmospheric CO ₂ under fully open-air conditions. Plant, Cell and Environment, 2010, 33, 322-331.	2.8	40
52	Can the cropping schedule of rice be adapted to changing climate? A case study in cool areas of northern Japan. Field Crops Research, 2010, 118, 126-134.	2.3	21
53	Genotypic variation in rice yield enhancement by elevated CO ₂ relates to growth before heading, and not to maturity group. Journal of Experimental Botany, 2009, 60, 523-532.	2.4	108
54	Rice yield enhancement by elevated CO ₂ is reduced in cool weather. Global Change Biology, 2008, 14, 276-284.	4.2	52

#	ARTICLE	IF	CITATIONS
55	Acclimation of nitrogen uptake capacity of rice to elevated atmospheric CO ₂ concentration. <i>Annals of Botany</i> , 2008, 103, 87-94.	1.4	66
56	Does Regional Temperature Difference before the Panicle Initiation Affect the Tolerance for Low Temperature-Induced Sterility in Rice?. <i>Plant Production Science</i> , 2008, 11, 430-433.	0.9	10
57	Impact of Global Warming on Yield Fluctuation in Rice in the Northern Part of Japan. <i>Japanese Journal of Crop Science</i> , 2008, 77, 489-497.	0.1	20
58	Modeling the Effects of Water Temperature on Rice Growth and Yield under a Cool Climate: I. Model Development. <i>Agronomy Journal</i> , 2007, 99, 1327-1337.	0.9	26
59	Low temperature-induced sterility in rice: Evidence for the effects of temperature before panicle initiation. <i>Field Crops Research</i> , 2007, 101, 221-231.	2.3	104
60	Modeling the Effects of Water Temperature on Rice Growth and Yield under a Cool Climate: II. Model Application. <i>Agronomy Journal</i> , 2007, 99, 1338-1344.	0.9	23
61	Lodging in rice can be alleviated by atmospheric CO ₂ enrichment. <i>Agriculture, Ecosystems and Environment</i> , 2007, 118, 223-230.	2.5	31
62	Effects of Elevated CO ₂ on Floral Sterility of Rice Plants Caused by Low Temperature. <i>J Agricultural Meteorology</i> , 2005, 60, 589-592.	0.8	10
63	Modeling Spikelet Sterility Induced by Low Temperature in Rice. <i>Agronomy Journal</i> , 2005, 97, 1524-1536.	0.9	57
64	Structure and Function of Rice Root System under FACE Condition. <i>J Agricultural Meteorology</i> , 2005, 60, 961-964.	0.8	3
65	Responses of leaf photosynthesis and plant water status in rice to low water temperature at different growth stages. <i>Field Crops Research</i> , 2004, 89, 71-83.	2.3	56
66	Effects of root pruning and root zone restriction on spikelet fertility of paddy rice (<i>Oryza sativa</i> L.) under cool water condition. , 2003, , 455-460.		1
67	Response of growth and grain yield in paddy rice to cool water at different growth stages. <i>Field Crops Research</i> , 2002, 73, 67-79.	2.3	120