

# Anders Christensson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5902922/publications.pdf>

Version: 2024-02-01

89  
papers

5,078  
citations

147566

31  
h-index

88477

70  
g-index

91  
all docs

91  
docs citations

91  
times ranked

5009  
citing authors

#	ARTICLE	IF	CITATIONS
1	Serum Prostate Specific Antigen Complexed to $\alpha_1$ -Antichymotrypsin as an Indicator of Prostate Cancer. <i>Journal of Urology</i> , 1993, 150, 100-105.	0.2	629
2	Enzymatic activity of prostate-specific antigen and its reactions with extracellular serine proteinase inhibitors. <i>FEBS Journal</i> , 1990, 194, 755-763.	0.2	578
3	Novel and Conventional Biomarkers for Prediction of Incident Cardiovascular Events in the Community. <i>JAMA - Journal of the American Medical Association</i> , 2009, 302, 49.	3.8	474
4	Simple Cystatin C-Based Prediction Equations for Glomerular Filtration Rate Compared with the Modification of Diet in Renal Disease Prediction Equation for Adults and the Schwartz and the Counahan-Barratt Prediction Equations for Children. <i>Clinical Chemistry</i> , 2005, 51, 1420-1431.	1.5	413
5	Generation of a New Cystatin C-Based Estimating Equation for Glomerular Filtration Rate by Use of 7 Assays Standardized to the International Calibrator. <i>Clinical Chemistry</i> , 2014, 60, 974-986.	1.5	248
6	Long-term clinical effects of a peritoneal dialysis fluid with less glucose degradation products. <i>Kidney International</i> , 2001, 59, 348-357.	2.6	239
7	CKD: A Call for an Age-Adapted Definition. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 1785-1805.	3.0	198
8	A randomized controlled trial of haemoglobin normalization with epoetin alfa in pre-dialysis and dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 353-361.	0.4	195
9	Iohexol plasma clearance for measuring glomerular filtration rate in clinical practice and research: a review. Part 1: How to measure glomerular filtration rate with iohexol?. <i>CKJ: Clinical Kidney Journal</i> , 2016, 9, 682-699.	1.4	169
10	Complex formation between protein C inhibitor and prostate-specific antigen in vitro and in human semen. <i>FEBS Journal</i> , 1994, 220, 45-53.	0.2	166
11	Iohexol plasma clearance for measuring glomerular filtration rate in clinical practice and research: a review. Part 2: Why to measure glomerular filtration rate with iohexol?. <i>CKJ: Clinical Kidney Journal</i> , 2016, 9, 700-704.	1.4	150
12	Blood Lead Levels and Decreased Kidney Function in a Population-Based Cohort. <i>American Journal of Kidney Diseases</i> , 2018, 72, 381-389.	2.1	120
13	Reduction in glomerular pore size is not restricted to pregnant women. Evidence for a new syndrome: "Shrunken pore syndrome". <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2015, 75, 333-340.	0.6	85
14	Serum Cystatin C Is a More Sensitive and More Accurate Marker of Glomerular Filtration Rate than Enzymatic Measurements of Creatinine in Renal Transplantation. <i>Nephron Physiology</i> , 2003, 94, p19-p27.	1.5	67
15	Association of cancer with moderately impaired renal function at baseline in a large, representative, population-based cohort followed for up to 30 years. <i>International Journal of Cancer</i> , 2013, 133, 1452-1458.	2.3	64
16	Replacement of acetate with citrate in dialysis fluid: a randomized clinical trial of short term safety and fluid biocompatibility. <i>BMC Nephrology</i> , 2013, 14, 216.	0.8	58
17	Increased Levels of Copeptin, a Surrogate Marker of Arginine Vasopressin, Are Associated with an Increased Risk of Chronic Kidney Disease in a General Population. <i>American Journal of Nephrology</i> , 2016, 44, 22-28.	1.4	53
18	Neutrophil-Derived Proteinase 3 Induces Kallikrein-Independent Release of a Novel Vasoactive Kinin. <i>Journal of Immunology</i> , 2009, 182, 7906-7915.	0.4	50

#	ARTICLE	IF	CITATIONS
19	Declining Estimated Glomerular Filtration Rate and Its Association with Mortality and Comorbidity Over 10 Years in Elderly Women. <i>Nephron</i> , 2015, 130, 245-255.	0.9	45
20	Percent-free prostate specific antigen is elevated in men on haemodialysis or peritoneal dialysis treatment. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 598-603.	0.4	44
21	Shrunken Pore Syndrome Is Associated With Increased Levels of Atherosclerosis-Promoting Proteins. <i>Kidney International Reports</i> , 2019, 4, 67-79.	0.4	43
22	Plasma kidney injury molecule-1 (p-KIM-1) levels and deterioration of kidney function over 16 years. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 265-273.	0.4	43
23	Shrunken pore syndrome and mortality: a cohort study of patients with measured GFR and known comorbidities. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020, 80, 412-422.	0.6	40
24	The Impact of the Glomerular Filtration Rate on the Human Plasma Proteome. <i>Proteomics - Clinical Applications</i> , 2018, 12, e1700067.	0.8	37
25	Impact of longer term phosphorus control on cardiovascular mortality in hemodialysis patients using an area under the curve approach: results from the DOPPS. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1794-1801.	0.4	37
26	Cystine analyses of separate day and night urine as a basis for the management of patients with homozygous cystinuria. <i>Urological Research</i> , 2001, 29, 303-310.	1.5	34
27	Expression of protein C inhibitor (PCI) in benign and malignant prostatic tissues. <i>Prostate</i> , 2003, 57, 196-204.	1.2	34
28	Personal dialysis capacity (PDCTM) test: a multicentre clinical study. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 788-796.	0.4	34
29	The shrunken pore syndrome is associated with declined right ventricular systolic function in a heart failure population – the HARVEST study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2016, 76, 568-574.	0.6	34
30	Soluble Urokinase-type Plasminogen Activator Receptor (suPAR) and Impaired Kidney Function in the Population-based Malmö Diet and Cancer Study. <i>Kidney International Reports</i> , 2017, 2, 239-247.	0.4	33
31	Estimation of the Age-Dependent Decline of Glomerular Filtration Rate from Formulas Based on Creatinine and Cystatin C in the General Elderly Population. <i>Nephron Clinical Practice</i> , 2010, 117, c40-c50.	2.3	32
32	Cystatin C as a predictor of all-cause mortality and myocardial infarction in patients with non-ST-elevation acute coronary syndrome. <i>Clinical Biochemistry</i> , 2012, 45, 535-540.	0.8	32
33	Different elimination patterns of $^{125}$ I-trace protein, $^{125}$ I-microglobulin and cystatin C in haemodialysis, haemodiafiltration and haemofiltration. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2008, 68, 685-691.	0.6	29
34	High Level of Fasting Plasma Proenkephalin-A Predicts Deterioration of Kidney Function and Incidence of CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 291-303.	3.0	29
35	RAPID ELIMINATION BY GLOMERULAR FILTRATION OF FREE PROSTATE SPECIFIC ANTIGEN AND HUMAN KALLIKREIN 2 AFTER RENAL TRANSPLANTATION. <i>Journal of Urology</i> , 2004, 171, 1432-1435.	0.2	28
36	Combining Cystatin C and Creatinine Yields a Reliable Glomerular Filtration Rate Estimation in Older Adults in Contrast to $^{125}$ I-Trace Protein and $^{125}$ I-Microglobulin. <i>Nephron</i> , 2017, 137, 29-37.	0.9	27

#	ARTICLE	IF	CITATIONS
37	Cystatin C Is Not Causally Related to Coronary Artery Disease. PLoS ONE, 2015, 10, e0129269.	1.1	26
38	Male patients with terminal renal failure exhibit low serum levels of antimüllerian hormone. Asian Journal of Andrology, 2015, 17, 149.	0.8	26
39	Assessment of intra-individual variation in prostate-specific antigen levels in a biennial randomized prostate cancer screening program in Sweden. Prostate, 2005, 65, 216-221.	1.2	25
40	Increase in percent free prostate-specific antigen in men with chronic kidney disease. Nephrology Dialysis Transplantation, 2008, 24, 1238-1241.	0.4	25
41	Plasma copeptin as a predictor of kidney disease. Nephrology Dialysis Transplantation, 2019, 34, 74-82.	0.4	25
42	Prevalence and determinants of differences in cystatin C and creatinine-based estimated glomerular filtration rate in community-dwelling older adults: a cross-sectional study. BMC Nephrology, 2017, 18, 350.	0.8	22
43	Adult-onset diabetes in Middle Eastern immigrants to Sweden: Novel subgroups and diabetic complications – The All New Diabetes in Scania cohort diabetic complications and ethnicity. Diabetes/Metabolism Research and Reviews, 2021, 37, e3419.	1.7	21
44	Similar treatment success rate after renal transplantation in diabetic and nondiabetic patients due to improved short- and long-term diabetic patient survival. Transplant International, 1996, 9, 557-564.	0.8	20
45	Impact of Kidney Transplantation on Reproductive Hormone Levels in Males: A Longitudinal Study. Nephron, 2018, 138, 192-201.	0.9	18
46	Secondary hyperparathyroidism, weight loss, and longer term mortality in haemodialysis patients: results from the DOPPS. Journal of Cachexia, Sarcopenia and Muscle, 2021, 12, 855-865.	2.9	18
47	Associations between long-term exposure to low-level air pollution and risk of chronic kidney disease – findings from the Malmö Diet and Cancer cohort. Environment International, 2022, 160, 107085.	4.8	18
48	Mineral and bone disorder management in hemodialysis patients: comparing PTH control practices in Japan with Europe and North America: the Dialysis Outcomes and Practice Patterns Study (DOPPS). BMC Nephrology, 2018, 19, 253.	0.8	15
49	Potential relationship between eGFR <sub>cystatin C</sub> /eGFR <sub>creatinine</sub> –ratio and glomerular basement membrane thickness in diabetic kidney disease. Physiological Reports, 2021, 9, e14939.	0.7	15
50	<p>Comparison of Hemodialysis Using a Medium Cutoff Dialyzer versus Hemodiafiltration: A Controlled Cross-Over Study</p>. International Journal of Nephrology and Renovascular Disease, 2020, Volume 13, 273-280.	0.8	13
51	The Shrunken pore syndrome is associated with poor prognosis and lower quality of life in heart failure patients: the HARVEST – Malmö study. ESC Heart Failure, 2021, 8, 3577-3586.	1.4	13
52	Complement C3 and incident hospitalization due to chronic kidney disease: a population-based cohort study. BMC Nephrology, 2019, 20, 61.	0.8	12
53	Male sex and vascular risk factors affect cystatin C-derived renal function in older people without diabetes or overt vascular disease. Age and Ageing, 2014, 43, 411-417.	0.7	11
54	Proteins linked to atherosclerosis and cell proliferation are associated with the shrunken pore syndrome in heart failure patients. Proteomics - Clinical Applications, 2021, 15, e2000089.	0.8	11

#	ARTICLE	IF	CITATIONS
55	Cystatin C and Risk of Diabetes and the Metabolic Syndrome – Biomarker and Genotype Association Analyses. <i>PLoS ONE</i> , 2016, 11, e0155735.	1.1	11
56	Intra-individual short-term variability of prostate-specific antigen and other kallikrein markers in a serial collection of blood from men under evaluation for prostate cancer. <i>BJU International</i> , 2011, 107, 1769-1774.	1.3	10
57	MicroRNA-155 and Anti-Müllerian Hormone: New Potential Markers of Subfertility in Men with Chronic Kidney Disease. <i>Nephron Extra</i> , 2017, 7, 33-41.	1.1	10
58	Renal function and its association with blood pressure in Middle Eastern immigrants and native Swedes. <i>Journal of Hypertension</i> , 2017, 35, 2493-2500.	0.3	9
59	Early life factors in relation to albuminuria and estimated glomerular filtration rate based on cystatin C and creatinine in adults from a Swedish population-based cohort study. <i>Journal of Nephrology</i> , 2022, 35, 889-900.	0.9	9
60	Growth differentiation factor-15 and incident chronic kidney disease: a population-based cohort study. <i>BMC Nephrology</i> , 2021, 22, 351.	0.8	9
61	Similar treatment success rate after renal transplantation in diabetic and nondiabetic patients due to improved short- and long-term diabetic patient survival. <i>Transplant International</i> , 1996, 9, 557-564.	0.8	8
62	Longitudinal Assessment of PTH in Community-Dwelling Older Women – Elevations Are Not Associated With Mortality. <i>Journal of the Endocrine Society</i> , 2017, 1, 615-624.	0.1	7
63	Low lung function and the risk of incident chronic kidney disease in the Malmö Preventive Project cohort. <i>BMC Nephrology</i> , 2020, 21, 124.	0.8	7
64	Renovascular Disease and Renal Insufficiency - Diagnosis and Treatment. <i>Scandinavian Journal of Urology and Nephrology</i> , 1999, 33, 400-405.	1.4	6
65	Evaluation of a new immunoassay for cystatin C, based on a double monoclonal principle, in men with normal and impaired renal function. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 682-687.	0.4	6
66	Echocardiographic Findings in Patients with Mild to Moderate Chronic Kidney Disease without Symptomatic Heart Failure: A Population-Based Study. <i>CardioRenal Medicine</i> , 2019, 9, 284-296.	0.7	6
67	Kidney function and its association to imminent, short- and long-term fracture risk – a longitudinal study in older women. <i>Osteoporosis International</i> , 2020, 31, 97-107.	1.3	6
68	Impaired selective renal filtration captured by eGFR <sub>cysC</sub> /eGFR <sub>crea</sub> ratio is associated with mortality in a population based cohort of older women. <i>Scientific Reports</i> , 2022, 12, 1273.	1.6	6
69	A Study on the Outcome of Percutaneous Transluminal Renal Angioplasty in Patients with Renal Failure. <i>Nephron Clinical Practice</i> , 2006, 104, c132-c142.	2.3	5
70	The risk of chronic kidney disease in relation to anthropometric measures of obesity: A Swedish cohort study. <i>BMC Nephrology</i> , 2021, 22, 330.	0.8	5
71	Achievement of recommended treatment targets for bone and mineral metabolism in haemodialysis patients using paricalcitol: An observational study. <i>Scandinavian Journal of Urology and Nephrology</i> , 2011, 45, 196-205.	1.4	4
72	Genetic Predisposition for Renal Dysfunction and Incidence of CKD in the Malmö Diet and Cancer Study. <i>Kidney International Reports</i> , 2019, 4, 1143-1151.	0.4	4

#	ARTICLE	IF	CITATIONS
73	Cystatin C and creatinine-based eGFR levels and their correlation to long-term morbidity and mortality in older adults. <i>Aging Clinical and Experimental Research</i> , 2019, 31, 1461-1469.	1.4	4
74	Patterns of urinary albumin and IgM associate with markers of vascular ageing in young to middle-aged individuals in the Malmö offspring study. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 358.	0.7	4
75	Family History of Myocardial Infarction Increases Risk of Renal Dysfunction in Middle Age. <i>American Journal of Nephrology</i> , 2014, 39, 85-91.	1.4	3
76	Longitudinal Changes in Kidney Function Estimated from Cystatin C and Its Association with Mortality in Elderly Women. <i>Nephron</i> , 2020, 144, 290-298.	0.9	3
77	Clinical and Radiological Follow-Up of Chronic Non-Obstructive Pyelonephritis. <i>Scandinavian Journal of Urology and Nephrology</i> , 1988, 22, 299-303.	1.4	2
78	Alterations in Serum MicroRNA Profile During Hemodialysis - Potential Biological Implications. <i>Cellular Physiology and Biochemistry</i> , 2018, 46, 793-801.	1.1	2
79	The Significance of Serpins in the Regulation of Proteases in the Male Genital Tract. <i>Advances in Experimental Medicine and Biology</i> , 1997, 425, 163-176.	0.8	2
80	Mobilization of a Bacterial Vegetation Visualized During Transesophageal Echocardiography. <i>Echocardiography</i> , 1998, 15, 381-383.	0.3	1
81	Multiple-Biomarker Panel Estimated GFR Is Not Optimal or Cost-Effective. <i>American Journal of Kidney Diseases</i> , 2021, 77, 823.	2.1	1
82	Pro-Enkephalin and its association with renal function in Middle Eastern immigrants and native Swedes. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021, 81, 573-578.	0.6	1
83	SP564METABOLIC PATHWAYS ANALYSED FROM SERUM MICRORNA PROFILE DURING HEMODIALYSIS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i538-i538.	0.4	0
84	SP603Understanding the impact on mortality of long term serum phosphorus control using a 6 month area under the curve approach in the International Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.4	0
85	FP424RENAL FUNCTION AMONG MIDDLE EASTERN IMMIGRANTS IN SWEDEN AND ITS ASSOCIATION TO PRO-ENKEPHALIN. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.4	0
86	FC 059EARLY LIFE FACTORS AND ADULT KIDNEY FUNCTION ESTIMATED BY CYSTATIN C AND CREATININE GLOMERULAR FILTRATION RATE EQUATIONS AND ALBUMINURIA: A SWEDISH COHORT STUDY. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.4	0
87	MO071PROTEINS LINKED TO ATHEROSCLEROSIS AND CELL PROLIFERATION ARE ASSOCIATED WITH SHRUNKEN PORE SYNDROME IN HEART FAILURE PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.4	0
88	MO131THE SHRUNKEN PORE SYNDROME IS ASSOCIATED WITH POOR PROGNOSIS AND LOWER QUALITY OF LIFE IN HEART FAILURE PATIENTS- THE HARVEST-MALMÅ– STUDY. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.4	0
89	Updated Pathways in Cardiorenal Continuum after Kidney Transplantation. <i>Transplantology</i> , 2022, 3, 156-168.	0.3	0