

Erik H Larsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5904612/publications.pdf>

Version: 2024-02-01

84
papers

3,085
citations

159585
30
h-index

175258
52
g-index

87
all docs

87
docs citations

87
times ranked

1806
citing authors

#	ARTICLE	IF	CITATIONS
1	Dual skin functions in amphibian osmoregulation. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2021, 253, 110869.	1.8	17
2	August Krogh's contribution to the rise of physiology during the first half the 20th century. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2021, 256, 110931.	1.8	13
3	Ion and Water Absorption by the Kidney Proximal Tubule: Computational Analysis of Isosmotic Transport. <i>Function</i> , 2020, 1, zqaa014.	2.3	1
4	Volume Regulation in Epithelia. <i>Physiology in Health and Disease</i> , 2020, , 395-460.	0.3	3
5	Stationary and Nonstationary Ion and Water Flux Interactions in Kidney Proximal Tubule: Mathematical Analysis of Isosmotic Transport by a Minimalistic Model. <i>Reviews of Physiology, Biochemistry and Pharmacology</i> , 2019, 177, 101-147.	1.6	5
6	Volume Regulation in Epithelia. , 2016, , 131-185.		2
7	ANO1 (TMEM16A) in pancreatic ductal adenocarcinoma (PDAC). <i>Pflügers Archiv European Journal of Physiology</i> , 2015, 467, 1495-1508.	2.8	93
8	Anoctamin 6 differs from VRAC and VSOAC but is involved in apoptosis and supports volume regulation in the presence of Ca ²⁺ . <i>Pflügers Archiv European Journal of Physiology</i> , 2014, 466, 1899-1910.	2.8	52
9	Osmoregulation and Excretion. , 2014, 4, 405-573.		163
10	Role of cutaneous surface fluid in frog osmoregulation. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2013, 165, 365-370.	1.8	23
11	TMEM16F (Anoctamin 6), an anion channel of delayed Ca ²⁺ activation. <i>Journal of General Physiology</i> , 2013, 141, 585-600.	1.9	97
12	Cl ⁻ and K ⁺ channels in human pancreatic ductal adenocarcinoma (PDAC) cells. <i>FASEB Journal</i> , 2013, 27, .	0.5	0
13	Osmotic pressure of the cutaneous surface fluid of <i>Rana esculenta</i> . <i>FASEB Journal</i> , 2012, 26, 1069.1.	0.5	0
14	Reconciling the Krogh and Ussing interpretations of epithelial chloride transport – presenting a novel hypothesis for the physiological significance of the passive cellular chloride uptake. <i>Acta Physiologica</i> , 2011, 202, 435-464.	3.8	16
15	Homage to August Krogh celebrating the 90th anniversary of his Nobel prize in Physiology or Medicine. <i>Acta Physiologica</i> , 2011, 202, 211-212.	3.8	3
16	Hans Henriksen Ussing. 30 December 1911 – 22 December 2000. <i>Biographical Memoirs of Fellows of the Royal Society</i> , 2009, 55, 305-335.	0.1	9
17	The lateral intercellular space as osmotic coupling compartment in isotonic transport. <i>Acta Physiologica</i> , 2009, 195, 171-186.	3.8	33
18	Behavioral and Neural Responses of Toads to Salt Solutions Correlate with Basolateral Membrane Potential of Epidermal Cells of the Skin. <i>Chemical Senses</i> , 2007, 32, 765-773.	2.0	7

#	ARTICLE	IF	CITATIONS
19	Application of the Na ⁺ recirculation theory to ion coupled water transport in low- and high resistance osmoregulatory epithelia. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2007, 148, 101-116.	1.8	25
20	Beta-adrenergic activation of solute coupled water uptake by toad skin epithelium results in near-isosmotic transport. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2007, 148, 64-71.	1.8	17
21	Na ⁺ Recirculation and Isosmotic Transport. <i>Journal of Membrane Biology</i> , 2006, 212, 1-15.	2.1	28
22	The in vivo effect of adrenomedullin on rat dural and pial arteries. <i>European Journal of Pharmacology</i> , 2006, 538, 101-107.	3.5	10
23	Laser Doppler flowmetry is valid for measurement of cerebral blood flow autoregulation lower limit in rats. <i>Experimental Physiology</i> , 2005, 90, 349-355.	2.0	49
24	Ion transport mechanisms in the mesonephric collecting duct system of the toad <i>Bufo bufo</i> : microelectrode recordings from isolated and perfused tubules. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2004, 137, 585-595.	1.8	6
25	Proton pump-driven cutaneous chloride uptake in anuran amphibia. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2003, 1618, 120-132.	2.6	25
26	¹²⁵ I-Adrenergic receptors couple to CFTR chloride channels of intercalated mitochondria-rich cells in the heterocellular toad skin epithelium. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2003, 1618, 140-152.	2.6	8
27	Effects of Cerebrospinal Fluid Acidity on Cerebral Blood Flow and Autoregulation in Rats. <i>Journal of Neurosurgical Anesthesiology</i> , 2003, 15, 110-118.	1.2	4
28	Mitochondria-rich cells as experimental model in studies of epithelial chloride channels. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2002, 1566, 28-43.	2.6	20
29	Hans H. Ussing's scientific work: contemporary significance and perspectives. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2002, 1566, 2-15.	2.6	30
30	Proton pump activity is required for active uptake of chloride in isolated amphibian skin exposed to freshwater. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2002, 172, 503-511.	1.5	18
31	Basolateral Cl ⁻ channels in the larval bullfrog skin epithelium. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2002, 172, 577-586.	1.5	3
32	Analysis of the sodium recirculation theory of solute-coupled water transport in small intestine. <i>Journal of Physiology</i> , 2002, 542, 33-50.	2.9	46
33	K ⁺ transport in the mesonephric collecting duct system of the toad <i>Bufo bufo</i> . <i>Journal of Experimental Biology</i> , 2002, 205, 897-904.	1.7	9
34	K(+) transport in the mesonephric collecting duct system of the toad <i>Bufo bufo</i> : microelectrode recordings from isolated and perfused tubules. <i>Journal of Experimental Biology</i> , 2002, 205, 897-904.	1.7	7
35	Expression of cystic fibrosis transmembrane conductance regulator in the skin of the toad, <i>Bufo bufo</i> and possible role for Cl ⁻ transport across the heterocellular epithelium. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2001, 130, 539-550.	1.8	12
36	Role of Mitochondria-rich Cells for Passive Chloride Transport, with a Discussion of Ussing's Contribution to Our Understanding of Shunt Pathways in Epithelia. <i>Journal of Membrane Biology</i> , 2001, 184, 247-254.	2.1	14

#	ARTICLE	IF	CITATIONS
37	Lymph osmolality and rehydration from NaCl solutions by toads, <i>Bufo marinus</i> . <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2001, 171, 283-292.	1.5	14
38	Maxi K ⁺ channels co-localised with CFTR in the apical membrane of an exocrine gland acinus: possible involvement in secretion. <i>Pflügers Archiv European Journal of Physiology</i> , 2001, 442, 1-11.	2.8	33
39	Absorption and retention of selenium from shrimps in man. <i>Journal of Trace Elements in Medicine and Biology</i> , 2001, 14, 198-204.	3.0	31
40	Morphology of the kidney in larvae of <i>Bufo viridis</i> (Amphibia, Anura, Bufonidae). <i>Journal of Morphology</i> , 2000, 245, 177-195.	1.2	43
41	A Mathematical Model of Solute Coupled Water Transport in Toad Intestine Incorporating Recirculation of the Actively Transported Solute. <i>Journal of General Physiology</i> , 2000, 116, 101-124.	1.9	34
42	Role of lateral intercellular space and sodium recirculation for isotonic transport in leaky epithelia. , 2000, 141, 153-212.		29
43	Sodium Recirculation and Isotonic Transport in Toad Small Intestine. <i>Journal of Membrane Biology</i> , 1999, 168, 241-251.	2.1	37
44	Membrane potential and conductance of frog skin gland acinar cells in resting conditions and during stimulation with agonists of macroscopic secretion. <i>Pflügers Archiv European Journal of Physiology</i> , 1999, 439, 101-112.	2.8	6
45	Molecular physiology of absorptive and secretory functions of amphibian skin. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 1999, 124, S145.	1.8	0
46	Morphology of the Nephron in the Mesonephros of <i>Bufo bufo</i> (Amphibia, Anura, Bufonidae). <i>Acta Zoologica</i> , 1998, 79, 31-50.	0.8	32
47	Speciation and health risk considerations of arsenic in the edible mushroom <i>Laccaria amethystina</i> collected from contaminated and uncontaminated locations. <i>Applied Organometallic Chemistry</i> , 1998, 12, 285-291.	3.5	84
48	Method optimization and quality assurance in speciation analysis using high performance liquid chromatography with detection by inductively coupled plasma mass spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 1998, 53, 253-265.	2.9	76
49	Patch Clamp on the Luminal Membrane of Exocrine Gland Acini from Frog Skin (<i>Rana esculenta</i>) Reveals the Presence of Cystic Fibrosis Transmembrane Conductance Regulator "like Cl ⁻ Channels Activated by Cyclic AMP. <i>Journal of General Physiology</i> , 1998, 112, 19-31.	1.9	22
50	Proton Pump Activity of Mitochondria-rich Cells. <i>Journal of General Physiology</i> , 1997, 109, 73-91.	1.9	33
51	Electrophysiological properties of neurones in the internal and external submucous plexuses of newborn pig small intestine.. <i>Journal of Physiology</i> , 1997, 498, 773-785.	2.9	15
52	Identification of Anion-selective Channels in the Basolateral Membrane of Mitochondria-rich Epithelial Cells. <i>Journal of Membrane Biology</i> , 1997, 157, 255-269.	2.1	9
53	Role of mitochondria-rich cells in epithelial chloride uptake. <i>Experimental Physiology</i> , 1996, 81, 525-534.	2.0	16
54	Clusters of Cl ⁻ channels in CFTR-expressing Sf9 cells switch spontaneously between slow and fast gating modes. <i>Pflügers Archiv European Journal of Physiology</i> , 1996, 432, 528-537.	2.8	17

#	ARTICLE	IF	CITATIONS
55	Advanced computer control of electrophysiological experimentation. Journal of Neuroscience Methods, 1996, 65, 19-26.	2.5	3
56	Ion Secretion and Isotonic Transport in Frog Skin Glands. Journal of Membrane Biology, 1996, 152, 101-110.	2.1	35
57	Heterogeneity of chloride channels in the apical membrane of isolated mitochondria-rich cells from toad skin.. Journal of General Physiology, 1996, 108, 421-433.	1.9	29
58	Endogenous chloride channels of insect sf9 cells. Evidence for coordinated activity of small elementary channel units.. Journal of General Physiology, 1996, 107, 695-714.	1.9	19
59	Speciation of dimethylarsinyl-riboside derivatives (arsenosugars) in marine reference materials by HPLC-ICP-MS. Fresenius' Journal of Analytical Chemistry, 1995, 352, 582-588.	1.5	75
60	Carbon-enhanced inductively coupled plasma mass spectrometric detection of arsenic and selenium and its application to arsenic speciation. Journal of Analytical Atomic Spectrometry, 1994, 9, 1099-1105.	3.0	302
61	Chloride currents of single mitochondria-rich cells of toad skin epithelium.. Journal of Physiology, 1994, 478, 7-15.	2.9	27
62	Role of proton pump of mitochondria-rich cells for active transport of chloride ions in toad skin epithelium.. Journal of Physiology, 1992, 450, 203-216.	2.9	49
63	Cyclic AMP and beta-agonist-activated chloride conductance of a toad skin epithelium.. Journal of Physiology, 1992, 449, 641-653.	2.9	30
64	Separation of seven arsenic compounds by high-performance liquid chromatography with on-line detection by hydrogen-argon flame atomic absorption spectrometry and inductively coupled plasma mass spectrometry. Journal of Analytical Atomic Spectrometry, 1992, 7, 629-634.	3.0	120
65	Chloride and potassium conductances of cultured human sweat ducts. Pflugers Archiv European Journal of Physiology, 1992, 422, 151-158.	2.8	7
66	Electrothermal atomic absorption spectrometry of inorganic and organic arsenic species using conventional and fast furnace programmes. Journal of Analytical Atomic Spectrometry, 1991, 6, 375.	3.0	36
67	Cation transport by sweat ducts in primary culture. Ionic mechanism of cholinergically evoked current oscillations.. Journal of Physiology, 1990, 424, 109-131.	2.9	21
68	Sulfate transport in toad skin: Evidence for mitochondria-rich cell pathways in common with halide ions. Comparative Biochemistry and Physiology A, Comparative Physiology, 1988, 90, 709-714.	0.6	7
69	Ion transport by mitochondria-rich cells in toad skin. Journal of Membrane Biology, 1987, 99, 25-40.	2.1	82
70	Indacrinone (MK-196) - a specific inhibitor of the voltage-dependent Cl ⁻ -permeability in toad skin. Acta Physiologica Scandinavica, 1986, 127, 145-153.	2.2	15
71	Concentration dependence of halide fluxes and selectivity of the anion pathway in toad skin. Acta Physiologica Scandinavica, 1986, 128, 289-304.	2.2	38
72	Membrane potentials and intracellular Cl ⁻ activity of toad skin epithelium in relation to activation and deactivation of the transepithelial Cl ⁻ conductance. Journal of Membrane Biology, 1986, 94, 173-190.	2.1	70

#	ARTICLE	IF	CITATIONS
73	A mathematical model of amphibian skin epithelium with two types of transporting cellular units. Pflugers Archiv European Journal of Physiology, 1985, 405, S50-S58.	2.8	32
74	Membrane potential plays a dual role for chloride transport across toad skin. Biochimica Et Biophysica Acta - Biomembranes, 1983, 728, 455-459.	2.6	14
75	Chloride channels in toad skin. Philosophical Transactions of the Royal Society of London Series B, Biological Sciences, 1982, 299, 413-434.	2.3	49
76	CHLORIDE CURRENT RECTIFICATION IN TOAD SKIN EPITHELIUM. , 1982, , 333-364.		11
77	Properties of a conductive cellular chloride pathway in the skin of the toad (<i>Bufo bufo</i>). Acta Physiologica Scandinavica, 1978, 102, 1-21.	2.2	133
78	Relation between chloride exchange diffusion and a conductive chloride pathway across the isolated skin of the toad (<i>Bufo bufo</i>). Acta Physiologica Scandinavica, 1978, 102, 22-34.	2.2	36
79	Current-voltage curve of sodium channels and concentration dependence of sodium permeability in frog skin. Journal of Physiology, 1977, 267, 137-166.	2.9	298
80	Pathways for Chloride and Sodium Transport across Toad Skin. Acta Physiologica Scandinavica, 1976, 97, 31-47.	2.2	54
81	Characteristics of aldosterone stimulated transport in isolated skin of the toad, <i>Bufo bufo</i> (L.). The Journal of Steroid Biochemistry, 1972, 3, 111-120.	1.1	19
82	Effect of aldosterone and oxytocin on the active sodium transport across the isolated toad skin in relation to loosening of Stratum corneum. General and Comparative Endocrinology, 1971, 17, 543-553.	1.8	24
83	The Relative Contributions of Sodium and Chloride Ions to the Conductance of Toad Skin in Relation to Shedding of the Stratum Corneum. Acta Physiologica Scandinavica, 1971, 81, 254-263.	2.2	21
84	Sodium Transport and D.C. Resistance in the Isolated Toad Skin in Relation to Shedding of the Stratum Corneum. Acta Physiologica Scandinavica, 1970, 79, 453-461.	2.2	29