

Norbert Kovacs

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5904815/publications.pdf>

Version: 2024-02-01

141
papers

3,071
citations

186209

28
h-index

214721

47
g-index

166
all docs

166
docs citations

166
times ranked

4271
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Minimal clinically important difference on the Motor Examination part of MDS-UPDRS. Parkinsonism and Related Disorders, 2015, 21, 1421-1426. | 1.1 | 176 |
| 2 | Morphometric changes of gray matter in Parkinson's disease with depression: A voxel-based morphometry study. Movement Disorders, 2008, 23, 42-46. | 2.2 | 168 |
| 3 | The impact of left prefrontal repetitive transcranial magnetic stimulation on depression in Parkinson's disease: A randomized, double-blind, placebo-controlled study. Movement Disorders, 2010, 25, 2311-2317. | 2.2 | 153 |
| 4 | Status dystonicus: Predictors of outcome and progression patterns of underlying disease. Movement Disorders, 2012, 27, 783-788. | 2.2 | 94 |
| 5 | Changes in Quality of Life in Parkinson's Disease: How Large Must They Be to Be Relevant?. Neuroepidemiology, 2017, 48, 1-8. | 1.1 | 83 |
| 6 | Staged bilateral stereotactic pallidotomy for life-threatening dystonia in a child with Hallervorden-Spatz disease. Movement Disorders, 2006, 21, 82-85. | 2.2 | 82 |
| 7 | Are there any gender differences in the hippocampus volume after head-size correction? A volumetric and voxel-based morphometric study. Neuroscience Letters, 2014, 570, 119-123. | 1.0 | 77 |
| 8 | Sensitivity and specificity of Addenbrooke's Cognitive Examination, Mattis Dementia Rating Scale, Frontal Assessment Battery and Mini Mental State Examination for diagnosing dementia in Parkinson's disease. Parkinsonism and Related Disorders, 2012, 18, 553-556. | 1.1 | 71 |
| 9 | Integrated Care in Parkinson's Disease: A Systematic Review and Meta-Analysis. Movement Disorders, 2020, 35, 1509-1531. | 2.2 | 71 |
| 10 | Periictal heart rate variability analysis suggests long-term postictal autonomic disturbance in epilepsy. European Journal of Neurology, 2010, 17, 780-787. | 1.7 | 66 |
| 11 | Minimal clinically important differences for the experiences of daily living parts of movement disorder society-sponsored unified Parkinson's disease rating scale. Movement Disorders, 2017, 32, 789-793. | 2.2 | 66 |
| 12 | Differences in MDS-UPDRS Scores Based on Hoehn and Yahr Stage and Disease Duration. Movement Disorders Clinical Practice, 2017, 4, 536-544. | 0.8 | 65 |
| 13 | Ictal asystole: A systematic review. Epilepsia, 2017, 58, 356-362. | 2.6 | 63 |
| 14 | MRI-assessed volume of left and right hippocampi in females correlates with the relative length of the second and fourth fingers (the 2D:4D ratio). Psychiatry Research - Neuroimaging, 2005, 140, 199-210. | 0.9 | 51 |
| 15 | High-Frequency Repetitive Transcranial Magnetic Stimulation Can Improve Depression in Parkinson's Disease: A Randomized, Double-Blind, Placebo-Controlled Study. Neuropsychobiology, 2016, 73, 169-177. | 0.9 | 49 |
| 16 | Changes of Migraine-Related White Matter Hyperintensities After 3 Years: A Longitudinal MRI Study. Headache, 2015, 55, 55-70. | 1.8 | 46 |
| 17 | Relationship between the MDS-UPDRS and Quality of Life: A large multicenter study of 3206 patients. Parkinsonism and Related Disorders, 2018, 52, 83-89. | 1.1 | 46 |
| 18 | Peri-ictal vegetative symptoms in temporal lobe epilepsy. Epilepsy and Behavior, 2007, 11, 125-129. | 0.9 | 43 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Impact of Sex on the Nonmotor Symptoms and the Health-Related Quality of Life in Parkinson's Disease. <i>Parkinson's Disease</i> , 2016, 2016, 1-12. | 0.6 | 43 |
| 20 | Screening Mild and Major Neurocognitive Disorders in Parkinson's Disease. <i>Behavioural Neurology</i> , 2015, 2015, 1-10. | 1.1 | 39 |
| 21 | Secondarily generalized seizures in temporal lobe epilepsy. <i>Epilepsia</i> , 2012, 53, 817-824. | 2.6 | 37 |
| 22 | Levodopa/carbidopa intestinal gel can improve both motor and non-motor experiences of daily living in Parkinson's disease: An open-label study. <i>Parkinsonism and Related Disorders</i> , 2017, 37, 79-86. | 1.1 | 36 |
| 23 | Quantitative $sMRI$ Studies of Chronic Brain White Matter Hyperintensities in Migraine Patients. <i>Headache</i> , 2013, 53, 752-763. | 1.8 | 35 |
| 24 | Through the Blurry Looking Glass—SDGs in the GRI Reports. <i>Resources</i> , 2019, 8, 101. | 1.6 | 33 |
| 25 | Application of the $5-2-1$ screening criteria in advanced Parkinson's disease: interim analysis of DUOGLOBE. <i>Neurodegenerative Disease Management</i> , 2020, 10, 309-323. | 1.2 | 33 |
| 26 | Update on the Management of Parkinson's Disease for General Neurologists. <i>Parkinson's Disease</i> , 2020, 2020, 1-13. | 0.6 | 33 |
| 27 | History of simple febrile seizures is associated with hippocampal abnormalities in adults. <i>Epilepsia</i> , 2008, 49, 1562-1569. | 2.6 | 32 |
| 28 | Does obstetric brachial plexus injury influence speech dominance?. <i>Annals of Neurology</i> , 2009, 65, 57-66. | 2.8 | 32 |
| 29 | Early Dynamics of P-selectin and Interleukin 6 Predicts Outcomes in Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 1938-1947. | 0.7 | 32 |
| 30 | Comparison of the efficacy of unipolar and bipolar electrode configuration during subthalamic deep brain stimulation. <i>Parkinsonism and Related Disorders</i> , 2011, 17, 50-54. | 1.1 | 30 |
| 31 | Internet addiction and functional brain networks: task-related fMRI study. <i>Scientific Reports</i> , 2019, 9, 15777. | 1.6 | 29 |
| 32 | Changing to interleaving stimulation might improve dystonia in cases not responding to pallidal stimulation. <i>Movement Disorders</i> , 2012, 27, 163-165. | 2.2 | 28 |
| 33 | Bilateral Subthalamic Stimulation can Improve Sleep Quality in Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2015, 5, 361-368. | 1.5 | 27 |
| 34 | Problematic internet use is associated with structural alterations in the brain reward system in females. <i>Brain Imaging and Behavior</i> , 2016, 10, 953-959. | 1.1 | 27 |
| 35 | A High-Intensity Multicomponent Agility Intervention Improves Parkinson Patients' Clinical and Motor Symptoms. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 2478-2484.e1. | 0.5 | 27 |
| 36 | Pain-related autonomic response is modulated by the medial prefrontal cortex: An ECG-fMRI study in men. <i>Journal of the Neurological Sciences</i> , 2015, 349, 202-208. | 0.3 | 26 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Visuospatial impairment in Parkinson's disease: The role of laterality. <i>Laterality</i> , 2015, 20, 112-127. | 0.5 | 26 |
| 38 | White-matter microstructure and language lateralization in left-handers: A whole-brain MRI analysis. <i>Brain and Cognition</i> , 2013, 82, 319-328. | 0.8 | 25 |
| 39 | Minimal clinically important difference for the historic parts of the Unified Dyskinesia Rating Scale. <i>Parkinsonism and Related Disorders</i> , 2019, 58, 79-82. | 1.1 | 25 |
| 40 | Status dystonicus in tardive dystonia successfully treated by bilateral deep brain stimulation. <i>Clinical Neurology and Neurosurgery</i> , 2011, 113, 808-809. | 0.6 | 24 |
| 41 | Test-Retest Validity of Parkinson's Disease Sleep Scale 2nd Version (PDSS-2). <i>Journal of Parkinson's Disease</i> , 2014, 4, 687-691. | 1.5 | 24 |
| 42 | Implanted deep brain stimulator and 1.0-Tesla magnetic resonance imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 1409-1412. | 1.9 | 22 |
| 43 | <scp>DUOGLOBE</scp>: Oneâ€Year Outcomes in a <scp>Realâ€World</scp> Study of Levodopa Carbidopa Intestinal Gel for Parkinson's Disease. <i>Movement Disorders Clinical Practice</i> , 2021, 8, 1061-1074. | 0.8 | 22 |
| 44 | Are the MDSâ€UPDRSâ€Based Composite Scores Clinically Applicable?. <i>Movement Disorders</i> , 2018, 33, 835-839. | 2.2 | 21 |
| 45 | Body weight and the reward system: the volume of the right amygdala may be associated with body mass index in young overweight men. <i>Brain Imaging and Behavior</i> , 2011, 5, 149-157. | 1.1 | 20 |
| 46 | Lille Apathy Rating Scale and MDS-UPDRS for Screening Apathy in Parkinsonâ€™s Disease. <i>Journal of Parkinson's Disease</i> , 2016, 6, 257-265. | 1.5 | 20 |
| 47 | Serum L-arginine and dimethylarginine levels in migraine patients with brain white matter lesions. <i>Cephalalgia</i> , 2017, 37, 571-580. | 1.8 | 20 |
| 48 | Ictal vocalizations occur more often in temporal lobe epilepsy with dominant (leftâ€sided) epileptogenic zone. <i>Epilepsia</i> , 2009, 50, 1542-1546. | 2.6 | 19 |
| 49 | Two-Year Agility Maintenance Training Slows the Progression of Parkinsonian Symptoms. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 237-245. | 0.2 | 19 |
| 50 | Ictal affective symptoms in temporal lobe epilepsy are related to gender and age. <i>Epilepsia</i> , 2010, 51, 1126-1132. | 2.6 | 17 |
| 51 | Methylprednisolone therapy for short-term prevention of SUNCT syndrome. <i>Cephalalgia</i> , 2010, 30, 735-739. | 1.8 | 17 |
| 52 | Independent validation of Parkinsonâ€™s disease Sleep Scale 2nd version (PDSS-2). <i>Sleep and Biological Rhythms</i> , 2016, 14, 63-73. | 0.5 | 17 |
| 53 | 24-Hour Levodopa-Carbidopa Intestinal Gel: Clinical Experience and Practical Recommendations. <i>CNS Drugs</i> , 2021, 35, 137-149. | 2.7 | 17 |
| 54 | Differentiation between young adult Internet addicts, smokers, and healthy controls by the interaction between impulsivity and temporal lobe thickness. <i>Journal of Behavioral Addictions</i> , 2019, 8, 35-47. | 1.9 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Unilateral hand automatisms in temporal lobe epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2006, 15, 393-396. | 0.9 | 15 |
| 56 | The impact of bilateral subthalamic deep brain stimulation on long-latency event-related potentials. <i>Parkinsonism and Related Disorders</i> , 2008, 14, 476-480. | 1.1 | 15 |
| 57 | Coffee consumption may influence hippocampal volume in young women. <i>Brain Imaging and Behavior</i> , 2011, 5, 274-284. | 1.1 | 15 |
| 58 | Minimal Clinically Important Difference on Parkinson's Disease Sleep Scale 2nd Version. <i>Parkinson's Disease</i> , 2015, 2015, 1-8. | 0.6 | 15 |
| 59 | Cortical involvement during myotonia in myotonic dystrophy: an fMRI study. <i>Acta Neurologica Scandinavica</i> , 2015, 132, 65-72. | 1.0 | 15 |
| 60 | Intracranial volume inversely correlates with serum 25(OH)D level in healthy young women. <i>Nutritional Neuroscience</i> , 2015, 18, 37-40. | 1.5 | 15 |
| 61 | Age at onset and seizure frequency affect white matter diffusion coefficient in patients with mesial temporal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2016, 61, 14-20. | 0.9 | 15 |
| 62 | Minimal Clinically Important Differences for Burke-Fahn-Marsden Dystonia Rating Scale and Short-Form Health Survey. <i>Movement Disorders</i> , 2020, 35, 1218-1223. | 2.2 | 15 |
| 63 | Epilepsy is overrepresented among young people who died from COVID-19: Analysis of nationwide mortality data in Hungary. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2022, 94, 136-141. | 0.9 | 15 |
| 64 | Is the MDS-UPDRS a Good Screening Tool for Detecting Sleep Problems and Daytime Sleepiness in Parkinson's Disease?. <i>Parkinson's Disease</i> , 2014, 2014, 1-8. | 0.6 | 13 |
| 65 | Concussive convulsions: A YouTube video analysis. <i>Epilepsia</i> , 2016, 57, 1310-1316. | 2.6 | 13 |
| 66 | Uniform qualitative electrophysiological changes in postoperative rest tremor. <i>Movement Disorders</i> , 2006, 21, 318-324. | 2.2 | 12 |
| 67 | Neuroimaging and cognitive changes during dÀ©jÀ vu. <i>Epilepsy and Behavior</i> , 2009, 14, 190-196. | 0.9 | 12 |
| 68 | Epilepsy surgery, antiepileptic drug trials, and the role of evidence. <i>Epilepsia</i> , 2010, 51, 1004-1009. | 2.6 | 12 |
| 69 | Pramipexole May Be an Effective Treatment Option in Essential Tremor. <i>Clinical Neuropharmacology</i> , 2012, 35, 73-76. | 0.2 | 12 |
| 70 | Trimetazidine and parkinsonism: A prospective study. <i>Parkinsonism and Related Disorders</i> , 2019, 62, 117-121. | 1.1 | 12 |
| 71 | Neurosurgical treatment of tremor in mitochondrial encephalopathy. <i>Movement Disorders</i> , 2006, 21, 2227-2230. | 2.2 | 11 |
| 72 | Tics status: a movement disorder emergency. <i>Journal of Neurology</i> , 2011, 258, 143-145. | 1.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Late bedtime is associated with decreased hippocampal volume in young healthy subjects. <i>Sleep and Biological Rhythms</i> , 2015, 13, 68-75. | 0.5 | 11 |
| 74 | 1H-MRS experiences after bilateral DBS of the STN in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2008, 14, 229-232. | 1.1 | 10 |
| 75 | Oxcarbazepine may induce psychotic symptoms in Parkinson's disease. <i>Epilepsy and Behavior</i> , 2008, 12, 492-493. | 0.9 | 10 |
| 76 | Screening for Problematic Internet Use May Help Identify Impulse Control Disorders in Parkinson's Disease. <i>Behavioural Neurology</i> , 2019, 2019, 1-8. | 1.1 | 10 |
| 77 | Immune response to influenza and pneumococcal vaccines in adults with inflammatory bowel disease: A systematic review and meta-analysis of 1429 patients. <i>Vaccine</i> , 2022, 40, 2076-2086. | 1.7 | 10 |
| 78 | Evaluation of measured and calculated thermal parameters of a photopolymer. <i>International Communications in Heat and Mass Transfer</i> , 2011, 38, 863-867. | 2.9 | 9 |
| 79 | 2D:4D finger ratio positively correlates with total cerebral cortex in males. <i>Neuroscience Letters</i> , 2016, 615, 33-36. | 1.0 | 9 |
| 80 | How Efficient Is Subthalamic Deep Brain Stimulation in Reducing Dyskinesia in Parkinson's Disease?. <i>European Neurology</i> , 2017, 77, 281-287. | 0.6 | 9 |
| 81 | Prevalence of Anxiety among Hungarian Subjects with Parkinson's Disease. <i>Behavioural Neurology</i> , 2017, 2017, 1-7. | 1.1 | 9 |
| 82 | Ictal piloerection is associated with high-grade glioma and autoimmune encephalitis—Results from a systematic review. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2019, 64, 1-5. | 0.9 | 9 |
| 83 | Outcomes Impacting Quality of Life in Advanced Parkinson's Disease Patients Treated with Levodopa-Carbidopa Intestinal Gel. <i>Journal of Parkinson's Disease</i> , 2022, 12, 917-926. | 1.5 | 9 |
| 84 | Bilateral effects of unilateral thalamic deep brain stimulation: A case report. <i>Movement Disorders</i> , 2008, 23, 276-279. | 2.2 | 8 |
| 85 | Windup in Parkinson's disease: A functional magnetic resonance imaging study. <i>European Journal of Pain</i> , 2015, 19, 1288-1297. | 1.4 | 8 |
| 86 | Internet addiction associated with right pars opercularis in females. <i>Journal of Behavioral Addictions</i> , 2019, 8, 162-168. | 1.9 | 8 |
| 87 | Extensive validation study of the Parkinson's Disease Composite Scale. <i>European Journal of Neurology</i> , 2019, 26, 1281-1288. | 1.7 | 8 |
| 88 | Low test-retest reliability of the Epworth Sleepiness Scale within a substantial short time frame. <i>Journal of Sleep Research</i> , 2021, 30, e13277. | 1.7 | 8 |
| 89 | Reorganization of Motor System in Parkinson's Disease. <i>European Neurology</i> , 2011, 66, 220-226. | 0.6 | 8 |
| 90 | Examination of pituitary adenylate cyclase-activating polypeptide in Parkinson's disease focusing on correlations with motor symptoms. <i>GeroScience</i> , 2022, 44, 785-803. | 2.1 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Subjective visual vertical may be altered by bilateral subthalamic deep brain stimulation. <i>Movement Disorders</i> , 2009, 24, 1556-1557. | 2.2 | 7 |
| 92 | Lateralisation of non-metric rhythm. <i>Laterality</i> , 2011, 16, 620-635. | 0.5 | 7 |
| 93 | Are Branded and Generic Extended-Release Ropinirole Formulations Equally Efficacious? A Rater-Blinded, Switch-Over, Multicenter Study. <i>Parkinson's Disease</i> , 2014, 2014, 1-7. | 0.6 | 7 |
| 94 | The possible role of the insula in the epilepsy and the gambling disorder of Fyodor Dostoyevsky. <i>Journal of Behavioral Addictions</i> , 2016, 5, 542-547. | 1.9 | 7 |
| 95 | Deep brain stimulation or thalamotomy in fragile X-associated tremor/ataxia syndrome? Case report. <i>Neurologia I Neurochirurgia Polska</i> , 2016, 50, 303-308. | 0.6 | 7 |
| 96 | Iron Concentration in Deep Gray Matter Structures is Associated with Worse Visual Memory Performance in Healthy Young Adults. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 675-681. | 1.2 | 7 |
| 97 | Patients' ability to react before complex partial seizures. <i>Epilepsy and Behavior</i> , 2007, 10, 183-186. | 0.9 | 6 |
| 98 | Deep Brain Stimulation Can Preserve Working Status in Parkinson's Disease. <i>Parkinson's Disease</i> , 2015, 2015, 1-8. | 0.6 | 6 |
| 99 | Validation of an automated morphological MRI-based 123I-FP-CIT SPECT evaluation method. <i>Parkinsonism and Related Disorders</i> , 2016, 29, 24-29. | 1.1 | 6 |
| 100 | Comparing Sensitivity and Specificity of Addenbrooke's Cognitive Examination-I, III and Mini-Addenbrooke's Cognitive Examination in Parkinson's Disease. <i>Behavioural Neurology</i> , 2018, 2018, 1-9. | 1.1 | 6 |
| 101 | Paraneoplastic anti-NMDA receptor encephalitis in 1830?. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2020, 7, e887. | 3.1 | 6 |
| 102 | Pregnancy and deep brain stimulation therapy for epilepsy. <i>Epileptic Disorders</i> , 2021, 23, 633-638. | 0.7 | 6 |
| 103 | Independent validation of the Quality of Life in Essential Tremor Questionnaire (QUEST). <i>Ideggyogyaszati Szemle</i> , 2017, 70, 193-202. | 0.4 | 6 |
| 104 | Antiparkinsonian Drug Reduction After Directional Versus Omnidirectional Bilateral Subthalamic Deep Brain Stimulation. <i>Neuromodulation</i> , 2023, 26, 374-381. | 0.4 | 6 |
| 105 | Optical platelet aggregometry does not appear useful as a means of assessing the risk of recurrent vascular events in aspirin-treated patients. <i>Acta Neurologica Scandinavica</i> , 2008, 117, 250-254. | 1.0 | 5 |
| 106 | Cost Effectiveness of Rasagiline and Pramipexole as Treatment Strategies in Early Parkinson's Disease in the UK Setting. <i>Drugs and Aging</i> , 2011, 28, 161-162. | 1.3 | 5 |
| 107 | Association of Gait Characteristics and Depression in Patients with Parkinson's Disease Assessed in Goal-Directed Locomotion Task. <i>Parkinson's Disease</i> , 2017, 2017, 1-7. | 0.6 | 5 |
| 108 | The Parkinson's Disease Composite Scale Is Adequately Responsive to Acute Levodopa Challenge. <i>Parkinson's Disease</i> , 2019, 2019, 1-8. | 0.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Minimal clinically important difference for the quality of life in essential tremor questionnaire. <i>Movement Disorders</i> , 2019, 34, 759-760. | 2.2 | 5 |
| 110 | European Academy of Neurology guidance for developing and reporting clinical practice guidelines on rare neurological diseases. <i>European Journal of Neurology</i> , 2022, 29, 1571-1586. | 1.7 | 5 |
| 111 | Juvenile myoclonic epilepsy starting in the eighth decade. <i>Epileptic Disorders</i> , 2007, 9, 341-345. | 0.7 | 5 |
| 112 | Alexithymia is associated with low level of vitamin D in young healthy adults. <i>Nutritional Neuroscience</i> , 2014, 17, 284-288. | 1.5 | 4 |
| 113 | The Impact of Trimetazidine on Disease Severity and Quality of Life in Parkinson's Disease. <i>Scientific Reports</i> , 2020, 10, 10050. | 1.6 | 4 |
| 114 | TEMPOROMANDIBULAR JOINT DISORDER IN PATIENTS WITH PARKINSON'S DISEASE – A PILOT STUDY. <i>Health Problems of Civilization</i> , 2020, 14, 235-241. | 0.1 | 4 |
| 115 | Parkinson's disease Sleep Scale-2 is more specific for PD than the Epworth Sleep Scale. <i>Journal of the Neurological Sciences</i> , 2013, 333, e139. | 0.3 | 3 |
| 116 | Which Scale Best Detects Treatment Response of Tremor in Parkinsonism?. <i>Journal of Parkinson's Disease</i> , 2020, 10, 275-282. | 1.5 | 3 |
| 117 | Milk and dairy consumption correlates with cerebral cortical as well as cerebral white matter volume in healthy young adults. <i>International Journal of Food Sciences and Nutrition</i> , 2015, 66, 826-829. | 1.3 | 2 |
| 118 | Utilization of monotherapy and combination therapies in advanced Parkinson's disease patients during levodopa-carbidopa intestinal gel treatment from the cosmos study. <i>Journal of the Neurological Sciences</i> , 2019, 405, 212-213. | 0.3 | 2 |
| 119 | Simple and choice reaction times are prolonged following extracorporeal circulation: a potential method for the assessment of acute neurocognitive deficit. <i>Medical Science Monitor</i> , 2009, 15, CR470-6. | 0.5 | 2 |
| 120 | Long-term successful treatment of chronic inflammatory demyelinating polyneuropathy-like polyneuropathy induced by levodopa-carbidopa intestinal gel with intravenous immunoglobulin. <i>European Journal of Neurology</i> , 2019, 26, e96-e97. | 1.7 | 1 |
| 121 | Trimetazidine Use in Parkinson's Disease: Is It a Resolved Problem?. <i>ENeuro</i> , 2021, 8, ENEURO.0452-20.2021. | 0.9 | 1 |
| 122 | THE RELATIONSHIP BETWEEN SERUM CHOLESTEROL AND VERBAL MEMORY MAY BE INFLUENCED BY BODY MASS INDEX (BMI) IN YOUNG HEALTHY WOMEN. <i>Ideggyogyaszati Szemle</i> , 2016, 69, 177-82. | 0.4 | 1 |
| 123 | Earlier and More Efficiently: The Role of Deep Brain Stimulation for Parkinson's Disease Preserving the Working Capabilities. <i>Ideggyogyaszati Szemle</i> , 2015, 68, 384-390. | 0.4 | 1 |
| 124 | P490 Patients with inflammatory bowel disease should be vaccinated against pneumococcus and influenza despite immunosuppressive therapy. <i>Journal of Crohn's and Colitis</i> , 2022, 16, i456-i456. | 0.6 | 1 |
| 125 | 3.207 The impact of the use of Access Therapy Controller on the postoperative outcome. <i>Parkinsonism and Related Disorders</i> , 2007, 13, S163. | 1.1 | 0 |
| 126 | 3.232 Bilateral effects of unilateral deep brain stimulation. <i>Parkinsonism and Related Disorders</i> , 2007, 13, S170. | 1.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Comparison of double monopolar and interleaving stimulation modes in the treatment of primary generalized and segmental dystonia. <i>Journal of the Neurological Sciences</i> , 2013, 333, e139. | 0.3 | 0 |
| 128 | The assessment of neural injury following open heart surgery by physiological tremor analysis. <i>Archives of Medical Science</i> , 2013, 1, 40-46. | 0.4 | 0 |
| 129 | Dynamic changes of proinflammatory biomarkers in the acute phase of ischemic stroke predict outcome and correlate with changes in the l-arginine pathway. <i>Journal of Neuroimmunology</i> , 2014, 275, 42. | 1.1 | 0 |
| 130 | Role of in vivo imaging in cardiovascular research, diagnosis and treatment. <i>Atherosclerosis</i> , 2014, 235, e300. | 0.4 | 0 |
| 131 | Can bilateral subthalamic deep brain stimulation reserve working abilities in Parkinson's disease?. <i>Journal of the Neurological Sciences</i> , 2015, 357, e54. | 0.3 | 0 |
| 132 | High frequency repetitive transcranial magnetic stimulation can improve depression in Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2015, 357, e54. | 0.3 | 0 |
| 133 | The impact of levodopa-carbidopa intestinal gel on health-related quality of life in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2016, 22, e94. | 1.1 | 0 |
| 134 | High frequency repetitive transcranial magnetic stimulation can improve the quality of life and depression in Parkinson's disease: A randomized, double-blind, placebo-controlled study. <i>Parkinsonism and Related Disorders</i> , 2016, 22, e23-e24. | 1.1 | 0 |
| 135 | Levodopa/carbidopa intestinal gel can improve both motor and non-motor experiences of daily living in advanced Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2017, 381, 123-124. | 0.3 | 0 |
| 136 | Interleaving stimulation mode can improve better the health-related quality of life in primary generalized or segmental dystonia than standard bilateral pallidal deep brain stimulation. <i>Journal of the Neurological Sciences</i> , 2019, 405, 30. | 0.3 | 0 |
| 137 | Levodopa-carbidopa intestinal gel treatment of motor fluctuations and dyskinesia in advanced Parkinson's disease patients in a "real world" setting: Interim results from the DUOGLOBE study. <i>Journal of the Neurological Sciences</i> , 2019, 405, 194-195. | 0.3 | 0 |
| 138 | Repetitive transcranial magnetic stimulation can improve anxiety in Parkinson's disease: A randomized, double-blind and controlled trial. <i>Journal of the Neurological Sciences</i> , 2019, 405, 333. | 0.3 | 0 |
| 139 | Comment on "Parkinsonism Associated with Gabapentinoid Drugs: A Pharmacoepidemiologic Study". <i>Movement Disorders</i> , 2020, 35, 375-375. | 2.2 | 0 |
| 140 | Fast 3T nigral hyperintensity magnetic resonance imaging in Parkinson's disease. <i>Scientific Reports</i> , 2021, 11, 1179. | 1.6 | 0 |
| 141 | Earlier and More Efficiently: The Role of Deep Brain Stimulation for Parkinson's Disease Preserving the Working Capabilities. <i>Ideggyogyaszati Szemle</i> , 2015, 68, 384-390. | 0.4 | 0 |