

Jose E Piero

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/590484/jose-e-pinero-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142
papers

2,028
citations

23
h-index

36
g-index

156
ext. papers

2,411
ext. citations

3.7
avg, IF

4.8
L-index

#	Paper	IF	Citations
142	Sesquiterpene lactones as potential therapeutic agents against Naegleria fowleri.. <i>Biomedicine and Pharmacotherapy</i> , 2022 , 147, 112694	7.5	0
141	Cyclolauranes as plausible chemical scaffold against Naegleria fowleri.. <i>Biomedicine and Pharmacotherapy</i> , 2022 , 149, 112816	7.5	1
140	Isobenzofuran-1(3H)-one derivatives: Amoebicidal activity and program cell death in Acanthamoeba castellanii Neff. <i>Biomedicine and Pharmacotherapy</i> , 2022 , 150, 113062	7.5	1
139	In vitro activity and cell death mechanism induced by acrylonitrile derivatives against Leishmania amazonensis. <i>Bioorganic Chemistry</i> , 2022 , 105872	5.1	
138	Discovery of New Chemical Tools against via the MMV Pathogen Box.. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	1
137	Isolation, identification, and activity evaluation of antioxidant components from Inula viscosa: A bioguided approach.. <i>Bioorganic Chemistry</i> , 2021 , 119, 105551	5.1	2
136	The therapeutic potential of novel isobenzofuranones against Naegleria fowleri. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2021 , 17, 139-149	4	1
135	Antikinetoplastid Activity of Sesquiterpenes Isolated from the Zoanthid. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	2
134	Antiamoebic effects of sesquiterpene lactones isolated from the zoanthid Palythoa aff. clavata. <i>Bioorganic Chemistry</i> , 2021 , 108, 104682	5.1	6
133	Apoptosis-like cell death upon kinetoplastid induction by compounds isolated from the brown algae Dictyota spiralis. <i>Parasites and Vectors</i> , 2021 , 14, 198	4	2
132	In vitro validation of the amoebicidal activity of commercial eye drops as second activity. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2021 , 15, 144-151	4	0
131	The type 2 statins, cerivastatin, rosuvastatin and pitavastatin eliminate Naegleria fowleri at low concentrations and by induction of programmed cell death (PCD). <i>Bioorganic Chemistry</i> , 2021 , 110, 104784	5.1	4
130	Silver Nanoparticles Conjugated with Contact Lens Solutions May Reduce the Risk of Keratitis. <i>Pathogens</i> , 2021 , 10,	4.5	2
129	Bio-guided isolation of leishmanicidal and trypanocidal constituents from Pituranthos battandieri aerial parts. <i>Parasitology International</i> , 2021 , 82, 102300	2.1	5
128	Acrylonitrile Derivatives against : In Vitro Activity and Programmed Cell Death Study. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	3
127	Free-Living Amoebae in Soil Samples from Santiago Island, Cape Verde. <i>Microorganisms</i> , 2021 , 9,	4.9	1
126	High oxygen concentrations inhibit Acanthamoeba spp. <i>Parasitology Research</i> , 2021 , 120, 3001-3005	2.4	1

125	Exploring the Anti-Infective Value of Inuloxin A Isolated from against the Brain-Eating Amoeba () by Activation of Programmed Cell Death. <i>ACS Chemical Neuroscience</i> , 2021 , 12, 195-202	5.7	4
124	Free living amoebae isolation in irrigation waters and soils of an insular arid agroecosystem. <i>Science of the Total Environment</i> , 2021 , 753, 141833	10.2	4
123	A Simple Assay Using Amphipods for the Evaluation of Potential Biocompatible Metal-Organic Frameworks. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 584115	5.8	2
122	Evaluation of the occurrence of pathogenic free-living amoeba and bacteria in 20 public indoor swimming pool facilities. <i>MicrobiologyOpen</i> , 2021 , 10, e1159	3.4	0
121	Effect of a Commercial Disinfectant CLORICAN® on Acanthamoeba spp. and Naegleria fowleri Viability. <i>Parasitologia</i> , 2021 , 1, 119-129		1
120	Antiamoeboid activity of squamins C-F, cyclooctapeptides from <i>Annona globifora</i> . <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2021 , 17, 67-79	4	3
119	Tannic acid-modified silver nanoparticles enhance the anti-Acanthamoeba activity of three multipurpose contact lens solutions without increasing their cytotoxicity. <i>Parasites and Vectors</i> , 2020 , 13, 624	4	6
118	Effects of Ozone Treatment on Personal Protective Equipment Contaminated with SARS-CoV-2. <i>Antioxidants</i> , 2020 , 9,	7.1	11
117	Silver Nanoparticles as a Novel Potential Preventive Agent against Acanthamoeba Keratitis. <i>Pathogens</i> , 2020 , 9,	4.5	9
116	Evaluation of Indolocarbazoles from as a Novel Source of Therapeutic Agents against the Brain-Eating Amoeba. <i>Microorganisms</i> , 2020 , 8,	4.9	8
115	Combined Amoebicidal Effect of Atorvastatin and Commercial Eye Drops against Neff: In Vitro Assay Based on Mixture Design. <i>Pathogens</i> , 2020 , 9,	4.5	3
114	Photodynamic treatment induced membrane cell damage in <i>Acanthamoeba castellanii</i> Neff. <i>Dyes and Pigments</i> , 2020 , 180, 108481	4.6	1
113	Antikinetoplastid Activity of Indolocarbazoles from. <i>Biomolecules</i> , 2020 , 10,	5.9	16
112	Identification of N-acyl quinolin-2(1H)-ones as new selective agents against clinical isolates of <i>Acanthamoeba keratitis</i> . <i>Bioorganic Chemistry</i> , 2020 , 99, 103791	5.1	7
111	Is <i>Naegleria fowleri</i> an Emerging Parasite?. <i>Trends in Parasitology</i> , 2020 , 36, 19-28	6.4	47
110	Sesquiterpenoids and flavonoids from <i>Inula viscosa</i> induce programmed cell death in kinetoplastids. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 130, 110518	7.5	12
109	In vitro evaluation of commercial foam Belcils® on <i>Acanthamoeba</i> spp. <i>International Journal for Parasitology: Drugs and Drug Resistance</i> , 2020 , 14, 136-143	4	3
108	Fluvastatin and atorvastatin induce programmed cell death in the brain eating amoeba <i>Naegleria fowleri</i> . <i>Biomedicine and Pharmacotherapy</i> , 2020 , 130, 110583	7.5	6

107	New phenalenone analogues with improved activity against Leishmania species. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 132, 110814	7.5	4
106	Laurinterol from <i>Laurencia johnstonii</i> eliminates <i>Naegleria fowleri</i> triggering PCD by inhibition of ATPases. <i>Scientific Reports</i> , 2020 , 10, 17731	4.9	8
105	Staurosporine from <i>Streptomyces sanyensis</i> activates Programmed Cell Death in <i>Acanthamoeba</i> via the mitochondrial pathway and presents low in vitro cytotoxicity levels in a macrophage cell line. <i>Scientific Reports</i> , 2019 , 9, 11651	4.9	16
104	In Vitro Activity of Statins against. <i>Pathogens</i> , 2019 , 8,	4.5	12
103	Ursolic Acid Derivatives as Potential Agents Against Spp. <i>Pathogens</i> , 2019 , 8,	4.5	8
102	Antiprotozoal activities of marine polyether triterpenoids. <i>Bioorganic Chemistry</i> , 2019 , 92, 103276	5.1	18
101	Withanolides from as Antikinetoplastid Agents through Induction of Programmed Cell Death. <i>Pathogens</i> , 2019 , 8,	4.5	7
100	Isolation and molecular identification of free-living amoebae from dishcloths in Tenerife, Canary Islands, Spain. <i>Parasitology Research</i> , 2019 , 118, 927-933	2.4	6
99	Screening of the pathogen box for the identification of anti- <i>Acanthamoeba</i> agents. <i>Experimental Parasitology</i> , 2019 , 201, 90-92	2.1	10
98	Spiralyde A, an Antikinetoplastid Dolabellane from the Brown Alga. <i>Marine Drugs</i> , 2019 , 17,	6	17
97	Isolation and Molecular Identification of <i>Naegleria australiensis</i> in Irrigation Water of Fuerteventura Island, Spain. <i>Acta Parasitologica</i> , 2019 , 64, 331-335	1.7	6
96	<i>Naegleria fowleri</i> . <i>Trends in Parasitology</i> , 2019 , 35, 848-849	6.4	14
95	Evaluation of Oxasqualenoids from the Red Alga against. <i>Marine Drugs</i> , 2019 , 17,	6	16
94	Evaluation of Combined Commercialized Ophthalmic Solutions Against Strains. <i>Pathogens</i> , 2019 , 8,	4.5	2
93	Antiamoebic Activities of Indolocarbazole Metabolites Isolated from Cultures. <i>Marine Drugs</i> , 2019 , 17,	6	6
92	Antioxidant and Leishmanicidal Evaluation of Root Extracts: A Bioguided Fractionation. <i>Pathogens</i> , 2019 , 8,	4.5	3
91	Optimized combinations of statins and azoles against <i>Acanthamoeba</i> trophozoites and cysts in vitro. <i>Asian Pacific Journal of Tropical Medicine</i> , 2019 , 12, 283	2.1	6
90	In vitro activity of 1H-phenalen-1-one derivatives against <i>Leishmania</i> spp. and evidence of programmed cell death. <i>Parasites and Vectors</i> , 2019 , 12, 601	4	8

89	Evaluation of the sensitivity to chlorhexidine, voriconazole and itraconazole of T4 genotype Acanthamoeba isolated from Mexico. <i>Experimental Parasitology</i> , 2019 , 197, 29-35	2.1	7
88	Detection and molecular characterization of Acanthamoeba spp. in stray cats from Madrid, Spain. <i>Experimental Parasitology</i> , 2018 , 188, 8-12	2.1	7
87	Presence of Acanthamoeba in the ocular surface in a Spanish population of contact lens wearers. <i>Acta Parasitologica</i> , 2018 , 63, 393-396	1.7	4
86	Assessment of the antiprotozoal activity of Pulicaria inuloides extracts, an Algerian medicinal plant: leishmanicidal bioguided fractionation. <i>Parasitology Research</i> , 2018 , 117, 531-537	2.4	8
85	Design, synthesis and evaluation of amino-substituted 1H-phenalen-1-ones as anti-leishmanial agents. <i>European Journal of Medicinal Chemistry</i> , 2018 , 143, 1312-1324	6.8	9
84	Toxic effects of selected proprietary dry eye drops on Acanthamoeba. <i>Scientific Reports</i> , 2018 , 8, 8520	4.9	15
83	Structure elucidation, total assignment of the H and C chemical shifts, and absolute configuration by NMR techniques of dammarane-type triterpenes from Hippocratea volubilis. <i>Magnetic Resonance in Chemistry</i> , 2018 , 56, 46-54	2.1	1
82	Anti- Activity of Brominated Sesquiterpenes from. <i>Marine Drugs</i> , 2018 , 16,	6	15
81	Leishmanicidal activity of Ebisabolol from Tunisian chamomile essential oil. <i>Parasitology Research</i> , 2018 , 117, 2855-2867	2.4	17
80	Perifosine Mechanisms of Action in Leishmania Species. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	13
79	Amoebicidal activity of Ebisabolol, the main sesquiterpene in chamomile (Matricaria recutita L.) essential oil against the trophozoite stage of Acanthamoeba castellanii Neff. <i>Acta Parasitologica</i> , 2017 , 62, 290-295	1.7	22
78	Isolation and molecular characterization of a Naegleria strain from a recreational water fountain in Tenerife, Canary Islands, Spain. <i>Acta Parasitologica</i> , 2017 , 62, 265-268	1.7	10
77	Amoebicidal Activity of Caffeine and Maslinic Acid by the Induction of Programmed Cell Death in Acanthamoeba. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	10
76	Combined effect of carnosol, rosmarinic acid and thymol on the oxidative stability of soybean oil using a simplex centroid mixture design. <i>Journal of the Science of Food and Agriculture</i> , 2017 , 97, 3300-3311	4.3	11
75	Correlation of radical-scavenging capacity and amoebicidal activity of Matricaria recutita L. (Asteraceae). <i>Experimental Parasitology</i> , 2017 , 183, 212-217	2.1	3
74	Programmed cell death in Acanthamoeba castellanii Neff induced by several molecules present in olive leaf extracts. <i>PLoS ONE</i> , 2017 , 12, e0183795	3.7	19
73	Essential oil composition and anti Acanthamoeba studies of Teucrium ramosissimum. <i>Experimental Parasitology</i> , 2017 , 183, 207-211	2.1	9
72	In vitro activity of 1H-phenalen-1-one derivatives against Acanthamoeba castellanii Neff and their mechanisms of cell death. <i>Experimental Parasitology</i> , 2017 , 183, 218-223	2.1	7

71	Amoebicidal, antimicrobial and in vitro ROS scavenging activities of Tunisian <i>Rubus ulmifolius</i> Schott, methanolic extract. <i>Experimental Parasitology</i> , 2017 , 183, 224-230	2.1	9
70	In vitro interactions of <i>Acanthamoeba castellanii</i> Neff and <i>Vibrio harveyi</i> . <i>Experimental Parasitology</i> , 2017 , 183, 167-170	2.1	6
69	Variation in <i>Campylobacter jejuni</i> culturability in presence of <i>Acanthamoeba castellanii</i> Neff. <i>Experimental Parasitology</i> , 2017 , 183, 178-181	2.1	8
68	Anti- <i>Acanthamoeba</i> activity of Tunisian <i>Thymus capitatus</i> essential oil and organic extracts. <i>Experimental Parasitology</i> , 2017 , 183, 231-235	2.1	7
67	Evaluation of the anti- <i>Acanthamoeba</i> activity of two commercial eye drops commonly used to lower eye pressure. <i>Experimental Parasitology</i> , 2017 , 183, 117-123	2.1	9
66	Chemical composition and anti- <i>Acanthamoeba</i> activity of <i>Melaleuca styphelioides</i> essential oil. <i>Experimental Parasitology</i> , 2017 , 183, 104-108	2.1	5
65	In vitro amoebicidal and antioxidant activities of some Tunisian seaweeds. <i>Experimental Parasitology</i> , 2017 , 183, 76-80	2.1	9
64	<i>Ammoides pusilla</i> (Apiaceae) essential oil: Activity against <i>Acanthamoeba castellanii</i> Neff. <i>Experimental Parasitology</i> , 2017 , 183, 99-103	2.1	4
63	High occurrence of <i>Acanthamoeba</i> genotype T4 in soil sources from Bolívar State, Venezuela. <i>Acta Parasitologica</i> , 2016 , 61, 466-70	1.7	4
62	Isolation of thermotolerant <i>Vermamoeba vermiformis</i> strains from water sources in Lanzarote Island, Canary Islands, Spain. <i>Acta Parasitologica</i> , 2016 , 61, 650-3	1.7	6
61	Genotyping of clinical isolates of <i>Acanthamoeba</i> genus in Venezuela. <i>Acta Parasitologica</i> , 2016 , 61, 796-801	1.7	8
60	<i>Acanthamoeba</i> genotypes T2, T4, and T11 in soil sources from El Hierro island, Canary Islands, Spain. <i>Parasitology Research</i> , 2016 , 115, 2953-6	2.4	11
59	Apoptotic protein profile in <i>Leishmania donovani</i> after treatment with hexaazatrinaphthylenes derivatives. <i>Experimental Parasitology</i> , 2016 , 166, 83-8	2.1	
58	Isolation and Molecular Identification of <i>Vermamoeba vermiformis</i> Strains from Soil Sources in El Hierro Island, Canary Islands, Spain. <i>Current Microbiology</i> , 2016 , 73, 104-7	2.4	7
57	Therapeutic targets and investigated treatment strategies in <i>Acanthamoeba</i> keratitis. <i>Expert Opinion on Orphan Drugs</i> , 2016 , 4, 1069-1073	1.1	1
56	<i>Balamuthia mandrillaris</i> therapeutic mud bath in Jamaica. <i>Epidemiology and Infection</i> , 2015 , 143, 2245-8	4.3	7
55	In vitro activities of hexaazatrinaphthylenes against <i>Leishmania</i> spp. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 2867-74	5.9	14
54	Molecular characterization of <i>Acanthamoeba</i> strains isolated from domestic dogs in Tenerife, Canary Islands, Spain. <i>Archives of Microbiology</i> , 2015 , 197, 639-43	3	10

53	Statins and voriconazole induce programmed cell death in <i>Acanthamoeba castellanii</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 2817-24	5.9	42
52	Isolation and molecular characterization of <i>Acanthamoeba</i> genotypes in recreational and domestic water sources from Jamaica, West Indies. <i>Journal of Water and Health</i> , 2015 , 13, 909-19	2.2	18
51	Isolation and genotyping of <i>Acanthamoeba</i> strains from soil sources from Jamaica, West Indies. <i>Journal of Eukaryotic Microbiology</i> , 2015 , 62, 416-21	3.6	18
50	Detection of <i>Acanthamoeba</i> on the ocular surface in a Spanish population using the Schirmer strip test: pathogenic potential, molecular classification and evaluation of the sensitivity to chlorhexidine and voriconazole of the isolated <i>Acanthamoeba</i> strains. <i>Journal of Medical Microbiology</i> , 2015 , 64, 849-853	3.2	22
49	Isolation and characterization of <i>Acanthamoeba</i> strains from soil samples in Gran Canaria, Canary Islands, Spain. <i>Parasitology Research</i> , 2014 , 113, 1383-8	2.4	37
48	Genotyping of potentially pathogenic <i>Acanthamoeba</i> strains isolated from nasal swabs of healthy individuals in Peru. <i>Acta Tropica</i> , 2014 , 130, 7-10	3.2	19
47	Voriconazole as a first-line treatment against potentially pathogenic <i>Acanthamoeba</i> strains from Peru. <i>Parasitology Research</i> , 2014 , 113, 755-9	2.4	33
46	Activity of olive leaf extracts against the promastigote stage of <i>Leishmania</i> species and their correlation with the antioxidant activity. <i>Experimental Parasitology</i> , 2014 , 141, 106-11	2.1	24
45	Isolation and molecular characterization of <i>Acanthamoeba</i> and <i>Balamuthia mandrillaris</i> from combination shower units in Costa Rica. <i>Parasitology Research</i> , 2014 , 113, 4117-22	2.4	16
44	Presence of potentially pathogenic free-living amoebae strains from well water samples in Guinea-Bissau. <i>Pathogens and Global Health</i> , 2014 , 108, 206-11	3.1	24
43	In vitro effects of triterpenic acids from olive leaf extracts on the mitochondrial membrane potential of promastigote stage of <i>Leishmania</i> spp. <i>Phytomedicine</i> , 2014 , 21, 1689-94	6.5	22
42	A multisystemic <i>Acanthamoeba</i> infection in a dog in Tenerife, Canary Islands, Spain. <i>Veterinary Parasitology</i> , 2014 , 205, 707-11	2.8	11
41	The isolation of <i>Balamuthia mandrillaris</i> from environmental sources from Peru. <i>Parasitology Research</i> , 2014 , 113, 2509-13	2.4	22
40	Bioassay guided isolation and identification of anti- <i>Acanthamoeba</i> compounds from Tunisian olive leaf extracts. <i>Experimental Parasitology</i> , 2014 , 145 Suppl, S111-4	2.1	20
39	PrestoBlue [®] and AlamarBlue [®] are equally useful as agents to determine the viability of <i>Acanthamoeba</i> trophozoites. <i>Experimental Parasitology</i> , 2014 , 145 Suppl, S69-72	2.1	11
38	Endosymbiotic <i>Mycobacterium chelonae</i> in a <i>Vermamoeba vermiformis</i> strain isolated from the nasal mucosa of an HIV patient in Lima, Peru. <i>Experimental Parasitology</i> , 2014 , 145 Suppl, S127-30	2.1	16
37	Antiprotozoan lead discovery by aligning dry and wet screening: prediction, synthesis, and biological assay of novel quinoxalinones. <i>Bioorganic and Medicinal Chemistry</i> , 2014 , 22, 1568-85	3.4	9
36	<i>Balamuthia mandrillaris</i> in South America: an emerging potential hidden pathogen in Per ^u . <i>Experimental Parasitology</i> , 2014 , 145 Suppl, S10-9	2.1	10

35	Evaluation of Acanthamoeba myosin-IC as a potential therapeutic target. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 2150-5	5.9	5
34	Evaluation of the in vitro activity of commercially available moxifloxacin and voriconazole eye-drops against clinical strains of Acanthamoeba. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2013 , 251, 2111-7	3.8	33
33	Activity assessment of Tunisian olive leaf extracts against the trophozoite stage of Acanthamoeba. <i>Parasitology Research</i> , 2013 , 112, 2825-9	2.4	15
32	Acanthamoeba keratitis: an emerging disease gathering importance worldwide?. <i>Trends in Parasitology</i> , 2013 , 29, 181-7	6.4	177
31	Is Balamuthia mandrillaris a public health concern worldwide?. <i>Trends in Parasitology</i> , 2013 , 29, 483-8	6.4	34
30	Inhibition of 3-hydroxy-3-methylglutaryl-coenzyme A reductase and application of statins as a novel effective therapeutic approach against Acanthamoeba infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 375-81	5.9	35
29	Co-isolation of Vahlkampfia and acanthamoeba in acanthamoeba-like keratitis in a Spanish population. <i>Cornea</i> , 2013 , 32, 608-14	3.1	9
28	Successful monitoring and treatment of intraocular dissemination of acanthamoeba. <i>JAMA Ophthalmology</i> , 2012 , 130, 1474-5		31
27	Acanthamoeba belonging to T3, T4, and T11: genotypes isolated from air-conditioning units in Santiago, Chile. <i>Journal of Eukaryotic Microbiology</i> , 2011 , 58, 542-4	3.6	22
26	Leishmanicidal and reversal multidrug resistance constituents from Aeonium lindleyi. <i>Planta Medica</i> , 2011 , 77, 77-80	3.1	14
25	Acanthamoeba spp.: in vitro effects of clinical isolates on murine macrophages, osteosarcoma and HeLa cells. <i>Experimental Parasitology</i> , 2010 , 126, 85-8	2.1	5
24	Acanthamoeba castellanii Neff: In vitro activity against the trophozoite stage of a natural sesquiterpene and a synthetic cobalt(II)-lapachol complex. <i>Experimental Parasitology</i> , 2010 , 126, 106-8	2.1	24
23	Acanthamoeba spp.: efficacy of Bioclen FR One Step, a povidone-iodine based system for the disinfection of contact lenses. <i>Experimental Parasitology</i> , 2010 , 126, 109-12	2.1	13
22	Synthesis and in vitro antiprotozoal evaluation of substituted phenalenone analogues. <i>Bioorganic and Medicinal Chemistry</i> , 2010 , 18, 4530-4	3.4	25
21	In vivo activity of perifosine against Leishmania amazonensis. <i>Acta Tropica</i> , 2008 , 108, 20-5	3.2	14
20	The potential pathogenicity of chlorhexidine-sensitive Acanthamoeba strains isolated from contact lens cases from asymptomatic individuals in Tenerife, Canary Islands, Spain. <i>Journal of Medical Microbiology</i> , 2008 , 57, 1399-1404	3.2	67
19	Anti-leishmanial Activity of Justicidone and its Synthetic Precursors. <i>Natural Product Communications</i> , 2007 , 2, 1934578X0700200	0.9	
18	In vitro activity of perifosine: a novel alkylphospholipid against the promastigote stage of Leishmania species. <i>Parasitology Research</i> , 2007 , 100, 1155-7	2.4	30

17	Leishmanicidal constituents from the leaves of <i>Piper rusbyi</i> . <i>Planta Medica</i> , 2007 , 73, 206-11	3.1	32
16	Natural infection of <i>Lutzomyia neivai</i> with <i>Leishmania</i> spp. in northwestern Argentina. <i>Acta Tropica</i> , 2006 , 98, 1-5	3.2	64
15	New administration model of trans-chalcone biodegradable polymers for the treatment of experimental leishmaniasis. <i>Acta Tropica</i> , 2006 , 98, 59-65	3.2	27
14	Electrostatic interactions of charged dipolar proteins in reverse micelles. <i>Journal of Chemical Physics</i> , 2004 , 120, 11941-7	3.9	5
13	Fungus-elicited metabolites from plants as an enriched source for new leishmanicidal agents: antifungal phenyl-phenalenone phytoalexins from the banana plant (<i>Musa acuminata</i>) target mitochondria of <i>Leishmania donovani</i> promastigotes. <i>Antimicrobial Agents and Chemotherapy</i> , 2004 , 48, 1534-40	5.9	46
12	Advances in leishmaniasis chemotherapy and new relevant patents. <i>Expert Opinion on Therapeutic Patents</i> , 2004 , 14, 1113-1123	6.8	5
11	Parasitic helminths of the wild rabbit, <i>Oryctolagus cuniculus</i> , in different bioclimatic zones in Tenerife, Canary Islands. <i>Journal of Helminthology</i> , 2003 , 77, 305-9	1.6	8
10	Antileishmanial activities of dihydrochalcones from piper elongatum and synthetic related compounds. Structural requirements for activity. <i>Bioorganic and Medicinal Chemistry</i> , 2003 , 11, 3975-80	3.4	80
9	Development of a rapid polymerase chain reaction-ELISA assay using polystyrene beads for the detection of <i>Toxoplasma gondii</i> DNA. <i>Letters in Applied Microbiology</i> , 2003 , 36, 30-4	2.9	3
8	Cloning and characterization of the <i>Leishmania</i> (<i>Viannia</i>) <i>braziliensis</i> Hsp70 gene. Diagnostic use of the C-terminal fragment rLb70(513-663). <i>Journal of Parasitology</i> , 2003 , 89, 372-8	0.9	14
7	RAPD method useful for distinguishing <i>Leishmania</i> species: design of specific primers for <i>L. braziliensis</i> . <i>Parasitology</i> , 2003 , 127, 513-7	2.7	25
6	Antigenicity of <i>Leishmania braziliensis</i> histone H1 during cutaneous leishmaniasis: localization of antigenic determinants. <i>Vaccine Journal</i> , 2002 , 9, 808-11		9
5	Antimicrobial terpenoids from the oleoresin of the Peruvian medicinal plant <i>Copaifera paupera</i> . <i>Planta Medica</i> , 2002 , 68, 808-12	3.1	54
4	Analysis of NLS and rRNA binding motifs in the L25 ribosomal protein from <i>Leishmania</i> (<i>viannia</i>) <i>braziliensis</i> : investigation of its diagnostic capabilities. <i>Parasitology</i> , 2002 , 125, 51-7	2.7	39
3	Small-Scale Isolation of High Molecular Weight DNA from <i>Leishmania braziliensis</i> . <i>Journal of Parasitology</i> , 2000 , 86, 844	0.9	
2	Small-scale isolation of high molecular weight DNA from <i>Leishmania braziliensis</i> . <i>Journal of Parasitology</i> , 2000 , 86, 844-6	0.9	1
1	PCR-ELISA for diagnosis of mucocutaneous leishmaniasis. <i>Acta Tropica</i> , 1999 , 73, 21-9	3.2	22