

C E Poli De Figueiredo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5905289/publications.pdf>

Version: 2024-02-01

96
papers

1,633
citations

331259

21
h-index

360668

35
g-index

99
all docs

99
docs citations

99
times ranked

2293
citing authors

#	ARTICLE	IF	CITATIONS
1	Diretrizes Brasileiras de Hipertensão Arterial – 2020. Arquivos Brasileiros De Cardiologia, 2021, 116, 516-658.	0.3	340
2	Efficacy of Oral Sildenafil in Hemodialysis Patients with Erectile Dysfunction. Journal of the American Society of Nephrology: JASN, 2002, 13, 2770-2775.	3.0	66
3	N-acetylcysteine does not prevent contrast induced nephropathy after cardiac catheterisation with an ionic low osmolality contrast medium: a multicentre clinical trial. Heart, 2005, 91, 774-778.	1.2	66
4	Impact of patient training patterns on peritonitis rates in a large national cohort study. Nephrology Dialysis Transplantation, 2015, 30, 137-142.	0.4	57
5	Comparison of the Schwartz and CKD-EPI Equations for Estimating Glomerular Filtration Rate in Children, Adolescents, and Adults: A Retrospective Cross-Sectional Study. PLoS Medicine, 2016, 13, e1001979.	3.9	56
6	Mean Platelet Volume and Immature Platelet Fraction in Autoimmune Disorders. Frontiers in Medicine, 2017, 4, 146.	1.2	39
7	Is depression a risk factor for mortality in chronic hemodialysis patients?. Revista Brasileira De Psiquiatria, 2008, 30, 99-103.	0.9	38
8	Angiotensin-converting enzyme gene polymorphism in preeclampsia and normal pregnancy. American Journal of Obstetrics and Gynecology, 2004, 191, 821-824.	0.7	32
9	Quality of life and sexuality in chronic dialysis female patients. International Journal of Impotence Research, 2006, 18, 539-543.	1.0	32
10	Association of Proteinuria Threshold in Pre-Eclampsia with Maternal and Perinatal Outcomes: A Nested Case Control Cohort of High Risk Women. PLoS ONE, 2013, 8, e76083.	1.1	32
11	Placental expression of eNOS, iNOS and the major protein components of caveolae in women with pre-eclampsia. Placenta, 2015, 36, 607-610.	0.7	32
12	Depressive symptoms and kidney transplant outcome. Transplantation Proceedings, 2001, 33, 3424.	0.3	30
13	Predictors of employment after successful kidney transplantation – a population-based study. Clinical Transplantation, 2008, 22, 405-410.	0.8	28
14	Prevention of hypertension in patients with pre-hypertension: protocol for the PREVER-prevention trial. Trials, 2011, 12, 65.	0.7	26
15	Is the atherosclerotic phenotype of preeclamptic placentas due to altered lipoprotein concentrations and placental lipoprotein receptors? Role of a small-for-gestational-age phenotype. Journal of Lipid Research, 2013, 54, 2658-2664.	2.0	25
16	Immature platelet fraction in hypertensive pregnancy. Platelets, 2016, 27, 333-337.	1.1	24
17	Matrix Metalloproteinase (MMP)-2 Genetic Variants Modify the Circulating MMP-2 Levels in End-Stage Kidney Disease. American Journal of Nephrology, 2012, 35, 209-215.	1.4	23
18	Depression, anxiety and adjustment in renal replacement therapy: a quality of life assessment. Clinical Nephrology, 2001, 56, 387-90.	0.4	23

#	ARTICLE	IF	CITATIONS
19	Effect of hemodiafiltration on measured physical activity: primary results of the HDFIT randomized controlled trial. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1057-1070.	0.4	22
20	Cardiovascular Risk Factors and Carotid Intima-Media Thickness in Asymptomatic Children. <i>Pediatric Cardiology</i> , 2009, 30, 1055-1060.	0.6	21
21	Salt taste sensitivity threshold and exercise-induced hypertension. <i>Appetite</i> , 2009, 52, 609-613.	1.8	21
22	Blood-Brain Barrier Breakdown in Reduced Uterine Perfusion Pressure: A Possible Model of Posterior Reversible Encephalopathy Syndrome. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 2075-2079.	0.7	21
23	Endocan-1 concentrations in maternal and fetal plasma and placenta in pre-eclampsia in the third trimester of pregnancy. <i>Cytokine</i> , 2015, 74, 152-156.	1.4	21
24	Workplace stress in nursing workers from an emergency hospital: Job Stress Scale analysis. <i>Revista Latino-Americana De Enfermagem</i> , 2011, 19, 1122-1131.	0.4	20
25	Posterior reversible encephalopathy syndrome: differences between pregnant and non-pregnant patients. <i>Neurology International</i> , 2014, 6, 5376.	1.3	20
26	Factors Associated With Delayed Graft Function and Their Influence on Outcomes of Kidney Transplantation. <i>Transplantation Proceedings</i> , 2016, 48, 2267-2271.	0.3	20
27	Does Uric Acid Provide Information About Maternal Condition and Fetal Outcome in Pregnant Women with Hypertension?. <i>Hypertension in Pregnancy</i> , 2008, 27, 413-420.	0.5	18
28	Modulation of Na-H antiporter activity in human lymphoblasts by altered membrane cholesterol. <i>American Journal of Physiology - Cell Physiology</i> , 1991, 261, C1138-C1142.	2.1	17
29	Maternal medicine: Increased serum phosphodiesterase activity in women with pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2006, 113, 577-579.	1.1	17
30	Acute Renal Failure Needing Dialysis in the Intensive Care Unit and Prognostic Scores. <i>Renal Failure</i> , 2004, 26, 59-68.	0.8	16
31	Effect of Fructose-1,6-bisphosphate on the Nephrotoxicity Induced by Cisplatin in Rats. <i>Inflammation</i> , 2011, 34, 67-71.	1.7	16
32	Imbalanced Matrix Metalloproteinases in Cardiovascular Complications of End-Stage Kidney Disease: A Potential Pharmacological Target. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2012, 110, 409-415.	1.2	16
33	Effect of cell age on erythrocyte choline transport: implications for the increased choline permeability of malaria-infected erythrocytes. <i>Biochemical Journal</i> , 1992, 283, 617-619.	1.7	14
34	Two Variable Sodium Profiles and Adverse Effects During Hemodialysis: A Randomized Crossover Study. <i>Therapeutic Apheresis and Dialysis</i> , 2010, 14, 328-333.	0.4	14
35	l-Arginine erythrocyte transport in normal pregnant and preeclamptic women. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 190, 468-471.	0.7	13
36	Validade preditiva de instrumento para identificaçŁo do idoso em risco de hospitalizaçŁo. <i>Revista De Saude Publica</i> , 2011, 45, 106-112.	0.7	13

#	ARTICLE	IF	CITATIONS
37	Acute Graft Pyelonephritis Occurring up to 30 Days After Kidney Transplantation: Epidemiology, Risk Factors, and Survival. <i>Transplantation Proceedings</i> , 2016, 48, 2298-2300.	0.3	13
38	Serum nitrate and NOx levels in preeclampsia are higher than in normal pregnancy. <i>Hypertension in Pregnancy</i> , 2016, 35, 226-233.	0.5	13
39	The Influence of Glucose Exposure Load and Peritoneal Membrane Transport on Body Composition and Nutritional Status Changes after 1 Year on Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2017, 37, 458-463.	1.1	13
40	Achieving high convective volume in hemodiafiltration: Lessons learned after successful implementation in the HDFit trial. <i>Hemodialysis International</i> , 2021, 25, 50-59.	0.4	13
41	Functional matrix metalloproteinase (MMP)-9 genetic variants modify the effects of hemodialysis on circulating MMP-9 levels. <i>Clinica Chimica Acta</i> , 2012, 414, 46-51.	0.5	12
42	Nutritional Status Evaluated by Multi-Frequency Bioimpedance Is Not Associated With Quality of Life or Depressive Symptoms in Hemodialysis Patients. <i>Therapeutic Apheresis and Dialysis</i> , 2011, 15, 58-65.	0.4	11
43	Hand Hygiene in Peritoneal Dialysis Patients: A Comparison of Two Techniques. <i>Peritoneal Dialysis International</i> , 2013, 33, 655-661.	1.1	11
44	Evaluation of Body Composition and Fluid Volume Using a Body Composition Monitor: Does Intraperitoneal Fluid Matter?. <i>Peritoneal Dialysis International</i> , 2014, 34, 456-458.	1.1	10
45	Increased proteinuria and uric acid levels are associated with eclamptic crisis. <i>Pregnancy Hypertension</i> , 2019, 15, 93-97.	0.6	10
46	Capítulo 9 - Hipertensão Arterial na gestação. <i>Arquivos Brasileiros De Cardiologia</i> , 2016, 107, 49-52.	0.3	10
47	Erythrocyte choline uptake after renal transplantation. <i>Lancet, The</i> , 1992, 339, 146-148.	6.3	9
48	Endothelial Nitric Oxide Genotypes and Haplotypes Are Not Associated with End-Stage Renal Disease. <i>DNA and Cell Biology</i> , 2011, 30, 55-59.	0.9	9
49	Design and methodology of the impact of HemoDiaFiltration on physical activity and self-reported outcomes: a randomized controlled trial (HDFIT trial) in Brazil. <i>BMC Nephrology</i> , 2019, 20, 98.	0.8	9
50	Effect of Hemodiafiltration on Self-Reported Sleep Duration: Results from a Randomized Controlled Trial. <i>Blood Purification</i> , 2020, 49, 168-177.	0.9	9
51	Peritonitis prevention in CAPD: to mask or not?. <i>Peritoneal Dialysis International</i> , 2000, 20, 354-8.	1.1	9
52	Time interval between pairs of arterial blood pressure measurements – Does it matter?. <i>American Journal of Hypertension</i> , 2004, 17, 194-196.	1.0	8
53	Phosphodiesterase Inhibition in the Treatment of Preeclampsia: What Is New?. <i>Current Hypertension Reports</i> , 2018, 20, 83.	1.5	8
54	[Flow-mediated dilatation in the differential diagnosis of preeclampsia syndrome]. <i>Arquivos Brasileiros De Cardiologia</i> , 2010, 94, 182-6, 195-200, 185-9.	0.3	8

#	ARTICLE	IF	CITATIONS
55	A comparison between diuretics and angiotensin-receptor blocker agents in patients with stage I hypertension (PREVER-treatment trial): study protocol for a randomized double-blind controlled trial. <i>Trials</i> , 2011, 12, 53.	0.7	7
56	High-volume hemodiafiltration decreases the pre-dialysis concentrations of indoxyl sulfate and p-cresyl sulfate compared to hemodialysis: a post-hoc analysis from the HDFit randomized controlled trial. <i>Journal of Nephrology</i> , 2022, 35, 1449-1456.	0.9	7
57	Flow-mediated dilatation of brachial artery as marker of preeclampsia morbidity. <i>International Journal of Cardiology</i> , 2013, 168, 4424-4425.	0.8	6
58	Phosphodiesterases and preeclampsia. <i>Medical Hypotheses</i> , 2017, 108, 94-100.	0.8	6
59	Peritonitis in patients on peritoneal dialysis: analysis of a single Brazilian center based on the International Society for Peritoneal Dialysis. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2013, 35, 214-219.	0.4	6
60	Effect of standard and neutral-pH peritoneal dialysis solutions upon fibroblasts proliferation. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2014, 36, 150-154.	0.4	6
61	Arterial hypertension in nursing personnel of an emergency hospital. <i>International Journal of Nursing Practice</i> , 2015, 21, 433-442.	0.8	5
62	Impact of hemodialysis and post-dialysis period on granular activity levels. <i>BMC Nephrology</i> , 2020, 21, 197.	0.8	5
63	L-arginine erythrocyte transport increases during pregnancy and immediately postpartum. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 191, 572-575.	0.7	4
64	Solutes Transport Characteristics in Peritoneal Dialysis: Variations in Glucose and Insulin Serum Levels. <i>Renal Failure</i> , 2008, 30, 175-179.	0.8	4
65	Rapidly Deteriorating Kidney Function in a Young Man Previously Diagnosed with Membranous Nephropathy. <i>Nephron Clinical Practice</i> , 2010, 115, c100-c106.	2.3	4
66	Urinary protein-to-creatinine ratio versus 24-h proteinuria in the screening for nephropathy in HIV patients. <i>International Journal of STD and AIDS</i> , 2015, 26, 479-482.	0.5	4
67	Negative Correlation between Placental Growth Factor and Endocan-1 in Women with Preeclampsia. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2018, 40, 593-598.	0.3	4
68	Posterior reversible encephalopathy syndrome (PRES): Is DWI a prognosis factor?. <i>Journal of Clinical Neuroscience</i> , 2020, 72, 357-359.	0.8	4
69	Peritoneal Transport Function and Endothelium-Dependent Vasodilation. <i>Peritoneal Dialysis International</i> , 2007, 27, 203-205.	1.1	3
70	Intramuscular or Intradermal Hepatitis B Vaccine Administration in Hemodialysis Patients?. <i>American Journal of Kidney Diseases</i> , 2009, 54, 981-982.	2.1	3
71	<i>Streptococcus agalactiae</i> : A rare peritoneal infection in a continuous ambulatory peritoneal dialysis patient. <i>Renal Failure</i> , 2010, 32, 1123-1124.	0.8	3
72	Baixa resposta da vacina inatracmica contra hepatite B em pacientes incidentes em hemodilise. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2011, 33, 45-49.	0.4	3

#	ARTICLE	IF	CITATIONS
73	Immature Platelet Fraction and Thrombin Generation: Preeclampsia Biomarkers. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2022, 44, 771-775.	0.3	3
74	Low dose L-arginine reduces blood pressure and endothelin-1 production in hypertensive uraemic rats. <i>Nephrology Dialysis Transplantation</i> , 2001, 16, 2110-2111.	0.4	2
75	Angiotensin Converting Enzyme 90kDa isoform: Biomarker for diagnosis of preeclampsia?. <i>Medical Hypotheses</i> , 2014, 83, 526-529.	0.8	2
76	Patient perception of vitality and measured physical activity in patients receiving haemodialysis. <i>Nephrology</i> , 2020, 25, 865-871.	0.7	2
77	Comparison of creatinine-based equations for estimating glomerular filtration rate in deceased donor renal transplant recipients. <i>PLoS ONE</i> , 2020, 15, e0231873.	1.1	2
78	Dilatação mediada por fluxo no diagnóstico diferencial da síndrome de pré-eclâmpsia. <i>Arquivos Brasileiros De Cardiologia</i> , 2010, 94, 195-200.	0.3	2
79	Total Th1/Th2 cytokines profile from peripheral blood lymphocytes in normal pregnancy and preeclampsia syndrome. <i>Hypertension in Pregnancy</i> , 2022, 41, 15-22.	0.5	2
80	Shear wave elastography and Doppler ultrasound in kidney transplant recipients. <i>Radiologia Brasileira</i> , 2022, 55, 19-23.	0.3	2
81	Erythrocyte L-arginine uptake in peritoneal dialysis patients changes over time. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , 2007, 23, 48-50.	0.1	2
82	Effect of Radiocontrasts on Selected Membrane Transport Systems. <i>Renal Failure</i> , 2005, 27, 727-732.	0.8	1
83	Acute Renal Failure. <i>Critical Care Medicine</i> , 2006, 34, 582.	0.4	1
84	Reversible hemianopsia in postpartum due to posterior reversible encephalopathy syndrome in pregnant with late eclampsia. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2016, 38, 265-8.	0.4	1
85	Time to Positivity of Bacteria Cultures in Peritoneal Dialysis Fluid: Evaluation of Different Laboratory Techniques. <i>Peritoneal Dialysis International</i> , 2017, 37, 342-344.	1.1	1
86	Erythrocyte L-arginine uptake in peritoneal dialysis patients: systems γ and γ + L. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , 2005, 21, 2-4.	0.1	1
87	Glomerular endotheliosis in normal pregnancy and pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004, 111, 192-193.	1.1	0
88	Effects of β -lactam antibiotics and L-arginine in the treatment of experimental sepsis in rats. <i>International Journal of Antimicrobial Agents</i> , 2006, 28, 478-480.	1.1	0
89	Critically Ill Patients and Acute Renal Failure. <i>JAMA - Journal of the American Medical Association</i> , 2006, 295, 624-624.	3.8	0
90	Episcleris, arthrofasciitis and hypereosinophilia: primary hypereosinophilic syndrome or atypical Wegener's granulomatosis?. <i>Rheumatology International</i> , 2007, 28, 89-90.	1.5	0

#	ARTICLE	IF	CITATIONS
91	Erythrocytes l-Arginine γ + Transporter Inhibition by N-Ethylmaleimide in Ice-bath. Cell Biochemistry and Biophysics, 2010, 58, 69-73.	0.9	0
92	Small solutes peritoneal membrane transport and endothelial function. Nephrology Dialysis Transplantation, 2010, 25, 2037-2038.	0.4	0
93	Using the Reduced Uterine Perfusion Pressure model of preeclampsia to study the blood brain barrier permeability. Scientia Medica, 2018, 28, 29631.	0.1	0
94	BLOOD PRESSURE VARIATION AND EXERCISE INDUCED HYPERTENSION IN NORMOTENSIVE INDIVIDUALS. Journal of Hypertension, 2004, 22, S136.	0.3	0
95	SALT TASTE SENSITIVITY AND EXERCISE-INDUCED HYPERTENSION. Journal of Hypertension, 2004, 22, S208.	0.3	0
96	SALT TAST SENSITIVITY IN NORMOTENSIVE INDIVIDUALS. Journal of Hypertension, 2004, 22, S191.	0.3	0