

# C E Poli De Figueiredo

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5905289/c-e-poli-de-figueiredo-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91  
papers

1,021  
citations

19  
h-index

26  
g-index

99  
ext. papers

1,301  
ext. citations

3.5  
avg, IF

3.79  
L-index

#	Paper	IF	Citations
91	Shear wave elastography and Doppler ultrasound in kidney transplant recipients.. <i>Radiologia Brasileira</i> , <b>2022</b> , 55, 19-23	1.7	
90	High-volume hemodiafiltration decreases the pre-dialysis concentrations of indoxyl sulfate and p-cresyl sulfate compared to hemodialysis: a post-hoc analysis from the HDFit randomized controlled trial.. <i>Journal of Nephrology</i> , <b>2022</b> , 1	4.8	0
89	Total Th1/Th2 cytokines profile from peripheral blood lymphocytes in normal pregnancy and preeclampsia syndrome. <i>Hypertension in Pregnancy</i> , <b>2021</b> , 1-8	2	0
88	Brazilian Guidelines of Hypertension - 2020. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2021</b> , 116, 516-658	1.2	53
87	Achieving high convective volume in hemodiafiltration: Lessons learned after successful implementation in the HDFit trial. <i>Hemodialysis International</i> , <b>2021</b> , 25, 50-59	1.7	3
86	Effect of hemodiafiltration on measured physical activity: primary results of the HDFIT´ randomized controlled trial. <i>Nephrology Dialysis Transplantation</i> , <b>2021</b> , 36, 1057-1070	4.3	9
85	Impact of hemodialysis and post-dialysis period on granular activity levels. <i>BMC Nephrology</i> , <b>2020</b> , 21, 197	2.7	2
84	Comparison of creatinine-based equations for estimating glomerular filtration rate in deceased donor renal transplant recipients. <i>PLoS ONE</i> , <b>2020</b> , 15, e0231873	3.7	0
83	Posterior reversible encephalopathy syndrome (PRES): Is DWI a prognosis factor?. <i>Journal of Clinical Neuroscience</i> , <b>2020</b> , 72, 357-359	2.2	2
82	Effect of Hemodiafiltration on Self-Reported Sleep Duration: Results from a Randomized Controlled Trial. <i>Blood Purification</i> , <b>2020</b> , 49, 168-177	3.1	3
81	Patient perception of vitality and measured physical activity in patients receiving haemodialysis. <i>Nephrology</i> , <b>2020</b> , 25, 865-871	2.2	0
80	Increased proteinuria and uric acid levels are associated with eclamptic crisis. <i>Pregnancy Hypertension</i> , <b>2019</b> , 15, 93-97	2.6	6
79	Design and methodology of the impact of HemoDiaFILTration on physical activity and self-reported outcomes: a randomized controlled trial (HDFIT trial) in Brazil. <i>BMC Nephrology</i> , <b>2019</b> , 20, 98	2.7	6
78	Phosphodiesterase Inhibition in the Treatment of Preeclampsia: What Is New?. <i>Current Hypertension Reports</i> , <b>2018</b> , 20, 83	4.7	5
77	Using the Reduced Uterine Perfusion Pressure model of preeclampsia to study the blood brain barrier permeability. <i>Scientia Medica</i> , <b>2018</b> , 28, 29631	0.3	
76	Negative Correlation between Placental Growth Factor and Endocan-1 in Women with Preeclampsia. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , <b>2018</b> , 40, 593-598	1.1	3
75	The Influence of Glucose Exposure Load and Peritoneal Membrane Transport on Body Composition and Nutritional Status Changes after 1 Year on Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , <b>2017</b> , 37, 458-463	2.8	9

74	Time to Positivity of Bacteria Cultures in Peritoneal Dialysis Fluid: Evaluation of Different Laboratory Techniques. <i>Peritoneal Dialysis International</i> , <b>2017</b> , 37, 342-344	2.8	1
73	Phosphodiesterases and preeclampsia. <i>Medical Hypotheses</i> , <b>2017</b> , 108, 94-100	3.8	3
72	Mean Platelet Volume and Immature Platelet Fraction in Autoimmune Disorders. <i>Frontiers in Medicine</i> , <b>2017</b> , 4, 146	4.9	24
71	Factors Associated With Delayed Graft Function and Their Influence on Outcomes of Kidney Transplantation. <i>Transplantation Proceedings</i> , <b>2016</b> , 48, 2267-2271	1.1	13
70	Acute Graft Pyelonephritis Occurring up to 30 Days After Kidney Transplantation: Epidemiology, Risk Factors, and Survival. <i>Transplantation Proceedings</i> , <b>2016</b> , 48, 2298-2300	1.1	11
69	Immature platelet fraction in hypertensive pregnancy. <i>Platelets</i> , <b>2016</b> , 27, 333-7	3.6	19
68	Serum nitrate and NOx levels in preeclampsia are higher than in normal pregnancy. <i>Hypertension in Pregnancy</i> , <b>2016</b> , 35, 226-33	2	10
67	7th Brazilian Guideline of Arterial Hypertension: Chapter 9 - Arterial Hypertension in pregnancy. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2016</b> , 107, 49-52	1.2	6
66	Reversible hemianopsia in postpartum due to posterior reversible encephalopathy syndrome in pregnant with late eclampsia. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , <b>2016</b> , 38, 265-8	1.5	1
65	Comparison of the Schwartz and CKD-EPI Equations for Estimating Glomerular Filtration Rate in Children, Adolescents, and Adults: A Retrospective Cross-Sectional Study. <i>PLoS Medicine</i> , <b>2016</b> , 13, e1001979	11.6	39
64	Placental expression of eNOS, iNOS and the major protein components of caveolae in women with pre-eclampsia. <i>Placenta</i> , <b>2015</b> , 36, 607-10	3.4	30
63	Impact of patient training patterns on peritonitis rates in a large national cohort study. <i>Nephrology Dialysis Transplantation</i> , <b>2015</b> , 30, 137-42	4.3	38
62	Endocan-1 concentrations in maternal and fetal plasma and placentae in pre-eclampsia in the third trimester of pregnancy. <i>Cytokine</i> , <b>2015</b> , 74, 152-6	4	16
61	Arterial hypertension in nursing personnel of an emergency hospital. <i>International Journal of Nursing Practice</i> , <b>2015</b> , 21, 433-42	2.3	3
60	Urinary protein-to-creatinine ratio versus 24-h proteinuria in the screening for nephropathy in HIV patients. <i>International Journal of STD and AIDS</i> , <b>2015</b> , 26, 479-82	1.4	3
59	Angiotensin Converting Enzyme 90 kDa isoform: Biomarker for diagnosis of preeclampsia?. <i>Medical Hypotheses</i> , <b>2014</b> , 83, 526-9	3.8	1
58	Blood-brain barrier breakdown in reduced uterine perfusion pressure: a possible model of posterior reversible encephalopathy syndrome. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2014</b> , 23, 2075-2079	2.8	17
57	Evaluation of body composition and fluid volume using a body composition monitor: does intraperitoneal fluid matter?. <i>Peritoneal Dialysis International</i> , <b>2014</b> , 34, 456-8	2.8	9

56	Posterior reversible encephalopathy syndrome: differences between pregnant and non-pregnant patients. <i>Neurology International</i> , <b>2014</b> , 6, 5376	1.2	19
55	Effect of standard and neutral-pH peritoneal dialysis solutions upon fibroblasts proliferation. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , <b>2014</b> , 36, 150-4	1.5	3
54	Flow-mediated dilatation of brachial artery as marker of preeclampsia morbidity. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 4424-5	3.2	5
53	Hand hygiene in peritoneal dialysis patients: a comparison of two techniques. <i>Peritoneal Dialysis International</i> , <b>2013</b> , 33, 655-61	2.8	6
52	Is the atherosclerotic phenotype of preeclamptic placentas due to altered lipoprotein concentrations and placental lipoprotein receptors? Role of a small-for-gestational-age phenotype. <i>Journal of Lipid Research</i> , <b>2013</b> , 54, 2658-64	6.3	19
51	Association of proteinuria threshold in pre-eclampsia with maternal and perinatal outcomes: a nested case control cohort of high risk women. <i>PLoS ONE</i> , <b>2013</b> , 8, e76083	3.7	23
50	Peritonitis in patients on peritoneal dialysis: analysis of a single Brazilian center based on the International Society for Peritoneal Dialysis. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , <b>2013</b> , 35, 214-9	1.5	5
49	Imbalanced matrix metalloproteinases in cardiovascular complications of end-stage kidney disease: a potential pharmacological target. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2012</b> , 110, 409-15	3.1	14
48	Functional matrix metalloproteinase (MMP)-9 genetic variants modify the effects of hemodialysis on circulating MMP-9 levels. <i>Clinica Chimica Acta</i> , <b>2012</b> , 414, 46-51	6.2	11
47	Matrix metalloproteinase (MMP)-2 genetic variants modify the circulating MMP-2 levels in end-stage kidney disease. <i>American Journal of Nephrology</i> , <b>2012</b> , 35, 209-15	4.6	20
46	Prevention of hypertension in patients with pre-hypertension: protocol for the PREVER-prevention trial. <i>Trials</i> , <b>2011</b> , 12, 65	2.8	20
45	Baixa resposta da vacina <sup>®</sup> intrad <sup>®</sup> mica contra hepatite B em pacientes incidentes em hemodi <sup>®</sup> lise. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , <b>2011</b> , 33, 45-49	1.5	2
44	Predictive validity of a questionnaire to identify older adults at risk for hospitalization. <i>Revista De Saude Publica</i> , <b>2011</b> , 45, 106-12	2.4	8
43	Workplace stress in nursing workers from an emergency hospital: Job Stress Scale analysis. <i>Revista Latino-Americana De Enfermagem</i> , <b>2011</b> , 19, 1122-31	1.5	12
42	Nutritional status evaluated by multi-frequency bioimpedance is not associated with quality of life or depressive symptoms in hemodialysis patients. <i>Therapeutic Apheresis and Dialysis</i> , <b>2011</b> , 15, 58-65	1.9	7
41	Effect of fructose-1,6-bisphosphate on the nephrotoxicity induced by cisplatin in rats. <i>Inflammation</i> , <b>2011</b> , 34, 67-71	5.1	13
40	A comparison between diuretics and angiotensin-receptor blocker agents in patients with stage I hypertension (PREVER-treatment trial): study protocol for a randomized double-blind controlled trial. <i>Trials</i> , <b>2011</b> , 12, 53	2.8	5
39	Endothelial nitric oxide genotypes and haplotypes are not associated with end-stage renal disease. <i>DNA and Cell Biology</i> , <b>2011</b> , 30, 55-9	3.6	8

38	Rapidly deteriorating kidney function in a young man previously diagnosed with membranous nephropathy. <i>Nephron Clinical Practice</i> , <b>2010</b> , 115, c100-6		4
37	Small solutes peritoneal membrane transport and endothelial function. <i>Nephrology Dialysis Transplantation</i> , <b>2010</b> , 25, 2037-8	4.3	
36	Streptococcus agalactiae: a rare peritoneal infection in a continuous ambulatory peritoneal dialysis patient. <i>Renal Failure</i> , <b>2010</b> , 32, 1123-4	2.9	3
35	Two variable sodium profiles and adverse effects during hemodialysis: a randomized crossover study. <i>Therapeutic Apheresis and Dialysis</i> , <b>2010</b> , 14, 328-33	1.9	12
34	Erythrocytes L-arginine y+ transporter inhibition by N-ethylmaleimide in ice-bath. <i>Cell Biochemistry and Biophysics</i> , <b>2010</b> , 58, 69-73	3.2	
33	Dilataçã mediada por fluxo no diagnõstico diferencial da sãndrome de pr-eclãmpsia. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2010</b> , 94, 195-200	1.2	2
32	[Flow-mediated dilatation in the differential diagnosis of preeclampsia syndrome]. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2010</b> , 94, 182-6, 195-200, 185-9	1.2	8
31	Intramuscular or intradermal hepatitis B vaccine administration in hemodialysis patients?. <i>American Journal of Kidney Diseases</i> , <b>2009</b> , 54, 981-2; author reply 982	7.4	2
30	Cardiovascular risk factors and carotid intima-media thickness in asymptomatic children. <i>Pediatric Cardiology</i> , <b>2009</b> , 30, 1055-60	2.1	19
29	Salt taste sensitivity threshold and exercise-induced hypertension. <i>Appetite</i> , <b>2009</b> , 52, 609-613	4.5	18
28	Predictors of employment after successful kidney transplantation - a population-based study. <i>Clinical Transplantation</i> , <b>2008</b> , 22, 405-10	3.8	25
27	Solute transport characteristics in peritoneal dialysis: variations in glucose and insulin serum levels. <i>Renal Failure</i> , <b>2008</b> , 30, 175-9	2.9	3
26	Does uric acid provide information about maternal condition and fetal outcome in pregnant women with hypertension?. <i>Hypertension in Pregnancy</i> , <b>2008</b> , 27, 413-20	2	15
25	Is depression a risk factor for mortality in chronic hemodialysis patients?. <i>Revista Brasileira De Psiquiatria</i> , <b>2008</b> , 30, 99-103	2.6	30
24	Peritoneal Transport Function and Endothelium-Dependent Vasodilation. <i>Peritoneal Dialysis International</i> , <b>2007</b> , 27, 203-205	2.8	3
23	Episcleris, arthrofasciitis and hypereosinophilia: primary hypereosinophilic syndrome or atypical Wegener's granulomatosis?. <i>Rheumatology International</i> , <b>2007</b> , 28, 89-90	3.6	
22	Erythrocyte L-arginine uptake in peritoneal dialysis patients changes over time. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , <b>2007</b> , 23, 48-50		2
21	Effects of beta-lactam antibiotics and L-arginine in the treatment of experimental sepsis in rats. <i>International Journal of Antimicrobial Agents</i> , <b>2006</b> , 28, 478-80	14.3	

20	Acute renal failure. <i>Critical Care Medicine</i> , <b>2006</b> , 34, 582; author reply 582-3	1.4	0
19	Increased serum phosphodiesterase activity in women with pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2006</b> , 113, 577-9	3.7	14
18	Quality of life and sexuality in chronic dialysis female patients. <i>International Journal of Impotence Research</i> , <b>2006</b> , 18, 539-43	2.3	26
17	Effect of radiocontrasts on selected membrane transport systems. <i>Renal Failure</i> , <b>2005</b> , 27, 727-32	2.9	1
16	N-acetylcysteine does not prevent contrast induced nephropathy after cardiac catheterisation with an ionic low osmolality contrast medium: a multicentre clinical trial. <i>Heart</i> , <b>2005</b> , 91, 774-8	5.1	51
15	Erythrocyte L-arginine uptake in peritoneal dialysis patients: systems y and y+ L. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , <b>2005</b> , 21, 2-4		1
14	Acute renal failure needing dialysis in the intensive care unit and prognostic scores. <i>Renal Failure</i> , <b>2004</b> , 26, 59-68	2.9	10
13	L-Arginine erythrocyte transport in normal pregnant and preeclamptic women. <i>American Journal of Obstetrics and Gynecology</i> , <b>2004</b> , 190, 468-71	6.4	12
12	L-arginine erythrocyte transport increases during pregnancy and immediately postpartum. <i>American Journal of Obstetrics and Gynecology</i> , <b>2004</b> , 191, 572-5	6.4	3
11	Angiotensin-converting enzyme gene polymorphism in preeclampsia and normal pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , <b>2004</b> , 191, 821-4	6.4	27
10	Glomerular endotheliosis in normal pregnancy and pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2004</b> , 111, 192-3; author reply 193-5; discussion 195	3.7	
9	Time interval between pairs of arterial blood pressure measurements--does it matter?. <i>American Journal of Hypertension</i> , <b>2004</b> , 17, 194-6	2.3	5
8	Efficacy of oral sildenafil in hemodialysis patients with erectile dysfunction. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2002</b> , 13, 2770-5	12.7	57
7	Low dose L-arginine reduces blood pressure and endothelin-1 production in hypertensive uraemic rats. <i>Nephrology Dialysis Transplantation</i> , <b>2001</b> , 16, 2110-1	4.3	1
6	Depressive symptoms and kidney transplant outcome. <i>Transplantation Proceedings</i> , <b>2001</b> , 33, 3424	1.1	28
5	Depression, anxiety and adjustment in renal replacement therapy: a quality of life assessment. <i>Clinical Nephrology</i> , <b>2001</b> , 56, 387-90	2.1	22
4	Peritonitis prevention in CAPD: to mask or not?. <i>Peritoneal Dialysis International</i> , <b>2000</b> , 20, 354-8	2.8	4
3	Effect of cell age on erythrocyte choline transport: implications for the increased choline permeability of malaria-infected erythrocytes. <i>Biochemical Journal</i> , <b>1992</b> , 283 ( Pt 2), 617-9	3.8	13

2	Erythrocyte choline uptake after renal transplantation. <i>Lancet, The</i> , <b>1992</b> , 339, 146-8	40	9
1	Modulation of Na-H antiporter activity in human lymphoblasts by altered membrane cholesterol. <i>American Journal of Physiology - Cell Physiology</i> , <b>1991</b> , 261, C1138-42	54	16