
Harald Carlsen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/59059/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A High-Fat Western Diet Attenuates Intestinal Changes in Mice with DSS-Induced Low-Grade Inflammation. Journal of Nutrition, 2022, 152, 758-769.	2.9	5
2	Comparison of the Immunogenic Properties of Lactiplantibacillus plantarum Carrying the Mycobacterial Ag85B-ESAT-6 Antigen at Various Cellular Localizations. Frontiers in Microbiology, 2022, 13, .	3.5	3
3	The ROS-generating enzyme NADPH oxidase 1 modulates the colonic microbiota but offers minor protection against dextran sulfate sodium-induced low-grade colon inflammation in mice. Free Radical Biology and Medicine, 2022, 188, 298-311.	2.9	4
4	Exploring the Therapeutic Potenital of the Leaderless Enterocins K1 and EJ97 in the Treatment of Vancomycin-Resistant Enterococcal Infection. Frontiers in Microbiology, 2021, 12, 649339.	3.5	9
5	A transgenic reporter mouse model for in vivo assessment of retinoic acid receptor transcriptional activation. International Journal for Vitamin and Nutrition Research, 2021, , 1-13.	1.5	2
6	Induction of colorectal carcinogenesis in the C57BL/6J and A/J mouse strains with a reduced DSS dose in the AOM/DSS model. Laboratory Animal Research, 2021, 37, 19.	2.5	14
7	A Strong Synergy Between the Thiopeptide Bacteriocin Micrococcin P1 and Rifampicin Against MRSA in a Murine Skin Infection Model. Frontiers in Immunology, 2021, 12, 676534.	4.8	14
8	Hybrid hydrogels for bacteriocin delivery to infected wounds. European Journal of Pharmaceutical Sciences, 2021, 166, 105990.	4.0	17
9	Naturalizing laboratory mice by housing in a farmyard-type habitat confers protection against colorectal carcinogenesis. Gut Microbes, 2021, 13, 1993581.	9.8	11
10	Temporal Dynamics of Reactive Oxygen and Nitrogen Species and NF-κB Activation During Acute and Chronic T Cell–Driven Inflammation. Molecular Imaging and Biology, 2020, 22, 504-514.	2.6	8
11	The Increasing Issue of Vancomycin-Resistant Enterococci and the Bacteriocin Solution. Probiotics and Antimicrobial Proteins, 2020, 12, 1203-1217.	3.9	22
12	Successful Development of Bacteriocins into Therapeutic Formulation for Treatment of MRSA Skin Infection in a Murine Model. Antimicrobial Agents and Chemotherapy, 2020, 64, .	3.2	34
13	Immunogenic Properties of Lactobacillus plantarum Producing Surface-Displayed Mycobacterium tuberculosis Antigens. Applied and Environmental Microbiology, 2017, 83, .	3.1	34
14	Coffee inhibits nuclear factor-kappa B in prostate cancer cells and xenografts. Journal of Nutritional Biochemistry, 2016, 27, 153-163.	4.2	15
15	Tomato Paste Alters NF-κB and Cancer-Related mRNA Expression in Prostate Cancer Cells, Xenografts, and Xenograft Microenvironment. Nutrition and Cancer, 2015, 67, 305-315.	2.0	27
16	Impaired dynamics and function of mitochondria caused by mtDNA toxicity leads to heart failure. American Journal of Physiology - Heart and Circulatory Physiology, 2015, 309, H434-H449.	3.2	38
17	Non-Classical ProIL-1beta Activation during Mammary Gland Infection Is Pathogen-Dependent but Caspase-1 Independent. PLoS ONE, 2014, 9, e105680.	2.5	33
18	No major role for the transcription factor NF-κB in bone marrow function during peritonitis in the mouse. International Journal of Hematology, 2014, 100, 111-118.	1.6	0

HARALD CARLSEN

#	Article	IF	CITATIONS
19	Electrophilic nitro-fatty acids inhibit vascular inflammation by disrupting LPS-dependent TLR4 signalling in lipid rafts. Cardiovascular Research, 2013, 98, 116-124.	3.8	98
20	Intestinal ROS is reduced in mice after fasting. FASEB Journal, 2013, 27, lb418.	0.5	0
21	NF-κB Activation Is Required for the Transition of Pulmonary Inflammation to Muscle Atrophy. American Journal of Respiratory Cell and Molecular Biology, 2012, 47, 288-297.	2.9	71
22	Reduced Retinoid Signaling in the Skin after Systemic Retinoid-X Receptor Ligand Treatment in Mice with Potential Relevance for Skin Disorders. Dermatology, 2012, 225, 304-311.	2.1	10
23	Lycopene induces retinoic acid receptor transcriptional activation in mice. Molecular Nutrition and Food Research, 2012, 56, 702-712.	3.3	29
24	NFâ€₽̂B Activity in Perinatal Brain During Infectious and Hypoxicâ€Ischemic Insults Revealed by a Reporter Mouse. Brain Pathology, 2012, 22, 499-510.	4.1	15
25	A Novel Mouse Model for Multiple Myeloma (MOPC315.BM) That Allows Noninvasive Spatiotemporal Detection of Osteolytic Disease. PLoS ONE, 2012, 7, e51892.	2.5	61
26	Hyperactivation of NF-κB via the MEK signaling is indispensable for the inhibitory effect of cAMP on DNA damage-induced cell death. Molecular Cancer, 2011, 10, 45.	19.2	14
27	Adjuvant System AS03 containing $\hat{l}\pm$ -tocopherol modulates innate immune response and leads to improved adaptive immunity. Vaccine, 2011, 29, 2461-2473.	3.8	396
28	Coffee, broccoli and spices are strong inducers of electrophile response elementâ€dependent transcription <i>in vitro</i> and <i>in vivo</i> – Studies in electrophile response element transgenic mice. Molecular Nutrition and Food Research, 2011, 55, 185-197.	3.3	74
29	In vivo Imaging of Antioxidant Effects on NF- $\hat{I}^{ ext{PB}}$ Activity in Reporter Mice. , 2011, , 157-184.		0
30	Molecular imaging of transcriptional regulation during inflammation. Journal of Inflammation, 2010, 7, 20.	3.4	14
31	YIA4 C Jun N-terminal kinase promotes endothelial activation at atherosclerosis-susceptible sites by enhancing expression of NF-ÅB transcription factors. Heart, 2010, 96, e10-e10.	2.9	0
32	Mitochondrial DNA Toxicity in Forebrain Neurons Causes Apoptosis, Neurodegeneration, and Impaired Behavior. Molecular and Cellular Biology, 2010, 30, 1357-1367.	2.3	50
33	The PXR is a drug target for chronic inflammatory liver disease. Journal of Steroid Biochemistry and Molecular Biology, 2010, 120, 137-148.	2.5	68
34	Dietary (1→3), (1→4)-β-d-glucans from oat activate nuclear factor-κB in intestinal leukocytes and enterocytes from mice. Nutrition Research, 2010, 30, 40-48.	2.9	44
35	Activation of Nrf2 in Endothelial Cells Protects Arteries From Exhibiting a Proinflammatory State. Arteriosclerosis, Thrombosis, and Vascular Biology, 2009, 29, 1851-1857.	2.4	216
36	Cardioprotection by hypoxia-inducible factor 1 alpha transfection in skeletal muscle is dependent on haem oxygenase activity in mice. Cardiovascular Research, 2009, 82, 107-114.	3.8	39

HARALD CARLSEN

#	Article	IF	CITATIONS
37	In vivo imaging of reactive oxygen and nitrogen species in inflammation using the luminescent probe L-012. Free Radical Biology and Medicine, 2009, 47, 760-766.	2.9	152
38	Diet-induced obesity increases NF-κB signaling in reporter mice. Genes and Nutrition, 2009, 4, 215-222.	2.5	96
39	Retinoic acid inhibits <i>in vivo</i> interleukinâ€2 gene expression and Tâ€cell activation in mice. Immunology, 2009, 126, 514-522.	4.4	15
40	Retinoic acid dampens LPS-induced NF-κB activity: results from human monoblasts and in vivo imaging of NF-κB reporter mice. Journal of Nutritional Biochemistry, 2009, 20, 726-734.	4.2	59
41	ASO4, an Aluminum Salt- and TLR4 Agonist-Based Adjuvant System, Induces a Transient Localized Innate Immune Response Leading to Enhanced Adaptive Immunity. Journal of Immunology, 2009, 183, 6186-6197.	0.8	615
42	Tracking Early Autoimmune Disease by Bioluminescent Imaging of NF-κB Activation Reveals Pathology in Multiple Organ Systems. American Journal of Pathology, 2009, 174, 1358-1367.	3.8	26
43	Dietary polyphenols identified as intracellular protein kinase A inhibitors. European Journal of Nutrition, 2008, 47, 460-469.	3.9	11
44	Molecular imaging of NFâ€kappaB in prostate tissue after systemic administration of ILâ€1β. Prostate, 2008, 68, 34-41.	2.3	27
45	In vivo imaging of NF-κB activity during Escherichia coli-induced mammary gland infection. Cellular Microbiology, 2008, 10, 1249-1258.	2.1	29
46	Antioxidant Activity in the Newborn Brain: A Luciferase Mouse Model. Neonatology, 2008, 93, 125-131.	2.0	16
47	Hepatic Nuclear Factor κB Regulates Neutrophil Recruitment to the Injured Brain. Journal of Neuropathology and Experimental Neurology, 2008, 67, 223-230.	1.7	63
48	Noninvasive in Vivo Imaging of Protein Kinase a Activity. Molecular Imaging, 2008, 7, 7290.2008.0005.	1.4	6
49	Noninvasive in vivo imaging of protein kinase A activity. Molecular Imaging, 2008, 7, 35-41.	1.4	2
50	Laminar shear stress acts as a switch to regulate divergent functions of NFâ€₽̂B in endothelial cells. FASEB Journal, 2007, 21, 3553-3561.	0.5	130
51	Corneal NF-κB activity is necessary for the retention of transparency in the cornea of UV-B-exposed transgenic reporter mice. Experimental Eye Research, 2006, 82, 700-709.	2.6	22
52	Caught in the act: In vivo molecular imaging of the transcription factor NF-ήB after myocardial infarction. Biochemical and Biophysical Research Communications, 2006, 342, 773-774.	2.1	43
53	Gene Deletion of NF-κB p105 Enhances Neointima Formation in a Mouse Model of Carotid Artery Injury. Cardiovascular Drugs and Therapy, 2006, 20, 103-111.	2.6	9
54	Bilberry Extracts Induce Gene Expression Through the Electrophile Response Element. Nutrition and Cancer, 2006, 54, 94-101.	2.0	23

HARALD CARLSEN

#	Article	IF	CITATIONS
55	Polyphenols and glutathione synthesis regulation. American Journal of Clinical Nutrition, 2005, 81, 277S-283S.	4.7	395
56	Reoxygenation of Hypoxic Mice with 100% Oxygen Induces Brain Nuclear Factor-kappa B. Pediatric Research, 2005, 58, 941-945.	2.3	39
57	Vitamin A status significantly alters nuclear factorâ€r̂® B activity assessed by in vivo imaging. FASEB Journal, 2004, 18, 1255-1257.	0.5	57
58	Flagellin Promotes Myeloid Differentiation Factor 88-Dependent Development of Th2-Type Response. Journal of Immunology, 2004, 172, 6922-6930.	0.8	283
59	Molecular imaging of the transcription factor NF-κB, a primary regulator of stress response. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2004, 551, 199-211.	1.0	80
60	Molecular imaging of the biological effects of quercetin and quercetin-rich foods. Mechanisms of Ageing and Development, 2004, 125, 315-324.	4.6	116
61	Strong In Vivo Activation of NF- $\hat{I}^{\varrho}B$ in Mouse Lenses by Classic Stressors. , 2003, 44, 2683.		16
62	Research Communication: Berry Intake Increases the Activity of the γ-Glutamylcysteine Synthetase Promoter in Transgenic Reporter Mice. Journal of Nutrition, 2003, 133, 2137-2140.	2.9	45
63	In Vivo Imaging of NF-κB Activity. Journal of Immunology, 2002, 168, 1441-1446.	0.8	340
64	Antioxidants, reactive oxygen and nitrogen species, gene induction and mitochondrial function. Molecular Aspects of Medicine, 2002, 23, 209-285.	6.4	201
65	Flavonoids increase the intracellular glutathione level by transactivation of the Î ³ -glutamylcysteine synthetase catalytical subunit promoter. Free Radical Biology and Medicine, 2002, 32, 386-393.	2.9	371
66	Helix-loop-helix transcription factors in electrically active and inactive skeletal muscles. Muscle and Nerve, 2000, 23, 1374-1380.	2.2	30
67	Helixâ€loopâ€helix transcription factors in electrically active and inactive skeletal muscles. Muscle and Nerve, 2000, 23, 1374-1380.	2.2	1
68	Lugol's solution and Gentian violet eradicate methicillinâ€resistant <i>Staphylococcus aureus</i> biofilm in skin wound infections. International Wound Journal, 0, , .	2.9	2