
Michael Odenwald

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5905977/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The efficacy of Narrative Exposure Therapy for Children (KIDNET) as a treatment for traumatized young refugees versus treatment as usual: update to the study protocol for the multi-center randomized controlled trial YOURTREAT. Trials, 2022, 23, 360.	1.6	3
2	Feedback-Related Brain Potentials Indicate the Influence of Craving on Decision-Making in Patients with Alcohol Use Disorder: An Experimental Study. European Addiction Research, 2021, 27, 216-226.	2.4	3
3	Narrative Exposure Therapy in challenging and conditions. Maltrattamento E Abuso All'Infanzia, 2021, , 37-50.	0.5	1
4	Khat Use Patterns, Associated Features, and Psychological Problems in a Khat-Treatment-Seeking Student Sample of Jimma University, Southwestern Ethiopia. Frontiers in Public Health, 2021, 9, 645980.	2.7	1
5	Khat Addiction. , 2021, , 229-239.		3
6	Genotype-phenotype feasibility studies on khat abuse, traumatic experiences and psychosis in Ethiopia. Psychiatric Genetics, 2020, 30, 34-38.	1.1	1
7	The effects of pre-intervention mindset induction on a brief intervention to increase risk perception and reduce alcohol use among university students: A pilot randomized controlled trial. PLoS ONE, 2020, 15, e0238833.	2.5	1
8	Therapeutic success in relapse prevention in alcohol use disorder: the role of treatment motivation and drinking-related treatment goals. Journal of Addictive Diseases, 2020, 39, 88-95.	1.3	3
9	Title is missing!. , 2020, 15, e0238833.		0
10	Title is missing!. , 2020, 15, e0238833.		0
11	Title is missing!. , 2020, 15, e0238833.		0
12	Title is missing!. , 2020, 15, e0238833.		0
13	Title is missing!. , 2020, 15, e0238833.		0
14	Title is missing!. , 2020, 15, e0238833.		0
15	Changes of Self-reported PTSD and Depression Symptoms During Alcohol Detoxification Treatment. Journal of Dual Diagnosis, 2019, 15, 123-129.	1.2	4
16	Environmental adversities and psychotic symptoms: The impact of timing of trauma, abuse, and neglect. Schizophrenia Research, 2019, 205, 4-9.	2.0	53
17	HÃ u figkeit und Risikofaktoren des Therapieabbruchs in einer verhaltenstherapeutischen Hochschulambulanz: Der Einfluss von riskantem Alkoholkonsum zu Therapiebeginn. Verhaltenstherapie, 2018, 28, 222-228.	0.4	2
18	Integrated Treatment at the First Stage: Increasing Motivation for Alcohol Patients with Comorbid Disorders during Inpatient Detoxification. Alcohol and Alcoholism, 2018, 53, 719-727.	1.6	12

MICHAEL ODENWALD

#	Article	IF	CITATIONS
19	Early Screening for Posttraumatic Stress Disorder in Inpatient Detoxification and Motivation Treatment: Results and Consequences. European Addiction Research, 2018, 24, 128-136.	2.4	6
20	Khat use and occurrence of psychotic symptoms in the general male population in Southwestern Ethiopia: evidence for sensitization by traumatic experiences. World Psychiatry, 2017, 16, 323-323.	10.4	12
21	Comorbid psychopathology and everyday functioning in a brief intervention study to reduce khat use among Somalis living in Kenya: description of baseline multimorbidity, its effects of intervention and its moderation effects on substance use. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1425-1434.	3.1	22
22	Experience-Induced Change of Alcohol-Related Risk Perception in Patients with Alcohol Use Disorders. Frontiers in Psychology, 2017, 8, 1967.	2.1	6
23	Khat use and related addiction, mental health an physical disorders: the need to address a growing risk. Eastern Mediterranean Health Journal, 2017, 23, 236-244.	0.8	37
24	Stability of trauma-related symptoms during acute substance use treatment. Journal of Addictive Diseases, 2016, 35, 161-168.	1.3	4
25	A brief intervention to improve exercising in patients with schizophrenia: a controlled pilot study with mental contrasting and implementation intentions (MCII). BMC Psychiatry, 2015, 15, 211.	2.6	38
26	Khat Addiction. , 2015, , 455-466.		2
27	Khat Use, PTSD and Psychotic Symptoms among Somali Refugees in Nairobi ââ,¬â€œ A Pilot Study. Frontiers in Public Health, 2014, 2, 71.	2.7	36
28	Mental Health Problems Associated with the Use and Abuse of Khat (Catha edulis). , 2014, , 293-305.		3
29	Dropout among patients in qualified alcohol detoxification treatment: the effect of treatment motivation is moderated by Trauma Load. Substance Abuse Treatment, Prevention, and Policy, 2013, 8, 14.	2.2	13
30	Khat Addiction. , 2013, , 873-880.		1
31	Reducing Dropout among Traumatized Alcohol Patients in Detoxification Treatment: A Pilot Intervention Study. European Addiction Research, 2012, 18, 54-63.	2.4	16
32	A pilot study on community-based outpatient treatment for patients with chronic psychotic disorders in Somalia: Change in symptoms, functioning and co-morbid khat use. International Journal of Mental Health Systems, 2012, 6, 8.	2.7	19
33	Haunted by ghosts: Prevalence, predictors and outcomes of spirit possession experiences among former child soldiers and war-affected civilians in Northern Uganda. Social Science and Medicine, 2012, 75, 548-554.	3.8	101
34	Treatment of Traumatized Victims of War and Torture: A Randomized Controlled Comparison of Narrative Exposure Therapy and Stress Inoculation Training. Psychotherapy and Psychosomatics, 2011, 80, 345-352.	8.8	104
35	Using Micro-Level Data to Map State Failure: The Example of Somalia. Civil Wars, 2011, 13, 61-79.	0.8	6
36	Can Asylum-Seekers with Posttraumatic Stress Disorder Be Successfully Treated? A Randomized Controlled Pilot Study. Cognitive Behaviour Therapy, 2010, 39, 81-91.	3.5	152

MICHAEL ODENWALD

#	Article	IF	CITATIONS
37	The stimulant khat—Another door in the wall? A call for overcoming the barriers. Journal of Ethnopharmacology, 2010, 132, 615-619.	4.1	44
38	Introduction to the special issue: The changing use and misuse of khat (Catha edulis)—Tradition, trade and tragedy. Journal of Ethnopharmacology, 2010, 132, 537-539.	4.1	38
39	Psychological Rehabilitation of Ex-combatants in Non-Western, Post-conflict Settings. , 2010, , 177-213.		14
40	Fatal violence – from trauma to offence: A case study in forensic psychotherapy and trauma therapy with a migrant patient. International Forum of Psychoanalysis, 2009, 18, 42-49.	0.8	4
41	Use of khat and posttraumatic stress disorder as risk factors for psychotic symptoms: AÂstudy of Somali combatants. Social Science and Medicine, 2009, 69, 1040-1048.	3.8	77
42	Trauma, poverty and mental health among Somali and Rwandese refugees living in an African refugee settlement – an epidemiological study. Conflict and Health, 2009, 3, 6.	2.7	125
43	The appropriateness of the treatment setting for the inpatient post-acute treatment of alcohol dependence disorders in Switzerland. International Journal of Mental Health Systems, 2009, 3, 16.	2.7	4
44	Treatment of posttraumatic stress disorder by trained lay counselors in an African refugee settlement: A randomized controlled trial Journal of Consulting and Clinical Psychology, 2008, 76, 686-694.	2.0	307
45	Challenges for a future reintegration programme in Somalia: outcomes of an assessment on drug abuse, psychological distress and preferences for reintegration assistance. Intervention, 2007, 5, 109-123.	0.9	6
46	The Consumption of Khat and Other Drugs in Somali Combatants: A Cross-Sectional Study. PLoS Medicine, 2007, 4, e341.	8.4	71
47	Altered oscillatory brain dynamics after repeated traumatic stress. BMC Psychiatry, 2007, 7, 56.	2.6	46
48	Screening for Posttraumatic Stress Disorder among Somali ex-combatants: A validation study. Conflict and Health, 2007, 1, 10.	2.7	45
49	Wiedererfahrung durch Psychotherapie modifiziert Geist und Gehirn*. Verhaltenstherapie, 2006, 16, 96-103.	0.4	24
50	Decoupling Neural Networks From Reality. Psychological Science, 2006, 17, 825-829.	3.3	30
51	PrÃ ¤ alenz der Posttraumatischen Belastungsstörung (PTSD) und Möglichkeiten der Ermittlung in der Asylverfahrenspraxis. Zeitschrift Für Klinische Psychologie Und Psychotherapie, 2006, 35, 12-20.	0.3	96
52	Narrative Exposure Therapy as a treatment for child war survivors with posttraumatic stress disorder: Two case reports and a pilot study in an African refugee settlement. BMC Psychiatry, 2005, 5, 7.	2.6	119
53	Khat use as risk factor for psychotic disorders: A cross-sectional and case-control study in Somalia. BMC Medicine, 2005, 3, 5.	5.5	164