

# Nieves Tarn-Vicente

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5906011/nieves-tarin-vicente-publications-by-year.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

12 papers	343 citations	10 h-index	15 g-index
15 ext. papers	374 ext. citations	3 avg, IF	1.99 L-index

#	Paper	IF	Citations
12	Important abnormalities of bone mineral metabolism are present in patients with coronary artery disease with a mild decrease of the estimated glomerular filtration rate. <i>Journal of Bone and Mineral Metabolism</i> , <b>2016</b> , 34, 587-98	2.9	10
11	Differential profile in inflammatory and mineral metabolism biomarkers in patients with ischemic heart disease without classical coronary risk factors. <i>Journal of Cardiology</i> , <b>2015</b> , 66, 22-7	3	12
10	The Prognostic Value of High-Sensitive Troponin I in Stable Coronary Artery Disease Depends on Age and Other Clinical Variables. <i>Cardiology</i> , <b>2015</b> , 132, 1-8	1.6	12
9	N-Terminal Pro-Brain Natriuretic Peptide Is Associated with a Future Diagnosis of Cancer in Patients with Coronary Artery Disease. <i>PLoS ONE</i> , <b>2015</b> , 10, e0126741	3.7	6
8	Usefulness of a combination of monocyte chemoattractant protein-1, galectin-3, and N-terminal probrain natriuretic peptide to predict cardiovascular events in patients with coronary artery disease. <i>American Journal of Cardiology</i> , <b>2014</b> , 113, 434-40	3	49
7	Coexistence of low vitamin D and high fibroblast growth factor-23 plasma levels predicts an adverse outcome in patients with coronary artery disease. <i>PLoS ONE</i> , <b>2014</b> , 9, e95402	3.7	37
6	Targeted and non-targeted metabolic time trajectory in plasma of patients after acute coronary syndrome. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2011</b> , 56, 343-51	3.5	22
5	Atorvastatin modifies the protein profile of circulating human monocytes after an acute coronary syndrome. <i>Proteomics</i> , <b>2009</b> , 9, 1982-93	4.8	22
4	Effect of intensive atorvastatin therapy on prostaglandin E2 levels and metalloproteinase-9 activity in the plasma of patients with non-ST-elevation acute coronary syndrome. <i>American Journal of Cardiology</i> , <b>2008</b> , 102, 12-8	3	39
3	Circulating human monocytes in the acute coronary syndrome express a characteristic proteomic profile. <i>Journal of Proteome Research</i> , <b>2007</b> , 6, 876-86	5.6	48
2	Brugada-like electrocardiographic pattern in a patient with a mediastinal tumor. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>1999</b> , 22, 1264-6	1.6	52
1	Acquired hypertrichosis lanuginosa: case report and review of the literature. <i>Journal of Surgical Oncology</i> , <b>1998</b> , 68, 199-203	2.8	31