Justin M. Cates

List of Publications by Year
in descending order

147 papers	4,513 citations	101543 36 h-index	133252 59 g-index
150 all docs	150 docs citations	150 times ranked	7322 citing authors

#	Article	IF	Citations
1	Targeted Next Generation Sequencing Identifies Markers of Response to PD-1 Blockade. Cancer Immunology Research, 2016, 4, 959-967.	3.4	428
2	The receptor tyrosine kinase EphA2 promotes mammary adenocarcinoma tumorigenesis and metastatic progression in mice by amplifying ErbB2 signaling. Journal of Clinical Investigation, 2008, 118, 64-78.	8.2	235
3	The Wnt modulator sFRP2 enhances mesenchymal stem cell engraftment, granulation tissue formation and myocardial repair. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 18366-18371.	7.1	159
4	Bronchial Secretory Immunoglobulin A Deficiency Correlates With Airway Inflammation and Progression of Chronic Obstructive Pulmonary Disease. American Journal of Respiratory and Critical Care Medicine, 2011, 184, 317-327.	5.6	111
5	The AJCC 8th Edition Staging System for Soft Tissue Sarcoma of the Extremities or Trunk: A Cohort Study of the SEER Database. Journal of the National Comprehensive Cancer Network: JNCCN, 2018, 16, 144-152.	4.9	109
6	Primary Treatment of Chondroblastoma with Percutaneous Radio-frequency Heat Ablation: Report of Three Cases. Radiology, 2001, 221, 463-468.	7.3	107
7	Genetic and pharmacologic inhibition of EPHA2 promotes apoptosis in NSCLC. Journal of Clinical Investigation, 2014, 124, 2037-2049.	8.2	102
8	Low Levels of Tumor Necrosis Factor Î± Increase Tumor Growth by Inducing an Endothelial Phenotype of Monocytes Recruited to the Tumor Site. Cancer Research, 2009, 69, 338-348.	0.9	101
9	EPHA2 Blockade Overcomes Acquired Resistance to EGFR Kinase Inhibitors in Lung Cancer. Cancer Research, 2016, 76, 305-318.	0.9	98
10	Loss of the Urothelial Differentiation Marker FOXA1 Is Associated with High Grade, Late Stage Bladder Cancer and Increased Tumor Proliferation. PLoS ONE, 2012, 7, e36669.	2.5	81
11	Cyclooxygenase-2 Expression in Spontaneous Intestinal Neoplasia of Domestic Dogs. Veterinary Pathology, 2002, 39, 428-436.	1.7	74
12	A Novel Model of Urinary Tract Differentiation, Tissue Regeneration, and Disease: Reprogramming Human Prostate and Bladder Cells into Induced Pluripotent Stem Cells. European Urology, 2013, 64, 753-761.	1.9	73
13	Fibrinolysis is essential for fracture repair and prevention of heterotopic ossification. Journal of Clinical Investigation, 2015, 125, 3117-3131.	8.2	72
14	Alveolar soft part sarcoma and granular cell tumor: an immunohistochemical comparison study. Human Pathology, 2014, 45, 1039-1044.	2.0	71
15	Secretory IgA Deficiency in Individual Small Airways Is Associated with Persistent Inflammation and Remodeling. American Journal of Respiratory and Critical Care Medicine, 2017, 195, 1010-1021.	5.6	71
16	Epithelial-Mesenchymal Transition Markers in Pancreatic Ductal Adenocarcinoma. Pancreas, 2009, 38, e1-e6.	1.1	69
17	Docetaxel/Gemcitabine Followed by Gemcitabine and External Beam Radiotherapy in Patients With Pancreatic Adenocarcinoma. Annals of Surgical Oncology, 2005, 12, 995-1004.	1.5	67
18	Hypoxiaâ€inducible factorâ€1 signalling promotes goblet cell hyperplasia in airway epithelium. Journal of Pathology, 2011, 224, 203-211.	4.5	63

#	Article	IF	Citations
19	Bisphosphonates Inhibit Osteosarcoma-Mediated Osteolysis Via Attenuation of Tumor Expression of MCP-1 and RANKL. Journal of Bone and Mineral Research, 2014, 29, 1431-1445.	2.8	61
20	Loss of FOXA1 Drives Sexually Dimorphic Changes in Urothelial Differentiation and Is an Independent Predictor of Poor Prognosis in Bladder Cancer. American Journal of Pathology, 2015, 185, 1385-1395.	3.8	60
21	Intracortical chondroma simulating osteoid osteoma treated by radiofrequency. Skeletal Radiology, 2002, 31, 597-602.	2.0	51
22	Surgical Treatment of Hemangiomas of Soft Tissue. Clinical Orthopaedics and Related Research, 2002, 399, 205-210.	1.5	50
23	Autocrine VEGF/VEGFR1 Signaling in a Subpopulation of Cells Associates with Aggressive Osteosarcoma. Molecular Cancer Research, 2014, 12, 1100-1111.	3.4	48
24	Utility of Immunohistochemical Staining With FLI1, D2-40, CD31, and CD34 in the Diagnosis of Acquired Immunodeficiency Syndromeâ€"Related and Nonâ€"Acquired Immunodeficiency Syndrome-Related Kaposi Sarcoma. Archives of Pathology and Laboratory Medicine, 2012, 136, 301-304.	2.5	45
25	SOX2 expression in the developing, adult, as well as, diseased prostate. Prostate Cancer and Prostatic Diseases, 2014, 17, 301-309.	3.9	44
26	Inhibition of Wnt/Î²â€catenin pathway promotes regenerative repair of cutaneous and cartilage injury. FASEB Journal, 2015, 29, 4881-4892.	0.5	44
27	Surgical Resection Margins in Desmoid-type Fibromatosis. American Journal of Surgical Pathology, 2014, 38, 1707-1714.	3.7	43
28	Necroinflammatory Liver Disease in BALB/c Background, TGF-Î²1-Deficient Mice Requires CD4+ T Cells. Journal of Immunology, 2003, 170, 4785-4792.	0.8	41
29	Methylthioadenosine phosphorylase and activated insulinâ€like growth factorâ€1 receptor/insulin receptor: potential therapeutic targets in chordoma. Journal of Pathology, 2010, 220, 608-617.	4.5	41
30	Occult Primary. Journal of the National Comprehensive Cancer Network: JNCCN, 2011, 9, 1358-1395.	4.9	41
31	Plasmin Prevents Dystrophic Calcification After Muscle Injury. Journal of Bone and Mineral Research, 2017, 32, 294-308.	2.8	41
32	Immunohistochemical analysis of receptor tyrosine kinase signal transduction activity in chordoma. Neuropathology and Applied Neurobiology, 2007, 34, 071107021928002-???.	3.2	40
33	Markers of Epithelial-Mesenchymal Transition and Epithelial Differentiation in Sarcomatoid Carcinoma: Utility in the Differential Diagnosis With Sarcoma. Applied Immunohistochemistry and Molecular Morphology, 2008, 16, 251-262.	1.2	40
34	Fibrin Accumulation Secondary to Loss of Plasminâ€Mediated Fibrinolysis Drives Inflammatory Osteoporosis in Mice. Arthritis and Rheumatology, 2014, 66, 2222-2233.	5.6	40
35	Chondroblastoma-Like Chondroma of Soft Tissue. American Journal of Surgical Pathology, 2001, 25, 661-666.	3.7	39
36	FOXA1 deletion in luminal epithelium causes prostatic hyperplasia and alteration of differentiated phenotype. Laboratory Investigation, 2014, 94, 726-739.	3.7	39

#	Article	IF	Citations
37	Pleiotropic effects of bisphosphonates on osteosarcoma. Bone, 2014, 63, 110-120.	2.9	38
38	Differential development of the distal and proximal femoral epiphysis and physis in mice. Bone, 2013, 52, 337-346.	2.9	37
39	Mesenteric Tumor Deposits in Midgut Small Intestinal Neuroendocrine Tumors Are a Stronger Indicator Than Lymph Node Metastasis for Liver Metastasis and Poor Prognosis. American Journal of Surgical Pathology, 2017, 41, 128-133.	3.7	37
40	The temporal and spatial development of vascularity in a healing displaced fracture. Bone, 2014, 67, 208-221.	2.9	35
41	Soft Tissue Perineurioma in a Patient With Neurofibromatosis Type 2: A Tumor not Previously Associated With the NF2 Syndrome. American Journal of Surgical Pathology, 2006, 30, 1624-1629.	3.7	34
42	Genomic imbalances in benign metastasizing leiomyoma: characterization by conventional karyotypic, fluorescence in situ hybridization, and whole genome SNP array analysis. Cancer Genetics, 2012, 205, 249-254.	0.4	34
43	Signal transduction pathway analysis in desmoidâ€type fibromatosis: Transforming growth factorâ€“Î², <scp>COX</scp>2 and sex steroid receptors. Cancer Science, 2012, 103, 2173-2180.	3.9	34
44	Prognostic significance of c-Myc expression in soft tissue leiomyosarcoma. Modern Pathology, 2009, 22, 1432-1438.	5.5	33
45	When urothelial differentiation pathways go wrong: Implications for bladder cancer development and progression. Urologic Oncology: Seminars and Original Investigations, 2013, 31, 802-811.	1.6	33
46	SPARCL1 suppresses metastasis in prostate cancer. Molecular Oncology, 2013, 7, 1019-1030.	4.6	32
47	Liposarcomatous differentiation in malignant phyllodes tumours is unassociated with <scp>MDM</scp>2 or <scp>CDK</scp>4 amplification. Histopathology, 2016, 68, 1040-1045.	2.9	31
48	Primary Leiomyosarcoma of Extragnathic Bone: Clinicopathologic Features and Reevaluation of Prognosis. Archives of Pathology and Laboratory Medicine, 2009, 133, 1448-1456.	2.5	30
49	Cathepsin D acts as an essential mediator to promote malignancy of benign prostatic epithelium. Prostate, 2013, 73, 476-488.	2.3	29
50	Micropapillary colorectal carcinoma: clinical, pathological and molecular properties, including evidence of epithelialâ€“mesenchymal transition. Histopathology, 2017, 70, 223-231.	2.9	29
51	Thrombin induces osteosarcoma growth, a function inhibited by low molecular weight heparin in vitro and in vivo. Cancer, 2012, 118, 2494-2506.	4.1	28
52	Occult Primary, Version 3.2014. Journal of the National Comprehensive Cancer Network: JNCCN, 2014, 12, 969-974.	4.9	27
53	Nfib Regulates Transcriptional Networks That Control the Development of Prostatic Hyperplasia. Endocrinology, 2016, 157, 1094-1109.	2.8	27
54	Performance Analysis of the American Joint Committee on Cancer 8th Edition Staging System for Retroperitoneal Sarcoma and Development of a New Staging Algorithm for Sarcoma-Specific Survival. Annals of Surgical Oncology, 2017, 24, 3880-3887.	1.5	26

#	Article	IF	Citations
55	Simple staging system for osteosarcoma performs equivalently to the AJCC and MSTS systems. Journal of Orthopaedic Research, 2018, 36, 2802-2808.	2.3	24
56	Immunohistochemical analysis of the Wnt/Î²-catenin signaling pathway in pancreatic neuroendocrine neoplasms. World Journal of Gastrointestinal Oncology, 2016, 8, 615.	2.0	24
57	Adenomaâ€like adenocarcinoma: a subtype of colorectal carcinoma with good prognosis, deceptive appearance onÂbiopsy and frequent <scp>KRAS</scp> mutation. Histopathology, 2016, 68, 183-190.	2.9	23
58	JAFFE-CAMPANACCI SYNDROME. Journal of Bone and Joint Surgery - Series A, 2002, 84, 634-638.	3.0	23
59	Deficiency in Metabolic Regulators PPARÎ³ and PTEN Cooperates to Drive Keratinizing Squamous Metaplasia in Novel Models of Human Tissue Regeneration. American Journal of Pathology, 2013, 182, 449-459.	3.8	22
60	Myxoinflammatory Fibroblastic Sarcoma in Children and Adolescents: Clinicopathologic Aspects of a Rare Neoplasm. Pediatric and Developmental Pathology, 2013, 16, 425-431.	1.0	22
61	Diagnostic value of histone 3 mutations in osteoclast-rich bone tumors. Human Pathology, 2017, 68, 119-127.	2.0	22
62	Hepatic micrometastases are associated with poor prognosis in patients with liver metastases from neuroendocrine tumors of the digestive tract. Human Pathology, 2018, 79, 109-115.	2.0	22
63	Shed urinary ALCAM is an independent prognostic biomarker of three-year overall survival after cystectomy in patients with bladder cancer. Oncotarget, 2017, 8, 722-741.	1.8	22
64	Differential Diagnostic Considerations of Desmoid-type Fibromatosis. Advances in Anatomic Pathology, 2015, 22, 260-266.	4.3	21
65	Comparison of the AJCC, MSTS, and Modified Spanier Systems for Clinical and Pathologic Staging of Osteosarcoma. American Journal of Surgical Pathology, 2017, 41, 405-413.	3.7	21
66	Neurogenic Tumors of Soft Tissue. Pediatric and Developmental Pathology, 2012, 15, 62-107.	1.0	20
67	MHC-independent genetic regulation of liver damage in a mouse model of autoimmune hepatocellular injury. Laboratory Investigation, 2005, 85, 550-561.	3.7	19
68	Cyclinâ€dependent kinase inhibitor 2<scp>A</scp> (p16) distinguishes wellâ€differentiated liposarcoma from lipoma. Histopathology, 2013, 62, 1109-1111.	2.9	19
69	Modeling Continuous Prognostic Factors in Survival Analysis. American Journal of Surgical Pathology, 2018, 42, 485-491.	3.7	19
70	Foamy cell angiosarcoma: a rare and deceptively bland variant of cutaneous angiosarcoma. Journal of Cutaneous Pathology, 2010, 37, 901-906.	1.3	18
71	Surgical resection margin classifications for high-grade pleomorphic soft tissue sarcomas of the extremity or trunk: definitions of adequate resection margins and recommendations for sampling margins from primary resection specimens. Modern Pathology, 2019, 32, 1421-1433.	5.5	18
72	Associations among histological characteristics and patient outcomes in colorectal carcinoma with a mucinous component. Histopathology, 2019, 74, 406-414.	2.9	18

#	Article	IF	Citations
73	Activation of GRP/GRP-R signaling contributes to castration-resistant prostate cancer progression. Oncotarget, 2016, 7, 61955-61969.	1.8	18
74	Sex hormone-binding globulin and male sexual development. Neuroscience and Biobehavioral Reviews, 1995, 19, 165-175.	6.1	17
75	Number, not size, of mesenteric tumor deposits affects prognosis of small intestinal well-differentiated neuroendocrine tumors. Modern Pathology, 2018, 31, 1560-1566.	5.5	17
76	Small airway determinants of airflow limitation in chronic obstructive pulmonary disease. Thorax, 2021, 76, 1079-1088.	5.6	17
77	Calretinin expression in tumors of adipose tissue. Human Pathology, 2006, 37, 312-321.	2.0	16
78	Primary Hepatic Myxoid Leiomyosarcoma: A Case Report and Review of the Literature. Ultrastructural Pathology, 2008, 32, 25-28.	0.9	16
79	Desmoid-type fibromatosis-associated Gardner fibromas: prevalence and impact on local recurrence. Cancer Letters, 2014, 353, 176-181.	7.2	16
80	Trauma-Induced Nanohydroxyapatite Deposition in Skeletal Muscle is Sufficient to Drive Heterotopic Ossification. Calcified Tissue International, 2019, 104, 411-425.	3.1	16
81	Hybrid capture-based next-generation sequencing (HC NGS) in melanoma to identify markers of response to anti-PD-1/PD-L1.. Journal of Clinical Oncology, 2016, 34, 105-105.	1.6	16
82	Secretory IgA from submucosal glands does not compensate for its airway surface deficiency in chronic obstructive pulmonary disease. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2015, 467, 657-665.	2.8	15
83	Reporting Surgical Resection Margin Status for Osteosarcoma. American Journal of Surgical Pathology, 2017, 41, 633-642.	3.7	15
84	Staging soft tissue sarcoma of the head and neck: Evaluation of the AJCC 8th edition revised T classifications. Head and Neck, 2019, 41, 2359-2366.	2.0	15
85	Morphologic and immunophenotypic analysis of desmoid-type fibromatosis after radiation therapy. Human Pathology, 2012, 43, 1418-1424.	2.0	14
86	Enhancer of zeste homolog 2 (EZH2) expression in bladder cancer. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 258.e1-258.e6.	1.6	14
87	AJCC eighth edition for soft tissue sarcoma of the extremities and trunk. Annals of Oncology, 2018, 29, 2023.	1.2	14
88	Validation of a Radiography-Based Quantification Designed to Longitudinally Monitor Soft Tissue Calcification in Skeletal Muscle. PLoS ONE, 2016, 11, e0159624.	2.5	14
89	Ethylene Glycol Toxicity Associated With Ischemia, Perforation, and Colonic Oxalate Crystal Deposition. Journal of Clinical Gastroenterology, 2004, 38, 435-439.	2.2	13
90	Micro-Computed Tomography Derived Anisotropy Detects Tumor Provoked Deviations in Bone in an Orthotopic Osteosarcoma Murine Model. PLoS ONE, 2014, 9, e97381.	2.5	13

#	Article	IF	Citations
91	Quality Management of the Immunohistochemistry Laboratory. Applied Immunohistochemistry and Molecular Morphology, 2015, 23, 471-480.	1.2	13
92	Evidence-based Tumor Staging of Skeletal Chondrosarcoma. American Journal of Surgical Pathology, 2020, 44, 111-119.	3.7	12
93	Jaffe-Campanacci syndrome. A case report and review of the literature. Journal of Bone and Joint Surgery - Series A, 2002, 84, 634-8.	3.0	12
94	Proteomic analysis of osteogenic sarcoma: association of tumour necrosis factor with poor prognosis. International Journal of Experimental Pathology, 2010, 91, 335-349.	1.3	11
95	Cell cycle and apoptosis regulatory proteins, proliferative markers, cell signaling molecules, CD209, and decorin immunoreactivity in low-grade myxofibrosarcoma and myxoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2015, 467, 211-216.	2.8	11
96	Incidence and Significance of GATA3 Positivity in Pancreatic Ductal Adenocarcinoma and Cholangiocarcinoma. Applied Immunohistochemistry and Molecular Morphology, 2020, 28, 460-463.	1.2	11
97	The sonic hedgehog pathway in chordoid tumours. Histopathology, 2010, 56, 978-979.	2.9	10
98	Occasional Staining for p63 in Malignant Vascular Tumors: A Potential Diagnostic Pitfall. Pathology and Oncology Research, 2012, 18, 97-100.	1.9	10
99	Blood Group A antigen expression on cardiac endothelium is highly individualized: possible implications for transplantation. Cardiovascular Pathology, 2013, 22, 251-256.	1.6	10
100	Pregnancy does not increase the local recurrence rate after surgical resection of desmoid-type fibromatosis. International Journal of Clinical Oncology, 2015, 20, 617-622.	2.2	10
101	Proximal location in extremity long bones is a poor prognostic factor for osteosarcoma: A retrospective cohort study of 153 patients. Acta OncolÃ³gica, 2016, 55, 1036-1039.	1.8	10
102	Genetic determinants of fibro-osseous lesions in aged inbred mice. Experimental and Molecular Pathology, 2016, 100, 92-100.	2.1	10
103	Should Ki67 immunohistochemistry be performed on all lesions in multifocal small intestinal neuroendocrine tumours?. Histopathology, 2019, 74, 424-429.	2.9	10
104	Mislocalized cytoplasmic p27 activates PAK1â€mediated metastasis and is a prognostic factor in osteosarcoma. Molecular Oncology, 2020, 14, 846-864.	4.6	10
105	Impact of Peritoneal Metastasis on Survival of Patients With Small Intestinal Neuroendocrine Tumor. American Journal of Surgical Pathology, 2019, 43, 559-563.	3.7	10
106	Androgen receptor differentially regulates the proliferation of prostatic epithelial cellsin vitroandin vivo. Oncotarget, 2016, 7, 70404-70419.	1.8	10
107	Preparation Techniques for the Injection of Human Autologous Cartilage: An Ex Vivo Feasibility Study. Laryngoscope, 2008, 118, 185-188.	2.0	9
108	Pathologic fracture a poor prognostic factor in osteosarcoma: Misleading conclusions from meta-analyses?. European Journal of Surgical Oncology, 2016, 42, 883-888.	1.0	9

#	Article	IF	Citations
109	Gastric Carcinomas With Lymphoid Stroma. American Journal of Clinical Pathology, 2017, 148, 477-484.	0.7	9
110	The Vanderbilt staging system for retroperitoneal sarcoma: a validation study of 6857 patients from the National Cancer Database. Modern Pathology, 2019, 32, 539-545.	5.5	9
111	Gastrointestinal stromal tumors (GISTs) arising in uncommon locations: clinicopathologic features and risk assessment of esophageal, colonic, and appendiceal GISTs. Modern Pathology, 2022, 35, 554-563.	5.5	9
112	Steroid Hormone Receptor and COX-2 Expression in Chordoma. American Journal of Clinical Pathology, 2007, 128, 375-381.	0.7	8
113	Intracortical schwannoma of the femur. Skeletal Radiology, 2014, 43, 687-691.	2.0	8
114	Prognostic factors for second recurrence after surgical resection of recurrent desmoid-type fibromatosis. Pathology and Oncology Research, 2015, 21, 1085-1090.	1.9	8
115	Risk factors for progression of appendiceal neuroendocrine tumours: lowâ€stage tumours <5Âmm appear to be overwhelmingly indolent and may merit a separate designation. Histopathology, 2021, 79, 416-426.	2.9	8
116	Hepatic expression of sex hormone-binding globulin associated with the postnatal surge of serum androgen-binding activity in the Djungarian hamster. Journal of Steroid Biochemistry and Molecular Biology, 1995, 55, 147-158.	2.5	7
117	Inflammatory myofibroblastic tumor of the urinary bladder in a 27â€yearâ€old woman with systemic lupus erythematosus. International Journal of Urology, 2008, 15, 182-184.	1.0	7
118	Utility of Examination of Biopsy Tracts in Osteosarcoma Resection Specimens. American Journal of Clinical Pathology, 2016, 146, 324-327.	0.7	7
119	Deciphering Elevated Microsatellite Alterations at Selected Tetra/Pentanucleotide Repeats, Microsatellite Instability, and Loss of Heterozygosity inÂColorectal Cancers. Journal of Molecular Diagnostics, 2018, 20, 366-372.	2.8	7
120	Increased nuclear factor I/B expression in prostate cancer correlates with AR expression. Prostate, 2020, 80, 1058-1070.	2.3	7
121	Glucocorticoids are induced while dihydrotestosterone levels are suppressed in 5â€alpha reductase inhibitor treated human benign prostate hyperplasia patients. Prostate, 2022, 82, 1378-1388.	2.3	7
122	Nuclear p63 expression in osteoblastic tumors. Tumor Biology, 2012, 33, 1639-1644.	1.8	6
123	Signal transduction pathway analysis in fibromatosis: receptor and nonreceptor tyrosine kinases. Human Pathology, 2012, 43, 1711-1718.	2.0	6
124	Osteosarcoma: Differential Diagnostic Considerations. Surgical Pathology Clinics, 2012, 5, 117-146.	1.7	5
125	Granular cell tumors overexpress TFE3 without corollary gene rearrangementâ€"Reply. Human Pathology, 2015, 46, 1243.	2.0	5
126	Cytologic anaplasia is a prognostic factor in osteosarcoma biopsies, but mitotic rate or extent of spontaneous tumor necrosis are not: a critique of the College of American Pathologists Bone Biopsy template. Modern Pathology, 2017, 30, 52-59.	5.5	5

#	Article	IF	Citations
127	PD-L1 Expression Patterns in Microsatellite Instability-High Intestinal Adenocarcinoma Subtypes. American Journal of Clinical Pathology, 2019, 152, 384-391.	0.7	5
128	A Proposed Staging System for Improved Prognostication of MDM2-amplified Liposarcoma. American Journal of Surgical Pathology, 2021, 45, 101-107.	3.7	5
129	The prostaglandin pathway is activated in patients who fail medical therapy for benign prostatic hyperplasia with lower urinary tract symptoms. Prostate, 2021, 81, 944-955.	2.3	5
130	Leiomyosarcoma of the urinary bladder: A SEER database study and comparison to leiomyosarcomas of the uterus and extremities/trunk. Annals of Diagnostic Pathology, 2021, 53, 151743.	1.3	5
131	Risk Assessment of Visceral Sarcomas: A Comparative Study of 2698 Cases from the SEER Database. Annals of Surgical Oncology, 2021, 28, 6852-6860.	1.5	4
132	MEMBRANOUS LIPODYSTROPHY. Journal of Bone and Joint Surgery - Series A, 2002, 84, 630-633.	3.0	4
133	Predicting dedifferentiation in liposarcoma: a proteomic approach. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2013, 463, 85-92.	2.8	3
134	Diagnostic renal mass biopsy is associated with individual categories of PADUA and RENAL nephrometry scores: Analysis of diagnostic and concordance rates with surgical resection. Urologic Oncology: Seminars and Original Investigations, 2021, 39, 371.e7-371.e15.	1.6	3
135	A proposed risk assessment score for gastrointestinal stromal tumors based on evaluation of 19,030 cases from the National Cancer Database. Journal of Gastroenterology, 2021, 56, 964-975.	5.1	3
136	Cyclooxygenase 2 expression in soft tissue leiomyosarcoma. Anticancer Research, 2009, 29, 2913-7.	1.1	3
137	Myopericytoma of the Internal Auditory Canal. Otology and Neurotology, 2017, 38, e5-e7.	1.3	2
138	Membranous lipodystrophy. A case report. Journal of Bone and Joint Surgery - Series A, 2002, 84, 630-3.	3.0	2
139	Extraskeletal Cartilaginous, Osseous, and Chordoid Tumors in Children and Adolescents. Pediatric and Developmental Pathology, 2012, 15, 255-266.	1.0	1
140	Aneurysmal Bone Cyst of the Scaphoid. JBJS Case Connector, 2016, 6, e49.	0.3	1
141	Chronic femoral diaphyseal osteomyelitis with radiographs initially concerning for Paget disease of the bone. Radiology Case Reports, 2020, 15, 344-348.	0.6	1
142	Soft-tissue tumors in young patients. , 2000, , 351-396.		0
143	Initial diagnosis of breast cancer via cytological examination of a pleural effusion: A rare event facilitated by recognition of an unusual morphological pattern. Diagnostic Cytopathology, 2005, 32, 177-181.	1.0	0
144	Bronchial Secretory IgA Deficiency Correlates With Small Airway Inflammation And Remodeling And Progression Of COPD. , 2011, , .		0

#	Article	IF	Citations
145	TNF-Î±-Mediated Tumor Promotion Is Characterized by Enhanced Vasculogenesis and Generation of Myeloid/Endothelial Vascular Leukoctyes.. Blood, 2007, 110, 3905-3905.	1.4	0
146	Vascular Lesions of the Breast. , 2016, , 667-685.		0
147	Risk Stratification of Esophageal, Colonic, and Appendiceal Gastrointestinal Stromal Tumors (GISTs) using the New Nashville Risk Score. Histopathology, 2022, , .	2.9	0