Justin M. Cates

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5906532/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Gastrointestinal stromal tumors (GISTs) arising in uncommon locations: clinicopathologic features and risk assessment of esophageal, colonic, and appendiceal GISTs. Modern Pathology, 2022, 35, 554-563.	5.5	9
2	Risk Stratification of Esophageal, Colonic, and Appendiceal Gastrointestinal Stromal Tumors (GISTs) using the New Nashville Risk Score. Histopathology, 2022, , .	2.9	0
3	Glucocorticoids are induced while dihydrotestosterone levels are suppressed in 5â€alpha reductase inhibitor treated human benign prostate hyperplasia patients. Prostate, 2022, 82, 1378-1388.	2.3	7
4	A Proposed Staging System for Improved Prognostication of MDM2-amplified Liposarcoma. American Journal of Surgical Pathology, 2021, 45, 101-107.	3.7	5
5	Risk Assessment of Visceral Sarcomas: A Comparative Study of 2698 Cases from the SEER Database. Annals of Surgical Oncology, 2021, 28, 6852-6860.	1.5	4
6	Small airway determinants of airflow limitation in chronic obstructive pulmonary disease. Thorax, 2021, 76, 1079-1088.	5.6	17
7	Diagnostic renal mass biopsy is associated with individual categories of PADUA and RENAL nephrometry scores: Analysis of diagnostic and concordance rates with surgical resection. Urologic Oncology: Seminars and Original Investigations, 2021, 39, 371.e7-371.e15.	1.6	3
8	Risk factors for progression of appendiceal neuroendocrine tumours: lowâ€stage tumours <5Âmm appear to be overwhelmingly indolent and may merit a separate designation. Histopathology, 2021, 79, 416-426.	2.9	8
9	The prostaglandin pathway is activated in patients who fail medical therapy for benign prostatic hyperplasia with lower urinary tract symptoms. Prostate, 2021, 81, 944-955.	2.3	5
10	Leiomyosarcoma of the urinary bladder: A SEER database study and comparison to leiomyosarcomas of the uterus and extremities/trunk. Annals of Diagnostic Pathology, 2021, 53, 151743.	1.3	5
11	A proposed risk assessment score for gastrointestinal stromal tumors based on evaluation of 19,030 cases from the National Cancer Database. Journal of Gastroenterology, 2021, 56, 964-975.	5.1	3
12	Mislocalized cytoplasmic p27 activates PAK1â€mediated metastasis and is a prognostic factor in osteosarcoma. Molecular Oncology, 2020, 14, 846-864.	4.6	10
13	Evidence-based Tumor Staging of Skeletal Chondrosarcoma. American Journal of Surgical Pathology, 2020, 44, 111-119.	3.7	12
14	Increased nuclear factor I/B expression in prostate cancer correlates with AR expression. Prostate, 2020, 80, 1058-1070.	2.3	7
15	Chronic femoral diaphyseal osteomyelitis with radiographs initially concerning for Paget disease of the bone. Radiology Case Reports, 2020, 15, 344-348.	0.6	1
16	Incidence and Significance of GATA3 Positivity in Pancreatic Ductal Adenocarcinoma and Cholangiocarcinoma. Applied Immunohistochemistry and Molecular Morphology, 2020, 28, 460-463.	1.2	11
17	PD-L1 Expression Patterns in Microsatellite Instability-High Intestinal Adenocarcinoma Subtypes. American Journal of Clinical Pathology, 2019, 152, 384-391.	0.7	5
18	Surgical resection margin classifications for high-grade pleomorphic soft tissue sarcomas of the extremity or trunk: definitions of adequate resection margins and recommendations for sampling margins from primary resection specimens. Modern Pathology, 2019, 32, 1421-1433.	5.5	18

#	Article	lF	CITATIONS
19	Staging soft tissue sarcoma of the head and neck: Evaluation of the AJCC 8th edition revised T classifications. Head and Neck, 2019, 41, 2359-2366.	2.0	15
20	Associations among histological characteristics and patient outcomes in colorectal carcinoma with a mucinous component. Histopathology, 2019, 74, 406-414.	2.9	18
21	The Vanderbilt staging system for retroperitoneal sarcoma: a validation study of 6857 patients from the National Cancer Database. Modern Pathology, 2019, 32, 539-545.	5.5	9
22	Should Ki67 immunohistochemistry be performed on all lesions in multifocal small intestinal neuroendocrine tumours?. Histopathology, 2019, 74, 424-429.	2.9	10
23	Trauma-Induced Nanohydroxyapatite Deposition in Skeletal Muscle is Sufficient to Drive Heterotopic Ossification. Calcified Tissue International, 2019, 104, 411-425.	3.1	16
24	Impact of Peritoneal Metastasis on Survival of Patients With Small Intestinal Neuroendocrine Tumor. American Journal of Surgical Pathology, 2019, 43, 559-563.	3.7	10
25	The AJCC 8th Edition Staging System for Soft Tissue Sarcoma of the Extremities or Trunk: A Cohort Study of the SEER Database. Journal of the National Comprehensive Cancer Network: JNCCN, 2018, 16, 144-152.	4.9	109
26	Deciphering Elevated Microsatellite Alterations at Selected Tetra/Pentanucleotide Repeats, Microsatellite Instability, and Loss of Heterozygosity inÂColorectal Cancers. Journal of Molecular Diagnostics, 2018, 20, 366-372.	2.8	7
27	Modeling Continuous Prognostic Factors in Survival Analysis. American Journal of Surgical Pathology, 2018, 42, 485-491.	3.7	19
28	Number, not size, of mesenteric tumor deposits affects prognosis of small intestinal well-differentiated neuroendocrine tumors. Modern Pathology, 2018, 31, 1560-1566.	5.5	17
29	Simple staging system for osteosarcoma performs equivalently to the AJCC and MSTS systems. Journal of Orthopaedic Research, 2018, 36, 2802-2808.	2.3	24
30	AJCC eighth edition for soft tissue sarcoma of the extremities and trunk. Annals of Oncology, 2018, 29, 2023.	1.2	14
31	Hepatic micrometastases are associated with poor prognosis in patients with liver metastases from neuroendocrine tumors of the digestive tract. Human Pathology, 2018, 79, 109-115.	2.0	22
32	Reporting Surgical Resection Margin Status for Osteosarcoma. American Journal of Surgical Pathology, 2017, 41, 633-642.	3.7	15
33	Secretory IgA Deficiency in Individual Small Airways Is Associated with Persistent Inflammation and Remodeling. American Journal of Respiratory and Critical Care Medicine, 2017, 195, 1010-1021.	5.6	71
34	Comparison of the AJCC, MSTS, and Modified Spanier Systems for Clinical and Pathologic Staging of Osteosarcoma. American Journal of Surgical Pathology, 2017, 41, 405-413.	3.7	21
35	Diagnostic value of histone 3 mutations in osteoclast-rich bone tumors. Human Pathology, 2017, 68, 119-127.	2.0	22
36	Myopericytoma of the Internal Auditory Canal. Otology and Neurotology, 2017, 38, e5-e7.	1.3	2

#	Article	IF	CITATIONS
37	Mesenteric Tumor Deposits in Midgut Small Intestinal Neuroendocrine Tumors Are a Stronger Indicator Than Lymph Node Metastasis for Liver Metastasis and Poor Prognosis. American Journal of Surgical Pathology, 2017, 41, 128-133.	3.7	37
38	Performance Analysis of the American Joint Committee on Cancer 8th Edition Staging System for Retroperitoneal Sarcoma and Development of a New Staging Algorithm for Sarcoma-Specific Survival. Annals of Surgical Oncology, 2017, 24, 3880-3887.	1.5	26
39	Plasmin Prevents Dystrophic Calcification After Muscle Injury. Journal of Bone and Mineral Research, 2017, 32, 294-308.	2.8	41
40	Micropapillary colorectal carcinoma: clinical, pathological and molecular properties, including evidence of epithelial–mesenchymal transition. Histopathology, 2017, 70, 223-231.	2.9	29
41	Cytologic anaplasia is a prognostic factor in osteosarcoma biopsies, but mitotic rate or extent of spontaneous tumor necrosis are not: a critique of the College of American Pathologists Bone Biopsy template. Modern Pathology, 2017, 30, 52-59.	5.5	5
42	Gastric Carcinomas With Lymphoid Stroma. American Journal of Clinical Pathology, 2017, 148, 477-484.	0.7	9
43	Shed urinary ALCAM is an independent prognostic biomarker of three-year overall survival after cystectomy in patients with bladder cancer. Oncotarget, 2017, 8, 722-741.	1.8	22
44	Aneurysmal Bone Cyst of the Scaphoid. JBJS Case Connector, 2016, 6, e49.	0.3	1
45	Liposarcomatous differentiation in malignant phyllodes tumours is unassociated with <i><scp>MDM</scp>2</i> or <i><scp>CDK</scp>4</i> amplification. Histopathology, 2016, 68, 1040-1045.	2.9	31
46	Proximal location in extremity long bones is a poor prognostic factor for osteosarcoma: A retrospective cohort study of 153 patients. Acta Oncolųgica, 2016, 55, 1036-1039.	1.8	10
47	Targeted Next Generation Sequencing Identifies Markers of Response to PD-1 Blockade. Cancer Immunology Research, 2016, 4, 959-967.	3.4	428
48	Utility of Examination of Biopsy Tracts in Osteosarcoma Resection Specimens. American Journal of Clinical Pathology, 2016, 146, 324-327.	0.7	7
49	Adenomaâ€like adenocarcinoma: a subtype of colorectal carcinoma with good prognosis, deceptive appearance onÂbiopsy and frequent <i><scp>KRAS</scp></i> mutation. Histopathology, 2016, 68, 183-190.	2.9	23
50	EPHA2 Blockade Overcomes Acquired Resistance to EGFR Kinase Inhibitors in Lung Cancer. Cancer Research, 2016, 76, 305-318.	0.9	98
51	Enhancer of zeste homolog 2 (EZH2) expression in bladder cancer. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 258.e1-258.e6.	1.6	14
52	Genetic determinants of fibro-osseous lesions in aged inbred mice. Experimental and Molecular Pathology, 2016, 100, 92-100.	2.1	10
53	Pathologic fracture a poor prognostic factor in osteosarcoma: Misleading conclusions from meta-analyses?. European Journal of Surgical Oncology, 2016, 42, 883-888.	1.0	9
54	Nfib Regulates Transcriptional Networks That Control the Development of Prostatic Hyperplasia. Endocrinology, 2016, 157, 1094-1109.	2.8	27

#	Article	IF	CITATIONS
55	Hybrid capture-based next-generation sequencing (HC NGS) in melanoma to identify markers of response to anti-PD-1/PD-L1 Journal of Clinical Oncology, 2016, 34, 105-105.	1.6	16
56	Validation of a Radiography-Based Quantification Designed to Longitudinally Monitor Soft Tissue Calcification in Skeletal Muscle. PLoS ONE, 2016, 11, e0159624.	2.5	14
57	Activation of CRP/GRP-R signaling contributes to castration-resistant prostate cancer progression. Oncotarget, 2016, 7, 61955-61969.	1.8	18
58	Androgen receptor differentially regulates the proliferation of prostatic epithelial cells <i>in vitro</i> and <i>in vivo</i> . Oncotarget, 2016, 7, 70404-70419.	1.8	10
59	Immunohistochemical analysis of the Wnt/β-catenin signaling pathway in pancreatic neuroendocrine neoplasms. World Journal of Gastrointestinal Oncology, 2016, 8, 615.	2.0	24
60	Vascular Lesions of the Breast. , 2016, , 667-685.		0
61	Secretory IgA from submucosal glands does not compensate for its airway surface deficiency in chronic obstructive pulmonary disease. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2015, 467, 657-665.	2.8	15
62	Quality Management of the Immunohistochemistry Laboratory. Applied Immunohistochemistry and Molecular Morphology, 2015, 23, 471-480.	1.2	13
63	Differential Diagnostic Considerations of Desmoid-type Fibromatosis. Advances in Anatomic Pathology, 2015, 22, 260-266.	4.3	21
64	Pregnancy does not increase the local recurrence rate after surgical resection of desmoid-type fibromatosis. International Journal of Clinical Oncology, 2015, 20, 617-622.	2.2	10
65	Granular cell tumors overexpress TFE3 without corollary gene rearrangement—Reply. Human Pathology, 2015, 46, 1243.	2.0	5
66	Loss of FOXA1 Drives Sexually Dimorphic Changes in Urothelial Differentiation and Is an Independent Predictor of Poor Prognosis in Bladder Cancer. American Journal of Pathology, 2015, 185, 1385-1395.	3.8	60
67	Cell cycle and apoptosis regulatory proteins, proliferative markers, cell signaling molecules, CD209, and decorin immunoreactivity in low-grade myxofibrosarcoma and myxoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2015, 467, 211-216.	2.8	11
68	Prognostic factors for second recurrence after surgical resection of recurrent desmoid-type fibromatosis. Pathology and Oncology Research, 2015, 21, 1085-1090.	1.9	8
69	Inhibition of Wnt/β atenin pathway promotes regenerative repair of cutaneous and cartilage injury. FASEB Journal, 2015, 29, 4881-4892.	0.5	44
70	Fibrinolysis is essential for fracture repair and prevention of heterotopic ossification. Journal of Clinical Investigation, 2015, 125, 3117-3131.	8.2	72
71	Micro-Computed Tomography Derived Anisotropy Detects Tumor Provoked Deviations in Bone in an Orthotopic Osteosarcoma Murine Model. PLoS ONE, 2014, 9, e97381.	2.5	13
72	Autocrine VEGF/VEGFR1 Signaling in a Subpopulation of Cells Associates with Aggressive Osteosarcoma. Molecular Cancer Research, 2014, 12, 1100-1111.	3.4	48

#	Article	IF	CITATIONS
73	SOX2 expression in the developing, adult, as well as, diseased prostate. Prostate Cancer and Prostatic Diseases, 2014, 17, 301-309.	3.9	44
74	Bisphosphonates Inhibit Osteosarcoma-Mediated Osteolysis Via Attenuation of Tumor Expression of MCP-1 and RANKL. Journal of Bone and Mineral Research, 2014, 29, 1431-1445.	2.8	61
75	Surgical Resection Margins in Desmoid-type Fibromatosis. American Journal of Surgical Pathology, 2014, 38, 1707-1714.	3.7	43
76	Intracortical schwannoma of the femur. Skeletal Radiology, 2014, 43, 687-691.	2.0	8
77	Pleiotropic effects of bisphosphonates on osteosarcoma. Bone, 2014, 63, 110-120.	2.9	38
78	Alveolar soft part sarcoma and granular cell tumor: an immunohistochemical comparison study. Human Pathology, 2014, 45, 1039-1044.	2.0	71
79	Fibrin Accumulation Secondary to Loss of Plasminâ€Mediated Fibrinolysis Drives Inflammatory Osteoporosis in Mice. Arthritis and Rheumatology, 2014, 66, 2222-2233.	5.6	40
80	FOXA1 deletion in luminal epithelium causes prostatic hyperplasia and alteration of differentiated phenotype. Laboratory Investigation, 2014, 94, 726-739.	3.7	39
81	Desmoid-type fibromatosis-associated Gardner fibromas: prevalence and impact on local recurrence. Cancer Letters, 2014, 353, 176-181.	7.2	16
82	The temporal and spatial development of vascularity in a healing displaced fracture. Bone, 2014, 67, 208-221.	2.9	35
83	Occult Primary, Version 3.2014. Journal of the National Comprehensive Cancer Network: JNCCN, 2014, 12, 969-974.	4.9	27
84	Genetic and pharmacologic inhibition of EPHA2 promotes apoptosis in NSCLC. Journal of Clinical Investigation, 2014, 124, 2037-2049.	8.2	102
85	When urothelial differentiation pathways go wrong: Implications for bladder cancer development and progression. Urologic Oncology: Seminars and Original Investigations, 2013, 31, 802-811.	1.6	33
86	Predicting dedifferentiation in liposarcoma: a proteomic approach. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2013, 463, 85-92.	2.8	3
87	Deficiency in Metabolic Regulators PPARÎ ³ and PTEN Cooperates to Drive Keratinizing Squamous Metaplasia in Novel Models of Human Tissue Regeneration. American Journal of Pathology, 2013, 182, 449-459.	3.8	22
88	Blood Group A antigen expression on cardiac endothelium is highly individualized: possible implications for transplantation. Cardiovascular Pathology, 2013, 22, 251-256.	1.6	10
89	SPARCL1 suppresses metastasis in prostate cancer. Molecular Oncology, 2013, 7, 1019-1030.	4.6	32
90	A Novel Model of Urinary Tract Differentiation, Tissue Regeneration, and Disease: Reprogramming Human Prostate and Bladder Cells into Induced Pluripotent Stem Cells. European Urology, 2013, 64, 753-761.	1.9	73

#	Article	IF	CITATIONS
91	Cyclinâ€dependent kinase inhibitor 2 <scp>A</scp> (p16) distinguishes wellâ€differentiated liposarcoma from lipoma. Histopathology, 2013, 62, 1109-1111.	2.9	19
92	Differential development of the distal and proximal femoral epiphysis and physis in mice. Bone, 2013, 52, 337-346.	2.9	37
93	Cathepsin D acts as an essential mediator to promote malignancy of benign prostatic epithelium. Prostate, 2013, 73, 476-488.	2.3	29
94	Myxoinflammatory Fibroblastic Sarcoma in Children and Adolescents: Clinicopathologic Aspects of a Rare Neoplasm. Pediatric and Developmental Pathology, 2013, 16, 425-431.	1.0	22
95	Utility of Immunohistochemical Staining With FLI1, D2-40, CD31, and CD34 in the Diagnosis of Acquired Immunodeficiency Syndrome–Related and Non–Acquired Immunodeficiency Syndrome-Related Kaposi Sarcoma. Archives of Pathology and Laboratory Medicine, 2012, 136, 301-304.	2.5	45
96	Neurogenic Tumors of Soft Tissue. Pediatric and Developmental Pathology, 2012, 15, 62-107.	1.0	20
97	Nuclear p63 expression in osteoblastic tumors. Tumor Biology, 2012, 33, 1639-1644.	1.8	6
98	Osteosarcoma: Differential Diagnostic Considerations. Surgical Pathology Clinics, 2012, 5, 117-146.	1.7	5
99	Genomic imbalances in benign metastasizing leiomyoma: characterization by conventional karyotypic, fluorescence in situ hybridization, and whole genome SNP array analysis. Cancer Genetics, 2012, 205, 249-254.	0.4	34
100	Signal transduction pathway analysis in desmoidâ€ŧype fibromatosis: Transforming growth factor–β, <scp>COX</scp> 2 and sex steroid receptors. Cancer Science, 2012, 103, 2173-2180.	3.9	34
101	Morphologic and immunophenotypic analysis of desmoid-type fibromatosis after radiation therapy. Human Pathology, 2012, 43, 1418-1424.	2.0	14
102	Signal transduction pathway analysis in fibromatosis: receptor and nonreceptor tyrosine kinases. Human Pathology, 2012, 43, 1711-1718.	2.0	6
103	Loss of the Urothelial Differentiation Marker FOXA1 Is Associated with High Grade, Late Stage Bladder Cancer and Increased Tumor Proliferation. PLoS ONE, 2012, 7, e36669.	2.5	81
104	Extraskeletal Cartilaginous, Osseous, and Chordoid Tumors in Children and Adolescents. Pediatric and Developmental Pathology, 2012, 15, 255-266.	1.0	1
105	Thrombin induces osteosarcoma growth, a function inhibited by low molecular weight heparin in vitro and in vivo. Cancer, 2012, 118, 2494-2506.	4.1	28
106	Occasional Staining for p63 in Malignant Vascular Tumors: A Potential Diagnostic Pitfall. Pathology and Oncology Research, 2012, 18, 97-100.	1.9	10
107	Bronchial Secretory Immunoglobulin A Deficiency Correlates With Airway Inflammation and Progression of Chronic Obstructive Pulmonary Disease. American Journal of Respiratory and Critical Care Medicine, 2011, 184, 317-327.	5.6	111
108	Occult Primary. Journal of the National Comprehensive Cancer Network: JNCCN, 2011, 9, 1358-1395.	4.9	41

#	Article	IF	CITATIONS
109	Hypoxiaâ€inducible factorâ€1 signalling promotes goblet cell hyperplasia in airway epithelium. Journal of Pathology, 2011, 224, 203-211.	4.5	63
110	Bronchial Secretory IgA Deficiency Correlates With Small Airway Inflammation And Remodeling And Progression Of COPD. , 2011, , .		0
111	Methylthioadenosine phosphorylase and activated insulinâ€like growth factorâ€1 receptor/insulin receptor: potential therapeutic targets in chordoma. Journal of Pathology, 2010, 220, 608-617.	4.5	41
112	Foamy cell angiosarcoma: a rare and deceptively bland variant of cutaneous angiosarcoma. Journal of Cutaneous Pathology, 2010, 37, 901-906.	1.3	18
113	The sonic hedgehog pathway in chordoid tumours. Histopathology, 2010, 56, 978-979.	2.9	10
114	Proteomic analysis of osteogenic sarcoma: association of tumour necrosis factor with poor prognosis. International Journal of Experimental Pathology, 2010, 91, 335-349.	1.3	11
115	Low Levels of Tumor Necrosis Factor α Increase Tumor Growth by Inducing an Endothelial Phenotype of Monocytes Recruited to the Tumor Site. Cancer Research, 2009, 69, 338-348.	0.9	101
116	Prognostic significance of c-Myc expression in soft tissue leiomyosarcoma. Modern Pathology, 2009, 22, 1432-1438.	5.5	33
117	Epithelial-Mesenchymal Transition Markers in Pancreatic Ductal Adenocarcinoma. Pancreas, 2009, 38, e1-e6.	1.1	69
118	Primary Leiomyosarcoma of Extragnathic Bone: Clinicopathologic Features and Reevaluation of Prognosis. Archives of Pathology and Laboratory Medicine, 2009, 133, 1448-1456.	2.5	30
119	Cyclooxygenase 2 expression in soft tissue leiomyosarcoma. Anticancer Research, 2009, 29, 2913-7.	1.1	3
120	Preparation Techniques for the Injection of Human Autologous Cartilage: An Ex Vivo Feasibility Study. Laryngoscope, 2008, 118, 185-188.	2.0	9
121	Inflammatory myofibroblastic tumor of the urinary bladder in a 27â€yearâ€old woman with systemic lupus erythematosus. International Journal of Urology, 2008, 15, 182-184.	1.0	7
122	Primary Hepatic Myxoid Leiomyosarcoma: A Case Report and Review of the Literature. Ultrastructural Pathology, 2008, 32, 25-28.	0.9	16
123	The Wnt modulator sFRP2 enhances mesenchymal stem cell engraftment, granulation tissue formation and myocardial repair. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 18366-18371.	7.1	159
124	Markers of Epithelial-Mesenchymal Transition and Epithelial Differentiation in Sarcomatoid Carcinoma: Utility in the Differential Diagnosis With Sarcoma. Applied Immunohistochemistry and Molecular Morphology, 2008, 16, 251-262.	1.2	40
125	The receptor tyrosine kinase EphA2 promotes mammary adenocarcinoma tumorigenesis and metastatic progression in mice by amplifying ErbB2 signaling. Journal of Clinical Investigation, 2008, 118, 64-78.	8.2	235
126	Steroid Hormone Receptor and COX-2 Expression in Chordoma. American Journal of Clinical Pathology, 2007, 128, 375-381.	0.7	8

#	Article	IF	CITATIONS
127	Immunohistochemical analysis of receptor tyrosine kinase signal transduction activity in chordoma. Neuropathology and Applied Neurobiology, 2007, 34, 071107021928002-???.	3.2	40
128	TNF-α-Mediated Tumor Promotion Is Characterized by Enhanced Vasculogenesis and Generation of Myeloid/Endothelial Vascular Leukoctyes Blood, 2007, 110, 3905-3905.	1.4	0
129	Calretinin expression in tumors of adipose tissue. Human Pathology, 2006, 37, 312-321.	2.0	16
130	Soft Tissue Perineurioma in a Patient With Neurofibromatosis Type 2: A Tumor not Previously Associated With the NF2 Syndrome. American Journal of Surgical Pathology, 2006, 30, 1624-1629.	3.7	34
131	Docetaxel/Gemcitabine Followed by Gemcitabine and External Beam Radiotherapy in Patients With Pancreatic Adenocarcinoma. Annals of Surgical Oncology, 2005, 12, 995-1004.	1.5	67
132	Initial diagnosis of breast cancer via cytological examination of a pleural effusion: A rare event facilitated by recognition of an unusual morphological pattern. Diagnostic Cytopathology, 2005, 32, 177-181.	1.0	0
133	MHC-independent genetic regulation of liver damage in a mouse model of autoimmune hepatocellular injury. Laboratory Investigation, 2005, 85, 550-561.	3.7	19
134	Ethylene Glycol Toxicity Associated With Ischemia, Perforation, and Colonic Oxalate Crystal Deposition. Journal of Clinical Gastroenterology, 2004, 38, 435-439.	2.2	13
135	Necroinflammatory Liver Disease in BALB/c Background, TGF-β1-Deficient Mice Requires CD4+ T Cells. Journal of Immunology, 2003, 170, 4785-4792.	0.8	41
136	Cyclooxygenase-2 Expression in Spontaneous Intestinal Neoplasia of Domestic Dogs. Veterinary Pathology, 2002, 39, 428-436.	1.7	74
137	Surgical Treatment of Hemangiomas of Soft Tissue. Clinical Orthopaedics and Related Research, 2002, 399, 205-210.	1.5	50
138	Intracortical chondroma simulating osteoid osteoma treated by radiofrequency. Skeletal Radiology, 2002, 31, 597-602.	2.0	51
139	MEMBRANOUS LIPODYSTROPHY. Journal of Bone and Joint Surgery - Series A, 2002, 84, 630-633.	3.0	4
140	JAFFE-CAMPANACCI SYNDROME. Journal of Bone and Joint Surgery - Series A, 2002, 84, 634-638.	3.0	23
141	Membranous lipodystrophy. A case report. Journal of Bone and Joint Surgery - Series A, 2002, 84, 630-3.	3.0	2
142	Jaffe-Campanacci syndrome. A case report and review of the literature. Journal of Bone and Joint Surgery - Series A, 2002, 84, 634-8.	3.0	12
143	Chondroblastoma-Like Chondroma of Soft Tissue. American Journal of Surgical Pathology, 2001, 25, 661-666.	3.7	39
144	Primary Treatment of Chondroblastoma with Percutaneous Radio-frequency Heat Ablation: Report of Three Cases. Radiology, 2001, 221, 463-468.	7.3	107

#	Article	IF	CITATIONS
145	Soft-tissue tumors in young patients. , 2000, , 351-396.		0
146	Sex hormone-binding globulin and male sexual development. Neuroscience and Biobehavioral Reviews, 1995, 19, 165-175.	6.1	17
147	Hepatic expression of sex hormone-binding globulin associated with the postnatal surge of serum androgen-binding activity in the Djungarian hamster. Journal of Steroid Biochemistry and Molecular Biology, 1995, 55, 147-158.	2.5	7