

Richard H Loyn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5906762/publications.pdf>

Version: 2024-02-01

45
papers

1,682
citations

279701

23
h-index

289141

40
g-index

45
all docs

45
docs citations

45
times ranked

1760
citing authors

#	ARTICLE	IF	CITATIONS
1	Identifying cost-effective recovery actions for a critically endangered species. <i>Conservation Science and Practice</i> , 2022, 4, e546.	0.9	10
2	Presence and antimicrobial resistance profiles of <i>Escherichia coli</i> , <i>Enterococcus</i> spp. and <i>Salmonella</i> sp. in 12 species of Australian shorebirds and terns. <i>Zoonoses and Public Health</i> , 2022, 69, 615-624.	0.9	6
3	Draft Genome Sequences of Four <i>Citrobacter</i> Isolates Recovered from Wild Australian Shorebirds. <i>Microbiology Resource Announcements</i> , 2021, 10, .	0.3	0
4	Prescribed burn severity has minimal effect on common bird species in a fire-prone forest ecosystem. <i>Forest Ecology and Management</i> , 2020, 475, 118437.	1.4	6
5	<i>Salmonella enterica</i> Serovar Hvittingfoss in Bar-Tailed Godwits (<i>Limosa lapponica</i>) from Roebuck Bay, Northwestern Australia. <i>Applied and Environmental Microbiology</i> , 2020, 86, .	1.4	6
6	Spatial bias in implementation of recovery actions has not improved survival of Orange-bellied Parrots <i>Neophema chrysogaster</i> . <i>Emu</i> , 2020, 120, 263-268.	0.2	11
7	Assessing the strength of evidence for records of Night Parrots at Kalamurina Wildlife Sanctuary (South Australia) and Diamantina National Park (Queensland), 2016-2018. <i>Emu</i> , 2020, 120, 173-177.	0.2	3
8	Metrics of progress in the understanding and management of threats to Australian birds. <i>Conservation Biology</i> , 2019, 33, 456-468.	2.4	31
9	Quantifying extinction risk and forecasting the number of impending Australian bird and mammal extinctions. <i>Pacific Conservation Biology</i> , 2018, 24, 157.	0.5	78
10	Avian influenza infection dynamics under variable climatic conditions, viral prevalence is rainfall driven in waterfowl from temperate, south-east Australia. <i>Veterinary Research</i> , 2016, 47, 23.	1.1	40
11	Long-term declines in multiple waterbird species in a tidal embayment, south-east Australia. <i>Austral Ecology</i> , 2015, 40, 515-527.	0.7	23
12	Bird population responses to wildfire and planned burns in foothill forests of Victoria, Australia. <i>Journal of Ornithology</i> , 2015, 156, 263-273.	0.5	13
13	Avifaunal disarray: quantifying models of the occurrence and ecological effects of a despotic bird species. <i>Diversity and Distributions</i> , 2015, 21, 451-464.	1.9	35
14	The distribution and conservation of birds of coastal salt marshes. , 2014, , 180-242.		11
15	Foraging guild perturbations and ecological homogenization driven by a despotic native bird species. <i>Ibis</i> , 2014, 156, 341-354.	1.0	17
16	Waterbird use of artificial wetlands in an Australian urban landscape. <i>Hydrobiologia</i> , 2013, 716, 131-146.	1.0	45
17	Avifaunal disarray due to a single despotic species. <i>Diversity and Distributions</i> , 2013, 19, 1468-1479.	1.9	91
18	Structured elicitation of expert judgments for threatened species assessment: a case study on a continental scale using email. <i>Methods in Ecology and Evolution</i> , 2012, 3, 906-920.	2.2	131

#	ARTICLE	IF	CITATIONS
19	What can a database compiled over 22 years tell us about the use of different types of wetlands by waterfowl in south-eastern Australian summers?. <i>Emu</i> , 2012, 112, 209-217.	0.2	9
20	Ecologically complex carbon TM - linking biodiversity values, carbon storage and habitat structure in some austral temperate forests. <i>Global Ecology and Biogeography</i> , 2011, 20, 260-271.	2.7	29
21	Designing old forest for the future: Old trees as habitat for birds in forests of Mountain Ash <i>Eucalyptus regnans</i> . <i>Forest Ecology and Management</i> , 2009, 258, 504-515.	1.4	21
22	Associations between salinity and use of non-riverine wetland habitats by diurnal birds. <i>Emu</i> , 2009, 109, 252-259.	0.2	4
23	Eucalypt plantations as habitat for birds on previously cleared farmland in south-eastern Australia. <i>Biological Conservation</i> , 2007, 137, 533-548.	1.9	70
24	Bird declines over 22 years in forest remnants in southeastern Australia: Evidence of faunal relaxation?. <i>Canadian Journal of Forest Research</i> , 2006, 36, 2756-2768.	0.8	29
25	The influence of climate variability on numbers of three waterbird species in Western Port, Victoria, 1973-2002. <i>International Journal of Biometeorology</i> , 2006, 50, 292-304.	1.3	28
26	Impacts of timber harvesting on mammals, reptiles and nocturnal birds in native hardwood forests of East Gippsland, Victoria: a retrospective approach. <i>Australian Forestry</i> , 2002, 65, 182-210.	0.3	19
27	The influence of time since fire and distance from fire boundary on the distribution and abundance of arboreal marsupials in <i>Eucalyptus regnans</i> -dominated forest in the Central Highlands of Victoria. <i>Wildlife Research</i> , 2002, 29, 151.	0.7	59
28	Patterns of ecological segregation among forest and woodland birds in south-eastern Australia. <i>Ornithological Science</i> , 2002, 1, 7-27.	0.3	19
29	Modelling landscape distributions of large forest owls as applied to managing forests in north-east Victoria, Australia. <i>Biological Conservation</i> , 2001, 97, 361-376.	1.9	63
30	The occurrence of gliding possums in old-growth forest patches of mountain ash (<i>Eucalyptus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302	1.9	28
31	Uncertainty in assessing the viability of the Powerful Owl <i>Ninox strenua</i> in Victoria, Australia. <i>Pacific Conservation Biology</i> , 1999, 5, 144.	0.5	14
32	Influence of the Noisy Miner <i>Manorina melanocephala</i> on avian diversity and abundance in remnant Grey Box woodland. <i>Pacific Conservation Biology</i> , 1998, 4, 55.	0.5	125
33	Birds in patches of old-growth ash forest, in a matrix of younger forest. <i>Pacific Conservation Biology</i> , 1998, 4, 111.	0.5	15
34	Initial Changes in the Avian Communities of Remnant Eucalypt Woodlands following a Reduction in the Abundance of Noisy Miners, <i>Manorina melanocephala</i> . <i>Wildlife Research</i> , 1997, 24, 631.	0.7	120
35	Effects of an extensive wildfire on birds in far eastern Victoria. <i>Pacific Conservation Biology</i> , 1997, 3, 221.	0.5	44
36	Bell Miners and the Farming Hypothesis—a Comment. <i>Emu</i> , 1995, 95, 145-146.	0.2	7

#	ARTICLE	IF	CITATIONS
37	Wildlife planning using FORPLAN: a review and examples from Victorian forests. <i>Australian Forestry</i> , 1994, 57, 131-140.	0.3	11
38	Ecology of Orange-Bellied Parrots <i>Neophema Chrysogaster</i> at Their Main Remnant Wintering Site. <i>Emu</i> , 1986, 86, 195-206.	0.2	19
39	Bird Populations in Successional Forests of Mountain Ash <i>Eucalyptus Regnans</i> in Central Victoria. <i>Emu</i> , 1985, 85, 213-230.	0.2	77
40	Strategies for conserving wildlife in commercially productive eucalypt forest. <i>Australian Forestry</i> , 1985, 48, 95-101.	0.3	46
41	Changes in the composition of understorey vegetation after harvesting eucalypts for sawlogs and pulpwood in East Gippsland. <i>Austral Ecology</i> , 1983, 8, 43-53.	0.7	28
42	Territorial Bell Miners and Other Birds Affecting Populations of Insect Prey. <i>Science</i> , 1983, 221, 1411-1413.	6.0	126
43	Bird Populations in a Mixed Eucalypt Forest Used for Production of Wood in Gippsland, Victoria. <i>Emu</i> , 1980, 80, 145-156.	0.2	65
44	A Survey of Birds in Westernport Bay, Victoria, 1973-74. <i>Emu</i> , 1978, 78, 11-19.	0.2	11
45	Level of activity of nitrate reductase at the seedling stage as a predictor of grain nitrogen yield in wheat (<i>Triticum aestivum</i> L.). <i>Australian Journal of Agricultural Research</i> , 1977, 28, 1.	1.5	39