## Perez Mf

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5907174/perez-mf-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

10<br/>papers96<br/>citations6<br/>h-index9<br/>g-index10<br/>ext. papers114<br/>ext. citations3.9<br/>avg, IF1.74<br/>L-index

#	Paper	IF	Citations
10	Schizophrenia-like endurable behavioral and neuroadaptive changes induced by ketamine administration involve Angiotensin II ATreceptor <i>Behavioural Brain Research</i> , <b>2022</b> , 113809	3.4	O
9	Pharmacological NOS-1 Inhibition Within the Hippocampus Prevented Expression of Cocaine Sensitization: Correlation with Reduced Synaptic Transmission. <i>Molecular Neurobiology</i> , <b>2020</b> , 57, 450-4	60 <sup>2</sup>	2
8	Cognitive interference as a possible therapeutic strategy to prevent expression of benzodiazepine withdrawal. <i>European Journal of Neuroscience</i> , <b>2019</b> , 50, 3843-3854	3.5	1
7	Tetrahydrobiopterin improves hippocampal nitric oxide-linked long-term memory. <i>Molecular Genetics and Metabolism</i> , <b>2018</b> , 125, 104-111	3.7	8
6	The Extent of Neuroadaptive Responses to Psychostimulants: Focus on Brain Angiotensin System <b>2017</b> , 193-204		
5	Reduced vasopressin receptors activation mediates the anti-depressant effects of fluoxetine and venlafaxine in bulbectomy model of depression. <i>Psychopharmacology</i> , <b>2016</b> , 233, 1077-86	4.7	8
4	Brain Angiotensin II AT1 receptors are involved in the acute and long-term amphetamine-induced neurocognitive alterations. <i>Psychopharmacology</i> , <b>2016</b> , 233, 795-807	4.7	17
3	Involvement of nNOS/NO/sGC/cGMP signaling pathway in cocaine sensitization and in the associated hippocampal alterations: does phosphodiesterase 5 inhibition help to drug vulnerability?. <i>Psychopharmacology</i> , <b>2013</b> , 229, 41-50	4.7	13
2	Inhibition of neuronal nitric oxide synthase prevents alterations in medial prefrontal cortex excitability induced by repeated cocaine administration. <i>Psychopharmacology</i> , <b>2011</b> , 218, 323-30	4.7	19
1	Different chronic cocaine administration protocols induce changes on dentate gyrus plasticity and hippocampal dependent behavior. <i>Synapse</i> , <b>2010</b> , 64, 742-53	2.4	28