

Gillian Haddock

List of Publications by Citations

Source: <https://exaly.com/author-pdf/590846/gillian-haddock-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

175
papers

7,519
citations

42
h-index

83
g-index

184
ext. papers

8,654
ext. citations

4.1
avg, IF

5.86
L-index

#	Paper	IF	Citations
175	Scales to measure dimensions of hallucinations and delusions: the psychotic symptom rating scales (PSYRATS). <i>Psychological Medicine</i> , 1999 , 29, 879-89	6.9	1016
174	Randomized controlled trial of motivational interviewing, cognitive behavior therapy, and family intervention for patients with comorbid schizophrenia and substance use disorders. <i>American Journal of Psychiatry</i> , 2001 , 158, 1706-13	11.9	392
173	The effects of improving sleep on mental health (OASIS): a randomised controlled trial with mediation analysis. <i>Lancet Psychiatry</i> , 2017 , 4, 749-758	23.3	286
172	Randomised controlled trial of intensive cognitive behaviour therapy for patients with chronic schizophrenia. <i>BMJ: British Medical Journal</i> , 1998 , 317, 303-7		281
171	Randomised controlled trial of cognitive-behavioural therapy in early schizophrenia: acute-phase outcomes. <i>British Journal of Psychiatry</i> , 2002 , 43, s91-7	5.4	260
170	Cognitive-behavioural therapy in first-episode and early schizophrenia. 18-month follow-up of a randomised controlled trial. <i>British Journal of Psychiatry</i> , 2004 , 184, 231-9	5.4	212
169	Intrusive Thoughts and Auditory Hallucinations: A Cognitive Approach. <i>Behavioural and Cognitive Psychotherapy</i> , 1995 , 23, 265-280	2.1	174
168	Reasons for increased substance use in psychosis. <i>Clinical Psychology Review</i> , 2007 , 27, 494-510	10.8	172
167	The evolution of insight, paranoia and depression during early schizophrenia. <i>Psychological Medicine</i> , 2004 , 34, 285-92	6.9	164
166	Cognitive-behavioural therapy and motivational intervention for schizophrenia and substance misuse. 18-month outcomes of a randomised controlled trial. <i>British Journal of Psychiatry</i> , 2003 , 183, 418-26	5.4	164
165	Integrated motivational interviewing and cognitive behavioural therapy for people with psychosis and comorbid substance misuse: randomised controlled trial. <i>BMJ, The</i> , 2010 , 341, c6325	5.9	155
164	Anxiety and depression in psychosis: a systematic review of associations with positive psychotic symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 327-46	6.5	120
163	Cognitive factors in source monitoring and auditory hallucinations. <i>Psychological Medicine</i> , 1997 , 27, 669-79	6.9	119
162	The implementation of the NICE guidelines for schizophrenia: barriers to the implementation of psychological interventions and recommendations for the future. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2008 , 81, 419-36	3.5	116
161	The Psychotic Symptom Rating Scales (PSYRATS): their usefulness and properties in first episode psychosis. <i>Schizophrenia Research</i> , 2007 , 89, 119-22	3.6	109
160	A pilot study evaluating the effectiveness of individual inpatient cognitive-behavioural therapy in early psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999 , 34, 254-8	4.5	108
159	An investigation of the implementation of NICE-recommended CBT interventions for people with schizophrenia. <i>Journal of Mental Health</i> , 2014 , 23, 162-5	2.7	100

158	AN INVESTIGATION INTO THE PSYCHOMETRIC PROPERTIES OF THE COGNITIVE THERAPY SCALE FOR PSYCHOSIS (CTS-Psy). <i>Behavioural and Cognitive Psychotherapy</i> , 2001 , 29, 221-233	2.1	97
157	Telephone administered cognitive behaviour therapy for treatment of obsessive compulsive disorder: randomised controlled non-inferiority trial. <i>BMJ, The</i> , 2006 , 333, 883	5.9	94
156	Group cognitive-behavioural therapy for schizophrenia. Randomised controlled trial. <i>British Journal of Psychiatry</i> , 2006 , 189, 527-32	5.4	93
155	Individual cognitive-behavior therapy in the treatment of hallucinations and delusions: a review. <i>Clinical Psychology Review</i> , 1998 , 18, 821-38	10.8	92
154	Cognitive behavior therapy for persistent auditory hallucinations: From theory to therapy. <i>Behavior Therapy</i> , 1994 , 25, 51-66	4.8	90
153	Insight as a predictor of the outcome of first-episode nonaffective psychosis in a prospective cohort study in England. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 81-6	4.6	90
152	A systematic review of randomised controlled trials of interventions reporting outcomes for relatives of people with psychosis. <i>Clinical Psychology Review</i> , 2013 , 33, 372-82	10.8	89
151	An experience sampling study of worry and rumination in psychosis. <i>Psychological Medicine</i> , 2014 , 44, 1605-14	6.9	87
150	Cognitive-behavioural therapy v. social activity therapy for people with psychosis and a history of violence: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2009 , 194, 152-7	5.4	87
149	Actissist: Proof-of-Concept Trial of a Theory-Driven Digital Intervention for Psychosis. <i>Schizophrenia Bulletin</i> , 2018 , 44, 1070-1080	1.3	85
148	Religious delusions in patients admitted to hospital with schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 130-8	4.5	85
147	A systematic review of the nature and correlates of sleep disturbance in early psychosis. <i>Sleep Medicine Reviews</i> , 2017 , 31, 25-38	10.2	75
146	A systematic review of the implementation of recommended psychological interventions for schizophrenia: Rates, barriers, and improvement strategies. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2016 , 89, 324-50	3.5	75
145	Suicide behaviour over 18 months in recent onset schizophrenic patients: the effects of CBT. <i>Schizophrenia Research</i> , 2006 , 83, 15-27	3.6	72
144	PTSD symptoms associated with the experiences of psychosis and hospitalisation: a review of the literature. <i>Clinical Psychology Review</i> , 2013 , 33, 526-38	10.8	66
143	Auditory hallucinations and the verbal transformation effect: The role of suggestions. <i>Personality and Individual Differences</i> , 1995 , 19, 301-306	3.3	65
142	High resolution examination of the role of sleep disturbance in predicting functioning and psychotic symptoms in schizophrenia: A novel experience sampling study. <i>Journal of Abnormal Psychology</i> , 2016 , 125, 788-797	7	59
141	Effects of training in psychosocial interventions for community psychiatric nurses in England. <i>Psychiatric Services</i> , 1997 , 48, 39-41	3.3	58

140	A comparison of the long-term effectiveness of distraction and focusing in the treatment of auditory hallucinations. <i>The British Journal of Medical Psychology</i> , 1998 , 71 (Pt 3), 339-49		54
139	The role of metacognitive beliefs in auditory hallucinations. <i>Personality and Individual Differences</i> , 2002 , 32, 1351-1363	3.3	51
138	Cognitive behaviour therapy for people with psychosis and mild intellectual disabilities: a case series. <i>Clinical Psychology and Psychotherapy</i> , 2004 , 11, 282-298	2.9	48
137	Does schema therapy change schemas and symptoms? A systematic review across mental health disorders. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2017 , 90, 456-479	3.5	47
136	The reliability and validity of general psychotic rating scales with people with mild and moderate intellectual disabilities: an empirical investigation. <i>Journal of Intellectual Disability Research</i> , 2005 , 49, 490-500	3.2	46
135	Influence of age on outcome of psychological treatments in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2006 , 188, 250-4	5.4	43
134	Staff expressed emotion and causal attributions for client problems on a low security unit: an exploratory study. <i>Schizophrenia Bulletin</i> , 2001 , 27, 517-26	1.3	42
133	Individual cognitive behavioural interventions in early psychosis. <i>British Journal of Psychiatry</i> , 1998 , 172, 101-106	5.4	42
132	Is befriending by trained volunteers of value to people suffering from long-term mental illness?. <i>Journal of Advanced Nursing</i> , 1998 , 27, 713-20	3.1	41
131	Alexithymia and Its Associations With Depression, Suicidality, and Aggression: An Overview of the Literature. <i>Frontiers in Psychiatry</i> , 2019 , 10, 203	5	40
130	Evaluating integrated MI and CBT for people with psychosis and substance misuse: recruitment, retention and sample characteristics of the MIDAS trial. <i>Addictive Behaviors</i> , 2009 , 34, 859-66	4.2	39
129	Psychological interventions in early psychosis. <i>Schizophrenia Bulletin</i> , 2005 , 31, 697-704	1.3	38
128	Psychological Treatment of Chronic Auditory Hallucinations: Two Case Studies. <i>Behavioural and Cognitive Psychotherapy</i> , 1993 , 21, 335-346	2.1	38
127	Family Interventions in Psychosis: A Review of the Evidence and Barriers to Implementation. <i>Australian Psychologist</i> , 2016 , 51, 62-68	1.7	38
126	Does exercise improve sleep for adults with insomnia? A systematic review with quality appraisal. <i>Clinical Psychology Review</i> , 2019 , 68, 1-12	10.8	37
125	The role of expressed emotion in relationships between psychiatric staff and people with a diagnosis of psychosis: a review of the literature. <i>Schizophrenia Bulletin</i> , 2011 , 37, 958-72	1.3	36
124	The relationship between therapeutic alliance and patient's suicidal thoughts, self-harming behaviours and suicide attempts: A systematic review. <i>Journal of Affective Disorders</i> , 2017 , 223, 165-174	6.6	36
123	Self-focused attention in schizophrenic patients with and without auditory hallucinations and normal subjects: A comparative study. <i>Personality and Individual Differences</i> , 1997 , 23, 937-941	3.3	35

122	Feasibility of a ward-based psychological intervention to improve staff and patient relationships in psychiatric rehabilitation settings. <i>British Journal of Clinical Psychology</i> , 2016 , 55, 236-52	3.6	35
121	Speech and language therapists' perspectives of therapeutic alliance construction and maintenance in aphasia rehabilitation post-stroke. <i>International Journal of Language and Communication Disorders</i> , 2018 , 53, 550-563	2.9	34
120	A qualitative study: experiences of stigma by people with mental health problems. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2018 , 91, 380-397	3.5	32
119	A systematic review of service-user reasons for adherence and nonadherence to neuroleptic medication in psychosis. <i>Clinical Psychology Review</i> , 2017 , 51, 75-95	10.8	32
118	Feasibility of a supported self-management intervention for relatives of people with recent-onset psychosis: REACT study. <i>British Journal of Psychiatry</i> , 2013 , 203, 366-72	5.4	32
117	Predicting compliance with command hallucinations: anger, impulsivity and appraisals of voices' power and intent. <i>Schizophrenia Research</i> , 2013 , 147, 163-168	3.6	31
116	"They Are Not Hard-to-Reach Clients. We Have Just Got Hard-to-Reach Services." Staff Views of Digital Health Tools in Specialist Mental Health Services. <i>Frontiers in Psychiatry</i> , 2019 , 10, 344	5	30
115	The role of the therapeutic alliance in the regulation of emotion in psychosis: an attachment perspective. <i>Clinical Psychology and Psychotherapy</i> , 2013 , 20, 523-30	2.9	30
114	What do relatives experience when supporting someone in early psychosis?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2015 , 88, 105-19	3.5	29
113	Modeling determinants of medication attitudes and poor adherence in early nonaffective psychosis: implications for intervention. <i>Schizophrenia Bulletin</i> , 2015 , 41, 584-96	1.3	28
112	Staff experiences and perceptions of working with in-patients who are suicidal: qualitative analysis. <i>British Journal of Psychiatry</i> , 2017 , 211, 103-108	5.4	28
111	Using mobile technology to deliver a cognitive behaviour therapy-informed intervention in early psychosis (Actissist): study protocol for a randomised controlled trial. <i>Trials</i> , 2015 , 16, 404	2.8	28
110	Early Psychosis Service User Views on Digital Technology: Qualitative Analysis. <i>JMIR Mental Health</i> , 2018 , 5, e10091	6	28
109	A systematic review and meta-analysis of the association between alexithymia and suicide ideation and behaviour. <i>Journal of Affective Disorders</i> , 2019 , 254, 34-48	6.6	27
108	People with aphasia's perception of the therapeutic alliance in aphasia rehabilitation post stroke: a thematic analysis. <i>Aphasiology</i> , 2018 , 32, 1397-1417	1.6	27
107	Treatment development for psychosis and co-occurring substance misuse: A descriptive review. <i>Journal of Mental Health</i> , 2006 , 15, 619-632	2.7	27
106	Schizophrenia and substance misuse problems: a comparison between patients with and without significant carer contact. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001 , 36, 523-8	4.5	25
105	The views of relatives of young people with psychosis on how to design a Relatives Education And Coping Toolkit (REACT). <i>Journal of Mental Health</i> , 2011 , 20, 567-79	2.7	24

104	The clinical skills of community psychiatric nurses working with patients who have severe and enduring mental health problems: an empirical analysis. <i>Journal of Advanced Nursing</i> , 1998 , 27, 253-60	3.1	24
103	Development and validation of a scale for assessing reasons for substance use in schizophrenia: the ReSUS scale. <i>Addictive Behaviors</i> , 2009 , 34, 830-7	4.2	23
102	Individuals' experiences and opinions of psychological therapies for psychosis: A narrative synthesis. <i>Clinical Psychology Review</i> , 2016 , 43, 142-61	10.8	22
101	Barriers and facilitators to recruitment in mental health services: care coordinators' expectations and experience of referring to a psychosis research trial. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2015 , 88, 335-50	3.5	22
100	The Subjective Experiences of Psychosis Scale (SEPS): psychometric evaluation of a scale to assess outcome in psychosis. <i>Schizophrenia Research</i> , 2011 , 133, 244-9	3.6	22
99	Therapeutic Alliances in Stroke Rehabilitation: A Meta-Ethnography. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016 , 97, 1979-1993	2.8	22
98	Personal Accounts of Discontinuing Neuroleptic Medication for Psychosis. <i>Qualitative Health Research</i> , 2017 , 27, 559-572	3.9	21
97	An exploration of the therapeutic alliance within a telephone-based cognitive behaviour therapy for individuals with experience of psychosis. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2014 , 87, 393-410	3.5	21
96	Are sleep disturbances causally linked to the presence and severity of psychotic-like, dissociative and hypomanic experiences in non-clinical populations? A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 89, 119-131	9	20
95	Conceptualisation of recovery from psychosis: a service-user perspective. <i>The Psychiatrist</i> , 2010 , 34, 465-470		20
94	Psychotic symptoms, self-harm and violence in individuals with schizophrenia and substance misuse problems. <i>Schizophrenia Research</i> , 2013 , 151, 215-20	3.6	19
93	COGNITIVE-BEHAVIOUR THERAPY FOR INPATIENTS WITH PSYCHOSIS AND ANGER PROBLEMS WITHIN A LOW SECURE ENVIRONMENT. <i>Behavioural and Cognitive Psychotherapy</i> , 2004 , 32, 77-98	2.1	19
92	Are all psychological treatments for psychosis equal? The need for CBT in the treatment of psychosis and not for psychodynamic psychotherapy. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2002 , 75, 365-74; discussion 375-9	3.5	19
91	The relationship between command hallucinations and factors of compliance: A critical review of the literature. <i>Journal of Forensic Psychiatry and Psychology</i> , 2006 , 17, 266-298	0.9	18
90	The validation of a religiosity measure for individuals with schizophrenia. <i>Mental Health, Religion and Culture</i> , 2002 , 5, 267-284	1.1	18
89	Effect of emotional salience on thought disorder in patients with schizophrenia. <i>British Journal of Psychiatry</i> , 1995 , 167, 618-20	5.4	18
88	Investigating the feasibility and acceptability of a cognitive behavioural suicide prevention therapy for people in acute psychiatric wards (the 'INSITE' trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 79	2.8	17
87	Exploring service users perceptions of recovery from psychosis: A Q-methodological approach. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2013 , 86, 245-61	3.5	17

86	Assessing fidelity to integrated motivational interviewing and CBT therapy for psychosis and substance use: the MI-CBT fidelity scale (MI-CTS). <i>Journal of Mental Health</i> , 2012 , 21, 38-48	2.7	16
85	Therapist-client relationships in a psychological therapy trial for psychosis and substance misuse. <i>Drug and Alcohol Dependence</i> , 2015 , 152, 170-6	4.9	15
84	Anxiety and depression and their links with delusions and hallucinations in people with a dual diagnosis of psychosis and substance misuse: a study using data from a randomised controlled trial. <i>Behaviour Research and Therapy</i> , 2012 , 50, 65-71	5.2	15
83	Advances in the psychological management of positive symptoms of schizophrenia. <i>International Review of Psychiatry</i> , 1994 , 6, 201-215	3.6	14
82	Auditory hallucinations and posttraumatic stress disorder within schizophrenia and substance abuse. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 709-11	1.8	13
81	Self-reported reasons for substance use in schizophrenia: a Q methodological investigation. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2009 , 2, 24-39		13
80	Digital interventions in severe mental health problems: lessons from the Actissist development and trial. <i>World Psychiatry</i> , 2018 , 17, 230-231	14.4	12
79	The effects of emotional salience on thought disorder in patients with bipolar affective disorder. <i>Psychological Medicine</i> , 2004 , 34, 803-9	6.9	12
78	Psychological approaches to understanding and promoting recovery in psychosis and bipolar disorder: a mixed-methods approach. <i>Programme Grants for Applied Research</i> , 2016 , 4, 1-272	1.5	11
77	A qualitative analysis of suicidal psychiatric inpatients views and expectations of psychological therapy to counter suicidal thoughts, acts and deaths. <i>BMC Psychiatry</i> , 2018 , 18, 334	4.2	11
76	Reasons for substance use and their relationship to subclinical psychotic and affective symptoms, coping, and substance use in a nonclinical sample. <i>Psychology of Addictive Behaviors</i> , 2014 , 28, 247-56	3.4	10
75	Trauma in relation to psychosis and hospital experiences: the role of past trauma and attachment. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2015 , 88, 227-39	3.5	10
74	Investigating the 'jumping to conclusions' bias in people with anorexia nervosa. <i>European Eating Disorders Review</i> , 2014 , 22, 352-9	5.3	10
73	Religious beliefs and religious delusions: Response to treatment in schizophrenia. <i>Mental Health, Religion and Culture</i> , 2004 , 7, 211-223	1.1	10
72	BATTLING BOREDOM: GROUP COGNITIVE BEHAVIOUR THERAPY FOR NEGATIVE SYMPTOMS OF SCHIZOPHRENIA. <i>Behavioural and Cognitive Psychotherapy</i> , 2002 , 30, 341-346	2.1	10
71	Cognitive Behavioral Intervention for Individuals with Severe Mental Illness Who Have a Substance Misuse Problem. <i>Psychiatric Rehabilitation Skills</i> , 2000 , 4, 216-233		10
70	Feasibility and acceptability of suicide prevention therapy on acute psychiatric wards: randomised controlled trial. <i>BJPsych Open</i> , 2019 , 5, e14	5	10
69	Using my Demons to Make Good: The Short- and Long-Term Impact of Participating in Suicide-Related Research. <i>Archives of Suicide Research</i> , 2021 , 25, 315-339	2.3	10

68	Aphasia and stroke therapeutic alliance measure (A-STAM): Development and preliminary psychometric evaluation. <i>International Journal of Speech-Language Pathology</i> , 2019 , 21, 459-469	2.1	9
67	Telephone-delivered psychosocial interventions targeting key health priorities in adults with a psychotic disorder: systematic review. <i>Psychological Medicine</i> , 2018 , 48, 2637-2657	6.9	9
66	The influence of thought control on the experience of persecutory delusions and auditory hallucinations in daily life. <i>Behaviour Research and Therapy</i> , 2015 , 65, 1-4	5.2	9
65	Compliance in experience sampling methodology: the role of demographic and clinical characteristics. <i>Psychosis</i> , 2014 , 6, 70-73	1.2	9
64	Factors affecting compliance and resistance to auditory command hallucinations: perceptions of a clinical population. <i>Journal of Mental Health</i> , 2010 , 19, 542-52	2.7	9
63	Understanding Outcomes in a Randomized Controlled Trial of a Ward-based Intervention on Psychiatric Inpatient Wards: A Qualitative Analysis of Staff and Patient Experiences. <i>Journal of Clinical Psychology</i> , 2017 , 73, 1211-1225	2.8	8
62	Preferences for psychological therapy in psychosis: trial participation, mode of treatment, and willingness to be randomised. <i>Journal of Mental Health</i> , 2014 , 23, 67-71	2.7	8
61	Staff-patient relationships and outcomes in schizophrenia: the role of staff attributions. <i>Behaviour Research and Therapy</i> , 2012 , 50, 210-4	5.2	8
60	Relatives Education And Coping Toolkit--REACT. Study protocol of a randomised controlled trial to assess the feasibility and effectiveness of a supported self management package for relatives of people with recent onset psychosis. <i>BMC Psychiatry</i> , 2011 , 11, 100	4.2	8
59	Developments in Cognitive-Behaviour Therapy for Persistent Psychotic Symptoms. <i>Behaviour Change</i> , 1994 , 11, 200-212	1.1	8
58	Words Don't Come Easy: How Male Prisoners' Difficulties Identifying and Discussing Feelings Relate to Suicide and Violence. <i>Frontiers in Psychiatry</i> , 2020 , 11, 581390	5	8
57	Factors that contribute to psychological resilience to suicidal thoughts and behaviours in people with schizophrenia diagnoses: qualitative study. <i>BJPsych Open</i> , 2019 , 5, e79	5	7
56	Using plain English and behaviourally specific language to increase the implementation of clinical guidelines for psychological treatments in schizophrenia. <i>Journal of Mental Health</i> , 2015 , 24, 129-33	2.7	7
55	iMAgery focused psychological therapy for persecutory delusions in PSychosis (iMAPS): a multiple baseline experimental case series. <i>Behavioural and Cognitive Psychotherapy</i> , 2020 , 48, 530-545	2.1	7
54	Assessing illicit substance use in schizophrenia: the relationship between self report and detection by hair analysis. <i>Schizophrenia Research</i> , 2009 , 114, 180-1	3.6	7
53	Functioning of the phonological loop in auditory hallucinations. <i>Personality and Individual Differences</i> , 1996 , 20, 753-760	3.3	7
52	People with aphasia's perspectives of the therapeutic alliance during speech-language intervention: A Q methodological approach. <i>International Journal of Speech-Language Pathology</i> , 2020 , 22, 59-69	2.1	7
51	Validation of the Portuguese version of the Psychotic Symptom Rating Scales (PSYRATS). <i>Actas Espanolas De Psiquiatria</i> , 2017 , 45, 56-61	0.7	7

50	Delivery of cognitive-behaviour therapy for psychosis: a service user preference trial. <i>Journal of Mental Health</i> , 2018 , 27, 336-344	2.7	6
49	Prison staff's views and understanding of the role of emotions in prisoner suicide and violence. <i>Journal of Forensic Psychiatry and Psychology</i> , 2020 , 31, 868-888	0.9	6
48	Overcoming barriers to implementing ward-based psychosocial interventions in acute inpatient mental health settings: A meta-synthesis. <i>International Journal of Nursing Studies</i> , 2021 , 115, 103870	5.8	6
47	iMAgery-Focused Psychological Therapy for Persecutory Delusions in PSYchosis (iMAPS): A Novel Treatment Approach. <i>Cognitive and Behavioral Practice</i> , 2019 , 26, 575-588	2.3	6
46	Supporting the intimate relationship needs of service users with psychosis: what are the barriers and facilitators?. <i>Journal of Mental Health</i> , 2020 , 29, 314-320	2.7	6
45	A description and evaluation of a challenging behaviour workshop. <i>Journal of Mental Health</i> , 2012 , 21, 478-84	2.7	5
44	New psychological treatments in schizophrenia. <i>Advances in Psychiatric Treatment</i> , 1996 , 2, 110-116		5
43	Barriers and facilitators to accessing psychological therapies for severe mental health difficulties in later life. <i>Behavioural and Cognitive Psychotherapy</i> , 2020 , 48, 216-228	2.1	5
42	A psychological intervention for suicide applied to non-affective psychosis: the CARMS (Cognitive AppRoaches to coMBatting Suicidality) randomised controlled trial protocol. <i>BMC Psychiatry</i> , 2020 , 20, 306	4.2	4
41	An exploratory study into therapeutic alliance, defeat, entrapment and suicidality on mental health wards. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2018 , 25, 119-130	2.4	4
40	Assessing therapist adherence to recovery-focused cognitive behavioural therapy for psychosis delivered by telephone with support from a self-help guide: psychometric evaluations of a new fidelity scale. <i>Behavioural and Cognitive Psychotherapy</i> , 2014 , 42, 435-51	2.1	4
39	Involving an individual with lived-experience in a co-analysis of qualitative data. <i>Health Expectations</i> , 2021 , 24, 766-775	3.7	4
38	The relationship between self-criticism and suicide probability. <i>Clinical Psychology and Psychotherapy</i> , 2021 , 28, 1445	2.9	4
37	FIRST EPISODE PSYCHOSIS: TWO CASES TO ILLUSTRATE THE ROLE OF COGNITIVE BEHAVIOUR THERAPY IN MAKING SENSE OF UNUSUAL EXPERIENCES. <i>Behavioural and Cognitive Psychotherapy</i> , 2004 , 32, 331-345	2.1	3
36	The therapeutic alliance in early psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 69-106	6.5	3
35	A Theory-Informed Digital Health Intervention in People with Severe Mental Health Problems. <i>Studies in Health Technology and Informatics</i> , 2019 , 264, 526-530	0.5	3
34	Developing a Theory-Informed Smartphone App for Early Psychosis: Learning Points From a Multidisciplinary Collaboration. <i>Frontiers in Psychiatry</i> , 2020 , 11, 602861	5	3
33	Characterizing core beliefs in psychosis: a qualitative study. <i>Behavioural and Cognitive Psychotherapy</i> , 2020 , 48, 67-81	2.1	3

32	Understanding individuals' subjective experiences of negative symptoms of schizophrenia: A qualitative study. <i>British Journal of Clinical Psychology</i> , 2020 , 59, 319-334	3.6	3
31	Qualitative analysis of ward staff experiences during research of a novel suicide-prevention psychological therapy for psychiatric inpatients: Understanding the barriers and facilitators. <i>PLoS ONE</i> , 2019 , 14, e0222482	3.7	2
30	The development and assessment of a scale to measure the experience of an anorexic voice in anorexia nervosa. <i>Clinical Psychology and Psychotherapy</i> , 2020 , 27, 940-954	2.9	2
29	Family interventions for psychosis. <i>Progress in Neurology and Psychiatry</i> , 2013 , 17, 18-19	0.8	2
28	Psychological Treatment of Psychosis 2011 , 666-686		2
27	A Cross-Sectional Study Investigating the Relationship Between Alexithymia and Suicide, Violence, and Dual Harm in Male Prisoners. <i>Frontiers in Psychiatry</i> , 2021 , 12, 670863	5	2
26	A study on the feasibility of delivering a psychologically informed ward-based intervention on an acute mental health ward. <i>Clinical Psychology and Psychotherapy</i> , 2021 ,	2.9	2
25	Optimising AVATAR therapy for people who hear distressing voices: study protocol for the AVATAR2 multi-centre randomised controlled trial. <i>Trials</i> , 2021 , 22, 366	2.8	2
24	The influence of romantic relationships on mental wellbeing for people who experience psychosis: A systematic review. <i>Clinical Psychology Review</i> , 2021 , 86, 102022	10.8	2
23	"Sex isn't everything": views of people with experience of psychosis on intimate relationships and implications for mental health services. <i>BMC Psychiatry</i> , 2021 , 21, 307	4.2	2
22	Therapeutic alliance in psychological therapy for posttraumatic stress disorder: A systematic review and meta-analysis. <i>Clinical Psychology and Psychotherapy</i> , 2021 ,	2.9	2
21	Cognitive-Behavioral Therapy for People with Intellectual Disabilities and Psychosis 157-172		2
20	Individual cognitive-behavioural interventions in early psychosis. <i>The British Journal of Psychiatry Supplement</i> , 1998 , 172, 101-6		2
19	Psychological resilience to suicidal thoughts and behaviours in people with schizophrenia diagnoses : A systematic literature review. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2020 , 93, 777-809	3.5	1
18	Protocol for a systematic review of telephone delivered psychosocial interventions on relapse prevention, adherence to psychiatric medication and health risk behaviours in adults with a psychotic disorder. <i>BMJ Open</i> , 2015 , 5, e009985	3	1
17	Psychosis and substance use problems: Using controlled drinking in interventions. <i>Addiction Research and Theory</i> , 2006 , 14, 67-72	2.6	1
16	A cluster randomised controlled trial of a ward-based intervention to improve access to psychologically-informed care and psychological therapy for mental health in-patients.. <i>BMC Psychiatry</i> , 2022 , 22, 82	4.2	1
15	Protective Factors Associated With Post-traumatic Outcomes in Individuals With Experiences of Psychosis.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 735870	5	1

14	Conducting a consensus conference to design a psychology service model for acute mental health wards. <i>British Journal of Clinical Psychology</i> , 2020 , 59, 439-460	3.6	1
13	A pilot study exploring the utility of a therapeutic research group intervention for people experiencing psychosis related difficulties.. <i>Advances in Mental Health</i> , 2020 , 18, 179-196	1.2	1
12	The Long-Term Relationship Between Psychological Resilience, Psychosis, Distress, and Suicidal Thoughts and Behaviors. <i>Schizophrenia Bulletin Open</i> , 2021 , 2,	2.2	1
11	Young people's beliefs about psychological therapy for psychosis: a Q-Methodological study. <i>Journal of Mental Health</i> , 2020 , 29, 446-454	2.7	0
10	CBT for psychosis. <i>British Journal of Psychiatry</i> , 2004 , 185, 438	5.4	
9	Hair analysis for substance use. <i>British Journal of Psychiatry</i> , 1999 , 174, 370	5.4	
8	Patient social functioning in acute mental health inpatient wards: the role of emotional regulation, attachment styles and nurse-patient relationships. <i>British Journal of Mental Health Nursing</i> , 2021 , 10, 1-13	0.4	
7	Cognitive-Behavioral Treatment of Schizophrenia 2002 , 382-391		
6	CBT for psychosis. <i>British Journal of Psychiatry</i> , 2004 , 185, 438-438	5.4	
5	The Challenge of Anger, Aggression and Violence when Delivering CBT for Psychosis 109-125		
4	Clinical Case Formulation 2020 , 321-339		
3	A systematic review of randomised controlled trials of psychosocial interventions for acute mental health inpatients. <i>British Journal of Mental Health Nursing</i> , 2021 , 10, 1-17	0.4	
2	Male prisoners' experiences of taking part in research about suicide and violence: a mixed methods study. <i>Research Involvement and Engagement</i> , 2021 , 7, 65	4.4	
1	Het effect van partnerrelaties op het geestelijk welbevinden van mensen met psychose: een systematische review. <i>Gezinstherapie Wereldwijd</i> , 1	0	