

Gillian Haddock

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/590846/gillian-haddock-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

175
papers

7,519
citations

42
h-index

83
g-index

184
ext. papers

8,654
ext. citations

4.1
avg, IF

5.86
L-index

#	Paper	IF	Citations
175	A cluster randomised controlled trial of a ward-based intervention to improve access to psychologically-informed care and psychological therapy for mental health in-patients.. <i>BMC Psychiatry</i> , 2022 , 22, 82	4.2	1
174	Patient social functioning in acute mental health inpatient wards: the role of emotional regulation, attachment styles and nurse-patient relationships. <i>British Journal of Mental Health Nursing</i> , 2021 , 10, 1-13	0.4	
173	Protective Factors Associated With Post-traumatic Outcomes in Individuals With Experiences of Psychosis.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 735870	5	1
172	Overcoming barriers to implementing ward-based psychosocial interventions in acute inpatient mental health settings: A meta-synthesis. <i>International Journal of Nursing Studies</i> , 2021 , 115, 103870	5.8	6
171	Involving an individual with lived-experience in a co-analysis of qualitative data. <i>Health Expectations</i> , 2021 , 24, 766-775	3.7	4
170	A Cross-Sectional Study Investigating the Relationship Between Alexithymia and Suicide, Violence, and Dual Harm in Male Prisoners. <i>Frontiers in Psychiatry</i> , 2021 , 12, 670863	5	2
169	A study on the feasibility of delivering a psychologically informed ward-based intervention on an acute mental health ward. <i>Clinical Psychology and Psychotherapy</i> , 2021 ,	2.9	2
168	Optimising AVATAR therapy for people who hear distressing voices: study protocol for the AVATAR2 multi-centre randomised controlled trial. <i>Trials</i> , 2021 , 22, 366	2.8	2
167	The influence of romantic relationships on mental wellbeing for people who experience psychosis: A systematic review. <i>Clinical Psychology Review</i> , 2021 , 86, 102022	10.8	2
166	"Sex isn't everything": views of people with experience of psychosis on intimate relationships and implications for mental health services. <i>BMC Psychiatry</i> , 2021 , 21, 307	4.2	2
165	The relationship between self-criticism and suicide probability. <i>Clinical Psychology and Psychotherapy</i> , 2021 , 28, 1445	2.9	4
164	Therapeutic alliance in psychological therapy for posttraumatic stress disorder: A systematic review and meta-analysis. <i>Clinical Psychology and Psychotherapy</i> , 2021 ,	2.9	2
163	Using my Demons to Make Good: The Short- and Long-Term Impact of Participating in Suicide-Related Research. <i>Archives of Suicide Research</i> , 2021 , 25, 315-339	2.3	10
162	The Long-Term Relationship Between Psychological Resilience, Psychosis, Distress, and Suicidal Thoughts and Behaviors. <i>Schizophrenia Bulletin Open</i> , 2021 , 2,	2.2	1
161	A systematic review of randomised controlled trials of psychosocial interventions for acute mental health inpatients. <i>British Journal of Mental Health Nursing</i> , 2021 , 10, 1-17	0.4	
160	Male prisoners' experiences of taking part in research about suicide and violence: a mixed methods study. <i>Research Involvement and Engagement</i> , 2021 , 7, 65	4.4	
159	The development and assessment of a scale to measure the experience of an anorexic voice in anorexia nervosa. <i>Clinical Psychology and Psychotherapy</i> , 2020 , 27, 940-954	2.9	2

158	A psychological intervention for suicide applied to non-affective psychosis: the CARMS (Cognitive AppRoaches to coMBatting Suicidality) randomised controlled trial protocol. <i>BMC Psychiatry</i> , 2020 , 20, 306	4.2	4
157	iMAgery focused psychological therapy for persecutory delusions in PSychoSis (iMAPS): a multiple baseline experimental case series. <i>Behavioural and Cognitive Psychotherapy</i> , 2020 , 48, 530-545	2.1	7
156	Psychological resilience to suicidal thoughts and behaviours in people with schizophrenia diagnoses : A systematic literature review. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2020 , 93, 777-809	3.5	1
155	Developing a Theory-Informed Smartphone App for Early Psychosis: Learning Points From a Multidisciplinary Collaboration. <i>Frontiers in Psychiatry</i> , 2020 , 11, 602861	5	3
154	Clinical Case Formulation 2020 , 321-339		
153	Prison staff's views and understanding of the role of emotions in prisoner suicide and violence. <i>Journal of Forensic Psychiatry and Psychology</i> , 2020 , 31, 868-888	0.9	6
152	Conducting a consensus conference to design a psychology service model for acute mental health wards. <i>British Journal of Clinical Psychology</i> , 2020 , 59, 439-460	3.6	1
151	Words Don't Come Easy: How Male Prisoners' Difficulties Identifying and Discussing Feelings Relate to Suicide and Violence. <i>Frontiers in Psychiatry</i> , 2020 , 11, 581390	5	8
150	Characterizing core beliefs in psychosis: a qualitative study. <i>Behavioural and Cognitive Psychotherapy</i> , 2020 , 48, 67-81	2.1	3
149	People with aphasia's perspectives of the therapeutic alliance during speech-language intervention: A Q methodological approach. <i>International Journal of Speech-Language Pathology</i> , 2020 , 22, 59-69	2.1	7
148	Young people's beliefs about psychological therapy for psychosis: a Q-Methodological study. <i>Journal of Mental Health</i> , 2020 , 29, 446-454	2.7	0
147	Barriers and facilitators to accessing psychological therapies for severe mental health difficulties in later life. <i>Behavioural and Cognitive Psychotherapy</i> , 2020 , 48, 216-228	2.1	5
146	A pilot study exploring the utility of a therapeutic research group intervention for people experiencing psychosis related difficulties.. <i>Advances in Mental Health</i> , 2020 , 18, 179-196	1.2	1
145	Supporting the intimate relationship needs of service users with psychosis: what are the barriers and facilitators?. <i>Journal of Mental Health</i> , 2020 , 29, 314-320	2.7	6
144	Understanding individuals' subjective experiences of negative symptoms of schizophrenia: A qualitative study. <i>British Journal of Clinical Psychology</i> , 2020 , 59, 319-334	3.6	3
143	Aphasia and stroke therapeutic alliance measure (A-STAM): Development and preliminary psychometric evaluation. <i>International Journal of Speech-Language Pathology</i> , 2019 , 21, 459-469	2.1	9
142	"They Are Not Hard-to-Reach Clients. We Have Just Got Hard-to-Reach Services." Staff Views of Digital Health Tools in Specialist Mental Health Services. <i>Frontiers in Psychiatry</i> , 2019 , 10, 344	5	30
141	Factors that contribute to psychological resilience to suicidal thoughts and behaviours in people with schizophrenia diagnoses: qualitative study. <i>BJPsych Open</i> , 2019 , 5, e79	5	7

140	Qualitative analysis of ward staff experiences during research of a novel suicide-prevention psychological therapy for psychiatric inpatients: Understanding the barriers and facilitators. <i>PLoS ONE</i> , 2019 , 14, e0222482	3.7	2
139	A systematic review and meta-analysis of the association between alexithymia and suicide ideation and behaviour. <i>Journal of Affective Disorders</i> , 2019 , 254, 34-48	6.6	27
138	Alexithymia and Its Associations With Depression, Suicidality, and Aggression: An Overview of the Literature. <i>Frontiers in Psychiatry</i> , 2019 , 10, 203	5	40
137	A Theory-Informed Digital Health Intervention in People with Severe Mental Health Problems. <i>Studies in Health Technology and Informatics</i> , 2019 , 264, 526-530	0.5	3
136	Feasibility and acceptability of suicide prevention therapy on acute psychiatric wards: randomised controlled trial. <i>BJPsych Open</i> , 2019 , 5, e14	5	10
135	Does exercise improve sleep for adults with insomnia? A systematic review with quality appraisal. <i>Clinical Psychology Review</i> , 2019 , 68, 1-12	10.8	37
134	iMAgery-Focused Psychological Therapy for Persecutory Delusions in PSychosis (iMAPS): A Novel Treatment Approach. <i>Cognitive and Behavioral Practice</i> , 2019 , 26, 575-588	2.3	6
133	People with aphasia's perception of the therapeutic alliance in aphasia rehabilitation post stroke: a thematic analysis. <i>Aphasiology</i> , 2018 , 32, 1397-1417	1.6	27
132	Are sleep disturbances causally linked to the presence and severity of psychotic-like, dissociative and hypomanic experiences in non-clinical populations? A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 89, 119-131	9	20
131	Speech and language therapists' perspectives of therapeutic alliance construction and maintenance in aphasia rehabilitation post-stroke. <i>International Journal of Language and Communication Disorders</i> , 2018 , 53, 550-563	2.9	34
130	A qualitative study: experiences of stigma by people with mental health problems. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2018 , 91, 380-397	3.5	32
129	Delivery of cognitive-behaviour therapy for psychosis: a service user preference trial. <i>Journal of Mental Health</i> , 2018 , 27, 336-344	2.7	6
128	An exploratory study into therapeutic alliance, defeat, entrapment and suicidality on mental health wards. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2018 , 25, 119-130	2.4	4
127	Actissist: Proof-of-Concept Trial of a Theory-Driven Digital Intervention for Psychosis. <i>Schizophrenia Bulletin</i> , 2018 , 44, 1070-1080	1.3	85
126	Digital interventions in severe mental health problems: lessons from the Actissist development and trial. <i>World Psychiatry</i> , 2018 , 17, 230-231	14.4	12
125	Telephone-delivered psychosocial interventions targeting key health priorities in adults with a psychotic disorder: systematic review. <i>Psychological Medicine</i> , 2018 , 48, 2637-2657	6.9	9
124	Early Psychosis Service User Views on Digital Technology: Qualitative Analysis. <i>JMIR Mental Health</i> , 2018 , 5, e10091	6	28
123	A qualitative analysis of suicidal psychiatric inpatients views and expectations of psychological therapy to counter suicidal thoughts, acts and deaths. <i>BMC Psychiatry</i> , 2018 , 18, 334	4.2	11

122	A systematic review of the nature and correlates of sleep disturbance in early psychosis. <i>Sleep Medicine Reviews</i> , 2017 , 31, 25-38	10.2	75
121	Personal Accounts of Discontinuing Neuroleptic Medication for Psychosis. <i>Qualitative Health Research</i> , 2017 , 27, 559-572	3.9	21
120	Understanding Outcomes in a Randomized Controlled Trial of a Ward-based Intervention on Psychiatric Inpatient Wards: A Qualitative Analysis of Staff and Patient Experiences. <i>Journal of Clinical Psychology</i> , 2017 , 73, 1211-1225	2.8	8
119	Does schema therapy change schemas and symptoms? A systematic review across mental health disorders. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2017 , 90, 456-479	3.5	47
118	The effects of improving sleep on mental health (OASIS): a randomised controlled trial with mediation analysis. <i>Lancet Psychiatry</i> , 2017 , 4, 749-758	23.3	286
117	Staff experiences and perceptions of working with in-patients who are suicidal: qualitative analysis. <i>British Journal of Psychiatry</i> , 2017 , 211, 103-108	5.4	28
116	A systematic review of service-user reasons for adherence and nonadherence to neuroleptic medication in psychosis. <i>Clinical Psychology Review</i> , 2017 , 51, 75-95	10.8	32
115	The relationship between therapeutic alliance and patient's suicidal thoughts, self-harming behaviours and suicide attempts: A systematic review. <i>Journal of Affective Disorders</i> , 2017 , 223, 165-174	6.6	36
114	Validation of the Portuguese version of the Psychotic Symptom Rating Scales (PSYRATS). <i>Actas Espanolas De Psiquiatria</i> , 2017 , 45, 56-61	0.7	7
113	High resolution examination of the role of sleep disturbance in predicting functioning and psychotic symptoms in schizophrenia: A novel experience sampling study. <i>Journal of Abnormal Psychology</i> , 2016 , 125, 788-797	7	59
112	Investigating the feasibility and acceptability of a cognitive behavioural suicide prevention therapy for people in acute psychiatric wards (the 'INSITE' trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 79	2.8	17
111	Individuals' experiences and opinions of psychological therapies for psychosis: A narrative synthesis. <i>Clinical Psychology Review</i> , 2016 , 43, 142-61	10.8	22
110	Psychological approaches to understanding and promoting recovery in psychosis and bipolar disorder: a mixed-methods approach. <i>Programme Grants for Applied Research</i> , 2016 , 4, 1-272	1.5	11
109	A systematic review of the implementation of recommended psychological interventions for schizophrenia: Rates, barriers, and improvement strategies. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2016 , 89, 324-50	3.5	75
108	Feasibility of a ward-based psychological intervention to improve staff and patient relationships in psychiatric rehabilitation settings. <i>British Journal of Clinical Psychology</i> , 2016 , 55, 236-52	3.6	35
107	Therapeutic Alliances in Stroke Rehabilitation: A Meta-Ethnography. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016 , 97, 1979-1993	2.8	22
106	Family Interventions in Psychosis: A Review of the Evidence and Barriers to Implementation. <i>Australian Psychologist</i> , 2016 , 51, 62-68	1.7	38
105	Modeling determinants of medication attitudes and poor adherence in early nonaffective psychosis: implications for intervention. <i>Schizophrenia Bulletin</i> , 2015 , 41, 584-96	1.3	28

104	Using plain English and behaviourally specific language to increase the implementation of clinical guidelines for psychological treatments in schizophrenia. <i>Journal of Mental Health</i> , 2015 , 24, 129-33	2.7	7
103	What do relatives experience when supporting someone in early psychosis?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2015 , 88, 105-19	3.5	29
102	Protocol for a systematic review of telephone delivered psychosocial interventions on relapse prevention, adherence to psychiatric medication and health risk behaviours in adults with a psychotic disorder. <i>BMJ Open</i> , 2015 , 5, e009985	3	1
101	Using mobile technology to deliver a cognitive behaviour therapy-informed intervention in early psychosis (Actissist): study protocol for a randomised controlled trial. <i>Trials</i> , 2015 , 16, 404	2.8	28
100	Trauma in relation to psychosis and hospital experiences: the role of past trauma and attachment. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2015 , 88, 227-39	3.5	10
99	Barriers and facilitators to recruitment in mental health services: care coordinators' expectations and experience of referring to a psychosis research trial. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2015 , 88, 335-50	3.5	22
98	Therapist-client relationships in a psychological therapy trial for psychosis and substance misuse. <i>Drug and Alcohol Dependence</i> , 2015 , 152, 170-6	4.9	15
97	The influence of thought control on the experience of persecutory delusions and auditory hallucinations in daily life. <i>Behaviour Research and Therapy</i> , 2015 , 65, 1-4	5.2	9
96	Reasons for substance use and their relationship to subclinical psychotic and affective symptoms, coping, and substance use in a nonclinical sample. <i>Psychology of Addictive Behaviors</i> , 2014 , 28, 247-56	3.4	10
95	Compliance in experience sampling methodology: the role of demographic and clinical characteristics. <i>Psychosis</i> , 2014 , 6, 70-73	1.2	9
94	Preferences for psychological therapy in psychosis: trial participation, mode of treatment, and willingness to be randomised. <i>Journal of Mental Health</i> , 2014 , 23, 67-71	2.7	8
93	Investigating the 'jumping to conclusions' bias in people with anorexia nervosa. <i>European Eating Disorders Review</i> , 2014 , 22, 352-9	5.3	10
92	An investigation of the implementation of NICE-recommended CBT interventions for people with schizophrenia. <i>Journal of Mental Health</i> , 2014 , 23, 162-5	2.7	100
91	Assessing therapist adherence to recovery-focused cognitive behavioural therapy for psychosis delivered by telephone with support from a self-help guide: psychometric evaluations of a new fidelity scale. <i>Behavioural and Cognitive Psychotherapy</i> , 2014 , 42, 435-51	2.1	4
90	An experience sampling study of worry and rumination in psychosis. <i>Psychological Medicine</i> , 2014 , 44, 1605-14	6.9	87
89	An exploration of the therapeutic alliance within a telephone-based cognitive behaviour therapy for individuals with experience of psychosis. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2014 , 87, 393-410	3.5	21
88	The role of the therapeutic alliance in the regulation of emotion in psychosis: an attachment perspective. <i>Clinical Psychology and Psychotherapy</i> , 2013 , 20, 523-30	2.9	30
87	Predicting compliance with command hallucinations: anger, impulsivity and appraisals of voices' power and intent. <i>Schizophrenia Research</i> , 2013 , 147, 163-168	3.6	31

86	Psychotic symptoms, self-harm and violence in individuals with schizophrenia and substance misuse problems. <i>Schizophrenia Research</i> , 2013 , 151, 215-20	3.6	19
85	A systematic review of randomised controlled trials of interventions reporting outcomes for relatives of people with psychosis. <i>Clinical Psychology Review</i> , 2013 , 33, 372-82	10.8	89
84	PTSD symptoms associated with the experiences of psychosis and hospitalisation: a review of the literature. <i>Clinical Psychology Review</i> , 2013 , 33, 526-38	10.8	66
83	Anxiety and depression in psychosis: a systematic review of associations with positive psychotic symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 327-46	6.5	120
82	Family interventions for psychosis. <i>Progress in Neurology and Psychiatry</i> , 2013 , 17, 18-19	0.8	2
81	Exploring service users perceptions of recovery from psychosis: A Q-methodological approach. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2013 , 86, 245-61	3.5	17
80	Feasibility of a supported self-management intervention for relatives of people with recent-onset psychosis: REACT study. <i>British Journal of Psychiatry</i> , 2013 , 203, 366-72	5.4	32
79	A description and evaluation of a challenging behaviour workshop. <i>Journal of Mental Health</i> , 2012 , 21, 478-84	2.7	5
78	Anxiety and depression and their links with delusions and hallucinations in people with a dual diagnosis of psychosis and substance misuse: a study using data from a randomised controlled trial. <i>Behaviour Research and Therapy</i> , 2012 , 50, 65-71	5.2	15
77	Staff-patient relationships and outcomes in schizophrenia: the role of staff attributions. <i>Behaviour Research and Therapy</i> , 2012 , 50, 210-4	5.2	8
76	Assessing fidelity to integrated motivational interviewing and CBT therapy for psychosis and substance use: the MI-CBT fidelity scale (MI-CTS). <i>Journal of Mental Health</i> , 2012 , 21, 38-48	2.7	16
75	The Subjective Experiences of Psychosis Scale (SEPS): psychometric evaluation of a scale to assess outcome in psychosis. <i>Schizophrenia Research</i> , 2011 , 133, 244-9	3.6	22
74	Psychological Treatment of Psychosis 2011 , 666-686		2
73	Auditory hallucinations and posttraumatic stress disorder within schizophrenia and substance abuse. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 709-11	1.8	13
72	Relatives Education And Coping Toolkit-REACT. Study protocol of a randomised controlled trial to assess the feasibility and effectiveness of a supported self management package for relatives of people with recent onset psychosis. <i>BMC Psychiatry</i> , 2011 , 11, 100	4.2	8
71	The views of relatives of young people with psychosis on how to design a Relatives Education And Coping Toolkit (REACT). <i>Journal of Mental Health</i> , 2011 , 20, 567-79	2.7	24
70	The role of expressed emotion in relationships between psychiatric staff and people with a diagnosis of psychosis: a review of the literature. <i>Schizophrenia Bulletin</i> , 2011 , 37, 958-72	1.3	36
69	Factors affecting compliance and resistance to auditory command hallucinations: perceptions of a clinical population. <i>Journal of Mental Health</i> , 2010 , 19, 542-52	2.7	9

68	Integrated motivational interviewing and cognitive behavioural therapy for people with psychosis and comorbid substance misuse: randomised controlled trial. <i>BMJ, The</i> , 2010 , 341, c6325	5.9	155
67	Conceptualisation of recovery from psychosis: a service-user perspective. <i>The Psychiatrist</i> , 2010 , 34, 465-470		20
66	Self-reported reasons for substance use in schizophrenia: a Q methodological investigation. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2009 , 2, 24-39		13
65	Development and validation of a scale for assessing reasons for substance use in schizophrenia: the ReSUS scale. <i>Addictive Behaviors</i> , 2009 , 34, 830-7	4.2	23
64	Evaluating integrated MI and CBT for people with psychosis and substance misuse: recruitment, retention and sample characteristics of the MIDAS trial. <i>Addictive Behaviors</i> , 2009 , 34, 859-66	4.2	39
63	Assessing illicit substance use in schizophrenia: the relationship between self report and detection by hair analysis. <i>Schizophrenia Research</i> , 2009 , 114, 180-1	3.6	7
62	Cognitive-behavioural therapy v. social activity therapy for people with psychosis and a history of violence: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2009 , 194, 152-7	5.4	87
61	The implementation of the NICE guidelines for schizophrenia: barriers to the implementation of psychological interventions and recommendations for the future. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2008 , 81, 419-36	3.5	116
60	The Psychotic Symptom Rating Scales (PSYRATS): their usefulness and properties in first episode psychosis. <i>Schizophrenia Research</i> , 2007 , 89, 119-22	3.6	109
59	Reasons for increased substance use in psychosis. <i>Clinical Psychology Review</i> , 2007 , 27, 494-510	10.8	172
58	Insight as a predictor of the outcome of first-episode nonaffective psychosis in a prospective cohort study in England. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 81-6	4.6	90
57	Telephone administered cognitive behaviour therapy for treatment of obsessive compulsive disorder: randomised controlled non-inferiority trial. <i>BMJ, The</i> , 2006 , 333, 883	5.9	94
56	Psychosis and substance use problems: Using controlled drinking in interventions. <i>Addiction Research and Theory</i> , 2006 , 14, 67-72	2.6	1
55	Treatment development for psychosis and co-occurring substance misuse: A descriptive review. <i>Journal of Mental Health</i> , 2006 , 15, 619-632	2.7	27
54	Suicide behaviour over 18 months in recent onset schizophrenic patients: the effects of CBT. <i>Schizophrenia Research</i> , 2006 , 83, 15-27	3.6	72
53	The relationship between command hallucinations and factors of compliance: A critical review of the literature. <i>Journal of Forensic Psychiatry and Psychology</i> , 2006 , 17, 266-298	0.9	18
52	Influence of age on outcome of psychological treatments in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2006 , 188, 250-4	5.4	43
51	Group cognitive-behavioural therapy for schizophrenia. Randomised controlled trial. <i>British Journal of Psychiatry</i> , 2006 , 189, 527-32	5.4	93

50	The reliability and validity of general psychotic rating scales with people with mild and moderate intellectual disabilities: an empirical investigation. <i>Journal of Intellectual Disability Research</i> , 2005 , 49, 490-500	3.2	46
49	Psychological interventions in early psychosis. <i>Schizophrenia Bulletin</i> , 2005 , 31, 697-704	1.3	38
48	CBT for psychosis. <i>British Journal of Psychiatry</i> , 2004 , 185, 438	5.4	
47	The evolution of insight, paranoia and depression during early schizophrenia. <i>Psychological Medicine</i> , 2004 , 34, 285-92	6.9	164
46	FIRST EPISODE PSYCHOSIS: TWO CASES TO ILLUSTRATE THE ROLE OF COGNITIVE BEHAVIOUR THERAPY IN MAKING SENSE OF UNUSUAL EXPERIENCES. <i>Behavioural and Cognitive Psychotherapy</i> , 2004 , 32, 331-345	2.1	3
45	COGNITIVE-BEHAVIOUR THERAPY FOR INPATIENTS WITH PSYCHOSIS AND ANGER PROBLEMS WITHIN A LOW SECURE ENVIRONMENT. <i>Behavioural and Cognitive Psychotherapy</i> , 2004 , 32, 77-98	2.1	19
44	Religious beliefs and religious delusions: Response to treatment in schizophrenia. <i>Mental Health, Religion and Culture</i> , 2004 , 7, 211-223	1.1	10
43	Cognitive Behaviour therapy for people with psychosis and mild intellectual disabilities: a case series. <i>Clinical Psychology and Psychotherapy</i> , 2004 , 11, 282-298	2.9	48
42	The effects of emotional salience on thought disorder in patients with bipolar affective disorder. <i>Psychological Medicine</i> , 2004 , 34, 803-9	6.9	12
41	Cognitive-behavioural therapy in first-episode and early schizophrenia. 18-month follow-up of a randomised controlled trial. <i>British Journal of Psychiatry</i> , 2004 , 184, 231-9	5.4	212
40	CBT for psychosis. <i>British Journal of Psychiatry</i> , 2004 , 185, 438-438	5.4	
39	Cognitive-behavioural therapy and motivational intervention for schizophrenia and substance misuse. 18-month outcomes of a randomised controlled trial. <i>British Journal of Psychiatry</i> , 2003 , 183, 418-26	5.4	164
38	The role of metacognitive beliefs in auditory hallucinations. <i>Personality and Individual Differences</i> , 2002 , 32, 1351-1363	3.3	51
37	The therapeutic alliance in early psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 69-106	6.5	3
36	Religious delusions in patients admitted to hospital with schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 130-8	4.5	85
35	Are all psychological treatments for psychosis equal? The need for CBT in the treatment of psychosis and not for psychodynamic psychotherapy. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2002 , 75, 365-74; discussion 375-9	3.5	19
34	The validation of a religiosity measure for individuals with schizophrenia. <i>Mental Health, Religion and Culture</i> , 2002 , 5, 267-284	1.1	18
33	BATTLING BOREDOM: GROUP COGNITIVE BEHAVIOUR THERAPY FOR NEGATIVE SYMPTOMS OF SCHIZOPHRENIA. <i>Behavioural and Cognitive Psychotherapy</i> , 2002 , 30, 341-346	2.1	10

32	Randomised controlled trial of cognitive-behavioural therapy in early schizophrenia: acute-phase outcomes. <i>British Journal of Psychiatry</i> , 2002 , 43, s91-7	5.4	260
31	Cognitive-Behavioral Treatment of Schizophrenia 2002 , 382-391		
30	Schizophrenia and substance misuse problems: a comparison between patients with and without significant carer contact. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001 , 36, 523-8	4.5	25
29	Randomized controlled trial of motivational interviewing, cognitive behavior therapy, and family intervention for patients with comorbid schizophrenia and substance use disorders. <i>American Journal of Psychiatry</i> , 2001 , 158, 1706-13	11.9	392
28	Staff expressed emotion and causal attributions for client problems on a low security unit: an exploratory study. <i>Schizophrenia Bulletin</i> , 2001 , 27, 517-26	1.3	42
27	AN INVESTIGATION INTO THE PSYCHOMETRIC PROPERTIES OF THE COGNITIVE THERAPY SCALE FOR PSYCHOSIS (CTS-Psy). <i>Behavioural and Cognitive Psychotherapy</i> , 2001 , 29, 221-233	2.1	97
26	Cognitive Behavioral Intervention for Individuals with Severe Mental Illness Who Have a Substance Misuse Problem. <i>Psychiatric Rehabilitation Skills</i> , 2000 , 4, 216-233		10
25	Hair analysis for substance use. <i>British Journal of Psychiatry</i> , 1999 , 174, 370	5.4	
24	A pilot study evaluating the effectiveness of individual inpatient cognitive-behavioural therapy in early psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999 , 34, 254-8	4.5	108
23	Scales to measure dimensions of hallucinations and delusions: the psychotic symptom rating scales (PSYRATS). <i>Psychological Medicine</i> , 1999 , 29, 879-89	6.9	1016
22	The clinical skills of community psychiatric nurses working with patients who have severe and enduring mental health problems: an empirical analysis. <i>Journal of Advanced Nursing</i> , 1998 , 27, 253-60	3.1	24
21	Is befriending by trained volunteers of value to people suffering from long-term mental illness?. <i>Journal of Advanced Nursing</i> , 1998 , 27, 713-20	3.1	41
20	Individual cognitive-behavior therapy in the treatment of hallucinations and delusions: a review. <i>Clinical Psychology Review</i> , 1998 , 18, 821-38	10.8	92
19	A comparison of the long-term effectiveness of distraction and focusing in the treatment of auditory hallucinations. <i>The British Journal of Medical Psychology</i> , 1998 , 71 (Pt 3), 339-49		54
18	Randomised controlled trial of intensive cognitive behaviour therapy for patients with chronic schizophrenia. <i>BMJ: British Medical Journal</i> , 1998 , 317, 303-7		281
17	Individual cognitiveBehavioural interventions in early psychosis. <i>British Journal of Psychiatry</i> , 1998 , 172, 101-106	5.4	42
16	Individual cognitive-behavioural interventions in early psychosis. <i>The British Journal of Psychiatry Supplement</i> , 1998 , 172, 101-6		2
15	Effects of training in psychosocial interventions for community psychiatric nurses in England. <i>Psychiatric Services</i> , 1997 , 48, 39-41	3.3	58

14	Cognitive factors in source monitoring and auditory hallucinations. <i>Psychological Medicine</i> , 1997 , 27, 669-79	6.9	119
13	Self-focused attention in schizophrenic patients with and without auditory hallucinations and normal subjects: A comparative study. <i>Personality and Individual Differences</i> , 1997 , 23, 937-941	3.3	35
12	Functioning of the phonological loop in auditory hallucinations. <i>Personality and Individual Differences</i> , 1996 , 20, 753-760	3.3	7
11	New psychological treatments in schizophrenia. <i>Advances in Psychiatric Treatment</i> , 1996 , 2, 110-116		5
10	Effect of emotional salience on thought disorder in patients with schizophrenia. <i>British Journal of Psychiatry</i> , 1995 , 167, 618-20	5.4	18
9	Intrusive Thoughts and Auditory Hallucinations: A Cognitive Approach. <i>Behavioural and Cognitive Psychotherapy</i> , 1995 , 23, 265-280	2.1	174
8	Auditory hallucinations and the verbal transformation effect: The role of suggestions. <i>Personality and Individual Differences</i> , 1995 , 19, 301-306	3.3	65
7	Advances in the psychological management of positive symptoms of schizophrenia. <i>International Review of Psychiatry</i> , 1994 , 6, 201-215	3.6	14
6	Cognitive behavior therapy for persistent auditory hallucinations: From theory to therapy. <i>Behavior Therapy</i> , 1994 , 25, 51-66	4.8	90
5	Developments in Cognitive-Behaviour Therapy for Persistent Psychotic Symptoms. <i>Behaviour Change</i> , 1994 , 11, 200-212	1.1	8
4	Psychological Treatment of Chronic Auditory Hallucinations: Two Case Studies. <i>Behavioural and Cognitive Psychotherapy</i> , 1993 , 21, 335-346	2.1	38
3	The Challenge of Anger, Aggression and Violence when Delivering CBT for Psychosis 109-125		
2	Cognitive-Behavioral Therapy for People with Intellectual Disabilities and Psychosis 157-172		2
1	Het effect van partnerrelaties op het geestelijk welbevinden van mensen met psychose: een systematische review. <i>Gezinstherapie Wereldwijd</i> , 1	0	