

Hyuncheol Park

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5911085/hyuncheol-park-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69 papers	829 citations	11 h-index	27 g-index
103 ext. papers	1,021 ext. citations	5.6 avg, IF	4.75 L-index

#	Paper	IF	Citations
69	Indoor Channel Characteristics for Visible Light Communications. <i>IEEE Communications Letters</i> , 2011 , 15, 217-219	3.8	330
68	Spin nano-oscillator-based wireless communication. <i>Scientific Reports</i> , 2014 , 4, 5486	4.9	82
67	A Spatial-Domain Joint-Nulling Method of Self-Interference in Full-Duplex Relays. <i>IEEE Communications Letters</i> , 2012 , 16, 436-438	3.8	51
66	A Coding Scheme for Visible Light Communication With Wide Dimming Range. <i>IEEE Photonics Technology Letters</i> , 2014 , 26, 465-468	2.2	36
65	Beamforming Design for Full-Duplex Two-Way Amplify-and-Forward MIMO Relay. <i>IEEE Transactions on Wireless Communications</i> , 2016 , 15, 6705-6715	9.6	23
64	Joint User Association and Beamforming Design for Millimeter Wave UDN With Wireless Backhaul. <i>IEEE Journal on Selected Areas in Communications</i> , 2019 , 37, 2653-2668	14.2	23
63	Beamforming for Full-Duplex Multiuser MIMO Systems. <i>IEEE Transactions on Vehicular Technology</i> , 2017 , 66, 2423-2432	6.8	17
62	Uplink SCMA System With Multiple Antennas. <i>IEEE Transactions on Vehicular Technology</i> , 2017 , 66, 6982-6992	6.8	16
61	A joint scheduling and millimeter wave hybrid beamforming system with partial side information 2016 ,		16
60	Design of Millimeter Wave Hybrid Beamforming Systems 2014 ,		14
59	An Enhanced QAM-FBMC Scheme With Interference Mitigation. <i>IEEE Communications Letters</i> , 2016 , 20, 2237-2240	3.8	12
58	Sparse Structure-Based Channel Estimation for Uplink SCMA System. <i>IEEE Transactions on Vehicular Technology</i> , 2017 , 66, 8037-8046	6.8	11
57	Waveform design for QAM-FBMC systems 2017 ,		11
56	Millimeter Wave SDMA With Limited Feedback: RF-Only Beamforming Can Outperform Hybrid Beamforming. <i>IEEE Transactions on Vehicular Technology</i> , 2019 , 68, 1534-1548	6.8	11
55	Limited Feedback Hybrid Beamforming for Multi-Mode Transmission in Wideband Millimeter Wave Channel. <i>IEEE Transactions on Wireless Communications</i> , 2020 , 19, 4008-4022	9.6	10
54	A Closed-Form Expression of Optimal Time for Two-Way Relay Using DF MABC Protocol. <i>IEEE Communications Letters</i> , 2014 , 18, 721-724	3.8	10
53	An efficient CP compensation for SC-FDE with insufficient CP symbols. <i>IEEE Communications Letters</i> , 2010 , 14, 548-550	3.8	10

52	Optimum Clustered Pilot Sequence for OFDM Systems under Rapidly Time-Varying Channel. <i>IEEE Transactions on Communications</i> , 2012 , 60, 1357-1370	6.9	9
51	Optimal power allocation for two-way decode-and-forward relay networks with equal transmit power at source nodes 2013 ,		7
50	Regularized Zero-Forcing Precoder for Massive MIMO System With Transceiver I/Q Imbalances. <i>IEEE Wireless Communications Letters</i> , 2019 , 8, 1028-1031	5.9	6
49	High-Throughput Low-Complexity Link Adaptation for MIMO BIC-OFDM Systems. <i>IEEE Transactions on Communications</i> , 2011 , 59, 1078-1088	6.9	6
48	MDS-Coded Caching Leveraged by Coordinated Multi-Point Transmission. <i>IEEE Communications Letters</i> , 2018 , 22, 1220-1223	3.8	5
47	Performance of MC-CDM Systems With MMSEC Over Rayleigh Fading Channels. <i>IEEE Transactions on Vehicular Technology</i> , 2010 , 59, 3126-3130	6.8	5
46	Machine-Learning-Based Read Reference Voltage Estimation for NAND Flash Memory Systems Without Knowledge of Retention Time. <i>IEEE Access</i> , 2020 , 8, 176416-176429	3.5	5
45	Joint Time Allocation for Wireless Energy Harvesting Decode-and-Forward Relay-Based IoT Networks With Rechargeable and Nonrechargeable Batteries. <i>IEEE Internet of Things Journal</i> , 2021 , 8, 2792-2801	10.7	5
44	Joint Communication and Localization in Millimeter Wave Networks. <i>IEEE Journal on Selected Topics in Signal Processing</i> , 2021 , 1-1	7.5	5
43	Design on the Waveform for QAM-FBMC System in the Presence of Residual CFO 2019 ,		4
42	Codebook Optimization for the Superposition Transmission of Uplink SCMA Systems. <i>IEEE Transactions on Vehicular Technology</i> , 2018 , 67, 10112-10117	6.8	4
41	Closed Form of Optimum Cooperative Distributed Relay Amplifying Matrix. <i>IEEE Transactions on Wireless Communications</i> , 2014 , 13, 2741-2755	9.6	4
40	An Efficient Hybrid Beamforming Scheme for Sparse Millimeter Wave Channel 2015 ,		4
39	Design of QAM-FBMC Waveforms Considering MMSE Receiver. <i>IEEE Communications Letters</i> , 2020 , 24, 131-135	3.8	4
38	Optimal time allocation for two-way relay channel using physical-layer network coding. <i>IET Communications</i> , 2014 , 8, 2469-2475	1.3	3
37	New Subcarrier Allocation for Uplink-OFDMA under Time-Varying Channels. <i>IEEE Transactions on Communications</i> , 2013 , 61, 7-12	6.9	3
36	Q-Learning-Based Low Complexity Beam Tracking for mmWave Beamforming System 2020 ,		3
35	MMSE-Interference Canceling Receiver for QAM-FBMC Systems. <i>IEEE Communications Letters</i> , 2020 , 24, 2589-2593	3.8	3

34	120-GHz Wideband I/Q Receiver Based on Baseband Equalizing Technique. <i>IEEE Journal of Solid-State Circuits</i> , 2021 , 56, 1697-1710	5.5	3
33	Multiple Intelligent Reflecting Surfaces for Capacity Maximization in LOS MIMO Systems. <i>IEEE Wireless Communications Letters</i> , 2021 , 10, 1727-1731	5.9	3
32	Analysis of CFO Estimation for QAM-FBMC Systems Considering Non-Orthogonal Prototype Filters. <i>IEEE Transactions on Vehicular Technology</i> , 2019 , 68, 6761-6774	6.8	2
31	A low complexity user selection scheme in downlink MU-MIMO system 2014 ,		2
30	Optimal Amplify-and-Forward Precode and Relay Amplifying Matrices 2013 ,		2
29	A cooperative AF wireless relay network under three wireless communication conditions with relay power constraint 2013 ,		2
28	CFO estimation for QAM-FBMC systems considering non-orthogonal prototype filters 2017 ,		2
27	Improved Stopping Set Elimination by Parity-Check Matrix Extension of LDPC Codes. <i>IEEE Communications Letters</i> , 2011 , 15, 557-559	3.8	2
26	A per-stream coded bit loading algorithm for MIMO BIC-OFDM systems 2010 ,		2
25	AF MIMO Wireless Relay Networks under Received Power Constraint 2012 ,		2
24	Adaptive frame size estimation using extended Kalman filter for high-stressed WLANs 2012 ,		2
23	Precoding Design and Power Control for SINR Maximization of MISO System With Nonlinear Power Amplifiers. <i>IEEE Transactions on Vehicular Technology</i> , 2020 , 69, 14019-14024	6.8	2
22	ML Phase Estimation in Flat Fading Channel With 1-Bit Quantization and Time-Oversampling 2020 ,		2
21	Joint Beamforming and Power Splitting for Wideband Millimeter Wave SWIPT Systems. <i>IEEE Journal on Selected Topics in Signal Processing</i> , 2021 , 1-1	7.5	2
20	Maximizing Ergodic Throughput in Wireless Powered Communication Networks 2018 ,		2
19	Time Reversal Scheme using Multiple Transmit Antennas for SWIPT in Indoor Channel 2018 ,		2
18	Phase Aligned Time-Reversal for Multi-User Wireless Power Transfer Systems With Non-Linear Energy Harvesting. <i>IEEE Access</i> , 2021 , 9, 109976-109985	3.5	2
17	Centralized Two-Way AF MIMO Multiple Dispersed Relay Network. <i>IEEE Transactions on Vehicular Technology</i> , 2015 , 64, 2133-2138	6.8	1

16	Beamforming Design for Multi-Hop Amplify-and-Forward MIMO Relay. <i>IEEE Transactions on Vehicular Technology</i> , 2018 , 67, 8144-8153	6.8	1
15	A Binary Space-Time Code for Additional Diversity Gains. <i>IEEE Transactions on Wireless Communications</i> , 2013 , 12, 5780-5787	9.6	1
14	Joint Relay Beamforming Design for Multilevel Nondistributed and Distributed Amplify-and-Forward Relay Networks. <i>IEEE Transactions on Vehicular Technology</i> , 2017 , 66, 4443-4448	6.8	1
13	Asymptotic Sum Rate in Spatially Correlated Two-Cell Channel With User Scheduling. <i>IEEE Transactions on Vehicular Technology</i> , 2015 , 64, 1235-1243	6.8	1
12	An Efficient Cooperation Strategy and Cooperation Region Analysis in Cognitive Femtocell Networks 2014 ,		1
11	Quantization error reduction scheme for hybrid beamforming 2012 ,		1
10	AF MIMO Beamforming Relay Networks under Various Power Constraints 2013 ,		1
9	A Novel Frequency Domain Preamble Detection for OFDM based WLAN Systems 2020 ,		1
8	Polar Coding-Based Selective Mapping for PAPR Reduction Without Redundant Information Transmission. <i>IEEE Communications Letters</i> , 2020 , 24, 1621-1625	3.8	1
7	MaxMin Throughput Optimization in FDD Multiantenna Wirelessly Powered IoT Networks. <i>IEEE Internet of Things Journal</i> , 2021 , 8, 5866-5880	10.7	1
6	Gaussian Approximation-Based Belief Propagation Receiver for Uplink SCMA Systems With Imperfect CSIR. <i>IEEE Communications Letters</i> , 2018 , 22, 2611-2614	3.8	1
5	Joint Precoding and Power Allocation for Multiuser MIMO System With Nonlinear Power Amplifiers. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 70, 8883-8897	6.8	1
4	Energy Balancing Resource Allocation for Wireless Cooperative IoT Networks with SWIPT. <i>IEEE Internet of Things Journal</i> , 2021 , 1-1	10.7	0
3	MDS coded caching with MRT and its optimization. <i>ICT Express</i> , 2019 , 5, 60-64	4.9	
2	The effect of void on characteristics of LDMOS power amplifier. <i>Microwave and Optical Technology Letters</i> , 2016 , 58, 691-694	1.2	
1	BER of MIMO-BICM System at Current Detection/Decoding Cycle. <i>IEEE Wireless Communications Letters</i> , 2016 , 1-1	5.9	