Martin O'Donnell

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5911857/publications.pdf

Version: 2024-02-01

288 papers 84,238 citations

89 h-index 269 g-index

294 all docs

294 docs citations

times ranked

294

100984 citing authors

| # | Article | IF | CITATIONS |
|----|--|-------------|-------------------------|
| 1 | Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2095-2128. | 6.3 | 11,038 |
| 2 | Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2197-2223. | 6.3 | 7,061 |
| 3 | Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2163-2196. | 6.3 | 6,376 |
| 4 | Global, regional, and national age–sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 385, 117-171. | 6. 3 | 5,847 |
| 5 | Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259. | 6.3 | 5,578 |
| 6 | Evolocumab and Clinical Outcomes in Patients with Cardiovascular Disease. New England Journal of Medicine, 2017, 376, 1713-1722. | 13.9 | 4,179 |
| 7 | Global and regional burden of stroke during 1990–2010: findings from the Global Burden of Disease Study 2010. Lancet, The, 2014, 383, 245-255. | 6.3 | 3,007 |
| 8 | Risk factors for ischaemic and intracerebral haemorrhagic stroke in 22 countries (the INTERSTROKE) Tj ETQq0 0 | 0 rgBT /Ov | erlock 10 Tf 5 2,565 |
| 9 | Apixaban in Patients with Atrial Fibrillation. New England Journal of Medicine, 2011, 364, 806-817. | 13.9 | 2,207 |
| 10 | Rivaroxaban with or without Aspirin in Stable Cardiovascular Disease. New England Journal of Medicine, 2017, 377, 1319-1330. | 13.9 | 1,745 |
| 11 | Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344. | 6.3 | 1,589 |
| 12 | Global and regional effects of potentially modifiable risk factors associated with acute stroke in 32 countries (INTERSTROKE): a case-control study. Lancet, The, 2016, 388, 761-775. | 6.3 | 1,414 |
| 13 | The burden of disease in older people and implications for health policy and practice. Lancet, The, 2015, 385, 549-562. | 6.3 | 1,393 |
| 14 | Embolic strokes of undetermined source: the case for a new clinical construct. Lancet Neurology, The, 2014, 13, 429-438. | 4.9 | 1,268 |
| 15 | The Zarit Burden Interview. Gerontologist, The, 2001, 41, 652-657. | 2.3 | 1,140 |
| 16 | Multiancestry genome-wide association study of 520,000 subjects identifies 32 loci associated with stroke and stroke subtypes. Nature Genetics, 2018, 50, 524-537. | 9.4 | 1,124 |
| 17 | Global and regional burden of first-ever ischaemic and haemorrhagic stroke during 1990–2010: findings from the Global Burden of Disease Study 2010. The Lancet Global Health, 2013, 1, e259-e281. | 2.9 | 1,051 |
| 18 | Atrial Fibrillation in Patients with Cryptogenic Stroke. New England Journal of Medicine, 2014, 370, 2467-2477. | 13.9 | 1,045 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Update on the Global Burden of Ischemic and Hemorrhagic Stroke in 1990-2013: The GBD 2013 Study. Neuroepidemiology, 2015, 45, 161-176. | 1.1 | 1,002 |
| 20 | Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. New England Journal of Medicine, 2018, 379, 2429-2437. | 13.9 | 959 |
| 21 | Modifiable risk factors, cardiovascular disease, and mortality in 155â€^722 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. Lancet, The, 2020, 395, 795-808. | 6.3 | 935 |
| 22 | Association Between Postoperative Troponin Levels and 30-Day Mortality Among Patients Undergoing Noncardiac Surgery. JAMA - Journal of the American Medical Association, 2012, 307, 2295. | 3.8 | 821 |
| 23 | Myocardial Injury after Noncardiac Surgery. Anesthesiology, 2014, 120, 564-578. | 1.3 | 740 |
| 24 | Rivaroxaban for Stroke Prevention after Embolic Stroke of Undetermined Source. New England Journal of Medicine, 2018, 378, 2191-2201. | 13.9 | 730 |
| 25 | Urinary Sodium and Potassium Excretion, Mortality, and Cardiovascular Events. New England Journal of Medicine, 2014, 371, 612-623. | 13.9 | 725 |
| 26 | Association of Urinary Sodium and Potassium Excretion with Blood Pressure. New England Journal of Medicine, 2014, 371, 601-611. | 13.9 | 687 |
| 27 | Rivaroxaban with or without aspirin in patients with stable peripheral or carotid artery disease: an international, randomised, double-blind, placebo-controlled trial. Lancet, The, 2018, 391, 219-229. | 6.3 | 651 |
| 28 | Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150. | 6.3 | 573 |
| 29 | Urinary Sodium and Potassium Excretion and Risk of Cardiovascular Events. JAMA - Journal of the American Medical Association, 2011, 306, 2229-38. | 3.8 | 471 |
| 30 | Genetic risk factors for ischaemic stroke and its subtypes (the METASTROKE Collaboration): a meta-analysis of genome-wide association studies. Lancet Neurology, The, 2012, 11, 951-962. | 4.9 | 445 |
| 31 | Rivaroxaban with or without aspirin in patients with stable coronary artery disease: an international, randomised, double-blind, placebo-controlled trial. Lancet, The, 2018, 391, 205-218. | 6.3 | 426 |
| 32 | Antithrombotic and Thrombolytic Therapy for Ischemic Stroke. Chest, 2012, 141, e601S-e636S. | 0.4 | 401 |
| 33 | Associations of urinary sodium excretion with cardiovascular events in individuals with and without hypertension: a pooled analysis of data from four studies. Lancet, The, 2016, 388, 465-475. | 6.3 | 381 |
| 34 | Noninvasive Cardiac Monitoring for Detecting Paroxysmal Atrial Fibrillation or Flutter After Acute Ischemic Stroke. Stroke, 2007, 38, 2935-2940. | 1.0 | 309 |
| 35 | Safety of Proton Pump Inhibitors Based on a Large, Multi-Year, Randomized Trial of Patients Receiving Rivaroxaban or Aspirin. Gastroenterology, 2019, 157, 682-691.e2. | 0.6 | 299 |
| 36 | PCSK9 genetic variants and risk of type 2 diabetes: a mendelian randomisation study. Lancet Diabetes and Endocrinology,the, 2017, 5, 97-105. | 5.5 | 298 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Imaging features and safety and efficacy of endovascular stroke treatment: a meta-analysis of individual patient-level data. Lancet Neurology, The, 2018, 17, 895-904. | 4.9 | 281 |
| 38 | Penumbral imaging and functional outcome in patients with anterior circulation ischaemic stroke treated with endovascular thrombectomy versus medical therapy: a meta-analysis of individual patient-level data. Lancet Neurology, The, 2019, 18, 46-55. | 4.9 | 276 |
| 39 | IScore. Circulation, 2011, 123, 739-749. | 1.6 | 261 |
| 40 | Effectiveness of a smartphone application to promote physical activity in primary care: the SMART MOVE randomised controlled trial. British Journal of General Practice, 2014, 64, e384-e391. | 0.7 | 250 |
| 41 | The Changing Landscape for StrokeÂPrevention in AF. Journal of the American College of Cardiology, 2017, 69, 777-785. | 1.2 | 244 |
| 42 | Urinary sodium excretion, blood pressure, cardiovascular disease, and mortality: a community-level prospective epidemiological cohort study. Lancet, The, 2018, 392, 496-506. | 6.3 | 243 |
| 43 | Association of Blood Pressure Lowering With Incident Dementia or Cognitive Impairment. JAMA - Journal of the American Medical Association, 2020, 323, 1934. | 3.8 | 238 |
| 44 | Management of dyslipidaemia in patients with coronary heart disease: Results from the ESC-EORP EUROASPIRE V survey in 27 countries. Atherosclerosis, 2019, 285, 135-146. | 0.4 | 227 |
| 45 | Loci associated with ischaemic stroke and its subtypes (SiGN): a genome-wide association study. Lancet Neurology, The, 2016, 15, 174-184. | 4.9 | 217 |
| 46 | A Randomized, Controlled Trial of Doxycycline and Rifampin for Patients with Alzheimer's Disease. Journal of the American Geriatrics Society, 2004, 52, 381-387. | 1.3 | 207 |
| 47 | Increased risk of cognitive and functional decline in patients with atrial fibrillation: results of the ONTARGET and TRANSCEND studies. Cmaj, 2012, 184, E329-E336. | 0.9 | 205 |
| 48 | Effect of general anaesthesia on functional outcome in patients with anterior circulation ischaemic stroke having endovascular thrombectomy versus standard care: a meta-analysis of individual patient data. Lancet Neurology, The, 2018, 17, 47-53. | 4.9 | 205 |
| 49 | Beyond Unfractionated Heparin and Warfarin. Circulation, 2007, 116, 552-560. | 1.6 | 202 |
| 50 | Association of dietary nutrients with blood lipids and blood pressure in 18 countries: a cross-sectional analysis from the PURE study. Lancet Diabetes and Endocrinology,the, 2017, 5, 774-787. | 5.5 | 198 |
| 51 | Atlas of the Global Burden of Stroke (1990-2013): The GBD 2013 Study. Neuroepidemiology, 2015, 45, 230-236. | 1.1 | 186 |
| 52 | Methotrexate and Lung Disease in Rheumatoid Arthritis: A Metaâ€Analysis of Randomized Controlled Trials. Arthritis and Rheumatology, 2014, 66, 803-812. | 2.9 | 178 |
| 53 | Validation and comparison of three formulae to estimate sodium and potassium excretion from a single morning fasting urine compared to 24-h measures in 11 countries. Journal of Hypertension, 2014, 32, 1005-1015. | 0.3 | 174 |
| 54 | Variables Associated With 7-Day, 30-Day, and 1-Year Fatality After Ischemic Stroke. Stroke, 2008, 39, 2318-2324. | 1.0 | 171 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Apixaban versus aspirin in patients with atrial fibrillation and previous stroke or transient ischaemic attack: a predefined subgroup analysis from AVERROES, a randomised trial. Lancet Neurology, The, 2012, 11, 225-231. | 4.9 | 164 |
| 56 | Alcohol consumption and cardiovascular disease, cancer, injury, admission to hospital, and mortality: a prospective cohort study. Lancet, The, 2015, 386, 1945-1954. | 6.3 | 163 |
| 57 | Sex Differences in Stroke Incidence, Prevalence, Mortality and Disability-Adjusted Life Years: Results from the Global Burden of Disease Study 2013. Neuroepidemiology, 2015, 45, 203-214. | 1.1 | 159 |
| 58 | Atrial Premature Beats Predict Atrial Fibrillation in Cryptogenic Stroke. Stroke, 2015, 46, 936-941. | 1.0 | 157 |
| 59 | New anticoagulants. Blood, 2005, 105, 453-463. | 0.6 | 155 |
| 60 | Sodium Intake and Cardiovascular Health. Circulation Research, 2015, 116, 1046-1057. | 2.0 | 152 |
| 61 | Early cerebral small vessel disease and brain volume, cognition, and gait. Annals of Neurology, 2015, 77, 251-261. | 2.8 | 150 |
| 62 | Rationale and design of AVERROES: Apixaban versus acetylsalicylic acid to prevent stroke in atrial fibrillation patients who have failed or are unsuitable for vitamin K antagonist treatment. American Heart Journal, 2010, 159, 348-353.e1. | 1.2 | 146 |
| 63 | Rivaroxaban or aspirin for patent foramen ovale and embolic stroke of undetermined source: a prespecified subgroup analysis from the NAVIGATE ESUS trial. Lancet Neurology, The, 2018, 17, 1053-1060. | 4.9 | 146 |
| 64 | Hospital volume and stroke outcome. Neurology, 2007, 69, 1142-1151. | 1.5 | 144 |
| 65 | Preadmission antithrombotic treatment and stroke severity in patients with atrial fibrillation and acute ischaemic stroke: an observational study. Lancet Neurology, The, 2006, 5, 749-754. | 4.9 | 141 |
| 66 | Fine Particulate Air Pollution (PM2.5) and the Risk of Acute Ischemic Stroke. Epidemiology, 2011, 22, 422-431. | 1.2 | 140 |
| 67 | Effect of Aspirin on Mortality in the Primary Prevention of Cardiovascular Disease. American Journal of Medicine, 2011, 124, 621-629. | 0.6 | 134 |
| 68 | Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. Lancet Public Health, The, 2017, 2, e411-e419. | 4.7 | 134 |
| 69 | Prophylaxis Against Deep Vein Thrombosis in Critically Ill Patients With Severe Renal Insufficiency With the Low-Molecular-Weight Heparin Dalteparin <subtitle>An Assessment of Safety and Pharmacodynamics: The DIRECT Study</subtitle> . Archives of Internal Medicine, 2008, 168, 1805. | 4.3 | 133 |
| 70 | Rationale, Design and Baseline Characteristics of Participants in the C ardiovascular O utco m es for P eople Using A nticoagulation S trategie s (COMPASS) Trial. Canadian Journal of Cardiology, 2017, 33, 1027-1035. | 0.8 | 133 |
| 71 | Prevalence of cardiovascular risk factors in the Middle East: a systematic review. European Journal of Cardiovascular Prevention and Rehabilitation, 2009, 16, 268-280. | 3.1 | 130 |
| 72 | <scp>d</scp> -Dimer Testing to Select Patients With a First Unprovoked Venous Thromboembolism Who Can Stop Anticoagulant Therapy. Annals of Internal Medicine, 2015, 162, 27-34. | 2.0 | 128 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 73 | The relationship between estimated sodium and potassium excretion and subsequent renal outcomes. Kidney International, 2014, 86, 1205-1212. | 2.6 | 122 |
| 74 | A Diagnostic Strategy Involving a Quantitative Latex <scp>d</scp> -Dimer Assay Reliably Excludes Deep Venous Thrombosis. Annals of Internal Medicine, 2003, 138, 787. | 2.0 | 120 |
| 75 | GWAS and colocalization analyses implicate carotid intima-media thickness and carotid plaque loci in cardiovascular outcomes. Nature Communications, 2018, 9, 5141. | 5.8 | 119 |
| 76 | Stroke Outcomes in the COMPASS Trial. Circulation, 2019, 139, 1134-1145. | 1.6 | 118 |
| 77 | Chronic Pain Syndromes After Ischemic Stroke. Stroke, 2013, 44, 1238-1243. | 1.0 | 116 |
| 78 | Adjusted Analyses in Studies Addressing Therapy and Harm. JAMA - Journal of the American Medical Association, 2017, 317, 748. | 3.8 | 116 |
| 79 | Cognitive impairment and risk of cardiovascular events and mortality. European Heart Journal, 2012, 33, 1777-1786. | 1.0 | 114 |
| 80 | Embolic strokes of undetermined source: Prevalence and patient features in the ESUS Global Registry. International Journal of Stroke, 2016, 11, 526-533. | 2.9 | 113 |
| 81 | Physical Activity and Anger or Emotional Upset as Triggers of Acute Myocardial Infarction. Circulation, 2016, 134, 1059-1067. | 1.6 | 112 |
| 82 | Pantoprazole to Prevent Gastroduodenal Events in Patients Receiving Rivaroxaban and/or Aspirin in a Randomized, Double-Blind, Placebo-Controlled Trial. Gastroenterology, 2019, 157, 403-412.e5. | 0.6 | 108 |
| 83 | Association of atrial fibrillation with mortality and disability after ischemic stroke. Neurology, 2013, 81, 825-832. | 1.5 | 107 |
| 84 | Salt intake and cardiovascular disease: why are the data inconsistent?. European Heart Journal, 2013, 34, 1034-1040. | 1.0 | 103 |
| 85 | Clopidogrel plus aspirin versus aspirin alone for acute minor ischaemic stroke or high risk transient ischaemic attack: systematic review and meta-analysis. BMJ: British Medical Journal, 2018, 363, k5108. | 2.4 | 103 |
| 86 | Salt and cardiovascular disease: insufficient evidence to recommend low sodium intake. European Heart Journal, 2020, 41, 3363-3373. | 1.0 | 103 |
| 87 | The PLAN Score. Archives of Internal Medicine, 2012, 172, 1548. | 4.3 | 101 |
| 88 | Cardiovascular, respiratory, and related disorders: key messages from Disease Control Priorities, 3rd edition. Lancet, The, 2018, 391, 1224-1236. | 6.3 | 101 |
| 89 | Methotrexate use and risk of lung disease in psoriasis, psoriatic arthritis, and inflammatory bowel disease: systematic literature review and meta-analysis of randomised controlled trials. BMJ, The, 2015, 350, h1269-h1269. | 3.0 | 98 |
| 90 | Practice patterns and outcomes after stroke across countries at different economic levels (INTERSTROKE): an international observational study. Lancet, The, 2018, 391, 2019-2027. | 6.3 | 96 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Stroke Risk and Efficacy of Apixaban in Atrial Fibrillation Patients with Moderate Chronic Kidney Disease. Journal of Stroke and Cerebrovascular Diseases, 2012, 21, 429-435. | 0.7 | 94 |
| 92 | Identifying trial recruitment uncertainties using a James Lind Alliance Priority Setting Partnership – the PRioRiTy (Prioritising Recruitment in Randomised Trials) study. Trials, 2018, 19, 147. | 0.7 | 92 |
| 93 | Joint association of urinary sodium and potassium excretion with cardiovascular events and mortality: prospective cohort study. BMJ: British Medical Journal, 2019, 364, 1772. | 2.4 | 85 |
| 94 | Brief Communication: Preoperative Anticoagulant Activity after Bridging Low-Molecular-Weight Heparin for Temporary Interruption of Warfarin. Annals of Internal Medicine, 2007, 146, 184. | 2.0 | 84 |
| 95 | Rivaroxaban for secondary stroke prevention in patients with embolic strokes of undetermined source: Design of the NAVIGATE ESUS randomized trial. European Stroke Journal, 2016, 1, 146-154. | 2.7 | 83 |
| 96 | Challenges of Establishing New Antithrombotic Therapies in Atrial Fibrillation. Circulation, 2007, 116, 449-455. | 1.6 | 82 |
| 97 | The iScore Predicts Poor Functional Outcomes Early After Hospitalization for an Acute Ischemic Stroke. Stroke, 2011, 42, 3421-3428. | 1.0 | 82 |
| 98 | Albuminuria and Decline in Cognitive Function <subtitle>The ONTARGET/TRANSCEND Studies</subtitle> <alt-title>Albuminuria and Decline in Cognitive Function</alt-title> . Archives of Internal Medicine, 2011, 171, 142. | 4.3 | 82 |
| 99 | Care and outcomes in patients with ischemic stroke with and without preexisting dementia. Neurology, 2011, 77, 1664-1673. | 1.5 | 81 |
| 100 | Systolic Blood Pressure Variation and Mean Heart Rate Is Associated With Cognitive Dysfunction in Patients With High Cardiovascular Risk. Hypertension, 2015, 65, 651-661. | 1.3 | 80 |
| 101 | Rationale and Design of INTERSTROKE: A Global Case-Control Study of Risk Factors for Stroke. Neuroepidemiology, 2010, 35, 36-44. | 1.1 | 76 |
| 102 | Reduction of Out-of-Hospital Symptomatic Venous Thromboembolism by Extended Thromboprophylaxis With Low-Molecular-Weight Heparin Following Elective Hip Arthroplasty. Archives of Internal Medicine, 2003, 163, 1362. | 4.3 | 75 |
| 103 | Patent foramen ovale closure, antiplatelet therapy or anticoagulation therapy alone for management of cryptogenic stroke? A clinical practice guideline. BMJ: British Medical Journal, 2018, 362, k2515. | 2.4 | 75 |
| 104 | Major Bleeding, Mortality, and Efficacy of Fondaparinux in Venous Thromboembolism Prevention Trials. Circulation, 2009, 120, 2006-2011. | 1.6 | 74 |
| 105 | Selective <scp>d</scp> -Dimer Testing for Diagnosis of a First Suspected Episode of Deep Venous Thrombosis. Annals of Internal Medicine, 2013, 158, 93. | 2.0 | 73 |
| 106 | Reliability of Proxy Respondents for Patients With Stroke: A Systematic Review. Journal of Stroke and Cerebrovascular Diseases, 2010, 19, 410-416. | 0.7 | 72 |
| 107 | Risk of liver injury among methotrexate users: A meta-analysis of randomised controlled trials. Seminars in Arthritis and Rheumatism, 2015, 45, 156-162. | 1.6 | 72 |
| 108 | Prevention, management, and rehabilitation of stroke in low- and middle-income countries. ENeurologicalSci, 2016, 2, 21-30. | 0.5 | 71 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 109 | Gastrointestinal bleeding after acute ischemic stroke. Neurology, 2008, 71, 650-655. | 1.5 | 70 |
| 110 | Escalating Levels of Access to In-Hospital Care and Stroke Mortality. Stroke, 2008, 39, 2522-2530. | 1.0 | 69 |
| 111 | Evaluation of a venous-return assist device to treat severe post-thrombotic syndrome (VENOPTS). Thrombosis and Haemostasis, 2008, 99, 623-629. | 1.8 | 69 |
| 112 | Venous thromboembolism and bleeding in critically ill patients with severe renal insufficiency receiving dalteparin prophylaxis: prevalence, incidence and risk factors. Critical Care, 2008, 12, R32. | 2.5 | 68 |
| 113 | Diet and Major Renal Outcomes: A Prospective Cohort Study. The NIH-AARP Diet and Health Study. , 2016, 26, 288-298. | | 68 |
| 114 | Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries. JAMA Internal Medicine, 2021, 181, 631. | 2.6 | 68 |
| 115 | Dual antiplatelet therapy with aspirin and clopidogrel for acute high risk transient ischaemic attack and minor ischaemic stroke: a clinical practice guideline. BMJ: British Medical Journal, 2018, 363, k5130. | 2.4 | 67 |
| 116 | Pre-admission warfarin use in patients with acute ischemic stroke and atrial fibrillation: The appropriate use and barriers to oral anticoagulant therapy. Thrombosis Research, 2007, 120, 663-669. | 0.8 | 66 |
| 117 | Sodium Intake and Renal Outcomes: A Systematic Review. American Journal of Hypertension, 2014, 27, 1277-1284. | 1.0 | 66 |
| 118 | Sleep to Lower Elevated Blood Pressure: A Randomized Controlled Trial (SLEPT). American Journal of Hypertension, 2017, 30, 319-327. | 1.0 | 66 |
| 119 | The technical report on sodium intake and cardiovascular disease in low- and middle-income countries by the joint working group of the World Heart Federation, the European Society of Hypertension and the European Public Health Association. European Heart Journal, 2017, 38, ehw549. | 1.0 | 65 |
| 120 | Moyamoya Disease Susceptibility Variant <i>RNF213</i> p.R4810K Increases the Risk of Ischemic Stroke Attributable to Large-Artery Atherosclerosis. Circulation, 2019, 139, 295-298. | 1.6 | 64 |
| 121 | Virtual geriatric clinics and the COVID-19 catalyst: a rapid review. Age and Ageing, 2020, 49, 907-914. | 0.7 | 63 |
| 122 | Healthy eating and reduced risk of cognitive decline. Neurology, 2015, 84, 2258-2265. | 1.5 | 62 |
| 123 | Global Survey of the Frequency of Atrial Fibrillation–Associated Stroke. Stroke, 2016, 47, 2197-2202. | 1.0 | 62 |
| 124 | Do all ischemic stroke subtypes benefit from organized inpatient stroke care?. Neurology, 2010, 75, 456-462. | 1.5 | 59 |
| 125 | Leflunomide Use and Risk of Lung Disease in Rheumatoid Arthritis: A Systematic Literature Review and Metaanalysis of Randomized Controlled Trials. Journal of Rheumatology, 2016, 43, 855-860. | 1.0 | 59 |
| 126 | <i>COL4A2</i> is associated with lacunar ischemic stroke and deep ICH. Neurology, 2017, 89, 1829-1839. | 1.5 | 58 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Transesophageal echocardiography in patients with cryptogenic ischemic stroke: A systematic review. American Heart Journal, 2014, 168, 706-712.e14. | 1.2 | 57 |
| 128 | Covert stroke after non-cardiac surgery: a prospective cohort study. British Journal of Anaesthesia, 2016, 117, 191-197. | 1.5 | 57 |
| 129 | New Glaucoma Medications in the Geriatric Population: Efficacy and Safety. Journal of the American Geriatrics Society, 2002, 50, 956-962. | 1.3 | 55 |
| 130 | Effects of blood pressure and lipid lowering on cognition. Neurology, 2019, 92, e1435-e1446. | 1.5 | 54 |
| 131 | Effect of apixaban on brain infarction and microbleeds: AVERROES-MRI assessment study. American Heart Journal, 2016, 178, 145-150. | 1.2 | 52 |
| 132 | Risk Factors for Posterior Compared to Anterior Ischemic Stroke: An Observational Study of the Registry of the Canadian Stroke Network. Neuroepidemiology, 2009, 33, 12-16. | 1.1 | 51 |
| 133 | New Anticoagulants for Atrial Fibrillation. Seminars in Thrombosis and Hemostasis, 2009, 35, 515-524. | 1.5 | 51 |
| 134 | The prevalence of vertebral fracture on vertebral fracture assessment imaging in a large cohort of patients with rheumatoid arthritis. Rheumatology, 2014, 53, 821-827. | 0.9 | 49 |
| 135 | Peripheral Blood <i>MCEMP1</i> Gene Expression as a Biomarker for Stroke Prognosis. Stroke, 2016, 47, 652-658. | 1.0 | 48 |
| 136 | Antiplatelet Therapy for Secondary Prevention of Noncardioembolic Ischemic Stroke. Stroke, 2008, 39, 1638-1646. | 1.0 | 47 |
| 137 | Characterization of Patients with Embolic Strokes of Undetermined Source in the NAVIGATE ESUS Randomized Trial. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 1673-1682. | 0.7 | 46 |
| 138 | Colchicine for prevention of vascular inflammation in Non-CardioEmbolic stroke (CONVINCE) – study protocol for a randomised controlled trial. European Stroke Journal, 2021, 6, 222-228. | 2.7 | 45 |
| 139 | Venous thromboembolism after long flights: are airlines to blame?. Lancet, The, 2001, 357, 1461-1462. | 6.3 | 44 |
| 140 | Sodium and Cardiovascular Disease. New England Journal of Medicine, 2014, 371, 2134-2139. | 13.9 | 43 |
| 141 | GWAS and ExWAS of blood mitochondrial DNA copy number identifies 71 loci and highlights a potential causal role in dementia. ELife, 2022, 11 , . | 2.8 | 42 |
| 142 | Intracranial and fatal bleeding according to indication for longâ€term oral anticoagulant therapy. Journal of Thrombosis and Haemostasis, 2010, 8, 2201-2207. | 1.9 | 40 |
| 143 | Assessment of Anticoagulation Intensity and Management of Bleeding With Old and New Oral Anticoagulants. Canadian Journal of Cardiology, 2013, 29, S34-S44. | 0.8 | 40 |
| 144 | Sodium Intake and Health: What Should We Recommend Based on the Current Evidence?. Nutrients, 2021, 13, 3232. | 1.7 | 39 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | Serum magnesium and calcium levels in relation to ischemic stroke. Neurology, 2019, 92, e944-e950. | 1.5 | 38 |
| 146 | Validity of Self-Reports in Dementia Research. Clinical Gerontologist, 2003, 26, 155-163. | 1.2 | 36 |
| 147 | Which Risk Factors Are More Associated With Ischemic Stroke Than Intracerebral Hemorrhage in Patients With Atrial Fibrillation?. Stroke, 2012, 43, 2048-2054. | 1.0 | 36 |
| 148 | Bleeding and New Cancer Diagnosis in Patients With Atherosclerosis. Circulation, 2019, 140, 1451-1459. | 1.6 | 36 |
| 149 | Tackling NCD in LMIC: Achievements and Lessons Learned From the NHLBIâ€"UnitedHealth Global Health Centers of Excellence Program. Global Heart, 2016, 11, 5. | 0.9 | 36 |
| 150 | Mild chronic kidney disease and functional impairment in community-dwelling older adults. Age and Ageing, 2013, 42, 488-494. | 0.7 | 35 |
| 151 | Interleukin-6, C-reactive protein, fibrinogen, and risk of recurrence after ischaemic stroke: Systematic review and meta-analysis. European Stroke Journal, 2021, 6, 62-71. | 2.7 | 35 |
| 152 | Skeletonized vs Pedicled Internal Mammary Artery Graft Harvesting in Coronary Artery Bypass Surgery. JAMA Cardiology, 2021, 6, 1042. | 3.0 | 35 |
| 153 | A MultiCenter Pilot Randomized Controlled Trial of Remote Ischemic Preconditioning in Major Vascular Surgery. Vascular and Endovascular Surgery, 2015, 49, 220-227. | 0.3 | 33 |
| 154 | The Miniâ€Mental State Examination, Clinical Factors, and Motor Vehicle Crash Risk. Journal of the American Geriatrics Society, 2014, 62, 1419-1426. | 1.3 | 32 |
| 155 | Methodology for Guideline Development for the Seventh American College of Chest Physicians Conference on Antithrombotic and Thrombolytic Therapy. Chest, 2004, 126, 174S-178S. | 0.4 | 31 |
| 156 | GASTROINTESTINAL BLEEDING AFTER ACUTE ISCHEMIC STROKE. Neurology, 2009, 73, 160-161. | 1.5 | 31 |
| 157 | Comparing mortality in patients with atrial fibrillation who are receiving a directâ€acting oral anticoagulant or warfarin: a metaâ€analysis of randomized trials. Journal of Thrombosis and Haemostasis, 2014, 12, 1419-1424. | 1.9 | 31 |
| 158 | Estimating average attributable fractions with confidence intervals for cohort and case–control studies. Statistical Methods in Medical Research, 2018, 27, 1141-1152. | 0.7 | 31 |
| 159 | Lipid Lowering Therapy, Low-Density Lipoprotein Level and Risk of Intracerebral Hemorrhage – A Meta-Analysis. Journal of Stroke and Cerebrovascular Diseases, 2019, 28, 1703-1709. | 0.7 | 31 |
| 160 | Tackling the global burden of stroke: the need for large-scale international studies. Lancet Neurology, The, 2009, 8, 306-307. | 4.9 | 30 |
| 161 | Inâ€hospital myocardial infarction following acute ischaemic stroke: an observational study. European Journal of Neurology, 2009, 16, 1035-1040. | 1.7 | 30 |
| 162 | Dietary Sodium and Cardiovascular Disease Risk. New England Journal of Medicine, 2016, 375, 2404-2408. | 13.9 | 30 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 163 | Major Bleeding in Patients With CoronaryÂor Peripheral Artery Disease Treated With Rivaroxaban Plus Aspirin. Journal of the American College of Cardiology, 2019, 74, 1519-1528. | 1.2 | 30 |
| 164 | Methodology of the Global and Regional Burden of Stroke Study. Neuroepidemiology, 2012, 38, 30-40. | 1.1 | 29 |
| 165 | Assessing global risk factors for non-fatal injuries from road traffic accidents and falls in adults aged 35–70 years in 17 countries: a cross-sectional analysis of the Prospective Urban Rural Epidemiological (PURE) study. Injury Prevention, 2016, 22, 92-98. | 1.2 | 28 |
| 166 | Microbleeds and the Effect of Anticoagulation in Patients With Embolic Stroke of Undetermined Source. JAMA Neurology, 2021, 78, 11. | 4.5 | 28 |
| 167 | Are There Patients With Acute Ischemic Stroke and Atrial Fibrillation That Benefit From Low Molecular Weight Heparin?. Stroke, 2006, 37, 452-455. | 1.0 | 26 |
| 168 | Association of Urinary Sodium Excretion With Blood Pressure and Cardiovascular Clinical Events in 17,033 Latin Americans. American Journal of Hypertension, 2016, 29, 796-805. | 1.0 | 26 |
| 169 | Genome-Wide Association Study Meta-Analysis of Stroke in 22 000 Individuals of African Descent Identifies Novel Associations With Stroke. Stroke, 2020, 51, 2454-2463. | 1.0 | 26 |
| 170 | Clinical factors influencing normalization of prothrombin time after stopping warfarin: a retrospective cohort study. Thrombosis Journal, 2008, 6, 15. | 0.9 | 25 |
| 171 | Perioperative Management of Oral Anticoagulation. Cardiology Clinics, 2008, 26, 299-309. | 0.9 | 25 |
| 172 | Assessment of Dietary Sodium and Potassium in Canadians Using 24-Hour Urinary Collection. Canadian Journal of Cardiology, 2016, 32, 319-326. | 0.8 | 25 |
| 173 | Variations in knowledge, awareness and treatment of hypertension and stroke risk by country income level. Heart, 2021, 107, 282-289. | 1.2 | 25 |
| 174 | Randomized controlled trial of a new portable calf compression device (Venowave) for prevention of venous thrombosis in highâ€risk neurosurgical patients. Journal of Thrombosis and Haemostasis, 2012, 10, 229-235. | 1.9 | 24 |
| 175 | Incidental Magnetic Resonance Diffusion-Weighted Imaging–Positive Lesions Are Rare in Neurologically Asymptomatic Community-Dwelling Adults. Stroke, 2014, 45, 2115-2117. | 1.0 | 24 |
| 176 | Aliskiren alone or with other antihypertensives in the elderly with borderline and stage 1 hypertension: the APOLLO trial. European Heart Journal, 2014, 35, 1743-1751. | 1.0 | 23 |
| 177 | Phenome-wide association analysis of LDL-cholesterol lowering genetic variants in PCSK9. BMC Cardiovascular Disorders, 2019, 19, 240. | 0.7 | 22 |
| 178 | Impact of Language Barriers on Stroke Care and Outcomes. Stroke, 2015, 46, 813-818. | 1.0 | 20 |
| 179 | Antithrombotic Therapy After Acute Ischemic Stroke in Patients With Atrial Fibrillation. Stroke, 2014, 45, 3637-3642. | 1.0 | 19 |
| 180 | Subclinical anaemia of chronic disease in adult patients with cystic fibrosis. Journal of Cystic Fibrosis, 2002, 1, 31-34. | 0.3 | 18 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 181 | Evidence Relating Sodium Intake to Blood Pressure and CVD. Current Cardiology Reports, 2014, 16, 529. | 1.3 | 18 |
| 182 | Antithrombotic Treatment at Onset of Stroke with Atrial Fibrillation, Functional Outcome, and Fatality: A Systematic Review and Meta-Analysis. International Journal of Stroke, 2015, 10, 808-814. | 2.9 | 18 |
| 183 | Aspirin for primary prevention of stroke in individuals without cardiovascular diseaseâ€"A meta-analysis. International Journal of Stroke, 2020, 15, 9-17. | 2.9 | 18 |
| 184 | Are large simple trials for dementia prevention possible? Age and Ageing, 2020, 49, 154-160. | 0.7 | 17 |
| 185 | Effects of dietary or injected organic cations on larvalDrosophila melanogaster: Mortality and elimination of tetraethylammonium from the hemolymph. Archives of Insect Biochemistry and Physiology, 2005, 60, 93-103. | 0.6 | 16 |
| 186 | Dietary Sodium and Cardiovascular Disease. Current Hypertension Reports, 2015, 17, 559. | 1.5 | 16 |
| 187 | Variations in risks from smoking between high-income, middle-income, and low-income countries: an analysis of data from 179â€^000 participants from 63 countries. The Lancet Global Health, 2022, 10, e216-e226. | 2.9 | 16 |
| 188 | Efficacy and safety of fondaparinux in patients with ST-segment elevation myocardial infarction across the age spectrum. Results from the Organization for the Assessment of Strategies for Ischemic Syndromes 6Â(OASIS-6) trial. American Heart Journal, 2010, 160, 1049-1055. | 1.2 | 15 |
| 189 | Non-vitamin-K oral anticoagulants (NOACs) for the prevention of secondary stroke. Expert Opinion on Pharmacotherapy, 2018, 19, 1597-1602. | 0.9 | 15 |
| 190 | Rivaroxaban for Prevention of Covert Brain Infarcts and Cognitive Decline. Stroke, 2020, 51, 2901-2909. | 1.0 | 15 |
| 191 | Increased Salt Intake for Orthostatic Intolerance Syndromes: A Systematic Review and Meta-Analysis. American Journal of Medicine, 2020, 133, 1471-1478.e4. | 0.6 | 15 |
| 192 | Efficacy and safety of rivaroxaban plus aspirin in women and men with chronic coronary or peripheral artery disease. Cardiovascular Research, 2021, 117, 942-949. | 1.8 | 15 |
| 193 | Anger or emotional upset and heavy physical exertion as triggers of stroke: the INTERSTROKE study. European Heart Journal, 2022, 43, 202-209. | 1.0 | 14 |
| 194 | Association of Lipids, Lipoproteins, and Apolipoproteins with Stroke Subtypes in an International Case Control Study (INTERSTROKE). Journal of Stroke, 2022, 24, 224-235. | 1.4 | 14 |
| 195 | Efficacy and Safety of Warfarin VS. Antiplatelet Therapy in Patients with Systolic Heart Failure and Sinus Rhythm: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. International Journal of Stroke, 2014, 9, 199-206. | 2.9 | 13 |
| 196 | The CHARMS pilot study: a multi-method assessment of the feasibility of a sexual counselling implementation intervention in cardiac rehabilitation in Ireland. Pilot and Feasibility Studies, 2018, 4, 88. | 0.5 | 13 |
| 197 | Novel Oral Anticoagulants: A Focused Review for Stroke Physicians. International Journal of Stroke, 2014, 9, 71-78. | 2.9 | 12 |
| 198 | How Robust Is the Evidence for Recommending Very Low Salt Intake in Entire Populations? â^—. Journal of the American College of Cardiology, 2016, 68, 1618-1621. | 1.2 | 12 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Mendelian Genes and Risk of Intracerebral Hemorrhage and Small-Vessel Ischemic Stroke in Sporadic Cases. Stroke, 2017, 48, 2263-2265. | 1.0 | 12 |
| 200 | Perioperative Management of Oral Anticoagulation. Clinics in Geriatric Medicine, 2006, 22, 199-213. | 1.0 | 11 |
| 201 | Thromboembolism prevention in ischaemic stroke. Lancet, The, 2007, 369, 1413-1415. | 6.3 | 11 |
| 202 | Supporting the improvement and management of prescribing for urinary tract infections (SIMPle): protocol for a cluster randomized trial. Trials, 2013, 14, 441. | 0.7 | 11 |
| 203 | The Population Risks of Dietary Salt Excess Are Exaggerated. Canadian Journal of Cardiology, 2014, 30, 507-512. | 0.8 | 11 |
| 204 | Does Lowering Blood Pressure With Antihypertensive Therapy Preserve Independence in Activities of Daily Living? A Systematic Review. American Journal of Hypertension, 2015, 28, 273-279. | 1.0 | 11 |
| 205 | Rationale, design, and baseline participant characteristics in the MRI and cognitive substudy of the cardiovascular outcomes for people using anticoagulation strategies trial. International Journal of Stroke, 2019, 14, 270-281. | 2.9 | 11 |
| 206 | Measuring Sodium Intake in Populations: Simple Is Best?. American Journal of Hypertension, 2015, 28, 1303-1305. | 1.0 | 10 |
| 207 | Sexual counselling for patients with cardiovascular disease: protocol for a pilot study of the CHARMS sexual counselling intervention. BMJ Open, 2016, 6, e011219. | 0.8 | 10 |
| 208 | Anti-inflammatory therapy for preventing stroke and other vascular events after ischaemic stroke or transient ischaemic attack. The Cochrane Library, 2020, 2020, CD012825. | 1.5 | 10 |
| 209 | <p>Effects of a Milk-Based Meal Replacement Program on Weight and Metabolic Characteristics in Adults with Severe Obesity</p> . Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2020, Volume 13, 197-205. | 1.1 | 10 |
| 210 | Mitochondrial DNA Copy Number as a Marker and Mediator of Stroke Prognosis. Neurology, 2022, 98, . | 1.5 | 10 |
| 211 | Randomized controlled trials of new oral anticoagulants for stroke prevention in atrial fibrillation. Current Opinion in Cardiology, 2012, 27, 331-339. | 0.8 | 9 |
| 212 | Extreme Sodium Reductions for the Entire Population: Zealotry or Evidence Based?. American Journal of Hypertension, 2013, 26, 1187-1190. | 1.0 | 9 |
| 213 | Vascular Risk Factors, Cardiovascular Disease and Functional Impairment in Community-Dwelling Adults. Gerontology, 2014, 60, 212-221. | 1.4 | 9 |
| 214 | Effect of nonâ€vitaminâ€K oral anticoagulants on stroke severity compared to warfarin: a metaâ€analysis of randomized controlled trials. European Journal of Neurology, 2020, 27, 413-418. | 1.7 | 9 |
| 215 | Sodium and health: another challenge to the current dogma. European Heart Journal, 2021, 42, 2116-2118. | 1.0 | 9 |
| 216 | Measuring sodium intake: research and clinical applications. Journal of Hypertension, 2021, 39, 2344-2352. | 0.3 | 9 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Establishing an Optimal Therapeutic Range for Coumarins. Archives of Internal Medicine, 2004, 164, 588. | 4.3 | 8 |
| 218 | Preventing cardiovascular disease in primary care: Role of a national risk factor management program. American Heart Journal, 2012, 163, 714-719. | 1.2 | 8 |
| 219 | Vertebral fracture assessment-detected abdominal aortic calcification and cardiovascular disease in rheumatoid arthritis. Seminars in Arthritis and Rheumatism, 2014, 43, 632-637. | 1.6 | 8 |
| 220 | Preconditioning Shields Against Vascular Events in Surgery (SAVES), a multicentre feasibility trial of preconditioning against adverse events in major vascular surgery: study protocol for a randomised control trial. Trials, 2015, 16, 185. | 0.7 | 8 |
| 221 | Commentary: Accepting what we don't know will lead to progress. International Journal of Epidemiology, 2016, 45, 260-262. | 0.9 | 8 |
| 222 | Rivaroxaban versus aspirin for prevention of covert brain infarcts in patients with embolic stroke of undetermined source: NAVIGATE ESUS MRI substudy. International Journal of Stroke, 2022, 17, 799-805. | 2.9 | 8 |
| 223 | Novel antithrombotic therapies for the prevention of stroke in patients with atrial fibrillation. American Journal of Managed Care, 2004, 10, S72-82. | 0.8 | 8 |
| 224 | Pexelizumab Does Not "Complement―Percutaneous Coronary Intervention in Patients With ST-Elevation Myocardial Infarction. JAMA - Journal of the American Medical Association, 2007, 297, 91. | 3.8 | 7 |
| 225 | Validity of Composite Outcomes in Meta-Analyses of Stroke Prevention Trials: The Case of Aspirin. Cerebrovascular Diseases, 2011, 32, 22-27. | 0.8 | 7 |
| 226 | Risk factors for stroke in Tanzania. The Lancet Global Health, 2013, 1, e241-e242. | 2.9 | 7 |
| 227 | Graphical comparisons of relative disease burden across multiple risk factors. BMC Medical Research Methodology, 2019, 19, 186. | 1.4 | 7 |
| 228 | Revisiting sequential attributable fractions. Archives of Public Health, 2020, 78, 67. | 1.0 | 7 |
| 229 | Associations of estimated 24-h urinary sodium excretion with mortality and cardiovascular events in Chinese adults: a prospective cohort study. Journal of Hypertension, 2021, 39, 484-493. | 0.3 | 7 |
| 230 | Risk of bleeding with vitamin K antagonists compared with low-molecular-weight heparin after orthopedic surgery: a rebuttal. Journal of Thrombosis and Haemostasis, 2005, 3, 606-608. | 1.9 | 6 |
| 231 | Emerging therapies for stroke prevention in atrial fibrillation. Country Review Ukraine, 2005, 7, C19-C27. | 0.8 | 6 |
| 232 | Low sodium intake and cardiovascular health: an unanswered question. Response to: Letter from Dr N. Campbell, †Dissidents and dietary sodium. Concerns about the commentary by O†Donnellet al.â€. International Journal of Epidemiology, 2016, 46, dyw297. | 0.9 | 6 |
| 233 | Attitudes to outcomes measured in clinical trials of cardiovascular prevention. QJM - Monthly Journal of the Association of Physicians, 2016, 109, 391-397. | 0.2 | 6 |
| 234 | Promoting Independent Mobility-related Physical ACTivity (IMPACT) in an inpatient stroke rehabilitation unit: a proof-of-concept evaluation of self-management intervention. Disability and Rehabilitation, 2020, 42, 3172-3181. | 0.9 | 6 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 235 | Urinary Sodium and Potassium, and Risk of Ischemic and Hemorrhagic Stroke (INTERSTROKE): A Case–Control Study. American Journal of Hypertension, 2021, 34, 414-425. | 1.0 | 6 |
| 236 | Long-Term Treatment with the Combination of Rivaroxaban and Aspirin in Patients with Chronic Coronary or Peripheral Artery Disease: Outcomes During the Open Label Extension of the COMPASS trial. European Heart Journal - Cardiovascular Pharmacotherapy, 2022, 8, 786-795. | 1.4 | 6 |
| 237 | Event adjudication and data monitoring in an intensive care unit observational study of thromboprophylaxis. Journal of Critical Care, 2009, 24, 168-175. | 1.0 | 5 |
| 238 | Should Patients With Stroke Wear Compression Stockings to Prevent Venous Thromboembolism?. Annals of Internal Medicine, 2010, 153, 610. | 2.0 | 5 |
| 239 | The effect of renal sympathetic denervation on nocturnal dipping in patients with resistant hypertension; observational data from a tertiary referral centre in the Republic of Ireland. Irish Journal of Medical Science, 2016, 185, 635-641. | 0.8 | 5 |
| 240 | Adaptive design methods in dialysis clinical trials: a systematic review protocol. BMJ Open, 2020, 10, e036755. | 0.8 | 5 |
| 241 | Trends in Adaptive Design Methods in Dialysis Clinical Trials: A Systematic Review. Kidney Medicine, 2021, 3, 925-941. | 1.0 | 5 |
| 242 | Stroke Severity in Transcatheter Aortic Valve Implantation Versus Surgical Aortic Valve Replacement: A Systematic Review and Meta-Analysis. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 105927. | 0.7 | 5 |
| 243 | Using aspirin to prevent cognitive decline. BMJ: British Medical Journal, 2008, 337, a958-a958. | 2.4 | 5 |
| 244 | Thyroid replacement therapy and atrial fibrillation in acute ischemic stroke. Neurology, 2006, 67, 1714-1715. | 1.5 | 4 |
| 245 | Behavioural and Psychological Symptoms in Community-Dwelling Elderly Persons with Cognitive Impairment and Dementia. Clinical Gerontologist, 2007, 30, 41-52. | 1.2 | 4 |
| 246 | Sleep to lower elevated blood pressure: study protocol for a randomized controlled trial. Trials, 2014, 15, 393. | 0.7 | 4 |
| 247 | The Prevalence of Aortic Calcification on Vertebral Fracture Assessment Imaging Among Patients With Rheumatoid Arthritis. Journal of Clinical Densitometry, 2014, 17, 72-77. | 0.5 | 4 |
| 248 | Cross-sectional study of the association between skin tags and vascular risk factors in a bariatric clinic-based cohort of Irish adults with morbid obesity. BMC Research Notes, 2020, 13, 156. | 0.6 | 4 |
| 249 | The Self-Perceived Role and Educational Needs of Pharmaceutical Representatives: A Survey. Education for Health: Change in Learning and Practice, 2004, 17, 339-345. | 0.1 | 3 |
| 250 | Extended-duration new oral anticoagulants for venous thromboprophylaxis in patients undergoing total hip arthroplasty: a meta-analysis of the randomized controlled trials. Journal of Thrombosis and Haemostasis, 2014, 12, 107-109. | 1.9 | 3 |
| 251 | Advance preferences regarding thrombolysis in patients at risk for stroke: a cross-sectional study: Table 1. QJM - Monthly Journal of the Association of Physicians, 2015, 108, 27-31. | 0.2 | 3 |
| 252 | Response to: â€~More on dissidents and dietary sodium'. International Journal of Epidemiology, 2018, 47, 673-674. | 0.9 | 3 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 253 | Graduated compression stockings to prevent venous thromboembolism in hospital: evidence from patients with acute stroke., 2011, 121, 40-3. | | 3 |
| 254 | Estimating treatment effects in observational studies. Neurology, 2012, 79, 1844-1845. | 1.5 | 2 |
| 255 | Vitamin D supplementation-clarity required regarding treatment regimens and target plasma levels. QJM - Monthly Journal of the Association of Physicians, 2014, 107, 327-329. | 0.2 | 2 |
| 256 | Response to †Estimation of sodium excretion should be made as simple as possible, but not simpler. Journal of Hypertension, 2015, 33, 887-890. | 0.3 | 2 |
| 257 | Sodium and cardiovascular disease – Authors' reply. Lancet, The, 2016, 388, 2113-2114. | 6.3 | 2 |
| 258 | Response by Smyth et al to Letters Regarding Article, "Physical Activity and Anger or Emotional Upset as Triggers of Acute Myocardial Infarction: The INTERHEART Study― Circulation, 2017, 135, e644-e645. | 1.6 | 2 |
| 259 | Anti-inflammatory therapy for preventing stroke and other vascular events after ischaemic stroke or transient ischaemic attack. The Cochrane Library, 2017, , . | 1.5 | 2 |
| 260 | Risk of bias assessment of sequence generation: a study of 100 systematic reviews of trials. Systematic Reviews, 2019, 8, 13. | 2.5 | 2 |
| 261 | Renal Impairment and Risk of Acute Stroke: The INTERSTROKE Study. Neuroepidemiology, 2021, 55, 206-215. | 1.1 | 2 |
| 262 | Feasibility study protocol of a pragmatic, randomised controlled pilot trial: membrane sweeping to prevent post-term pregnancyâ€"the MILO Study. Trials, 2021, 22, 113. | 0.7 | 2 |
| 263 | Reply. Journal of Hypertension, 2021, 39, 1467-1469. | 0.3 | 2 |
| 264 | Association of Oral Anticoagulation With Stroke in Atrial Fibrillation or Heart Failure. Stroke, 2021, 52, 3151-3162. | 1.0 | 2 |
| 265 | Possible Influence of Stroke Etiology on Hemorrhagic Transformation Following Thrombolysis in Warfarin-Treated Patients. Archives of Neurology, 2010, 67, 1413. | 4.9 | 1 |
| 266 | Mortality Benefits From US Population-Wide Reduction in Sodium Consumption: Projections From 3 Modeling Approaches. Hypertension, 2013, 61, e59. | 1.3 | 1 |
| 267 | Reply. Arthritis and Rheumatology, 2014, 66, 2642-2642. | 2.9 | 1 |
| 268 | Reply to both letters. Journal of Hypertension, 2014, 32, 2501-2503. | 0.3 | 1 |
| 269 | Letter by Mente et al Regarding Article "Urinary Sodium Excretion, Blood Pressure, and Risk of Future Cardiovascular Disease and Mortality in Subjects Without Prior Cardiovascular Diseaseâ€. Hypertension, 2019, 74, e26. | 1.3 | 1 |
| 270 | Urinary sodium excretion measures and health outcomes – Authors' reply. Lancet, The, 2019, 393, 1295-1296. | 6.3 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | ClarifyingÂOptimalÂSodium InTakeÂInÂCardiovasular andÂKidney (COSTICK) Diseases: a study protocol for twoÂrandomised controlled trials. HRB Open Research, 0, 4, 14. | 0.3 | 1 |
| 272 | Low-Molecular-Weight Heparin in Acute Coronary Syndromes. Cardiology, 2004, 4, 111-118. | 0.3 | 0 |
| 273 | ESPRIT trial. Lancet, The, 2006, 368, 447. | 6.3 | O |
| 274 | Response to Letter Regarding Article, "Challenges of Establishing New Antithrombotic Therapies in Atrial Fibrillation― Circulation, 2008, 117, . | 1.6 | 0 |
| 275 | Response to Letter by Haft. Stroke, 2008, 39, . | 1.0 | 0 |
| 276 | New Anticoagulants for Atrial Fibrillation. Seminars in Thrombosis and Hemostasis, 2009, 35, 711-711. | 1.5 | 0 |
| 277 | How generalisable is INTERSTROKE? – Authors' reply. Lancet, The, 2010, 376, 1539. | 6.3 | 0 |
| 278 | Should Patients With Stroke Wear Compression Stockings?. Annals of Internal Medicine, 2011, 154, 506. | 2.0 | 0 |
| 279 | Urinary Sodium Excretion and Cardiovascular Eventsâ€"Reply. JAMA - Journal of the American Medical Association, 2012, 307, . | 3.8 | 0 |
| 280 | When it matters that a 'Stroke' is not a stroke. BMJ Case Reports, 2015, 2015, bcr2015209636-bcr2015209636. | 0.2 | 0 |
| 281 | Cryptogenic Stroke. , 2016, , 707-715. | | 0 |
| 282 | The INTERSTROKE study on risk factors for stroke – Authors' reply. Lancet, The, 2017, 389, 36. | 6.3 | 0 |
| 283 | 239 Setting Bones and Getting Home: The Impact of a New Orthogeriatric Service. Age and Ageing, 2019, 48, iii17-iii65. | 0.7 | 0 |
| 284 | 258 FLEXIT: Geriatric Muscle on the Orthopedic Ward. Age and Ageing, 2019, 48, iii17-iii65. | 0.7 | 0 |
| 285 | Comment on "Bioelectrical Impedance Phase Angle and Morbidity and Mortality in Critically Ill Children― Nutrition in Clinical Practice, 2019, 34, 639-640. | 1.1 | 0 |
| 286 | Response to letter: nonâ€vitaminâ€K oral anticoagulants may not significantly reduce the risk of fatal or disabling stroke compared with warfarin. European Journal of Neurology, 2020, 27, e56. | 1.7 | 0 |
| 287 | Low sodium intake increases plasma renin activity. EClinicalMedicine, 2021, 33, 100803. | 3.2 | 0 |
| 288 | ClarifyingÂOptimalÂSodium InTakeÂInÂCardiovasular andÂKidney (COSTICK) Diseases: a study protocol for twoÂrandomised controlled trials. HRB Open Research, 0, 4, 14. | 0.3 | 0 |