Rob M Van Dam

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5915233/rob-m-van-dam-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

35,012 101 179 379 h-index g-index citations papers 8.3 412 41,105 7.14 avg, IF L-index ext. papers ext. citations

#	Paper	IF	Citations
379	Daily park use, physical activity, and psychological stress: A study using smartphone-based ecological momentary assessment amongst a multi-ethnic Asian cohort. <i>Mental Health and Physical Activity</i> , 2022 , 22, 100440	5	1
378	Social Media-Driven Routes to Positive Mental Health Among Youth: Qualitative Enquiry and Concept Mapping Study <i>JMIR Pediatrics and Parenting</i> , 2022 , 5, e32758	4.2	1
377	An evaluation of the healthier dining programme effects on university student and staff choices in Singapore: A cluster-randomized trial. <i>Food Policy</i> , 2022 , 107, 102211	5	O
376	"You know what, I'm in the trend as well" - Understanding the inter-play between digital and real-life social influences on the food and activity choices of young adults <i>Public Health Nutrition</i> , 2022 , 1-50	3.3	1
375	Associations of park features with park use and park-based physical activity in an urban environment in Asia: A cross-sectional study <i>Health and Place</i> , 2022 , 75, 102790	4.6	3
374	Multi-ancestry genetic study of type 2 diabetes highlights the power of diverse populations for discovery and translation <i>Nature Genetics</i> , 2022 ,	36.3	7
373	Differential and shared genetic effects on kidney function between diabetic and non-diabetic individuals. <i>Communications Biology</i> , 2022 , 5,	6.7	1
372	Gene-educational attainment interactions in a multi-ancestry genome-wide meta-analysis identify novel blood pressure loci. <i>Molecular Psychiatry</i> , 2021 , 26, 2111-2125	15.1	3
371	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021 ,	50.4	24
370	Impact of BMI and waist circumference on epigenome-wide DNA methylation and identification of epigenetic biomarkers in blood: an EWAS in multi-ethnic Asian individuals. <i>Clinical Epigenetics</i> , 2021 , 13, 195	7.7	1
369	Healthful dietary patterns and risk of end-stage kidney disease: the Singapore Chinese Health Study. <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 675-683	7	2
368	Consumption of Foods With Higher Energy Intake Rates is Associated With Greater Energy Intake, Adiposity, and Cardiovascular Risk Factors in Adults. <i>Journal of Nutrition</i> , 2021 , 151, 370-378	4.1	9
367	Association of adverse childhood experiences with diabetes in adulthood: results of a cross-sectional epidemiological survey in Singapore. <i>BMJ Open</i> , 2021 , 11, e045167	3	3
366	Characterisation of protein-truncating and missense variants in in 15 768 women from Malaysia and Singapore. <i>Journal of Medical Genetics</i> , 2021 ,	5.8	1
365	Cohort profile: The Singapore Breast Cancer Cohort (SGBCC), a multi-center breast cancer cohort for evaluation of phenotypic risk factors and genetic markers. <i>PLoS ONE</i> , 2021 , 16, e0250102	3.7	2
364	Sugar-sweetened beverage consumption, weight gain, and risk of type 2 diabetes and cardiovascular diseases in Asia: a systematic review. <i>Nutrition Reviews</i> , 2021 , 80, 50-67	6.4	4
363	Low frequency variants associated with leukocyte telomere length in the Singapore Chinese population. <i>Communications Biology</i> , 2021 , 4, 519	6.7	2

(2021-2021)

362	Changes in Diet Quality from Mid- to Late Life Are Associated with Cognitive Impairment in the Singapore Chinese Health Study. <i>Journal of Nutrition</i> , 2021 , 151, 2800-2807	4.1	1
361	Diet Quality and Lower Refined Grain Consumption are Associated With Less Weight Gain in a Multi-Ethnic Asian Adult Population. <i>Journal of Nutrition</i> , 2021 , 151, 2372-2382	4.1	1
360	The trans-ancestral genomic architecture of glycemic traits. <i>Nature Genetics</i> , 2021 , 53, 840-860	36.3	44
359	Determinants of penetrance and variable expressivity in monogenic metabolic conditions across 77,184 exomes. <i>Nature Communications</i> , 2021 , 12, 3505	17.4	5
358	Making novel staple foods the norm: perspectives from adult consumers with and without diabetes. <i>Appetite</i> , 2021 , 162, 105189	4.5	1
357	Prevalence and Correlates of Social Stigma Toward Diabetes: Results From a Nationwide-Survey in Singapore. <i>Frontiers in Psychology</i> , 2021 , 12, 692573	3.4	Ο
356	A randomized controlled trial testing the effects of a positive front-of-pack label with or without a physical activity equivalent label on food purchases. <i>Appetite</i> , 2021 , 158, 104997	4.5	2
355	Association Between Dietary Patterns in Midlife and Healthy Ageing in Chinese Adults: The Singapore Chinese Health Study. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 1279-1	2586	3
354	A Randomized Controlled Trial to Evaluate the Effects of a Smartphone Application-Based Lifestyle Coaching Program on Gestational Weight Gain, Glycemic Control, and Maternal and Neonatal Outcomes in Women With Gestational Diabetes Mellitus: The SMART-GDM Study. <i>Diabetes Care</i> ,	14.6	19
353	2021 , 44, 456-463 Epidemiological and ES cell-based functional evaluation of BRCA2 variants identified in families with breast cancer. <i>Human Mutation</i> , 2021 , 42, 200-212	4.7	2
352	Quality diet indexes and risk of hepatocellular carcinoma: Findings from the Singapore Chinese Health Study. <i>International Journal of Cancer</i> , 2021 , 148, 2102-2114	7.5	6
351	Increased oral processing and a slower eating rate increase glycaemic, insulin and satiety responses to a mixed meal tolerance test. <i>European Journal of Nutrition</i> , 2021 , 60, 2719-2733	5.2	7
350	Dietary Fat and Protein Intake in Relation to Plasma Sphingolipids as Determined by a Large-Scale Lipidomic Analysis. <i>Metabolites</i> , 2021 , 11,	5.6	2
349	Breast Cancer Risk Genes - Association Analysis in More than 113,000 Women. <i>New England Journal of Medicine</i> , 2021 , 384, 428-439	59.2	143
348	Adaptation and Validation of a Short Acculturation Scale in a Multi-Ethnic Asian Population. <i>Psych</i> , 2021 , 3, 25-38	0.8	1
347	Associations of park access, park use and physical activity in parks with wellbeing in an Asian urban environment: a cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 87	8.4	8
346	Longitudinal Associations of Marital, Parenting, and Employment Transitions with Weight Gain in a Multi-Ethnic Asian Population Aged 21 Years and Above. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
345	The Pre-Diabetes Interventions and Continued Tracking to Ease-out Diabetes (Pre-DICTED) program: study protocol for a randomized controlled trial. <i>Trials</i> , 2021 , 22, 522	2.8	1

344	Quality Diet Index and Risk of Pancreatic Cancer: Findings from the Singapore Chinese Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 2068-2078	4	1
343	Cancer Screening Knowledge and Behavior in a Multi-Ethnic Asian Population: The Singapore Community Health Study. <i>Frontiers in Oncology</i> , 2021 , 11, 684917	5.3	4
342	APOC3 genetic variation, serum triglycerides, and risk of coronary artery disease in Asian Indians, Europeans, and other ethnic groups. <i>Lipids in Health and Disease</i> , 2021 , 20, 113	4.4	2
341	Taste of Modern Diets: The Impact of Food Processing on Nutrient Sensing and Dietary Energy Intake. <i>Journal of Nutrition</i> , 2021 ,	4.1	4
340	Genetic determinants of liking and intake of coffee and other bitter foods and beverages <i>Scientific Reports</i> , 2021 , 11, 23845	4.9	О
339	The Association of Different Types of Leisure Time Physical Activities with Cardiometabolic Outcomes in Singapore-Findings from the Multi-Ethnic Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
338	Combined Impact of a Faster Self-Reported Eating Rate and Higher Dietary Energy Intake Rate on Energy Intake and Adiposity. <i>Nutrients</i> , 2020 , 12,	6.7	5
337	Identification of type 2 diabetes loci in 433,540 East Asian individuals. <i>Nature</i> , 2020 , 582, 240-245	50.4	89
336	Mendelian randomization analysis does not support causal associations of birth weight with hypertension risk and blood pressure in adulthood. <i>European Journal of Epidemiology</i> , 2020 , 35, 685-69	7 ^{12.1}	2
335	Cohort profile: the Singapore diabetic cohort study. <i>BMJ Open</i> , 2020 , 10, e036443	3	2
335	Cohort profile: the Singapore diabetic cohort study. <i>BMJ Open</i> , 2020 , 10, e036443 Study protocol for a nationwide Knowledge, Attitudes and Practices (KAP) survey on diabetes in Singapore's general population. <i>BMJ Open</i> , 2020 , 10, e037125	3	6
	Study protocol for a nationwide Knowledge, Attitudes and Practices (KAP) survey on diabetes in		,
334	Study protocol for a nationwide Knowledge, Attitudes and Practices (KAP) survey on diabetes in Singapore's general population. <i>BMJ Open</i> , 2020 , 10, e037125 Exploring Factors Underlying Ethnic Difference in Age-related Macular Degeneration Prevalence.	3	6
334	Study protocol for a nationwide Knowledge, Attitudes and Practices (KAP) survey on diabetes in Singapore's general population. <i>BMJ Open</i> , 2020 , 10, e037125 Exploring Factors Underlying Ethnic Difference in Age-related Macular Degeneration Prevalence. <i>Ophthalmic Epidemiology</i> , 2020 , 27, 399-408 Volume and Intensity of Stepping Activity and Cardiometabolic Risk Factors in a Multi-ethnic Asian	3 1.9 4.6	6
334 333 332	Study protocol for a nationwide Knowledge, Attitudes and Practices (KAP) survey on diabetes in Singapore's general population. <i>BMJ Open</i> , 2020 , 10, e037125 Exploring Factors Underlying Ethnic Difference in Age-related Macular Degeneration Prevalence. <i>Ophthalmic Epidemiology</i> , 2020 , 27, 399-408 Volume and Intensity of Stepping Activity and Cardiometabolic Risk Factors in a Multi-ethnic Asian Population. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	3 1.9 4.6	6 2 6
334 333 332 331	Study protocol for a nationwide Knowledge, Attitudes and Practices (KAP) survey on diabetes in Singapore's general population. <i>BMJ Open</i> , 2020 , 10, e037125 Exploring Factors Underlying Ethnic Difference in Age-related Macular Degeneration Prevalence. <i>Ophthalmic Epidemiology</i> , 2020 , 27, 399-408 Volume and Intensity of Stepping Activity and Cardiometabolic Risk Factors in a Multi-ethnic Asian Population. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17, Food, culture, and identity in multicultural societies: Insights from Singapore. <i>Appetite</i> , 2020 , 149, 1046. The Effect of Coconut Oil Consumption on Cardiovascular Risk Factors: A Systematic Review and	3 1.9 4.6	6 2 6 28
334 333 332 331 330	Study protocol for a nationwide Knowledge, Attitudes and Practices (KAP) survey on diabetes in Singapore's general population. <i>BMJ Open</i> , 2020 , 10, e037125 Exploring Factors Underlying Ethnic Difference in Age-related Macular Degeneration Prevalence. <i>Ophthalmic Epidemiology</i> , 2020 , 27, 399-408 Volume and Intensity of Stepping Activity and Cardiometabolic Risk Factors in a Multi-ethnic Asian Population. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17, Food, culture, and identity in multicultural societies: Insights from Singapore. <i>Appetite</i> , 2020 , 149, 1046 The Effect of Coconut Oil Consumption on Cardiovascular Risk Factors: A Systematic Review and Meta-Analysis of Clinical Trials. <i>Circulation</i> , 2020 , 141, 803-814 Development and validation of the Rapid Positive Mental Health Instrument (R-PMHI) for	3 1.9 4.6 533.5	6 2 6 28 33

326	Association of variants with hemoglobin A1c and impact on diabetes diagnosis in East Asian individuals. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	7
325	The effect of coffee consumption on insulin sensitivity and other biological risk factors for type 2 diabetes: a randomized placebo-controlled trial. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 448-45	5 8	20
324	A Global Perspective on White Rice Consumption and Risk of Type 2 Diabetes. <i>Diabetes Care</i> , 2020 , 43, 2625-2627	14.6	5
323	Serum acylcarnitines and amino acids and risk of type 2 diabetes in a multiethnic Asian population. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	8
322	Coffee, Caffeine, and Health. New England Journal of Medicine, 2020, 383, 369-378	59.2	70
321	Sleep Duration, Sleep Quality and Physical Activity, but Not Sedentary Behaviour, Are Associated with Positive Mental Health in a Multi-Ethnic Asian Population: A Cross-Sectional Evaluation. International Journal of Environmental Research and Public Health, 2020, 17,	4.6	2
320	The Effect of Dynamic Food Labels with Real-Time Feedback on Diet Quality: Results from a Randomized Controlled Trial. <i>Nutrients</i> , 2020 , 12,	6.7	4
319	European polygenic risk score for prediction of breast cancer shows similar performance in Asian women. <i>Nature Communications</i> , 2020 , 11, 3833	17.4	31
318	Ethnicity, Neighborhood and Individual Socioeconomic Status, and Obesity: The Singapore Multiethnic Cohort. <i>Obesity</i> , 2020 , 28, 2405-2413	8	5
317	Coffee, Black Tea, and Green Tea Consumption in Relation to Plasma Metabolites in an Asian Population. <i>Molecular Nutrition and Food Research</i> , 2020 , 64, e2000527	5.9	5
316	Diet, Physical Activity and Adiposity as Determinants of Circulating Amino Acid Levels in a Multiethnic Asian Population. <i>Nutrients</i> , 2020 , 12,	6.7	1
315	Genome-Wide Association for HbA1c in Malay Identified Deletion on SLC4A1 that Influences HbA1c Independent of Glycemia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	4
314	Development of a serum miRNA panel for detection of early stage non-small cell lung cancer. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 25036-25042	11.5	23
313	Habitual Coffee and Tea Consumption and Cardiometabolic Biomarkers in the UK Biobank: The Role of Beverage Types and Genetic Variation. <i>Journal of Nutrition</i> , 2020 , 150, 2772-2788	4.1	7
312	Plasma sphingolipids and risk of cardiovascular diseases: a large-scale lipidomic analysis. <i>Metabolomics</i> , 2020 , 16, 89	4.7	9
311	Attitudes and beliefs regarding food in a multi-ethnic Asian population and their association with socio-demographic variables and healthy eating intentions. <i>Appetite</i> , 2020 , 144, 104461	4.5	8
310	Identifying implementation gaps and priorities for the Singapore government to improve food environment policies: perspectives from a local expert panel. <i>Public Health Nutrition</i> , 2020 , 1-8	3.3	1
309	A Randomized Controlled Trial Evaluating the Relative Effectiveness of the Multiple Traffic Light and Nutri-Score Front of Package Nutrition Labels. <i>Nutrients</i> , 2019 , 11,	6.7	24

308	Association of Birth Weight With Type 2 Diabetes and Glycemic Traits: A Mendelian Randomization Study. <i>JAMA Network Open</i> , 2019 , 2, e1910915	10.4	14
307	The Association between Adult Weight Gain and Insulin Resistance at Middle Age: Mediation by Visceral Fat and Liver Fat. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	6
306	Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. <i>American Journal of Epidemiology</i> , 2019 , 188, 1033-1054	3.8	39
305	Multi-ancestry study of blood lipid levels identifies four loci interacting with physical activity. <i>Nature Communications</i> , 2019 , 10, 376	17.4	41
304	Screen viewing behavior and sleep duration among children aged 2 and below. <i>BMC Public Health</i> , 2019 , 19, 59	4.1	20
303	Loci for human leukocyte telomere length in the Singaporean Chinese population and trans-ethnic genetic studies. <i>Nature Communications</i> , 2019 , 10, 2491	17.4	29
302	A catalog of genetic loci associated with kidney function from analyses of a million individuals. <i>Nature Genetics</i> , 2019 , 51, 957-972	36.3	217
301	Exome sequencing of 20,791 cases of type 2 diabetes and 24,440 controls. <i>Nature</i> , 2019 , 570, 71-76	50.4	129
300	Sociodemographic factors in relation to hypertension prevalence, awareness, treatment and control in a multi-ethnic Asian population: a cross-sectional study. <i>BMJ Open</i> , 2019 , 9, e025869	3	26
299	Maternal Dietary Patterns and Birth Outcomes: A Systematic Review and Meta-Analysis. <i>Advances in Nutrition</i> , 2019 , 10, 685-695	10	57
298	Adherence to the Mediterranean diet and risk of stroke and stroke subtypes. <i>European Journal of Epidemiology</i> , 2019 , 34, 337-349	12.1	21
297	Biomarkers of Dietary Omega-6 Fatty Acids and Incident Cardiovascular Disease and Mortality. <i>Circulation</i> , 2019 , 139, 2422-2436	16.7	118
296	A multi-ancestry genome-wide study incorporating gene-smoking interactions identifies multiple new loci for pulse pressure and mean arterial pressure. <i>Human Molecular Genetics</i> , 2019 , 28, 2615-2633	5.6	14
295	Multi-ancestry genome-wide gene-smoking interaction study of 387,272 individuals identifies new loci associated with serum lipids. <i>Nature Genetics</i> , 2019 , 51, 636-648	36.3	59
294	A genome-wide association study of bitter and sweet beverage consumption. <i>Human Molecular Genetics</i> , 2019 , 28, 2449-2457	5.6	45
293	Associations between psychological factors and accelerometer-measured physical activity in urban Asian adults. <i>International Journal of Public Health</i> , 2019 , 64, 659-668	4	5
292	A Dietary Pattern Derived from Reduced Rank Regression and Fatty Acid Biomarkers Is Associated with Lower Risk of Type 2 Diabetes and Coronary Artery Disease in Chinese Adults. <i>Journal of Nutrition</i> , 2019 , 149, 2001-2010	4.1	4
291	Dietary pattern in midlife and cognitive impairment in late life: a prospective study in Chinese adults. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 912-920	7	35

(2018-2019)

290	Associations of autozygosity with a broad range of human phenotypes. <i>Nature Communications</i> , 2019 , 10, 4957	17.4	40
289	Large-scale lipidomics identifies associations between plasma sphingolipids and T2DM incidence. <i>JCI Insight</i> , 2019 , 5,	9.9	49
288	User Preferences and Persona Design for an mHealth Intervention to Support Adherence to Cardiovascular Disease Medication in Singapore: A Multi-Method Study. <i>JMIR MHealth and UHealth</i> , 2019 , 7, e10465	5.5	14
287	Young People's Attitudes and Motivations Toward Social Media and Mobile Apps for Weight Control: Mixed Methods Study. <i>JMIR MHealth and UHealth</i> , 2019 , 7, e11205	5.5	7
286	Perspectives on Acceptance and Use of a Mobile Health Intervention for the Prevention of Atherosclerotic Cardiovascular Disease in Singapore: Mixed-Methods Study. <i>JMIR MHealth and UHealth</i> , 2019 , 7, e11108	5.5	4
285	DASH Dietary Pattern, Mediation by Mineral Intakes, and the Risk of Coronary Artery Disease and Stroke Mortality. <i>Journal of the American Heart Association</i> , 2019 , 8, e011054	6	23
284	Reproducibility of Dietary Biomarkers in a Multiethnic Asian Population. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e1801104	5.9	2
283	Chronotype: Implications for Epidemiologic Studies on Chrono-Nutrition and Cardiometabolic Health. <i>Advances in Nutrition</i> , 2019 , 10, 30-42	10	60
282	An 11-country study to benchmark the implementation of recommended nutrition policies by national governments using the Healthy Food Environment Policy Index, 2015-2018. <i>Obesity Reviews</i> , 2019 , 20 Suppl 2, 57-66	10.6	31
281	Rice intake and risk of type 2 diabetes: the Singapore Chinese Health Study. <i>European Journal of Nutrition</i> , 2019 , 58, 3349-3360	5.2	12
280	Whole milk consumption and risk of cardiovascular disease and mortality: Isfahan Cohort Study. <i>European Journal of Nutrition</i> , 2019 , 58, 163-171	5.2	10
279	Green leafy and cruciferous vegetable consumption and risk of type 2 diabetes: results from the Singapore Chinese Health Study and meta-analysis. <i>British Journal of Nutrition</i> , 2018 , 119, 1057-1067	3.6	20
278	A Healthy Asian A Posteriori Dietary Pattern Correlates with A Priori Dietary Patterns and Is Associated with Cardiovascular Disease Risk Factors in a Multiethnic Asian Population. <i>Journal of Nutrition</i> , 2018 , 148, 616-623	4.1	19
277	Cohort Profile: The Singapore Multi-Ethnic Cohort (MEC) study. <i>International Journal of Epidemiology</i> , 2018 , 47, 699-699j	7.8	34
276	A Large-Scale Multi-ancestry Genome-wide Study Accounting for Smoking Behavior Identifies Multiple Significant Loci for Blood Pressure. <i>American Journal of Human Genetics</i> , 2018 , 102, 375-400	11	59
275	Psychometric properties and population norms of the positive mental health instrument in a representative multi-ethnic Asian population. <i>BMC Medical Research Methodology</i> , 2018 , 18, 29	4.7	12
274	A Genome-Wide Association Study of Diabetic Kidney Disease in Subjects With Type 2 Diabetes. <i>Diabetes</i> , 2018 , 67, 1414-1427	0.9	71
273	High folate and low vitamin B12 status during pregnancy is associated with gestational diabetes mellitus. <i>Clinical Nutrition</i> , 2018 , 37, 940-947	5.9	39

272	Diet-Quality Indexes Are Associated with a Lower Risk of Cardiovascular, Respiratory, and All-Cause Mortality among Chinese Adults. <i>Journal of Nutrition</i> , 2018 , 148, 1323-1332	4.1	52
271	Epicardial and visceral adipose tissue in relation to subclinical atherosclerosis in a Chinese population. <i>PLoS ONE</i> , 2018 , 13, e0196328	3.7	8
270	Stepping volume and intensity patterns in a multi-ethnic urban Asian population. <i>BMC Public Health</i> , 2018 , 18, 539	4.1	12
269	Gene-diet interaction effects on BMI levels in the Singapore Chinese population. <i>Nutrition Journal</i> , 2018 , 17, 31	4.3	7
268	The association of the dietary approach to stop hypertension (DASH) diet with blood pressure, glucose and lipid profiles in Malaysian and Philippines populations. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018 , 28, 856-863	4.5	14
267	Impact of tax and subsidy framed messages on high- and lower-sugar beverages sold in vending machines: a randomized crossover trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 76	8.4	7
266	Relative validity and reproducibility of dietary quality scores from a short diet screener in a multi-ethnic Asian population. <i>Public Health Nutrition</i> , 2018 , 21, 2735-2743	3.3	15
265	Dietary intake and diabetic retinopathy: A systematic review. <i>PLoS ONE</i> , 2018 , 13, e0186582	3.7	27
264	Novel genetic associations for blood pressure identified via gene-alcohol interaction in up to 570K individuals across multiple ancestries. <i>PLoS ONE</i> , 2018 , 13, e0198166	3.7	31
263	Vitamin D Binding Protein and Vitamin D Levels in Multi-Ethnic Population. <i>Journal of Nutrition, Health and Aging</i> , 2018 , 22, 1060-1065	5.2	4
262	Diet Quality Indices and Risk of Type 2 Diabetes Mellitus: The Singapore Chinese Health Study. <i>American Journal of Epidemiology</i> , 2018 , 187, 2651-2661	3.8	31
261	Evidence for three genetic loci involved in both anorexia nervosa risk and variation of body mass index. <i>Molecular Psychiatry</i> , 2017 , 22, 192-201	15.1	31
260	Dietary predictors and plasma concentrations of perfluorinated alkyl acids in a Singapore population. <i>Chemosphere</i> , 2017 , 171, 617-624	8.4	20
259	Validation of NoSAS score for screening of sleep-disordered breathing in a multiethnic Asian population. <i>Sleep and Breathing</i> , 2017 , 21, 1033-1038	3.1	28
258	Influence of temperate, subtropical, and tropical fruit consumption on risk of type 2 diabetes in an Asian population. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 736-745	7	13
257	Associations of maternal macronutrient intake during pregnancy with infant BMI peak characteristics and childhood BMI. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 705-713	7	33
256	Singapore Healthy Older People Everyday (HOPE) Study: Prevalence of Frailty and Associated Factors in Older Adults. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 734.e9-734.e14	5.9	58
255	Awareness and knowledge of obstructive sleep apnea among the general population. <i>Sleep Medicine</i> , 2017 , 36, 10-17	4.6	35

An Expanded Genome-Wide Association Study of Type 2 Diabetes in Europeans. Diabetes, 2017, 66, 2888-2902 414 254 Association analyses of East Asian individuals and trans-ancestry analyses with European individuals reveal new loci associated with cholesterol and triglyceride levels. Human Molecular Genetics, 2017, 253 5.6 90 26, 1770-1784 Nonlinear relation between animal protein intake and risk of type 2 diabetes: a dose-response 252 5 7 meta-analysis of prospective studies. American Journal of Clinical Nutrition, 2017, 105, 1014-1016 Higher Maternal Dietary Protein Intake Is Associated with a Higher Risk of Gestational Diabetes 18 251 4.1 Mellitus in a Multiethnic Asian Cohort. Journal of Nutrition, 2017, 147, 653-660 Recalled taste intensity, liking and habitual intake of commonly consumed foods. Appetite, 2017, 250 26 4.5 109. 182-189 Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. PLoS Medicine, 2017, 249 11.6 223 14, e1002383 Using the Berlin Questionnaire to Predict Obstructive Sleep Apnea in the General Population. 248 3.1 43 Journal of Clinical Sleep Medicine, 2017, 13, 427-432 Longitudinal trends in HbA1c and associations with comorbidity and all-cause mortality in Asian 247 26 7.4 patients with type 2 diabetes: A cohort study. Diabetes Research and Clinical Practice, 2017, 133, 69-77 Nut consumption in relation to all-cause and cause-specific mortality: a meta-analysis 18 246 6.1 36 prospective studies. Food and Function, 2017, 8, 3893-3905 Reply by authors: sleep apnea awareness among Latin-Americans. Sleep Medicine, 2017, 38, 155-156 4.6 245 Determinants of eating at local and western fast-food venues in an urban Asian population: a mixed 244 8.4 19 methods approach. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 69 Comparisons of risk prediction methods using nested case-control data. Statistics in Medicine, 2017, 243 2.3 4 36, 455-465 Utility of genetic and non-genetic risk factors in predicting coronary heart disease in Singaporean 242 3.9 9 Chinese. European Journal of Preventive Cardiology, 2017, 24, 153-160 Association of modified NUTRIC score with 28-day mortality in critically ill patients. Clinical 241 5.9 71 Nutrition, 2017, 36, 1143-1148 Genome-wide association study identifies a missense variant at APOA5 for coronary artery disease 240 4.9 14 in Multi-Ethnic Cohorts from Southeast Asia. Scientific Reports, 2017, 7, 17921 Consumption of Red Meat, but Not Cooking Oils High in Polyunsaturated Fat, Is Associated with 6.7 239 Higher Arachidonic Acid Status in Singapore Chinese Adults. Nutrients, 2017, 9, Direct vs. Expressed Breast Milk Feeding: Relation to Duration of Breastfeeding. Nutrients, 2017, 9, 238 6.7 22 Meat and Seafood Consumption in Relation to Plasma Metabolic Profiles in a Chinese Population: A 237 15 Combined Untargeted and Targeted Metabolomics Study. Nutrients, 2017, 9,

236	Relative Validity and Reproducibility of a Food Frequency Questionnaire for Assessing Dietary Intakes in a Multi-Ethnic Asian Population Using 24-h Dietary Recalls and Biomarkers. <i>Nutrients</i> , 2017 , 9,	6.7	31
235	Ministry of Health Clinical Practice Guidelines: Lipids. Singapore Medical Journal, 2017, 58, 155-166	1.9	16
234	Optimal anthropometric measures and thresholds to identify undiagnosed type 2 diabetes in three major Asian ethnic groups. <i>Obesity</i> , 2016 , 24, 2185-93	8	11
233	Interaction Between Peroxisome Proliferator Activated Receptor and Epithelial Membrane Protein 2 Polymorphisms Influences HDL-C Levels in the Chinese Population. <i>Annals of Human Genetics</i> , 2016 , 80, 282-93	2.2	
232	A randomized placebo-controlled trial of the effect of coffee consumption on insulin sensitivity: Design and baseline characteristics of the Coffee for METabolic Health (COMETH) study. <i>Contemporary Clinical Trials Communications</i> , 2016 , 4, 105-117	1.8	7
231	A vegetable, fruit, and white rice dietary pattern during pregnancy is associated with a lower risk of preterm birth and larger birth size in a multiethnic Asian cohort: the Growing Up in Singapore Towards healthy Outcomes (GUSTO) cohort study. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 14	<i>7</i> 16-142	44 3
230	Tumor-derived circulating endothelial cell clusters in colorectal cancer. <i>Science Translational Medicine</i> , 2016 , 8, 345ra89	17.5	67
229	Sociodemographic, home environment and parental influences on total and device-specific screen viewing in children aged 2 years and below: an observational study. <i>BMJ Open</i> , 2016 , 6, e009113	3	31
228	Plasma alkylresorcinols, biomarkers of whole-grain wheat and rye intake, and risk of type 2 diabetes in Scandinavian men and women. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 88-96	7	38
227	Response to Letter Regarding Article, "Association of Coffee Consumption With Total and Cause-Specific Mortality in 3 Large Prospective Cohorts". <i>Circulation</i> , 2016 , 133, e660	16.7	1
226	The Alternative Healthy Eating Index Is Associated with a Lower Risk of Fatal and Nonfatal Acute Myocardial Infarction in a Chinese Adult Population. <i>Journal of Nutrition</i> , 2016 , 146, 1379-86	4.1	23
225	B Polyunsaturated Fatty Acid Biomarkers and Coronary Heart Disease: Pooling Project of 19 Cohort Studies. <i>JAMA Internal Medicine</i> , 2016 , 176, 1155-66	11.5	238
224	C-reactive protein and serum creatinine, but not haemoglobin A1c, are independent predictors of coronary heart disease risk in non-diabetic Chinese. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1339-49	3.9	9
223	Plasma Linolenic and Long-Chain B Fatty Acids Are Associated with a Lower Risk of Acute Myocardial Infarction in Singapore Chinese Adults. <i>Journal of Nutrition</i> , 2016 , 146, 275-82	4.1	11
222	Associations of Maternal Dietary Patterns during Pregnancy with Offspring Adiposity from Birth Until 54 Months of Age. <i>Nutrients</i> , 2016 , 9,	6.7	37
221	Health Promotion Board-Ministry of Health Clinical Practice Guidelines: Obesity. <i>Singapore Medical Journal</i> , 2016 , 57, 292-300	1.9	27
220	Development of a Semi-Quantitative Food Frequency Questionnaire to Assess the Dietary Intake of a Multi-Ethnic Urban Asian Population. <i>Nutrients</i> , 2016 , 8,	6.7	31
219	A genome-wide investigation of food addiction. <i>Obesity</i> , 2016 , 24, 1336-41	8	27

218	Urine phyto-oestrogen metabolites are not significantly associated with risk of type 2 diabetes: the Singapore Chinese health study. <i>British Journal of Nutrition</i> , 2016 , 115, 1607-15	3.6	17
217	The association of maternal vitamin D status with infant birth outcomes, postnatal growth and adiposity in the first 2 years of life in a multi-ethnic Asian population: the Growing Up in Singapore Towards healthy Outcomes (GUSTO) cohort study. <i>British Journal of Nutrition</i> , 2016 , 116, 621-31	3.6	47
216	Reply to A Abbasi. American Journal of Clinical Nutrition, 2016, 104, 1725-1726	7	
215	Reply to J-B Qin et al. American Journal of Clinical Nutrition, 2016, 104, 1723-1724	7	
214	Maternal caffeine intake during pregnancy and risk of pregnancy loss: a categorical and dose-response meta-analysis of prospective studies. <i>Public Health Nutrition</i> , 2016 , 19, 1233-44	3.3	47
213	Predicting obstructive sleep apnea using the STOP-Bang questionnaire in the general population. <i>Sleep Medicine</i> , 2016 , 27-28, 66-71	4.6	36
212	Evaluation of Equations for Predicting 24-Hour Urinary Sodium Excretion from Casual Urine Samples in Asian Adults. <i>Journal of Nutrition</i> , 2016 , 146, 1609-15	4.1	18
211	Plasma fatty acids, oxylipins, and risk of myocardial infarction: the Singapore Chinese Health Study. Journal of Lipid Research, 2016 , 57, 1300-7	6.3	28
210	Maternal Macronutrient Intake during Pregnancy Is Associated with Neonatal Abdominal Adiposity: The Growing Up in Singapore Towards healthy Outcomes (GUSTO) Study. <i>Journal of Nutrition</i> , 2016 , 146, 1571-9	4.1	24
209	Determinants of Breastfeeding Practices and Success in a Multi-Ethnic Asian Population. <i>Birth</i> , 2016 , 43, 68-77	3.1	28
208	Comparable Dietary Patterns Describe Dietary Behavior across Ethnic Groups in the Netherlands, but Different Elements in the Diet Are Associated with Glycated Hemoglobin and Fasting Glucose Concentrations. <i>Journal of Nutrition</i> , 2015 , 145, 1884-91	4.1	19
207	Interaction effects between Paraoxonase 1 variants and cigarette smoking on risk of coronary heart disease in a Singaporean Chinese population. <i>Atherosclerosis</i> , 2015 , 240, 40-5	3.1	14
206	Association between dietary whole grain intake and risk of mortality: two large prospective studies in US men and women. <i>JAMA Internal Medicine</i> , 2015 , 175, 373-84	11.5	123
205	Trans-ancestry genome-wide association study identifies 12 genetic loci influencing blood pressure and implicates a role for DNA methylation. <i>Nature Genetics</i> , 2015 , 47, 1282-1293	36.3	223
204	Consumption Of Specific Foods And Beverages And Excess Weight Gain Among Children And Adolescents. <i>Health Affairs</i> , 2015 , 34, 1940-8	7	34
203	A Prospective Investigation of the Association Between Urinary Excretion of Dietary Lignan Metabolites and Weight Change in US Women. <i>American Journal of Epidemiology</i> , 2015 , 182, 503-11	3.8	9
202	Association of Coffee Consumption With Total and Cause-Specific Mortality in 3 Large Prospective Cohorts. <i>Circulation</i> , 2015 , 132, 2305-15	16.7	135
201	Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. <i>Nature Genetics</i> , 2015 , 47, 1415-25	36.3	292

200	Genome-wide meta-analysis identifies six novel loci associated with habitual coffee consumption. <i>Molecular Psychiatry</i> , 2015 , 20, 647-656	15.1	167
199	Urinary isoflavonoids and risk of type 2 diabetes: a prospective investigation in US women. <i>British Journal of Nutrition</i> , 2015 , 114, 1694-701	3.6	28
198	Socio-economic status and ethnicity are independently associated with dietary patterns: the HELIUS-Dietary Patterns study. <i>Food and Nutrition Research</i> , 2015 , 59, 26317	3.1	29
197	A genome-wide association study of n-3 and n-6 plasma fatty acids in a Singaporean Chinese population. <i>Genes and Nutrition</i> , 2015 , 10, 53	4.3	35
196	Prospective associations of appetitive traits at 3 and 12 months of age with body mass index and weight gain in the first 2 years of life. <i>BMC Pediatrics</i> , 2015 , 15, 153	2.6	40
195	Association of Television Viewing Time with Body Composition and Calcified Subclinical Atherosclerosis in Singapore Chinese. <i>PLoS ONE</i> , 2015 , 10, e0132161	3.7	6
194	Maternal Protein Intake during Pregnancy Is Not Associated with Offspring Birth Weight in a Multiethnic Asian Population. <i>Journal of Nutrition</i> , 2015 , 145, 1303-10	4.1	38
193	Palm Oil Consumption Increases LDL Cholesterol Compared with Vegetable Oils Low in Saturated Fat in a Meta-Analysis of Clinical Trials. <i>Journal of Nutrition</i> , 2015 , 145, 1549-58	4.1	77
192	Urinary Excretion of Select Dietary Polyphenol Metabolites Is Associated with a Lower Risk of Type 2 Diabetes in Proximate but Not Remote Follow-Up in a Prospective Investigation in 2 Cohorts of US Women. <i>Journal of Nutrition</i> , 2015 , 145, 1280-8	4.1	37
191	New loci and coding variants confer risk for age-related macular degeneration in East Asians. <i>Nature Communications</i> , 2015 , 6, 6063	17.4	118
190	Maternal folate status, but not that of vitamins B-12 or B-6, is associated with gestational age and preterm birth risk in a multiethnic Asian population. <i>Journal of Nutrition</i> , 2015 , 145, 113-20	4.1	30
189	Effect of fenugreek (Trigonella foenum-graecum L.) intake on glycemia: a meta-analysis of clinical trials. <i>Nutrition Journal</i> , 2014 , 13, 7	4.3	93
188	Overweight in early adulthood, adult weight change, and risk of type 2 diabetes, cardiovascular diseases, and certain cancers in men: a cohort study. <i>American Journal of Epidemiology</i> , 2014 , 179, 1353-	·65 ⁸	111
187	Changes in coffee intake and subsequent risk of type 2 diabetes: three large cohorts of US men and women. <i>Diabetologia</i> , 2014 , 57, 1346-54	10.3	51
186	Long-term coffee consumption and risk of cardiovascular disease: a systematic review and a dose-response meta-analysis of prospective cohort studies. <i>Circulation</i> , 2014 , 129, 643-59	16.7	340
185	Caffeinated and decaffeinated coffee consumption and risk of type 2 diabetes: a systematic review and a dose-response meta-analysis. <i>Diabetes Care</i> , 2014 , 37, 569-86	14.6	345
184	Fetal exposure to parental smoking and the risk of type 2 diabetes in adult women. <i>Diabetes Care</i> , 2014 , 37, 2966-73	14.6	26
183	Amount, type, and sources of carbohydrates in relation to ischemic heart disease mortality in a Chinese population: a prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2014 , 100, 53-64	7	36

(2013-2014)

1	.82	Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. <i>Nature Genetics</i> , 2014 , 46, 234-44	36.3	784
1	.81	Serum selenium in relation to measures of glucose metabolism and incidence of Type 2 diabetes in an older Swedish population. <i>Diabetic Medicine</i> , 2014 , 31, 787-93	3.5	41
1	.80	Multiple nonglycemic genomic loci are newly associated with blood level of glycated hemoglobin in East Asians. <i>Diabetes</i> , 2014 , 63, 2551-62	0.9	46
1	79	Dietary soy intake is not associated with risk of cardiovascular disease mortality in Singapore Chinese adults. <i>Journal of Nutrition</i> , 2014 , 144, 921-8	4.1	39
1	78	Maternal caffeine intake during pregnancy is associated with risk of low birth weight: a systematic review and dose-response meta-analysis. <i>BMC Medicine</i> , 2014 , 12, 174	11.4	74
1	77	Ethnic differences translate to inadequacy of high-risk screening for gestational diabetes mellitus in an Asian population: a cohort study. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 345	3.2	44
1	76	A meta-analysis of genome-wide association studies for adiponectin levels in East Asians identifies a novel locus near WDR11-FGFR2. <i>Human Molecular Genetics</i> , 2014 , 23, 1108-19	5.6	53
1	75	Gut microbiota metabolites of dietary lignans and risk of type 2 diabetes: a prospective investigation in two cohorts of U.S. women. <i>Diabetes Care</i> , 2014 , 37, 1287-95	14.6	73
1	74	Meta-analysis of genome-wide association studies in African Americans provides insights into the genetic architecture of type 2 diabetes. <i>PLoS Genetics</i> , 2014 , 10, e1004517	6	151
1	73	Gut Microbiota Metabolites of Dietary Lignans and Risk of Type 2 Diabetes: A Prospective Investigation in Two Cohorts of U.S. Women. Diabetes Care 2014;37:12871295. <i>Diabetes Care</i> , 2014 , 37, 3356.1-3356	14.6	78
1	.72	The role of women in food provision and food choice decision-making in Singapore: a case study. <i>Ecology of Food and Nutrition</i> , 2014 , 53, 658-77	1.9	28
1	71	Adherence to a vegetable-fruit-soy dietary pattern or the Alternative Healthy Eating Index is associated with lower hip fracture risk among Singapore Chinese. <i>Journal of Nutrition</i> , 2014 , 144, 511-8	4.1	35
1	.70	Obesity susceptibility loci and uncontrolled eating, emotional eating and cognitive restraint behaviors in men and women. <i>Obesity</i> , 2014 , 22, E135-41	8	70
1	.69	Rice and noodle consumption is associated with insulin resistance and hyperglycaemia in an Asian population. <i>British Journal of Nutrition</i> , 2014 , 111, 1118-28	3.6	37
1	.68	Dietary changes during pregnancy and the postpartum period in Singaporean Chinese, Malay and Indian women: the GUSTO birth cohort study. <i>Public Health Nutrition</i> , 2014 , 17, 1930-8	3.3	51
1	.67	Relationships of maternal folate and vitamin B12 status during pregnancy with perinatal depression: The GUSTO study. <i>Journal of Psychiatric Research</i> , 2014 , 55, 110-6	5.2	84
1	.66	Television screen time, but not computer use and reading time, is associated with cardio-metabolic biomarkers in a multiethnic Asian population: a cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013 , 10, 70	8.4	38
1	.65	Coffee consumption and cardiovascular health: getting to the heart of the matter. <i>Current Cardiology Reports</i> , 2013 , 15, 403	4.2	38

164	Genetic variation in CDH13 is associated with lower plasma adiponectin levels but greater adiponectin sensitivity in East Asian populations. <i>Diabetes</i> , 2013 , 62, 4277-83	0.9	36
163	Evidence of a causal relationship between adiponectin levels and insulin sensitivity: a Mendelian randomization study. <i>Diabetes</i> , 2013 , 62, 1338-44	0.9	70
162	Caffeinated and caffeine-free beverages and risk of type 2 diabetes. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 155-66	7	142
161	"Sometimes they'll tell me what they want": family and inter-generational food preferences in the food decisions of Singaporean women. <i>Appetite</i> , 2013 , 69, 156-67	4.5	12
160	Genome-wide analysis of BMI in adolescents and young adults reveals additional insight into the effects of genetic loci over the life course. <i>Human Molecular Genetics</i> , 2013 , 22, 3597-607	5.6	103
159	Fruit consumption and risk of type 2 diabetes: results from three prospective longitudinal cohort studies. <i>BMJ, The</i> , 2013 , 347, f5001	5.9	299
158	Dietary flavonoids and the development of type 2 diabetes and cardiovascular diseases: review of recent findings. <i>Current Opinion in Lipidology</i> , 2013 , 24, 25-33	4.4	163
157	A genome-wide association study of early menopause and the combined impact of identified variants. <i>Human Molecular Genetics</i> , 2013 , 22, 1465-72	5.6	82
156	Eating patterns and type 2 diabetes risk in older women: breakfast consumption and eating frequency. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 436-43	7	107
155	Changes in coffee intake and subsequent risk of type 2 diabetes in women. FASEB Journal, 2013,	0.0	
	27, 106.1	0.9	
154	Dietary flavonoid intakes and risk of type 2 diabetes in US men and women. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 925-33	7	362
154 153	Dietary flavonoid intakes and risk of type 2 diabetes in US men and women. <i>American Journal of</i>		362 1482
	Dietary flavonoid intakes and risk of type 2 diabetes in US men and women. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 925-33 Large-scale association analysis provides insights into the genetic architecture and pathophysiology	7	
153	Dietary flavonoid intakes and risk of type 2 diabetes in US men and women. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 925-33 Large-scale association analysis provides insights into the genetic architecture and pathophysiology of type 2 diabetes. <i>Nature Genetics</i> , 2012 , 44, 981-90 Measuring alcohol consumption for genomic meta-analyses of alcohol intake: opportunities and	7 36.3	1482
153 152	Dietary flavonoid intakes and risk of type 2 diabetes in US men and women. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 925-33 Large-scale association analysis provides insights into the genetic architecture and pathophysiology of type 2 diabetes. <i>Nature Genetics</i> , 2012 , 44, 981-90 Measuring alcohol consumption for genomic meta-analyses of alcohol intake: opportunities and challenges. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 539-47 Plasma vitamin E and coenzyme Q10 are not associated with a lower risk of acute myocardial	7 36.3 7	1482 32
153 152 151	Dietary flavonoid intakes and risk of type 2 diabetes in US men and women. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 925-33 Large-scale association analysis provides insights into the genetic architecture and pathophysiology of type 2 diabetes. <i>Nature Genetics</i> , 2012 , 44, 981-90 Measuring alcohol consumption for genomic meta-analyses of alcohol intake: opportunities and challenges. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 539-47 Plasma vitamin E and coenzyme Q10 are not associated with a lower risk of acute myocardial infarction in Singapore Chinese adults. <i>Journal of Nutrition</i> , 2012 , 142, 1046-52 The effects of caffeinated and decaffeinated coffee on sex hormone-binding globulin and	7 36.3 7 4.1	1482 32 13
153 152 151 150	Dietary flavonoid intakes and risk of type 2 diabetes in US men and women. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 925-33 Large-scale association analysis provides insights into the genetic architecture and pathophysiology of type 2 diabetes. <i>Nature Genetics</i> , 2012 , 44, 981-90 Measuring alcohol consumption for genomic meta-analyses of alcohol intake: opportunities and challenges. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 539-47 Plasma vitamin E and coenzyme Q10 are not associated with a lower risk of acute myocardial infarction in Singapore Chinese adults. <i>Journal of Nutrition</i> , 2012 , 142, 1046-52 The effects of caffeinated and decaffeinated coffee on sex hormone-binding globulin and endogenous sex hormone levels: a randomized controlled trial. <i>Nutrition Journal</i> , 2012 , 11, 86 Meta-analyses identify 13 loci associated with age at menopause and highlight DNA repair and	7 36.3 7 4.1 4.3	1482 32 13 29

(2011-2012)

146	Alkylresorcinol metabolite concentrations in spot urine samples correlated with whole grain and cereal fiber intake but showed low to modest reproducibility over one to three years in U.S. women. <i>Journal of Nutrition</i> , 2012 , 142, 872-7	4.1	26
145	Dietary patterns during adolescence and risk of type 2 diabetes in middle-aged women. <i>Diabetes Care</i> , 2012 , 35, 12-8	14.6	55
144	Novel loci for adiponectin levels and their influence on type 2 diabetes and metabolic traits: a multi-ethnic meta-analysis of 45,891 individuals. <i>PLoS Genetics</i> , 2012 , 8, e1002607	6	326
143	Income inequality and health: the role of population size, inequality threshold, period effects and lag effects. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, e11	5.1	72
142	Diet and endothelial function: from individual components to dietary patterns. <i>Current Opinion in Lipidology</i> , 2012 , 23, 147-55	4.4	35
141	Eating patterns and type 2 diabetes risk in men: breakfast omission, eating frequency, and snacking. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1182-9	7	190
140	Can body fat distribution, adiponectin levels and inflammation explain differences in insulin resistance between ethnic Chinese, Malays and Asian Indians?. <i>International Journal of Obesity</i> , 2012 , 36, 1086-93	5.5	43
139	Ethnic differences in self-rated overweight and association with reporting weight loss action: the SUNSET study. <i>European Journal of Public Health</i> , 2012 , 22, 859-63	2.1	5
138	Biochemical Indicators of Dietary Intake 2012 , 150-212		8
137	Genome-wide association identifies nine common variants associated with fasting proinsulin levels and provides new insights into the pathophysiology of type 2 diabetes. <i>Diabetes</i> , 2011 , 60, 2624-34	0.9	285
136	Associations of physical activity and television viewing time with retinal vascular caliber in a multiethnic Asian population 2011 , 52, 6522-8		11
135	Genome-wide meta-analysis identifies regions on 7p21 (AHR) and 15q24 (CYP1A2) as determinants of habitual caffeine consumption. <i>PLoS Genetics</i> , 2011 , 7, e1002033	6	158
134	Abdominal aortic aneurysm is associated with a variant in low-density lipoprotein receptor-related protein 1. <i>American Journal of Human Genetics</i> , 2011 , 89, 619-27	11	145
133	Validity of the International Physical Activity Questionnaire and the Singapore Prospective Study Program physical activity questionnaire in a multiethnic urban Asian population. <i>BMC Medical Research Methodology</i> , 2011 , 11, 141	4.7	38
132	A prospective cohort study of dietary patterns of non-western migrants in the Netherlands in relation to risk factors for cardiovascular diseases: HELIUS-Dietary Patterns. <i>BMC Public Health</i> , 2011 , 11, 441	4.1	36
131	Cholesterol-raising diterpenes in types of coffee commonly consumed in Singapore, Indonesia and India and associations with blood lipids: a survey and cross sectional study. <i>Nutrition Journal</i> , 2011 , 10, 48	4.3	30
130	Coffee and tea consumption in relation to inflammation and basal glucose metabolism in a multi-ethnic Asian population: a cross-sectional study. <i>Nutrition Journal</i> , 2011 , 10, 61	4.3	50
129	Effects of caffeinated and decaffeinated coffee on biological risk factors for type 2 diabetes: a randomized controlled trial. <i>Nutrition Journal</i> , 2011 , 10, 93	4.3	117

128	Acute effects of decaffeinated coffee and the major coffee components chlorogenic acid and trigonelline on incretin hormones. <i>Nutrition and Metabolism</i> , 2011 , 8, 10	4.6	59
127	Phenotype harmonization and cross-study collaboration in GWAS consortia: the GENEVA experience. <i>Genetic Epidemiology</i> , 2011 , 35, 159-73	2.6	38
126	Adolescent dairy product consumption and risk of type 2 diabetes in middle-aged women. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 854-61	7	69
125	Increased mortality risk in women with depression and diabetes mellitus. <i>Archives of General Psychiatry</i> , 2011 , 68, 42-50		122
124	Physical activity before and during pregnancy and risk of gestational diabetes mellitus: a meta-analysis. <i>Diabetes Care</i> , 2011 , 34, 223-9	14.6	255
123	Ethnicity modifies the relationships of insulin resistance, inflammation, and adiponectin with obesity in a multiethnic Asian population. <i>Diabetes Care</i> , 2011 , 34, 1120-6	14.6	76
122	Response to Letter Regarding Article, Whole-Grain, Cereal Fiber, Bran, and Germ Intake and the Risks of All-Cause and Cardiovascular Disease-Specific Mortality Among Women With Type 2 Diabetes Mellitus (Circulation, 2011, 123,	16.7	1
121	Coffee consumption and mortality in women with cardiovascular disease. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 218-24	7	23
120	Maternal milk consumption, fetal growth, and the risks of neonatal complications: the Generation R Study. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 501-9	7	37
119	Selected dietary flavonoids are associated with markers of inflammation and endothelial dysfunction in U.S. women. <i>Journal of Nutrition</i> , 2011 , 141, 618-25	4.1	78
118	Coffee consumption and prostate cancer risk and progression in the Health Professionals Follow-up Study. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 876-84	9.7	100
117	Twelve type 2 diabetes susceptibility loci identified through large-scale association analysis. <i>Nature Genetics</i> , 2010 , 42, 579-89	36.3	1449
116	Thirty new loci for age at menarche identified by a meta-analysis of genome-wide association studies. <i>Nature Genetics</i> , 2010 , 42, 1077-85	36.3	372
115	White rice, brown rice, and risk of type 2 diabetes in US men and women. <i>Archives of Internal Medicine</i> , 2010 , 170, 961-9		298
114	Genetic variants in ABO blood group region, plasma soluble E-selectin levels and risk of type 2 diabetes. <i>Human Molecular Genetics</i> , 2010 , 19, 1856-62	5.6	131
113	Genome-wide association study identifies variants at the IL18-BCO2 locus associated with interleukin-18 levels. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 885-90	9.4	62
112	Whole-grain, cereal fiber, bran, and germ intake and the risks of all-cause and cardiovascular disease-specific mortality among women with type 2 diabetes mellitus. <i>Circulation</i> , 2010 , 121, 2162-8	16.7	148
111	Genome-wide association study identifies polymorphisms in LEPR as determinants of plasma soluble leptin receptor levels. <i>Human Molecular Genetics</i> , 2010 , 19, 1846-55	5.6	63

(2009-2010)

110	Genetic variants at 2q24 are associated with susceptibility to type 2 diabetes. <i>Human Molecular Genetics</i> , 2010 , 19, 2706-15	5.6	164
109	Leptin and soluble leptin receptor levels in plasma and risk of type 2 diabetes in U.S. women: a prospective study. <i>Diabetes</i> , 2010 , 59, 611-8	0.9	67
108	Comparison of dual-energy x-ray absorptiometric and anthropometric measures of adiposity in relation to adiposity-related biologic factors. <i>American Journal of Epidemiology</i> , 2010 , 172, 1442-54	3.8	131
107	Role of adiposity and lifestyle in the relationship between family history of diabetes and 20-year incidence of type 2 diabetes in U.S. women. <i>Diabetes Care</i> , 2010 , 33, 763-7	14.6	39
106	Vitamin D deficiency and myocardial structure and function in older men and women: the Hoorn study. <i>Journal of Endocrinological Investigation</i> , 2010 , 33, 612-7	5.2	26
105	Low-carbohydrate diets and all-cause and cause-specific mortality: two cohort studies. <i>Annals of Internal Medicine</i> , 2010 , 153, 289-98	8	220
104	Bidirectional association between depression and type 2 diabetes mellitus in women. <i>Archives of Internal Medicine</i> , 2010 , 170, 1884-91		254
103	Mechanical compression versus subcutaneous heparin therapy in postoperative and posttrauma patients: a systematic review and meta-analysis. <i>World Journal of Surgery</i> , 2010 , 34, 10-9	3.3	58
102	Patterns of physical activity in different domains and implications for intervention in a multi-ethnic Asian population: a cross-sectional study. <i>BMC Public Health</i> , 2010 , 10, 644	4.1	38
101	The Gene, Environment Association Studies consortium (GENEVA): maximizing the knowledge obtained from GWAS by collaboration across studies of multiple conditions. <i>Genetic Epidemiology</i> , 2010 , 34, 364-72	2.6	126
100	Coffee consumption and risk of cardiovascular diseases and all-cause mortality among men with type 2 diabetes. <i>Diabetes Care</i> , 2009 , 32, 1043-5	14.6	43
99	Prospective study of zinc intake and risk of type 2 diabetes in women. <i>Diabetes Care</i> , 2009 , 32, 629-34	14.6	124
98	Risk of bias in meta-analysis on erythropoietin-stimulating agents in heart failure. <i>Heart</i> , 2009 , 95, 1278-9; author reply 1279	5.1	5
97	Genetic predisposition, Western dietary pattern, and the risk of type 2 diabetes in men. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 1453-8	7	113
96	Income inequality, mortality, and self rated health: meta-analysis of multilevel studies. <i>BMJ, The</i> , 2009 , 339, b4471	5.9	361
95	Coffee consumption and risk of stroke in women. <i>Circulation</i> , 2009 , 119, 1116-23	16.7	112
94	Adiponectin levels and risk of type 2 diabetes: a systematic review and meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 302, 179-88	27.4	715
93	Cultural and social influences on food consumption in dutch residents of Turkish and moroccan origin: a qualitative study. <i>Journal of Nutrition Education and Behavior</i> , 2009 , 41, 232-41	2	74

92	Coffee consumption and risk of cardiovascular events and all-cause mortality among women with type 2 diabetes. <i>Diabetologia</i> , 2009 , 52, 810-7	10.3	56
91	25-hydroxyvitamin D is not associated with carotid intima-media thickness in older men and women. <i>Calcified Tissue International</i> , 2009 , 84, 423-4	3.9	18
90	Vitamin D and mortality in older men and women. Clinical Endocrinology, 2009, 71, 666-72	3.4	151
89	Prospective investigation of metabolic characteristics in relation to weight gain in older adults: the Hoorn Study. <i>Obesity</i> , 2009 , 17, 1609-14	8	16
88	Long-term effectiveness of diet-plus-exercise interventions vs. diet-only interventions for weight loss: a meta-analysis. <i>Obesity Reviews</i> , 2009 , 10, 313-23	10.6	352
87	Refined grain consumption and the metabolic syndrome in urban Asian Indians (Chennai Urban Rural Epidemiology Study 57). <i>Metabolism: Clinical and Experimental</i> , 2009 , 58, 675-81	12.7	122
86	Acute effects of decaffeinated coffee and the major coffee components chlorogenic acid and trigonelline on glucose tolerance. <i>Diabetes Care</i> , 2009 , 32, 1023-5	14.6	211
85	Intensive insulin therapy and mortality among critically ill patients: a meta-analysis including NICE-SUGAR study data. <i>Cmaj</i> , 2009 , 180, 821-7	3.5	749
84	A prospective study of dairy consumption in relation to changes in metabolic risk factors: the Hoorn Study. <i>Obesity</i> , 2008 , 16, 706-9	8	77
83	Dietary patterns and risk of mortality from cardiovascular disease, cancer, and all causes in a prospective cohort of women. <i>Circulation</i> , 2008 , 118, 230-7	16.7	383
82	Coffee consumption and risk of type 2 diabetes, cardiovascular diseases, and cancer. <i>Applied Physiology, Nutrition and Metabolism</i> , 2008 , 33, 1269-83	3	110
81	Abdominal obesity and the risk of all-cause, cardiovascular, and cancer mortality: sixteen years of follow-up in US women. <i>Circulation</i> , 2008 , 117, 1658-67	16.7	547
80	Combined impact of lifestyle factors on mortality: prospective cohort study in US women. <i>BMJ, The</i> , 2008 , 337, a1440	5.9	318
79	Fat mass-and obesity-associated (FTO) gene variant is associated with obesity: longitudinal analyses in two cohort studies and functional test. <i>Diabetes</i> , 2008 , 57, 3145-51	0.9	123
78	Coffee consumption and coronary heart disease: paradoxical effects on biological risk factors versus disease incidence. <i>Clinical Chemistry</i> , 2008 , 54, 1418-20	5.5	17
77	Coffee consumption is associated with higher plasma adiponectin concentrations in women with or without type 2 diabetes: a prospective cohort study. <i>Diabetes Care</i> , 2008 , 31, 504-7	14.6	121
76	Coffee Consumption Is Associated With Higher Plasma Adiponectin Concentrations in Women With or Without Type 2 Diabetes: Response to Kotani et al <i>Diabetes Care</i> , 2008 , 31, e47-e47	14.6	
75	Body size preference and body weight perception among two migrant groups of non-Western origin. <i>Public Health Nutrition</i> , 2008 , 11, 1332-41	3.3	30

(2007-2008)

74	The relationship of coffee consumption with mortality. <i>Annals of Internal Medicine</i> , 2008 , 148, 904-14	8	128
73	Total and high-molecular-weight adiponectin and resistin in relation to the risk for type 2 diabetes in women. <i>Annals of Internal Medicine</i> , 2008 , 149, 307-16	8	149
72	Prospective study of dietary energy density and weight gain in women. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 769-77	7	102
71	Maternal plasma 25-hydroxyvitamin D concentrations and the risk for gestational diabetes mellitus. <i>PLoS ONE</i> , 2008 , 3, e3753	3.7	244
70	Are alkylresorcinols accurate biomarkers for whole grain intake?. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 797-8	7	31
69	Coffee, tea, caffeine and risk of breast cancer: a 22-year follow-up. <i>International Journal of Cancer</i> , 2008 , 122, 2071-6	7.5	96
68	Breast size and risk of type 2 diabetes mellitus. <i>Cmaj</i> , 2008 , 178, 289-95	3.5	17
67	Physical activity of moderate intensity and risk of type 2 diabetes: a systematic review. <i>Diabetes Care</i> , 2007 , 30, 744-52	14.6	509
66	Systematic review of type 1 and type 2 diabetes mellitus and risk of fracture. <i>American Journal of Epidemiology</i> , 2007 , 166, 495-505	3.8	836
65	Is higher dairy consumption associated with lower body weight and fewer metabolic disturbances? The Hoorn Study. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 989-95	7	113
64	Whole grain, bran, and germ intake and risk of type 2 diabetes: a prospective cohort study and systematic review. <i>PLoS Medicine</i> , 2007 , 4, e261	11.6	496
63	Potentially modifiable determinants of vitamin D status in an older population in the Netherlands: the Hoorn Study. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 755-61	7	103
62	Carbohydrate intake and obesity. European Journal of Clinical Nutrition, 2007, 61 Suppl 1, S75-99	5.2	149
61	FAO/WHO scientific update on carbohydrates in human nutrition: conclusions. <i>European Journal of Clinical Nutrition</i> , 2007 , 61 Suppl 1, S132-7	5.2	141
60	A prospective study of breakfast consumption and weight gain among U.S. men. <i>Obesity</i> , 2007 , 15, 246.	3 <i>-</i> 9	159
59	Comparison of self-reported and measured BMI as correlates of disease markers in US adults. <i>Obesity</i> , 2007 , 15, 188-96	8	325
58	Gene-gene interactions between HNF4A and KCNJ11 in predicting Type 2 diabetes in women. <i>Diabetic Medicine</i> , 2007 , 24, 1187-91	3.5	20
57	Vitamin D status and parathyroid hormone levels in relation to blood pressure: a population-based study in older men and women. <i>Journal of Internal Medicine</i> , 2007 , 261, 558-65	10.8	184

56	Association of overweight with increased risk of coronary heart disease partly independent of blood pressure and cholesterol levels: a meta-analysis of 21 cohort studies including more than 300 000 persons. <i>Archives of Internal Medicine</i> , 2007 , 167, 1720-8		382
55	A prospective study of overall diet quality and risk of type 2 diabetes in women. <i>Diabetes Care</i> , 2007 , 30, 1753-7	14.6	127
54	Heme iron from diet as a risk factor for coronary heart disease in women with type 2 diabetes. <i>Diabetes Care</i> , 2007 , 30, 101-6	14.6	78
53	Interleukin-6 genetic variability and adiposity: associations in two prospective cohorts and systematic review in 26,944 individuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 361	8- 2 5	83
52	Magnesium intake and plasma concentrations of markers of systemic inflammation and endothelial dysfunction in women. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 1068-74	7	129
51	To: Mathieu C, Gysemans C, Giulietti A, Bouillon R (2005) Vitamin D and diabetes. Diabetologia 48:1247-1257. <i>Diabetologia</i> , 2006 , 49, 217-8	10.3	25
50	Vitamin D status in relation to one-year risk of recurrent falling in older men and women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 2980-5	5.6	223
49	Whole-grain, bran, and cereal fiber intakes and markers of systemic inflammation in diabetic women. <i>Diabetes Care</i> , 2006 , 29, 207-11	14.6	194
48	Coffee consumption and coronary heart disease in men and women: a prospective cohort study. <i>Circulation</i> , 2006 , 113, 2045-53	16.7	152
47	Genetic variation in IL6 gene and type 2 diabetes: tagging-SNP haplotype analysis in large-scale case-control study and meta-analysis. <i>Human Molecular Genetics</i> , 2006 , 15, 1914-20	5.6	85
46	Vitamin D and calcium intake in relation to type 2 diabetes in women. <i>Diabetes Care</i> , 2006 , 29, 650-6	14.6	570
45	Variant of transcription factor 7-like 2 (TCF7L2) gene and the risk of type 2 diabetes in large cohorts of U.S. women and men. <i>Diabetes</i> , 2006 , 55, 2645-8	0.9	177
44	Coffee, caffeine, and risk of type 2 diabetes: a prospective cohort study in younger and middle-aged U.S. women. <i>Diabetes Care</i> , 2006 , 29, 398-403	14.6	204
43	Dietary calcium and magnesium, major food sources, and risk of type 2 diabetes in U.S. black women. <i>Diabetes Care</i> , 2006 , 29, 2238-43	14.6	165
42	What aspects of body fat are particularly hazardous and how do we measure them?. <i>International Journal of Epidemiology</i> , 2006 , 35, 83-92	7.8	405
41	Coffee and type 2 diabetes: from beans to beta-cells. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006 , 16, 69-77	4.5	99
40	Sagittal abdominal diameter: no advantage compared with other anthropometric measures as a correlate of components of the metabolic syndrome in elderly from the Hoorn Study. <i>American Journal of Clinical Nutrition</i> , 2006 , 84, 995-1002	7	37
39	Coffee consumption and markers of inflammation and endothelial dysfunction in healthy and diabetic women. <i>American Journal of Clinical Nutrition</i> , 2006 , 84, 888-93	7	189

(2002-2006)

38	Changes in caffeine intake and long-term weight change in men and women. <i>American Journal of Clinical Nutrition</i> , 2006 , 83, 674-80	7	144
37	The relationship between overweight in adolescence and premature death in women. <i>Annals of Internal Medicine</i> , 2006 , 145, 91-7	8	114
36	Acculturation and education level in relation to quality of the diet: a study of Surinamese South Asian and Afro-Caribbean residents of the Netherlands. <i>Journal of Human Nutrition and Dietetics</i> , 2006 , 19, 383-93	3.1	38
35	Green tea, coffee, and diabetes. Annals of Internal Medicine, 2006, 145, 634; author reply 634-5	8	2
34	Adiposity in relation to vitamin D status and parathyroid hormone levels: a population-based study in older men and women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 4119-23	5.6	518
33	New approaches to the study of dietary patterns. British Journal of Nutrition, 2005, 93, 573-4	3.6	71
32	Common variants in the ATP-sensitive K+ channel genes KCNJ11 (Kir6.2) and ABCC8 (SUR1) in relation to glucose intolerance: population-based studies and meta-analyses. <i>Diabetic Medicine</i> , 2005 , 22, 590-8	3.5	68
31	Fat food for a bad mood. Could we treat and prevent depression in Type 2 diabetes by means of omega-3 polyunsaturated fatty acids? A review of the evidence. <i>Diabetic Medicine</i> , 2005 , 22, 1465-75	3.5	19
30	Coffee consumption and risk of type 2 diabetes: a systematic review. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 294, 97-104	27.4	487
29	Food Synergy in Dietary Patterns and Risk for Chronic Diseases 2005 , 111-122		
28	The insulin receptor substrate-1 Gly972Arg polymorphism is not associated with Type 2 diabetes mellitus in two population-based studies. <i>Diabetic Medicine</i> , 2004 , 21, 752-8	3.5	28
27	Coffee consumption and incidence of impaired fasting glucose, impaired glucose tolerance, and type 2 diabetes: the Hoorn Study. <i>Diabetologia</i> , 2004 , 47, 2152-9	10.3	104
26	Effects of coffee consumption on fasting blood glucose and insulin concentrations: randomized controlled trials in healthy volunteers. <i>Diabetes Care</i> , 2004 , 27, 2990-2	14.6	59
25	Patterns of food consumption and risk factors for cardiovascular disease in the general Dutch population. <i>American Journal of Clinical Nutrition</i> , 2003 , 77, 1156-63	7	149
24	The epidemiology of lifestyle and risk for type 2 diabetes. <i>European Journal of Epidemiology</i> , 2003 , 18, 1115-25	12.1	65
23	Coffee consumption and risk of type 2 diabetes mellitus. <i>Lancet, The</i> , 2003 , 361, 702; author reply 703	40	4
22	Coffee consumption and risk of type 2 diabetes mellitus. <i>Lancet, The</i> , 2003 , 361, 703	40	1
21		14.6	

20	Dietary patterns and risk for type 2 diabetes mellitus in U.S. men. <i>Annals of Internal Medicine</i> , 2002 , 136, 201-9	8	565
19	Physical activity and glucose tolerance in elderly men: the Zutphen Elderly study. <i>Medicine and Science in Sports and Exercise</i> , 2002 , 34, 1132-6	1.2	27
18	Coffee consumption and risk of type 2 diabetes mellitus. <i>Lancet, The</i> , 2002 , 360, 1477-8	40	331
17	Frequency of the WHO metabolic syndrome in European cohorts, and an alternative definition of an insulin resistance syndrome. <i>Diabetes and Metabolism</i> , 2002 , 28, 364-76	5.4	270
16	Diet and risk of Type II diabetes: the role of types of fat and carbohydrate. <i>Diabetologia</i> , 2001 , 44, 805-	1760.3	570
15	Parental history of diabetes modifies the association between abdominal adiposity and hyperglycemia. <i>Diabetes Care</i> , 2001 , 24, 1454-9	14.6	45
14	Dietary glycemic index in relation to metabolic risk factors and incidence of coronary heart disease: the Zutphen Elderly Study. <i>European Journal of Clinical Nutrition</i> , 2000 , 54, 726-31	5.2	160
13	Diet and basal cell carcinoma of the skin in a prospective cohort of men. <i>American Journal of Clinical Nutrition</i> , 2000 , 71, 135-41	7	107
12	Risk factors for basal cell carcinoma of the skin in men: results from the health professionals follow-up study. <i>American Journal of Epidemiology</i> , 1999 , 150, 459-68	3.8	119
11	Serum cholesterol decline and depression in the postpartum period. <i>Journal of Psychosomatic Research</i> , 1999 , 46, 385-90	4.1	19
10	Diabetes prevalence in offspring of elderly men with known and newly diagnosed diabetes. <i>Diabetes Care</i> , 1999 , 22, 1919	14.6	5
9	The Trans-Ancestral Genomic Architecture of Glycaemic Traits		1
8	Perspectives on Acceptance and Use of a Mobile Health Intervention for the Prevention of Atherosclerotic Cardiovascular Disease in Singapore: Mixed-Methods Study (Preprint)		1
7	Determinants of penetrance and variable expressivity in monogenic metabolic conditions across 77,184 exomes		1
6	Trans-ancestry genetic study of type 2 diabetes highlights the power of diverse populations for discovery and translation		10
5	Rare coding variants in 35 genes associate with circulating lipid levels 🛭 multi-ancestry analysis of 170,000 exomes		2
4	Genetic discovery and translational decision support from exome sequencing of 20,791 type 2 diabetes cases and 24,440 controls from five ancestries		2
3	Identification of type 2 diabetes loci in 433,540 East Asian individuals		4

2 Nutrition and Health1697-1702

Cash incentives for weight loss work only for males. *Behavioural Public Policy*,1-21

2.7