

# Grzegorz Gajos

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5918265/publications.pdf>

Version: 2024-02-01

68  
papers

749  
citations

623574

14  
h-index

552653

26  
g-index

70  
all docs

70  
docs citations

70  
times ranked

1249  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of Polyunsaturated Omega-3 Fatty Acids on Responsiveness to Dual Antiplatelet Therapy in Patients Undergoing Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2010, 55, 1671-1678.	1.2	104
2	Treatment with high-dose n-3 PUFAs has no effect on platelet function, coagulation, metabolic status or inflammation in patients with atherosclerosis and type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2017, 16, 50.	2.7	72
3	Reduced Thrombin Formation and Altered Fibrin Clot Properties Induced by Polyunsaturated Omega-3 Fatty Acids on Top of Dual Antiplatelet Therapy in Patients Undergoing Percutaneous Coronary Intervention (OMEGA-PCI Clot). <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1696-1702.	1.1	62
4	Omega-3 Polyunsaturated Fatty Acids Increase Plasma Adiponectin to Leptin Ratio in Stable Coronary Artery Disease. <i>Cardiovascular Drugs and Therapy</i> , 2013, 27, 289-295.	1.3	43
5	Myocardial dysfunction and chronic heart failure in patients with long-lasting type 1 diabetes: a 7-year prospective cohort study. <i>Acta Diabetologica</i> , 2013, 50, 597-606.	1.2	43
6	The antiischemic effects and tolerability of trimetazidine in coronary diabetic patients. A substudy from TRIMPOL-1. <i>Cardiovascular Drugs and Therapy</i> , 1999, 13, 217-222.	1.3	42
7	Relationship between polyunsaturated fatty acid composition in serum phospholipids, systemic low-grade inflammation, and glycemic control in patients with type 2 diabetes and atherosclerotic cardiovascular disease. <i>Cardiovascular Diabetology</i> , 2018, 17, 29.	2.7	33
8	Treatment with omega-3 polyunsaturated fatty acids does not improve endothelial function in patients with type 2 diabetes and very high cardiovascular risk: A randomized, double-blind, placebo-controlled study (Omega-FMD). <i>Atherosclerosis</i> , 2018, 271, 148-155.	0.4	27
9	Relationship between everyday use cosmetics and female breast cancer. <i>Polish Archives of Internal Medicine</i> , 2014, 124, 264-269.	0.3	26
10	Polyunsaturated omega-3 fatty acids reduce lipoprotein-associated phospholipase A2 in patients with stable angina. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 434-439.	1.1	25
11	Outcomes of Participants With Diabetes in the ISCHEMIA Trials. <i>Circulation</i> , 2021, 144, 1380-1395.	1.6	24
12	Lyme carditis: Epidemiology, pathophysiology, and clinical features in endemic areas. <i>International Journal of Cardiology</i> , 2010, 144, 328-333.	0.8	19
13	Low fasting glucose is associated with enhanced thrombin generation and unfavorable fibrin clot properties in type 2 diabetic patients with high cardiovascular risk. <i>Cardiovascular Diabetology</i> , 2015, 14, 44.	2.7	19
14	Facilitated percutaneous coronary intervention in patients with acute myocardial infarction transferred from remote hospitals. <i>American Journal of Cardiology</i> , 2003, 91, 227-229.	0.7	16
15	Epicardial, paracardial and perivascular fat quantity, genes expression and serum cytokines in coronary artery disease and diabetes. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 738-746.	0.3	16
16	Effect of short-term fluctuations in outdoor air pollution on the number of hospital admissions due to acute myocardial infarction among inhabitants of Krakow, Poland. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 88-96.	0.3	16
17	High-density lipoprotein (HDL) cholesterol "more complicated than we think?". <i>Annals of Agricultural and Environmental Medicine</i> , 2018, 25, 517-526.	0.5	13
18	Polyhedrocytes in blood clots of type 2 diabetic patients with high cardiovascular risk: association with glycemia, oxidative stress and platelet activation. <i>Cardiovascular Diabetology</i> , 2018, 17, 146.	2.7	12

#	ARTICLE	IF	CITATIONS
19	Stenotrophomonas maltophilia pacemaker endocarditis in a patient with d-transposition of the great arteries after atrial switch procedure. International Journal of Cardiology, 2010, 145, e92-e95.	0.8	9
20	Anthracycline-induced cardiotoxicity prevention with angiotensin-converting enzyme inhibitor ramipril in women with low-risk breast cancer: results of a prospective randomized study. Kardiologia Polska, 2020, 78, 131-137.	0.3	9
21	Association between carotid-femoral pulse wave velocity and overall cardiovascular risk score assessed by the SCORE system in urban Polish population. Kardiologia Polska, 2019, 77, 363-370.	0.3	9
22	Polyunsaturated omega-3 fatty acids improve responsiveness to clopidogrel after percutaneous coronary intervention in patients with cytochrome P450 2C19 loss-of-function polymorphism. Kardiologia Polska, 2012, 70, 439-45.	0.3	9
23	Quantitative analysis of clot density, fibrin fiber radius, and protofibril packing in acute phase myocardial infarction. Thrombosis Research, 2021, 205, 110-119.	0.8	8
24	Prolonged CRP Increase After Percutaneous Coronary Intervention Is Associated with High Thrombin Concentrations and Low Platelet™ Response to Clopidogrel in Patients with Stable Angina. Advances in Clinical and Experimental Medicine, 2015, 24, 979-985.	0.6	7
25	Association between thrombophilia and seated immobility venous thromboembolism. Blood Coagulation and Fibrinolysis, 2014, 25, 135-141.	0.5	6
26	Omega-3 polyunsaturated fatty acids: is their future VITALized or REDUCed?. Cardiovascular Research, 2019, 115, e58-e60.	1.8	6
27	Diabetes and cardiovascular disease: from new mechanisms to new therapies. Polish Archives of Internal Medicine, 2018, 128, 178-186.	0.3	6
28	Î²-Carotene-Induced Alterations in Haemoglobin Affinity to O <sub>2</sub> . Antioxidants, 2021, 10, 451.	2.2	5
29	Unsaturated fatty acid composition in serum phospholipids in patients in the acute phase of myocardial infarction. Kardiologia Polska, 2019, 77, 935-943.	0.3	5
30	Incidence of chronic heart failure with preserved left ventricular ejection fraction in patients with hypertension and isolated mild diastolic dysfunction. Polish Archives of Internal Medicine, 2016, 126, 12-18.	0.3	5
31	Ergotamine-induced cardiovascular toxicity: mechanisms and clinical significance. International Journal of Cardiology, 2010, 141, 111-114.	0.8	4
32	The influence of obesity on progression of coronary arteriosclerosis and clinical course after ST elevation acute myocardial infarction treated with primary coronary interventions. Advances in Medical Sciences, 2011, 56, 241-248.	0.9	4
33	Controversies in diabetes in 2013 - a brief update. Advances in Clinical and Experimental Medicine, 2013, 22, 777-84.	0.6	4
34	Epicardial, pericardial fat and glucagon-like peptide-1 and 2 receptors expression in stable patients with multivessel coronary artery disease: an association with renin-angiotensin-aldosterone. Polish Archives of Internal Medicine, 2021, 131, 233-240.	0.3	3
35	Simultaneous cardiac free wall rupture and ventricular septal rupture following acute myocardial infarction treated with emergency balloon closure. Polish Archives of Internal Medicine, 2019, 129, 830-832.	0.3	3
36	Pulmonary artery dilatation during normal pregnancy. Kardiologia Polska, 2018, 76, 1542-1550.	0.3	3

#	ARTICLE	IF	CITATIONS
37	The role of glucagon-like peptide 1 in glucose homeostasis and in other aspects of human physiology. Polish Archives of Internal Medicine, 2009, 119, 743-751.	0.3	3
38	Diagnostic algorithm and therapeutic options in chronic heart failure: updated review of clinical practice guidelines. , 2008, 118, 489-500.		3
39	The Fish Oil Story –“ Back to Greenland?. Cardiology, 2011, 118, 245-247.	0.6	2
40	Omega-3 Polyunsaturated Fatty Acids in Patients with Coronary Disease Treated with Percutaneous Coronary Intervention. , 2016, , 319-329.		2
41	Low blood glucose in type 2 diabetes: a lot more to come?. Polish Archives of Internal Medicine, 2016, 126, 1019-1020.	0.3	2
42	Predictive value of electrocardiographic ST-segment elevation myocardial infarction equivalents for detecting acute coronary artery occlusion in patients with non-ST-segment elevation myocardial infarction. Kardiologia Polska, 2019, 77, 624-631.	0.3	2
43	Serum phospholipid cis-palmitoleic acid in patients with type 2 diabetes and chronic coronary syndrome: an assessment of the relationship with diabetes duration, systemic low-grade inflammation and circulating oxidized low-density lipoprotein. Kardiologia Polska, 2020, 78, 584-587.	0.3	2
44	Mitral and aortic annular calcifications and cerebrovascular ischemic episodes in patients with coronary artery disease. Polish Archives of Internal Medicine, 2014, 124, 373-379.	0.3	2
45	Journal impact factor revisited. Polish Archives of Internal Medicine, 2018, 128, 406-408.	0.3	2
46	Prostacyclin analogues decrease platelet aggregation but have no effect on thrombin generation, fibrin clot structure, and fibrinolysis in pulmonary arterial hypertension: PAPAAYA coagulation. Platelets, 2022, 33, 1065-1074.	1.1	2
47	Electrocardiographic identification of the culprit coronary artery in acute non-ST-elevation myocardial infarction: predictive value of N-wave and T-wave precordial instability. Coronary Artery Disease, 2020, 31, 590-596.	0.3	1
48	Anomalous origin and interarterial course of the right coronary artery: diagnostic and therapeutic dilemmas. Polish Archives of Internal Medicine, 2014, 124, 746-747.	0.3	1
49	Compliance in diabetes –“ target or way to success?. Clinical Diabetology, 2016, 5, 32-39.	0.2	1
50	Left circumflex coronary artery aneurysm with arteriovenous fistula to the coronary sinus presenting as acute coronary syndrome. Polish Archives of Internal Medicine, 2016, 126, 899-900.	0.3	1
51	Association of serum levels of lipoprotein A-I and lipoprotein A-I/A-II with high on-treatment platelet reactivity in patients with ST-segment elevation myocardial infarction (STEMI).. Anatolian Journal of Cardiology, 2018, 19, 374-381.	0.5	1
52	Obstructive and non-obstructive coronary artery disease in long-lasting type 1 diabetes: a 7-year prospective cohort study. Polish Archives of Internal Medicine, 2019, 129, 97-105.	0.3	1
53	More new ischemic cerebral lesions revealed by diffusion-weighted imaging magnetic resonance imaging after carotid eversion endarterectomy in comparison with carotid stenting under proximal protection: the results of randomized prospective trial. Polish Archives of Internal Medicine, 2019, 129, 563-566.	0.3	1
54	Relationship among the leptin-to-adiponectin ratio, systemic inflammation, and anisocytosis in well-controlled type 2 diabetic patients with atherosclerotic cardiovascular disease. Kardiologia Polska, 2020, 78, 420-428.	0.3	1

#	ARTICLE	IF	CITATIONS
55	To close or not to close arteriovenous fistulas in kidney allograft recipients: that is the question. Polish Archives of Internal Medicine, 2012, 122, 451-452.	0.3	0
56	Abnormal left and right coronaryâ€™toâ€™aortic arch and main and right pulmonary artery fistulas in a 63â€™yearâ€™old patient. Polish Archives of Internal Medicine, 2013, 123, 498-499.	0.3	0
57	CHA2DS2-VASc: towards a universal risk assessment in cardiovascular diseases?. Polish Archives of Internal Medicine, 2015, 125, 500-501.	0.3	0
58	Platelet response to clopidogrel: the paradox of obesity or leanness?. Polish Archives of Internal Medicine, 2015, 125, 615-617.	0.3	0
59	What is better than a peer-review process?. Polish Archives of Internal Medicine, 2015, 125, 883-888.	0.3	0
60	Effects of administration of omega-3 fatty acids with or without vitamin E supplementation on adiponectin gene expression in PBMCs and serum adiponectin and adipocyte fatty acidbinding protein levels in male patients with CAD. Anatolian Journal of Cardiology, 2016, 16, 817.	0.5	0
61	Clinical characteristics of elderly patients with heart failure: what else do we need to know?. Polish Archives of Internal Medicine, 2016, 126, 463-464.	0.3	0
62	Gas bubbles in theâ€™pericardium and concomitant tricuspid valve mass. Polish Archives of Internal Medicine, 2017, 127, 283-284.	0.3	0
63	Aortic dissection after sudden position change. Kardiologia Polska, 2019, 77, 235-235.	0.3	0
64	Response to the letter concerning the article: â€™Association between carotid-femoral pulse wave velocity and overall cardiovascular risk score assessed by the SCORE system in urban Polish populationâ€™. Kardiologia Polska, 2019, 77, 411-412.	0.3	0
65	Continuous growth of the journal. Polish Archives of Internal Medicine, 2019, 129, 362-364.	0.3	0
66	Polish Archives of Internal Medicine in the coronavirus disease 2019 pandemic. Polish Archives of Internal Medicine, 2020, 130, 263-263.	0.3	0
67	Catecholamine-induced secondary Takotsubo syndrome in a patient with pheochromocytoma and synchronous papillary renal cell carcinoma. Kardiologia Polska, 2020, 78, 784-785.	0.3	0
68	Optimal treatment for patients after myocardial infarction: some current concepts and controversies. , 2008, 118, 43-51.		0