

# Grzegorz Gajos

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5918265/grzegorz-gajos-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

52  
papers

534  
citations

13  
h-index

22  
g-index

70  
ext. papers

638  
ext. citations

2.7  
avg, IF

3.65  
L-index

#	Paper	IF	Citations
52	Prostacyclin analogues decrease platelet aggregation but have no effect on thrombin generation, fibrin clot structure, and fibrinolysis in pulmonary arterial hypertension: PAPAAYA coagulation.. <i>Platelets</i> , <b>2022</b> , 1-10	3.6	0
51	β-Carotene-Induced Alterations in Haemoglobin Affinity to O. <i>Antioxidants</i> , <b>2021</b> , 10,	7.1	4
50	Quantitative analysis of clot density, fibrin fiber radius, and protofibril packing in acute phase myocardial infarction. <i>Thrombosis Research</i> , <b>2021</b> , 205, 110-119	8.2	2
49	Epicardial, pericardial fat and glucagon-like peptide-1 and -2 receptors expression in stable patients with multivessel coronary artery disease: an association with the renin-angiotensin-aldosterone system. <i>Polish Archives of Internal Medicine</i> , <b>2021</b> , 131, 233-240	1.9	0
48	Outcomes of Participants With Diabetes in the ISCHEMIA Trials. <i>Circulation</i> , <b>2021</b> , 144, 1380-1395	16.7	5
47	Anthracycline-induced cardiotoxicity prevention with angiotensin-converting enzyme inhibitor ramipril in women with low-risk breast cancer: results of a prospective randomized study. <i>Kardiologia Polska</i> , <b>2020</b> , 78, 131-137	0.9	3
46	Polish Archives of Internal Medicine in the coronavirus disease 2019 pandemic. <i>Polish Archives of Internal Medicine</i> , <b>2020</b> , 130, 263	1.9	
45	Relationship among the leptin-to-adiponectin ratio, systemic inflammation, and anisocytosis in well-controlled type 2 diabetic patients with atherosclerotic cardiovascular disease. <i>Kardiologia Polska</i> , <b>2020</b> , 78, 420-428	0.9	0
44	Catecholamine-induced secondary Takotsubo syndrome in a patient with pheochromocytoma and synchronous papillary renal cell carcinoma. <i>Kardiologia Polska</i> , <b>2020</b> , 78, 784-785	0.9	
43	Electrocardiographic identification of the culprit coronary artery in acute non-ST-elevation myocardial infarction: predictive value of N-wave and T-wave precordial instability. <i>Coronary Artery Disease</i> , <b>2020</b> , 31, 590-596	1.4	
42	Omega-3 polyunsaturated fatty acids: is their future VITALized or REDUCed?. <i>Cardiovascular Research</i> , <b>2019</b> , 115, e58-e60	9.9	3
41	Epicardial, paracardial, and perivascular fat quantity, gene expressions, and serum cytokines in patients with coronary artery disease and diabetes. <i>Polish Archives of Internal Medicine</i> , <b>2019</b> , 129, 738-748	1.9	9
40	Simultaneous cardiac free-wall rupture and ventricular septal rupture following acute myocardial infarction treated with emergency balloon inflation. <i>Polish Archives of Internal Medicine</i> , <b>2019</b> , 129, 830-832	1.9	1
39	Effect of short-term fluctuations in outdoor air pollution on the number of hospital admissions due to acute myocardial infarction among inhabitants of Kraków, Poland. <i>Polish Archives of Internal Medicine</i> , <b>2019</b> , 129, 88-96	1.9	9
38	Predictive value of electrocardiographic ST-segment elevation myocardial infarction equivalents for detecting acute coronary artery occlusion in patients with non-ST-segment elevation myocardial infarction. <i>Kardiologia Polska</i> , <b>2019</b> , 77, 624-631	0.9	1
37	Unsaturated fatty acid composition in serum phospholipids in patients in the acute phase of myocardial infarction. <i>Kardiologia Polska</i> , <b>2019</b> , 77, 935-943	0.9	3
36	Association between carotid-femoral pulse wave velocity and overall cardiovascular risk score assessed by the SCORE system in urban Polish population. <i>Kardiologia Polska</i> , <b>2019</b> , 77, 363-370	0.9	5

35	Obstructive and nonobstructive coronary artery disease in long-lasting type 1 diabetes: a 7-year prospective cohort study. <i>Polish Archives of Internal Medicine</i> , <b>2019</b> , 129, 97-105	1.9	1
34	Aortic dissection after sudden position change. <i>Kardiologia Polska</i> , <b>2019</b> , 77, 235	0.9	
33	Response to the letter concerning the article: "Association between carotid-femoral pulse wave velocity and overall cardiovascular risk score assessed by the SCORE system in urban Polish population". <i>Kardiologia Polska</i> , <b>2019</b> , 77, 411-412	0.9	
32	Cerebral ischemic lesions on diffusion-weighted magnetic resonance imaging after carotid eversion endarterectomy vs carotid stenting with a proximal protection device: results of a randomized prospective trial. <i>Polish Archives of Internal Medicine</i> , <b>2019</b> , 129, 563-566	1.9	
31	Continuous growth of the journal. <i>Polish Archives of Internal Medicine</i> , <b>2019</b> , 129, 362-364	1.9	
30	Treatment with omega-3 polyunsaturated fatty acids does not improve endothelial function in patients with type 2 diabetes and very high cardiovascular risk: A randomized, double-blind, placebo-controlled study (Omega-FMD). <i>Atherosclerosis</i> , <b>2018</b> , 271, 148-155	3.1	20
29	Relationship between polyunsaturated fatty acid composition in serum phospholipids, systemic low-grade inflammation, and glycemic control in patients with type 2 diabetes and atherosclerotic cardiovascular disease. <i>Cardiovascular Diabetology</i> , <b>2018</b> , 17, 29	8.7	17
28	Pulmonary artery dilatation during normal pregnancy. <i>Kardiologia Polska</i> , <b>2018</b> , 76, 1542-1550	0.9	1
27	Association of serum levels of lipoprotein A-I and lipoprotein A-I/A-II with high on-treatment platelet reactivity in patients with ST-segment elevation myocardial infarction. <i>Anatolian Journal of Cardiology</i> , <b>2018</b> , 19, 374-381	0.8	
26	Diabetes and cardiovascular disease: from new mechanisms to new therapies. <i>Polish Archives of Internal Medicine</i> , <b>2018</b> , 128, 178-186	1.9	2
25	Polyhedrocytes in blood clots of type 2 diabetic patients with high cardiovascular risk: association with glycemia, oxidative stress and platelet activation. <i>Cardiovascular Diabetology</i> , <b>2018</b> , 17, 146	8.7	8
24	High-density lipoprotein (HDL) cholesterol - more complicated than we think?. <i>Annals of Agricultural and Environmental Medicine</i> , <b>2018</b> , 25, 517-526	1.4	7
23	Treatment with high-dose n-3 PUFAs has no effect on platelet function, coagulation, metabolic status or inflammation in patients with atherosclerosis and type 2 diabetes. <i>Cardiovascular Diabetology</i> , <b>2017</b> , 16, 50	8.7	59
22	Low blood glucose in type 2 diabetes: a lot more to come?. <i>Polish Archives of Internal Medicine</i> , <b>2016</b> , 126, 1019-1020	1.9	2
21	Omega-3 Polyunsaturated Fatty Acids in Patients with Coronary Disease Treated with Percutaneous Coronary Intervention <b>2016</b> , 319-329		2
20	Effects of administration of omega-3 fatty acids with or without vitamin E supplementation on adiponectin gene expression in PBMCs and serum adiponectin and adipocyte fatty acid-binding protein levels in male patients with CAD. <i>Anatolian Journal of Cardiology</i> , <b>2016</b> , 16, 817	0.8	
19	Incidence of chronic heart failure with preserved left ventricular ejection fraction in patients with hypertension and isolated mild diastolic dysfunction. <i>Polish Archives of Internal Medicine</i> , <b>2016</b> , 126, 12-18	1.9	2
18	Low fasting glucose is associated with enhanced thrombin generation and unfavorable fibrin clot properties in type 2 diabetic patients with high cardiovascular risk. <i>Cardiovascular Diabetology</i> , <b>2015</b> , 14, 44	8.7	14

17	Prolonged CRP Increase After Percutaneous Coronary Intervention Is Associated with High Thrombin Concentrations and Low Platelet Response to Clopidogrel in Patients with Stable Angina. <i>Advances in Clinical and Experimental Medicine</i> , <b>2015</b> , 24, 979-85	1.8	5
16	Association between thrombophilia and seated immobility venous thromboembolism. <i>Blood Coagulation and Fibrinolysis</i> , <b>2014</b> , 25, 135-41	1	3
15	Polyunsaturated omega-3 fatty acids reduce lipoprotein-associated phospholipase A(2) in patients with stable angina. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2014</b> , 24, 434-9	4.5	17
14	Relationship between everyday use cosmetics and female breast cancer. <i>Polish Archives of Internal Medicine</i> , <b>2014</b> , 124, 264-9	1.9	20
13	Omega-3 polyunsaturated fatty acids increase plasma adiponectin to leptin ratio in stable coronary artery disease. <i>Cardiovascular Drugs and Therapy</i> , <b>2013</b> , 27, 289-95	3.9	37
12	Myocardial dysfunction and chronic heart failure in patients with long-lasting type 1 diabetes: a 7-year prospective cohort study. <i>Acta Diabetologica</i> , <b>2013</b> , 50, 597-606	3.9	28
11	Polyunsaturated omega-3 fatty acids improve responsiveness to clopidogrel after percutaneous coronary intervention in patients with cytochrome P450 2C19 loss-of-function polymorphism. <i>Kardiologia Polska</i> , <b>2012</b> , 70, 439-45	0.9	9
10	The influence of obesity on progression of coronary atherosclerosis and clinical course after ST elevation acute myocardial infarction treated with primary coronary interventions. <i>Advances in Medical Sciences</i> , <b>2011</b> , 56, 241-8	2.8	3
9	Reduced thrombin formation and altered fibrin clot properties induced by polyunsaturated omega-3 fatty acids on top of dual antiplatelet therapy in patients undergoing percutaneous coronary intervention (OMEGA-PCI clot). <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2011</b> , 31, 1696-702	9.4	52
8	Effects of polyunsaturated omega-3 fatty acids on responsiveness to dual antiplatelet therapy in patients undergoing percutaneous coronary intervention: the OMEGA-PCI (OMEGA-3 fatty acids after pci to modify responsiveness to dual antiplatelet therapy) study. <i>Journal of the American College of Cardiology</i> , <b>2010</b> , 55, 1671-8	15.1	93
7	Ergotamine-induced cardiovascular toxicity: mechanisms and clinical significance. <i>International Journal of Cardiology</i> , <b>2010</b> , 141, 111-4	3.2	3
6	Stenotrophomonas maltophilia pacemaker endocarditis in a patient with d-transposition of the great arteries after atrial switch procedure. <i>International Journal of Cardiology</i> , <b>2010</b> , 145, e92-5	3.2	8
5	Lyme carditis: epidemiology, pathophysiology, and clinical features in endemic areas. <i>International Journal of Cardiology</i> , <b>2010</b> , 144, 328-33	3.2	16
4	Optimal treatment for patients after myocardial infarction: some current concepts and controversies <b>2008</b> , 118, 43-51		
3	Diagnostic algorithm and therapeutic options in chronic heart failure: updated review of clinical practice guidelines <b>2008</b> , 118, 489-500		3
2	Facilitated percutaneous coronary intervention in patients with acute myocardial infarction transferred from remote hospitals. <i>American Journal of Cardiology</i> , <b>2003</b> , 91, 227-9	3	14
1	The antiischemic effects and tolerability of trimetazidine in coronary diabetic patients. A substudy from TRIMPOL-1. <i>Cardiovascular Drugs and Therapy</i> , <b>1999</b> , 13, 217-22	3.9	32