

Marcella Ferraz Pazzinatto

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5919378/marcella-ferraz-pazzinatto-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

45
papers

545
citations

15
h-index

21
g-index

55
ext. papers

729
ext. citations

2.9
avg, IF

4.05
L-index

#	Paper	IF	Citations
45	Relationship between hip muscle strength and hip biomechanics during running in people with femoroacetabular impingement syndrome.. <i>Clinical Biomechanics</i> , 2022 , 92, 105587	2.2	1
44	The relationship between kinesiophobia and self-reported outcomes and physical function differs between women and men with femoroacetabular impingement syndrome.. <i>Brazilian Journal of Physical Therapy</i> , 2022 , 26, 100396	3.7	1
43	Relationship between vastus medialis Hoffmann reflex excitability and knee extension biomechanics during different tasks in women with patellofemoral pain.. <i>Clinical Biomechanics</i> , 2021 , 91, 105544	2.2	1
42	Women with patellofemoral pain and knee crepitus have reduced knee flexion angle during stair ascent. <i>Physical Therapy in Sport</i> , 2021 , 48, 60-66	3	1
41	The Altmetric Score Has a Stronger Relationship With Article Citations Than Journal Impact Factor and Open Access Status: A Cross-sectional Analysis of 4022 Sport Sciences Articles. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021 , 51, 536-541	4.2	6
40	Program evaluation of GLA:D [®] Australia: Physiotherapist training outcomes and effectiveness of implementation for people with knee osteoarthritis. <i>Osteoarthritis and Cartilage Open</i> , 2021 , 3, 100175	1.5	7
39	Impaired Isometric, Concentric, and Eccentric Rate of Torque Development at the Hip and Knee in Patellofemoral Pain. <i>Journal of Strength and Conditioning Research</i> , 2021 , 35, 2492-2497	3.2	5
38	Knee and Hip Isometric Force Steadiness Are Impaired in Women With Patellofemoral Pain. <i>Journal of Strength and Conditioning Research</i> , 2021 , 35, 2878-2885	3.2	3
37	Overweight and obesity in young adults with patellofemoral pain: Impact on functional capacity and strength. <i>Journal of Sport and Health Science</i> , 2020 ,	8.2	2
36	Pain and disability in women with patellofemoral pain relate to kinesiophobia, but not to patellofemoral joint loading variables. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020 , 30, 2215-2221	4.6	6
35	Patient Education for Patellofemoral Pain: A Systematic Review. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2020 , 50, 388-396	4.2	26
34	Novel Stepped Care Approach to Provide Education and Exercise Therapy for Patellofemoral Pain: Feasibility Study. <i>Journal of Medical Internet Research</i> , 2020 , 22, e18584	7.6	4
33	Patients and clinicians managing patellofemoral pain should not rely on general web-based information. <i>Physical Therapy in Sport</i> , 2020 , 45, 176-180	3	7
32	Fear of movement and (re)injury is associated with condition specific outcomes and health-related quality of life in women with patellofemoral pain. <i>Physiotherapy Theory and Practice</i> , 2020 , 1-10	1.5	3
31	Infographic. What interventions can improve quality of life or psychosocial factors of individuals with knee osteoarthritis? A systematic review with meta-analysis of primary outcomes from randomised controlled trials. <i>British Journal of Sports Medicine</i> , 2019 , 53, 901-902	10.3	1
30	Influence of Knee Abductor Moment on Patellofemoral Joint Stress and Self-reported Pain of Women with Patellofemoral Pain. <i>IFMBE Proceedings</i> , 2019 , 269-275	0.2	
29	Patellar Tendon Reflex and Vastus Medialis Hoffmann Reflex Are Down Regulated and Correlated in Women With Patellofemoral Pain. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019 , 100, 514-519	2.8	8

28	Influence of kinesiophobia and pain catastrophism on objective function in women with patellofemoral pain. <i>Physical Therapy in Sport</i> , 2019 , 35, 116-121	3	31
27	What are the clinical implications of knee crepitus to individuals with knee osteoarthritis? An observational study with data from the Osteoarthritis Initiative. <i>Brazilian Journal of Physical Therapy</i> , 2019 , 23, 491-496	3.7	2
26	Kinesiophobia, but not strength is associated with altered movement in women with patellofemoral pain. <i>Gait and Posture</i> , 2019 , 68, 1-5	2.6	30
25	Knee crepitus is not associated with the occurrence of total knee replacement in knee osteoarthritis - a longitudinal study with data from the Osteoarthritis Initiative. <i>Brazilian Journal of Physical Therapy</i> , 2019 , 23, 329-336	3.7	3
24	Association between increase in vertical ground reaction force loading rate and pain level in women with patellofemoral pain after a patellofemoral joint loading protocol. <i>Knee</i> , 2018 , 25, 398-405	2.6	12
23	Which is the best predictor of excessive hip internal rotation in women with patellofemoral pain: Rearfoot eversion or hip muscle strength? Exploring subgroups. <i>Gait and Posture</i> , 2018 , 62, 366-371	2.6	8
22	What interventions can improve quality of life or psychosocial factors of individuals with knee osteoarthritis? A systematic review with meta-analysis of primary outcomes from randomised controlled trials. <i>British Journal of Sports Medicine</i> , 2018 , 52, 1031-1038	10.3	51
21	Higher pain level and lower functional capacity are associated with the number of altered kinematics in women with patellofemoral pain. <i>Gait and Posture</i> , 2018 , 60, 268-272	2.6	19
20	Knee crepitus is prevalent in women with patellofemoral pain, but is not related with function, physical activity and pain. <i>Physical Therapy in Sport</i> , 2018 , 33, 7-11	3	6
19	Relationship between knee abduction moment with patellofemoral joint reaction force, stress and self-reported pain during stair descent in women with patellofemoral pain. <i>Clinical Biomechanics</i> , 2018 , 59, 110-116	2.2	9
18	Different pain responses to distinct levels of physical activity in women with patellofemoral pain. <i>Brazilian Journal of Physical Therapy</i> , 2017 , 21, 138-143	3.7	21
17	Is quadriceps H-reflex excitability a risk factor for patellofemoral pain?. <i>Medical Hypotheses</i> , 2017 , 108, 124-127	3.8	6
16	Local and widespread hyperalgesia in female runners with patellofemoral pain are influenced by running volume. <i>Journal of Science and Medicine in Sport</i> , 2017 , 20, 362-367	4.4	13
15	Vastus Medialis Hoffmann Reflex Excitability Is Associated With Pain Level, Self-Reported Function, and Chronicity in Women With Patellofemoral Pain. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 114-119	2.8	13
14	Contribution of altered hip, knee and foot kinematics to dynamic postural impairments in females with patellofemoral pain during stair ascent. <i>Knee</i> , 2016 , 23, 376-81	2.6	17
13	Lower Amplitude of the Hoffmann Reflex in Women With Patellofemoral Pain: Thinking Beyond Proximal, Local, and Distal Factors. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016 , 97, 1115-20	2.8	20
12	Delayed onset of electromyographic activity of the vastus medialis relative to the vastus lateralis may be related to physical activity levels in females with patellofemoral pain. <i>Journal of Electromyography and Kinesiology</i> , 2016 , 26, 137-42	2.5	15
11	Patellofemoral pain and sports practice: reduced symptoms and higher quality of life in adolescent athletes as compared to non-athletes. <i>Motriz Revista De Educacao Fisica</i> , 2016 , 22, 84-89	0.9	1

10	Test-retest reliability of electromyographic signal parameters used to evaluate neuromuscular fatigue in quadriceps femoris muscle. <i>Kinesiology</i> , 2016 , 48, 174-181	1	1
9	Proximal mechanics during stair ascent are more discriminate of females with patellofemoral pain than distal mechanics. <i>Clinical Biomechanics</i> , 2016 , 35, 56-61	2.2	22
8	Female Adults with Patellofemoral Pain Are Characterized by Widespread Hyperalgesia, Which Is Not Affected Immediately by Patellofemoral Joint Loading. <i>Pain Medicine</i> , 2016 , 17, 1953-1961	2.8	32
7	Reduced knee flexion is a possible cause of increased loading rates in individuals with patellofemoral pain. <i>Clinical Biomechanics</i> , 2015 , 30, 971-5	2.2	37
6	Comparison of frequency and time domain electromyography parameters in women with patellofemoral pain. <i>Clinical Biomechanics</i> , 2015 , 30, 302-7	2.2	18
5	Q-angle static or dynamic measurements, which is the best choice for patellofemoral pain?. <i>Clinical Biomechanics</i> , 2015 , 30, 1083-7	2.2	29
4	Vertical Ground Reaction Forces are Associated with Pain and Self-Reported Functional Status in Recreational Athletes with Patellofemoral Pain. <i>Journal of Applied Biomechanics</i> , 2015 , 31, 409-14	1.2	22
3	Reliability of electromyography parameters during stair deambulation in patellofemoral pain syndrome. <i>Motriz Revista De Educacao Fisica</i> , 2015 , 21, 207-213	0.9	1
2	Reliability and differentiation capability of dynamic and static kinematic measurements of rearfoot eversion in patellofemoral pain. <i>Clinical Biomechanics</i> , 2015 , 30, 144-8	2.2	24
1	Influência da preocupação com quedas na mobilidade e na força de reação do solo em idosas durante descida de escada. <i>Scientia Medica</i> , 2014 , 24, 361	0.3	